

HEWLETT-PACKARD COMPANY LOGIC SYSTEMS DIVISION

HP 64000 Logic Development System

SYSTEM RELEASE BULLETIN

Part Number: 5958-6019 Printed: OCTOBER 1988

E1088

HP STARS II

64000 SOFTWARE RELEASE BULLETIN

UPDATE 88.10A

OCTOBER, 1988

This document supersedes all previously dated SSBs.

HEWLETT PACKARD

READER COMMENT SHEET

STARS II SRB (STARS B)

	Issue	DATE		/	_/_	
	evaluation of this bulletin. You nal pages if necessary.	ur comment	ts and	sugges	tions h	elp us to improve our publications
Is this bulletin tech	hnically accurate?	Yes [] No	[]	(If no,	explain	under Comments, below.)
Are the concepts a understand?	and wording easy to	Yes [] No	[]	(If no,	explain	under Comments, below.)
Is the format of th	nis bulletin convenient in size, readability?	Yes [] No	[]	(If no, Comme		or suggest improvements under ow.)
Comments:						
*****	******	*****	***	****	****	********
			Date	·		
FROM:						
Name						
Company						
Address						

STARS B
Printed in U.S.A.

FOLD

FOLD




BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 1303 COLORADO SPRINGS, CO.

POSTAGE WILL BE PAID BY ADDRESSEE

STARS Administration
Hewlett-Packard Company
Logic Systems Division
P.O. BOX 617
Colorado Springs, Colorado 80901-0617

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



FOLD

FOLD

PREFACE

This Software Release Bulletin documents all fixes and enhancements that are incorporated in the new release identified on the cover page. The SRB is provided as a benefit of Hewlett-Packard's Account Management Support, Response Center Support, and Software Materials Subscription.

Of the five sections contained in the SRB (not including the PREFACE), only the last section which contains the detailed reports has page numbers. These are referenced by the product, report number and keyword indexes in order to direct the user to a particular area or to an individual detailed report. The five sections are described below.

SOFTWARE RELEASE CONTENTS

This section lists the product names, numbers and update/fix levels of all products contained in this release. Products that have changed, or are new are denoted with an asterisk preceding the product name.

PRODUCT INDEX

Each unique product name/number has an entry listing the page number where the detailed report for that product begins.

REPORT NUMBER INDEX

This index is a sequential list of the individual report numbers with the corresponding page number where the report can be found.

KEYWORD INDEX

This index is sorted by product name, keyword, product number (including the update/fix level) and by report number in that order. In addition to the sort items, each entry has a brief description (one line) and the page number where the detailed report can be found. Note that a given report can be listed more than once in this section if it has more than one keyword assigned to it.

DETAILED REPORTS

Each report contains all the available information relevant to the problem being corrected or the enhancement being implemented.

Software release contents

Product name		Product number	uu.ff
rroduct name		froduct number	uu.II
*64000-UX OP-ENV	300	64801S004	01.80
*6800 C		64821	02.10
*6800 C	_	648218004	02.10
*6800 C		648218001	02.10
*6800 C	VAX	648218003	02.10
*6800 PASCAL		64811	01.90
*6800 PASCAL		64811S004	01.90
*6800 PASCAL	-	64811S001	01.90
*6800 PASCAL	VAX	64811S003	01.90
*68000 ASSEMB		64845	02.10
*68000 ASSEMB		648458004	02.10
*68000 ASSEMB		648458001	02.10
*68000 ASSEMB	VAX	648458003	02.10
*68000 C		64819	02.10
*68000 C		648198004	02.10
*68000 C	-	648198001	02.10
*68000 C	VAX	648198003	02.10
*68000 PASCAL		64815	01.90
*68000 PASCAL		648158004	01.90
*68000 PASCAL		648158001	01.90
*68000 PASCAL		648158003	01.90
*68000C AXLS COMP	300	649025004	01.00
*6809 C		64822	01.80
*6809 C		648228004	01.80
*6809 C		648228001	01.80
*6809 C	VAX	648228003	01.80
*6809 PASCAL		64813	01.60
*6809 PASCAL		648138004	01.60
*6809 PASCAL		648138001	01.60
*6809 PASCAL	VAX	648138003	01.60
*78310/12 ASSEMB		64866	01.02
*80286B ASSEMB	200	64859	01.30
*80286B ASSEMB		648598004	01.30
*80286B ASSEMB	-	648598001	01.30
*80286B ASSEMB	VAX	64859S003	01.30
*8085 B PASCAL *8085 B PASCAL	200	64825	01.90
		64825S004 64825S001	01.90
*8085 B PASCAL *8085 B PASCAL	VAX		01.90
*8085 C	VHV	64826	01.90 02.10
*8085 C	300	648268004	02.10
*8085 C	-	648268001	02.10
*8085 C	VAX		02.10
*8085 EMULATION	VAA	64203	01.07
*8086/8 ASSEMB		64853	02.70
*8086/8 ASSEMB	300		02.70
*8086/8 ASSEMB	500		02.70
*8086/8 ASSEMB	VAX		02.70
*8086/8 C	****	64818	03.70
*8086/8 C	300	648185004	03.70
*8086/8 C	_	648185001	03.70
*8086/8 C	VAX		03.70
*8086/8 PASCAL	- 4 44 1	64814	03.50
*8086/8 PASCAL	300		03.50
*8086/8 PASCAL	500	648148001	03.50
	, ••	- / /	-5.70

Software release contents

Product name		Product number	uu.ff
*8086/8 PASCAL	VAX	648148003	03.50
*9900/0 ASSEMB	,,,,,,	64847	01.80
*9900/0 ASSEMB	300		01.80
*9900/0 ASSEMB	500	· ·	01.80
*9900/0 ASSEMB	VAX		01.80
*F9450 EMULATION		64286	01.05
*HOST SOFTWARE /	VAX		02.30
*HOST SOFTWARE /	300		01.10
*HOST SOFTWARE /	500		01.80
*MS1750A ASSEMB		64857	01.90
*MS1750A ASSEMB	300	648578004	01.90
*MS1750A ASSEMB	500	648578001	01.90
*MS1750A ASSEMB		648578003	01.90
*OPERATING SYSTEM		64100	02.10
*RS-232 TRANSFER	300	64885	01.30
*RS-232 TRANSFER	500	64884	01.30
*RS-232 TRANSFER	VAX	64886	01.50
*TMS 32010 MODULES	3	64285	01.02
*USER DEF ASSEMB		64851S004	02.10
*USER DEF ASSEMB	300	64861S004	02.10
*USER DEF ASSEMB	500		02.10
*USER DEF ASSEMB	500	648618001	02.10
*USER DEF ASSEMB	VAX	648518003	02.10
*USER DEF ASSEMB	VAX		02.10
*USER DEF EMULATION		64274	01.06
*USER INTERFACE		648085004	02.10
*USER INTERFACE	500	64808S001	02.10
*Z80/NSC800 C		64824	02.10
*Z80/NSC800 C		648245004	02.10
*Z80/NSC800 C		648248001	02.10
*Z80/NSC800 C	VAX	648248003	02.10
*Z80/NSC800PASCAL		64823	01.90
*Z80/NSC800PASCAL		648238004	01.90
*Z80/NSC800PASCAL	-	648238001	01.90
*Z80/NSC800PASCAL	VAX	648238003	01.90
*Z8000 C		64820	02.10
*Z8000 C	_	648205004	02.10
*Z8000 C		648208001	02.10
*Z8000 C	VAX	64820S003	02.10
*Z8000 PASCAL	222	64816	01.90
*Z8000 PASCAL	_	64816S004	01.90
*Z8000 PASCAL		64816S001	01.90
*Z8000 PASCAL	VAX	64816S003	01.90
*Z8002 EMULATION		64233	02.01

Product index

Product name		Product number	Page
64000-UX OP-ENV	300	64801S004	1
6800 C	-	64821	8
6800 PASCAL		64811	14
68000 ASSEMB		64845	19
68000 C		64819	20
68000 PASCAL		64815	26
6809 C		64822	31
6809 PASCAL		64813	34
80286B ASSEMB		64859	38
8085 B PASCAL		64825	39
8085 C		64826	43
8085 EMULATION		64203	49
8086/8 ASSEMB		64853	50
8086/8 ASSEMB	300	64853s004	55
8086/8 ASSEMB	VAX	64853S003	56
8086/8 C		64818	57
8086/8 C	300	648185004	83
8086/8 C	500	648185001	84
8086/8 PASCAL		64814	85
9900/0 ASSEMB		64847	106
F9450 EMULATION		64286	108
•	VAX	64882	110
HOST SOFTWARE /	300	64883	111
HOST SOFTWARE /	500	64880	112
MS1750A ASSEMB		64857	114
OPERATING SYSTEM		64100	115
TMS 32010 MODULES	5	64285	119
USER DEF ASSEMB	500	64851S001	120
USER DEF ASSEMB	VAX	64851s003	121
USER DEF EMULATION	ON	64274	122
USER INTERFACE	300	648085004	124
Z80/NSC800 C		64824	127
Z80/NSC800 C	300	648245004	135
Z80/NSC800PASCAL		64823	136
Z80/NSC800PASCAL	VAX	648235003	148
Z8000 C		64820	149
Z8000 PASCAL		64816	152
Z8002 EMULATION		64233	156

Report #	page	Report #	page	Report #	page	Report #	page
1650004598	50	5000170654	127	D200007179	28	D200071415	157
1650004705	8 5	5000171124	20	D200014340	23	D200071423	143
1650006908	115	5000171876	90	D200015073	9	D200071431	131
1650008409	8	5000171884	90	D200015347	9	D200072371	77
1650009456	26	5000171900	91	D200019265	113	D200073031	144
1650011585	136	5000172239	65	D200019273	93	D200074237	78
1650013235	50	5000172593	51	D200022137	93	D200075044	131
1650018689	85	5000172742	43	D200023283	93	D200075861	15
1650018721	112	5000172825	127	D200025858	72	D200075911	34
1650019224	26	5000173278	128	D200027953	117	D200075952	101
1650019257	110	5000181552	116	D200031476	73	D200076026	152
1650019331	27	5000182014	138	D200035220	106	D200076067	145
1650026583	20	5000185066	1	D200038778	130	D200076109	40
1650026708	57	5000186718	66	D200042606	73	D200076588	2
1650033209	115	5000186742	138	D200043828	123	D200076620	2
1650036525	124	5000188839	21	D200046623	123	D200076679	3
1650038281	1	5000189985	116	D200049916	74	D200076760	149
1650038430	83	5000190629	139	D200053710	94	D200076802	11
1650038521	124	5000193466	66	D200057802	74	D200076844	31
2700005520	57	5000195628	68	D200060509	52	D200076919	45
5000103432	86	5000197624	91	D200061556	19	D200077008	3
5000111666	115	5000201012	51	D200062604	117	D200077065	24
5000116848	14	5000201749	69	D200063123	14	D200077107	149
5000118844	86	5000202770	116	D200063719	34	D200077149	11
5000121830	106	5000202846	43	D200063750	95	D200077180	31
5000124313	87	5000203596	70	D200063792	28	D200077222	132
5000134593	58	5000204586	22	D200063834	152	D200077263	46
5000134601	58	5000206649	22	D200063875	140	D200077396	80
5000134817	88	5000207845	91	D200063909	39	D200077495	124
5000136085	50	5000216036	70	D200064212	39	D200077727	80
5000136267	59	5000217927	139	D200065060	95	D200077768	52
5000137869	156	5000219204	112	D200066357	109	D200077875	102
5000138388	88	5000220186	43	D200066761	140	D200077941	3
5000149229	60	5000221788	84	D200067629	10	D200077958	4
5000149757	61	5000221994	92	D200068403	<u>ነ</u>	D200078642	102
5000149765	62	5000223099	23	D200068684	75	D200078923	7
5000151431	156	5000223792	119	D200068759	97	D200079038	5
5000152918	49	5000223800	71	D200068767	99	D200079079	132
5000161000	136	5000224022	108	D200068825	38	D200079087	46
5000161034	137	5000224204	148	D200068957	109	D200079095	_5
5000162487	63	5000226605	135	D200069104	110	D200079111	81
5000163287	137	5000226613	55	D200069666	24	D200079129	25
5000163410	64	5000229476	72	D200070532	75	D200079137	149
5000163824	89	5000231605	128	D200070615	76	D200079145	11
5000164004	108	5000232959	106	D200071332	141	D200079152	31
5000165134	64	5000233866	129	D200071340	142	D200079160	47
5000169474	1	5000234237	23	D200071365	142	D200079178	16
5000170415	51	5000241562	122	D200071373	130	D200079186	35

Report number index

Report #	page	Report #	page	Report #	page	Report #	page
D200079194 D200079202 D200079210 D200079228 D200079236 D200079244 D200079251 D200079269 D200079277	104 29 153 41 17 36 105 30 154	D200079293 D200079301 D200079335 D200079509 D200080051 D200080093 D200080101 D200080135 D200080333	5 146	D200080341 D200080358 D200080366 D200080374 D200080382 D200080721 D200081141 D200081471	150 12 32 133 47 125 125 133	D200081638 D200081984 D200082636 D200082669 D200085050 D200093344 D200093369 D200093377	121 6 111 110 118 19 107 53 114
D200079285	42	D200000333	02	D200001020	120	D200093393	117

Keyword	Product number	uu.ff Description	Report #	page
******** ENHANCEMENT	64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004 64801S004	01.00 No error message given when opt run on memory board. 01.00 Edbuild does not work whether invoked by the user or the emulator. 01.00 Msinit may autoconfigure incorrectly. 01.00 HP enhancements are too slow to run softkeys. 01.50 If second card cage used in pv, it may not be released 01.50 Pressing return during a cycle command causes pv to hang 01.50 Msinit crashes opt test user. 01.50 If /usr/hp64000/lock does not exist, msconfig gives odd messages. 01.60 pwd truncates the /net/system portion of the path when RFA'ed to system. 01.60 Search command files via "PATH" variable 01.60 option test multitest can't handle more than 24 cards 01.60 EDBUILD IS NOT WORKING PROPERLY 01.60 Incompatible /etc/update programs. 01.60 64000-UX processes do not die when modem carrier is lost. 01.60 Processes sometimes left running after parent has stopped. 01.70 Multiple <cr> 01.60 64000-UX uses TERMINFO database only partially.</cr>	D200078923 D200079038 D200079095 D200079509 D200080093 D200081984	11342233175566657
		8		
Keyword	Product number	uu.ff Description	Report #	page
******** CODE GENERATOR	64821 64821 64821 64821	01.06 Assigning 0 to bitfield causes entire structure to be reset. 01.07 Array is being placed in the PROG section rather than data. 01.07 Warning message text is incorrect. 00.01 Nested IF stmnt. with bit field structure members genrate incorr. code	D200067629 D200076802 D200080358 1650008409	10 11 12 8
PASS 1	64821 64821 64821 64821	01.04 Using a pointer dereference as an array index generates incorrect code. 01.04 Compiler doesn't reload register after value changes in a nested if expr 01.07 Floating point division of 2 constants generates incorrect result 01.07 DIV, MOD and COMParisons may do unsigned estend of signed values	D200015073	9 9
		8		
Keyword	Product number	uu.ff Description	Report #	page
**************************************	64811 64811 64811 64811 64811	01.10 functional type change of a constant into multi-byte structure gen's err 01.20 Unsigned_8 treated as signed value in FOR loop test. 01.20 Pascal does not report error for assignment of constant to structure 01.20 Functional type changes not always evaluated correctly 01.08 Generates bad code for parameter as ADDR of component.	D200063123 D200075861 D200079178 D200079236 5000116848	15 16 17
		8		
Keyword	Product number	uu.ff Description	Report #	page
********none*****		01.10 EQU is not working with DC correctly.	D200061556	
PROBLEM ON VAX	64845	00.00 *PRODUCT # CHANGE on the VAX* From 64xxxS003 To=64xxxM003	D200093344	
		8		
Keyword	Product number	uu.ff Description	Report #	page
*******none*****	64819 64819	01.02 68008 libraries cause target processor disagree errors. 01.09 Result is invalid if terenary expression evaluates to false.	5000234237 5000171124	

Keyword	Product number	uu.ff Description	Report #	page
********* CODE GENERATOR ENHANCEMENT PASS 1	64819 64819 64819 64819 64819 64819 64819 64819	01.09 Two external declarations are made for one function. 01.09 Compiler aborts when it encounters a legal structure declaration. 01.10 Invalid error 60 flagged. 01.10 \$LIST ON/OFF\$ doesn't work correctly. 01.10 Wrong floating point value assigned in a terenary expression. 01.10 Bad code using \$RANGE\$ or \$DEBUG\$ with \$CALL_PC_LONG\$ or \$LIB_PC_LONG\$ 01.10 Floating point division of 2 constants generates incorrect result 01.90 Generate XREF from compiler which is readable by EDT. 01.10 DIV, MOD and COMParisons may do unsigned estend of signed values	5000206649 D200069666 1650026583 5000188839 5000204340 D200014340 D200077065 5000223099 D200079129	24 20 21 22 23 24 23
		8		
Keyword	Product number	uu.ff Description	Report #	page
**************************************	64815 64815 64815 64815 64815 64815 64815	00.01 System reboot for syntax error. 01.10 Incorrect code generated for array which has boolean indices. 01.10 Set manipulation results in incorrect code being generated. 01.11 functional type change of a constant into multi-byte structure gen's err 01.12 Pascal does not report error for assignment of constant to structure 00.00 COMP_SYM file not purged when COMP_SYM option not selected. 01.12 Functional type changes not always evaluated correctly	1650009456 1650019224 1650019331 D200063792 D200079202 D20007179 D200079269	26 27 28 29 28
		8		
Keyword	Product number	uu.ff Description	Report #	page
********none******* CODE GENERATOR PASS 1	64822 64822 64822 64822	01.08 Array is being placed in the PROG section rather than data. 01.08 Warning message text is incorrect. 01.08 Floating point division of 2 constants generates incorrect result 01.08 DIV, MOD and COMParisons may do unsigned estend of signed values	D200076844 D200080366 D200077180 D200079152	32
		8		
Keyword	Product number	uu.ff Description	Report #	page
**************************************	64813 64813 64813 64813	01.10 functional type change of a constant into multi-byte structure gen's err 01.11 Unsigned_8 treated as signed value in FOR loop test. 01.11 Pascal does not report error for assignment of constant to structure 01.11 Functional type changes not always evaluated correctly	D200063719 D200075911 D200079186 D200079244	34
		0		
Keyword	Product number	uu.ff Description	Report #	page
*******none*****	64859	01.02 Assembling on 64100 & linking on VAX generates erroneous absolute file	D200068825	38
		0		
Keyword	Product number	uu.ff Description	Report #	page
**************************************	64825 64825 64825 64825	01.03 functional type change of a constant into multi-byte structure gen's err 01.04 Unsigned_8 treated as signed value in FOR loop test. 01.04 Pascal does not report error for assignment of constant to structure 01.04 Functional type changes not always evaluated correctly	D200063909 D200076109 D200079228 D200079285	40 3 41

Keyword	Product number	uu.ff Description	Report #	page
PASS 2	64825		D200064212	. •
PM33 2	04823	01.03 Incorrect code generated when set elements are passed as parameters.	D200004212	39
		0		
Keyword	Product number	uu.ff Description	Report #	page
*******none*****	K 64826 64826 64826	01.03 Expression used as array index generates incorrect code. 01.04 Array is being placed in the PROG section rather than data. 01.04 Warning message text is incorrect.	D200068403 D200076919 D200080382	45 47
CODE GENERATOR	64826 64826 64826 64826 64826	01.03 bad code generated with *pointer++ operation 01.04 > = does not work with float type 01.04 When subtract an integer from a pointer, get unnecessary warning message 01.04 Floating point division of 2 constants generates incorrect result 01.04 +=, -=, *=, & /= may fail to auto vars with \$RECURSIVE ON\$	5000172742 5000202846	43 43 43 46
PASS 1	64826	01.04 DIV, MOD and COMParisons may do unsigned estend of signed values	D200079160	
		0		
Keyword	Product number	uu.ff Description	Report #	page
*******none****	k 64203	01.06 Can't use 9.5" paper to print mem map, due to centering of printout.	5000152918	49
		0		
Keyword	Product number	uu.ff Description	Report #	page
********none******	<pre># 64853 64853 64853 64853 64853</pre>	02.00 Assembler/linker does not correctly handle EQU <ext_label> statement. 02.01 Wrong values during EQU from externals. 02.01 reusing accumulator 02.03 Tabs in source file are expanded to 6 spaces instead of 8 spaces 02.03 The noload files aren't showing up in the listing; absolute correct</ext_label>	5000136085 1650004598 D200077768 1650013235 5000170415	50 52 50
CODE GENERATOR LINKER PROBLEM ON VAX	64853 64853 64853 64853	02.02 Incorrect Object code generated 02.01 Linker generates error if COMN segment is not 0000H 02.03 Label preceeded with WORD PTR,NEAR PTR, etc. will not appear in the xref 00.00 *PRODUCT # CHANGE on the VAX* From= 64xxxS003 To=64xxxM003	5000201012 D200060509 5000172593 D200093377	51 52 51
		0		
Keyword	Product number	uu.ff Description	Report #	page
LINKER	64853S004	02.20 Linker can generate invalid DATE on listing file.	5000226613	, ,
		0		
Keyword	Product number	uu.ff Description	Report #	page
CODE GENERATOR	64853S003	02.50 VMS Hosted linker does not recognize logical names	D200079335	
		0		
Keyword	Product number	uu.ff Description	Report #	page
********none*****	* 64818 64818	02.00 Using a postfix decrement operator in a conditional statement fails. 02.00 Compiler uses wrong segment register.	D200031476 D200042606	3 73

Keyword	Product number	uu.ff	Description	Report #	page
********none******	64818 64818 64818 64818 64818 64818 64818	03.01 03.02 03.02 03.02 03.02	DX register is used although it is overwritten by IMUL instruction ES reg overwritten when assign char array to complex data structure Code generated for illegal C statement - POP BH generated Address of array element incorrectly calculated external used 2x in same pgm, w/ ASM FILE ON, get 2 EXT stmts in ASMfile PROGRAMS WITH DUPLICATE GOTO LABELS MAY FAIL IN PASS 3 Warning message text is incorrect.	D200049916 5000195628 5000149757 5000149765 5000172239 D200074237 D200080333	74 68 61 62 65 78 82
LINKER PASS 1 RUN-TIME LIBRARY SF1001	64818 64818	01.06 02.01 02.01 03.00 03.00 03.01 03.01 03.01 03.02 03.02 03.02 03.02 03.02 03.02 03.02	Argument to switch statement may be doubled. 1102 error generated - register needed but not availiable Incorrect segment of array transfered to pointer ES register corrupt when used to get address of array to place in ptr. Return statement not putting value on BX register Nonsense code generated by dynamic struc declaration in a funct. Right shift using var. for # of places to shift generates bad code Floating point division of 2 constants generates incorrect result When using calculated value for array index, uses BX register twice Compile incorrect when a ptr to an int is casted as a short and incremen Incorrect segment passed to external function Assignment to ptr var. (w/ Separate const off) causes corrupt stack Vax not creating same code as the 64000 BX register overwritten with a switch statement Bad code generated for address of external character if for loop Incorrect segment passed to external function VAX and 64100 generate different constants. VAX is incorrect. CL register being used twice Cannot prevent adding Esymbol and Rsymbol info to global symbol table compiler reusing CX register Problem w/ unreleased Rev. Dx Register destroyed The noload files aren't showing up in the listing, absolute correct compiler using DS segment rather than ES segment for 32 bit pointers DIV, MOD and COMParisons may do unsigned estend of signed values REAL NUMBER COMPARISONS MAY NOT EVALUATE CORRECTLY. When casting unsigned ints to floats using +=, generates a error #1001	D200025858 5000134593 5000134601 5000136267 5000149229 D200057802 1650026708 5000186718 5000193466	75556756656776677888677685
			0		
Keyword	Product number	uu.ff	Description	Report #	page
CODE GENERATOR	64818S004	03.02	printer arithmetic gives warning "integer not pointer size" 0	1650038430	83
Keyword	Product number	uu.ff	Description	Report #	page
CODE GENERATOR	64818S001	03.30	bade code gen if local ptr to extrnl strcture is assgn vlu frm extrn ary	5000221788	84
			0		
Keyword	Product number	uu.ff	Description	Report #	page
*******none******	64814 64814 64814 64814	02.01 03.01	Incorrect code generated in FOR loop. The library routine, DISPOSE, overwrites the ES register functional type change of a constant into multi-byte structure gen's err WITH construct causes wrong offset	5000103432 5000124313 D200063750 D200068759	87 95

Keyword	Product number	uu.ff Description	Report #	page
*********** CODE GENERATOR PASCAL PASS 1 RUN-TIME LIBRARY	64814 64814	03.02 With construct causes wrong offset 03.02 Unsigned 8 treated as signed value in FOR loop test. 03.02 \$RECURSIVE \$ option defaults to incorrect mode (OFF) 03.02 Pascal does not report error for assignment of constant to structure 00.01 Stack POP'S exceed Stack PUSH'S when assignment made to ext var. 01.10 Illegal PUSH instruction generated. 02.00 Wrong code generated for expression in 'FOR' loop 02.01 Using ES register without initalization − REP MOVSB. 02.01 Incorrect address calculated for beginning of ary in WITH stamnt 03.00 Incorrect code gener. when shift function operand is mult. dimen. array 03.00 bad code for accessing parameters in nested procedures 03.00 Var. addresses incorrect inside nested WITH statements 03.00 pointers passed as procedure parameters not fully dereferenced. 03.01 Multiplication result stored in CX and overwritten when counter reg need 03.01 Code produces an #1102 error − reg. needed but not available 03.01 EX register gets overwritten when accessing arrays of records 03.01 Contents of register A gets overwritten when accessing mult. arrys of re 03.01 FOR loop counter gets destroyed when loop includes multiple WITH's 03.03 Using WITH statement and complex record structure causes bad code 03.01 for loop w/ counter = unsignd 8 type uses BX twice 03.02 Functional type changes not always evaluated correctly 01.10 Problem with Pascal I/O library (PIOLIB). 01.10 Real number comparisons may not 'evaluate' correctly.	5000207845 D200053710 D200078642 5000163824 5000171876	102 104 108 108 108 108 108 108 108 108 108 108
		9		
Keyword	Product number	uu.ff Description	Report #	page
**************************************	64847 64847 64847 64847	00.46 In macros, "" and '' are not equivalent. 00.00 Problem with negative displacementwith SBO SBZ instructions. 00.46 Autoincrement with indirect addressing does not assemble correctly. 00.00 *PRODUCT # CHANGE on the VAX* From= 64xxxS003 To=64xxxM003	D200035220 5000232959 5000121830 D200093369	106
		9		
Keyword	Product number	uu.ff Description	Report #	page
********** ENHANCEMENT	64286 64286 64286 64286	01.04 Answer to "Emulate SCR?" is automatically changed to "yes" 01.03 Cannot single step through a Software Breakpoint 01.03 MASK, STATUS, and IC are not always cleared when running from reset. 01.04 Enhance the register display to show the Pending Interrupt Register	5000224022 5000164004 D200066357 D200068957	108
		0		
Keyword	Product number	uu.ff Description	Report #	page
******** TRANSFER	64882 64882 64882	01.20 VAX help on MAPBUS command causes system error 01.70 64100 cluster disk free list is corrupted so there is not enough space 02.00 CSIB process does not come up on system bootup	1650019257 D200069104 D200082669	1 110

Keyword	Product number	uu.ff Description	Report #	page
*******none*****	64883	01.00 Transfer does not handle imbedded linefeeds in binary files.	D200082636	111
		0		
Keyword	Product number	uu.ff Description	Report #	page
*******none****		01.10 Invalid file names are not detected by the transfer utility.	D200019265	113
TRANSFER	64880 64880	01.60 Debug file transfers may not function with 14 character file names. 01.06 Bad file format does not cause error in transfer.	1650018721 5000219204	112 112
		s		
Keyword	Product number	uu.ff Description	Report #	page
PROBLEM ON VAX	64857	00.00 *PRODUCT # CHANGE on the VAX* From= 64xxxS003 To=64xxxM003	D200093393	114
		P		
Keyword	Product number	uu.ff Description	Report #	page
*******none****	64100 64100	02.01 Formatting a floppy from a command file sometimes is unsuccessful. 02.04 Comment is taken as a parameter when a null parameter is passed.	5000111666 D200062604	
	64100 64100	02.06 Logical operators generate MO error. 02.07 Unique label is flagged as undefined in macro expansion.	5000202770 1650033209	116
	64100 64100	02.07 Instructions assembling differently than previous assembler. 02.07 Phase error incorrectly reported on 64000 and hosted assemblers.	5000189985 D200085050	116
COPY DC600	64100 64100	02.01 "copy f:link_com to display" doesn't display all attributes of "f". 00.01 64000 backup_from 7946 to 9144 with 150' tape produces wrong message.	D200027953 1650006908	117
50000	64100	02.04 No multi-tape backup strategy for discs > 64MB on the 64000.	5000181552	
		M		
Keyword	Product number	uu.ff Description	Report #	page
*******none*****	64285	01.00 Inverse assembly for 1E91H is incorrectly shown as SUB * -, E, 0	5000223792	119
		\$		
Keyword	Product number	uu.ff Description	Report #	page
*******none*****	64851S001	01.60 expressions of the form 123456.78 cause errors	D200081620	120
		S		
Keyword	Product number	uu.ff Description	Report #	page
*******none*****	64851S003	01.60 expressions of form 123456.78 cause errors	D200081638	121
		- - \$		
Keyword	Product number	uu.ff Description	Report #	page
*******none*****		01.04 Bad display of trace data with 8-bit UDE	D200043828	
	64274	01.04 modify memory starting at odd addresses does not always work	D200046623	123

			3		
Keywo	ord	Product number	uu.ff Description	Report #	page
***	k***none*****	64274	01.05 run until <addr> fails from reset when reset points to user code.</addr>	5000241562	122
			S		
Keyw	ord	Product number	uu.ff Description	Report #	page
**** MENU	****none******* S	64808S004 64808S004 64808S004 64808S004 64808S004 64808S004	01.20 Pmon flags a syntax error when attempting to append files 01.20 User softkey display should be erased after shell escape. 01.20 pwd truncates the /net/system portion of the path when RFA'ed to system. 01.20 Pmon command completion intermittantly fails after completion error. 01.20 Command search algorithm should match the softkey package. 02.00 Pmon command completion via shell variables not working correctly	1650036525 D200077495 D200080135 D200080721 D200081141 1650038521	125
			8		
Keyw	ord	Product number	uu.ff Description	Report #	page
	****none******* GENERATOR 1	64824 64824 64824 64824 64824 64824 64824 64824 64824 64824 64824 64824 64824	01.01 Incorrect transfer address when linking 9 or more files. 01.03 Error using switch (*x++). 01.03 RETI is not generated when exiting an interrupt procedure. 01.03 Array is being placed in the PROG section rather than data. 01.03 INT Multiplication of short by negative constant with SHORT_ARITH. 01.04 += operator does not work for pointers to structures. 01.04 ZDconvert library module has two errors in the ZDdwordtoword routine. 01.04 . 01.04 +=, -=, *=, & /= may fail to auto vars with \$RECURSIVE ON\$ 01.04 Warning message text is incorrect. 01.04 MOD operation returning the wrong value. 01.04 Floating point division of 2 constants generates incorrect result 01.03 DIV, MOD and COMParisons may do unsigned estend of signed values	D200038778 5000170654 5000172825 5000173278 D200071373 5000231605 5000233866 D200075044 D200079079 D200080374 D200081471 D200077222 D200071431	127 127 128 130 128 129 131 132 133 133
			8		
Keyw	ord	Product number	uu.ff Description	Report #	page
***	****none*****	64824S004	01.20 Double word divide library returning incorrect result.	5000226605	135
	8				
Keyw	ord	Product number	uu.ff Description	Report #	page
***	****none******	64823 64823 64823 64823 64823 64823 64823 64823 64823 64823 64823 64823 64823	01.03 Unbelieveable amount of library code linked for no-line program. 01.03 Libraries reference procedures not actually needed. 01.03 FOR statement with SIGNED_BYTE produces incorrect code. 01.03 functional type change of a constant into multi-byte structure gen's err 01.03 Code generated by compiler increased 12% with latest version. 01.03 Links not correctly established during calls of nested procedures. 01.03 Certain variable accesses by nested procedures may not work 01.03 Function Calls via pointer may fail 01.03 Pascal does not report error for assignment of constant to structure 01.04 Code generated by compiler increased 12% with latest version. 01.04 Bad code generated when CASE expression involves addition of two bytes. 01.04 Signed_32 divide returns wrong result. 01.04 Unsigned_8 treated as signed value in FOR loop test.	D200066761 D200071332 D200071340 D200071423 D200073031 5000163287	137 138 140 140 141 142 143 143 144 137 139 139

Keyword	Product number	uu.ff Description	Report #	page	
**************************************	64823 64823 64823 64823	01.04 Compiler may confuse similar parameters in different subroutines 01.03 ADDR(x) generates incorrect code is x is of type BYTE. 01.03 Functional type changes not always evaluated correctly 01.01 Incorrect code generated when set elements are passed as parameters.	D200079301 5000186742 D200071365 1650011585	138 142	
		8			
Keyword	Product number	uu.ff Description	Report #	page	
*******none*****	64823S003	01.70 Nested external procedure call causes bad code to be generated.	5000224204	148	
		8			
Keyword	Product number	uu.ff Description	Report #	page	
********* CODE GENERATOR PASS 1	64820 64820 64820 64820	01.06 Array is being placed in the PROG section rather than data. 01.06 Warning message text is incorrect. 01.06 Floating point division of 2 constants generates incorrect result 01.03 DIV, MOD and COMParisons may do unsigned estend of signed values	D200076760 D200080341 D200077107 D200079137	150 149	
8					
Keyword	Product number	uu.ff Description	Report #	page	
**************************************	64816 64816 64816 64816	01.11 functional type change of a constant into multi-byte structure gen's err 01.12 Unsigned_8 treated as signed value in FOR loop test. 01.12 Pascal does not report error for assignment of constant to structure 01.12 Functional type changes not always evaluated correctly		152 152 153 154	
8					
Keyword	Product number	uu.ff Description	Report #	page	
********none******	64233 64233 64233	01.07 Monitor displays wrong value for R15 and SSTK 02.00 User interrupts are not serviced for 17ms after analysis generated break 02.00 Can't find symbols loaded with more address bits than specified.	5000137869 5000151431 D200071415	156	

Page:

Number: 1650038281 Product: 64000-UX OP-ENV 300 64801S004

1 01.60

One-line description:

pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem

When using the HP 64000-UX products and netunaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 01/14/88 in release Z01.80

Number: 5000169474 Product: 64000-UX OP-ENV 300 64801S004

01.00

One-line description:

No error message given when opt run on memory board.

Problem

64000 UX Options Test.

No error or warning is given if a user tries to do options test on a memory board in the 64120 cardcage. The test for memory must be done through the memory controler board. The 64000 (classic) gives an error

ERROR: No test availabe for selected card.

The 64000-UX gives file not found error and the file /usr/hp64000/inst/pv/pv01f8 (for the 128k memory board). It looks for the board id number and puts "pv" in front of it for the file name it looks for. The user has no clue as to what is wrong. He only knows that file pv01f8 does not exist.

Temporary solution:

There are no performance verification tests available for memory boards. All memory boards are tested when the memory controller is tested. Do not select memory boards for testing within opt.

Signed off 01/14/88 in release Z01.80

Number: 5000185066 Product: 64000-UX OP-ENV 300 64801S004 01.00

One-line description:

Edbuild does not work whether invoked by the user or the emulator.

Problem:

About the EDBUILD Command fails.

The customer system can not get response for the edbuild command, then a "load" command (im 8086 emulator mode) do not, either.

-- THE CUSTOMER SYSTEM CONFIGURATION --

SRB detail reports as of 09/01/88

Page:

2

......

An absolute file name is sys.X (sys.L, sys.K).
The program (sys.X) is large of 5_Mbytes on source.
COMMANDS:

edbuild sys, edbuild -h2 sys, edbuild -f Alist sys, edbuild -C sys edbuild -f Alist -h2 sys # All commands not response forever.

Temporary solution:

No workaround at this time.

Signed off 01/14/88 in release Z01.80

Number: D200076588 Product: 64000-UX OP-ENV 300 64801S004 01.50

One-line description:

If second card cage used in pv, it may not be released

Problem:

If second card cage used in pv, it may not be released.

Problem:

If a second card cage is needed to test a card (e.g., use a card in a second cage to test IMB), if the second card is the last one allocated it may not be freed when option_test (opt) is exited.

Workaround:

After opt is finished, execute msunlock and msinit.

Temporary solution:

After opt is finished, execute msunlock and msinit.

Signed off 01/14/88 in release Z01.80

Number: D200076620 Product: 64000-UX OP-ENV 300 64801S004 01.50

One-line description:

Pressing return during a cycle command causes pv to hang

Problem:

When starting Performance verification, if the cycle softkey is pressed followed by the Return key, PV then says "Awaiting command" and the "stop" softkey is available, but the test is hung.

Temporary solution:

Do not press the return key after the "cycle" softkey.

Page:

3

Signed off 01/14/88 in release Z01.80

Number: D200076679 Product: 64000-UX OP-ENV 300 64801S004

01.50

One-line description:

Msinit crashes opt test user.

Problem

msinit crashes another user's opt test. One user is in the opt test display, and does something (anything that talks to the cage). The other guy runs "msinit", and gets the message 'inconsistent module data, cleaning up'. When the opt test user then tries to do something, opt test is hosed.

Temporary solution:

Do not run msinit while any other user is running opt.

Signed off 01/14/88 in release Z01.80

Number: D200077008 Product: 64000-UX OP-ENV 300 64801S004 01.50

One-line description:

If /usr/hp64000/lock does not exist, msconfig gives odd messages.

Problem: Text:

if /usr/hp64000/lock does not exist, msconfig gives odd messages

If, for some reason, the /usr/hp64000/lock directory is removed (which never happens unless the customer does so!), and if there were some measurement_systems defined prior to the lock directory being removed, the command

remove_system <anysys>
gives a status message of

"system <anysys> in use by ???"

Temporary solution:

As superuser, recreate the directory /usr/hp64000/lock with the command "mkdir /usr/hp64000/lock". Then run msconfig again and remove the measurement system.

Signed off 01/14/88 in release Z01.80

Number: D200077941 Product: 64000-UX OP-ENV 300 64801S004 01.00

One-line description:

Msinit may autoconfigure incorrectly.

Problem:

Assume the following cards in the card cage:

internal analyzer (wide or narrow)
emulator #1
state system (with EBPP)

SRB detail reports as of 09/01/88

Page:

emulator #2

When configuring with msinit, the user will be asked for an analyzer for emulator #1. If the internal analyzer is selected, msinit automatically configures the EBPP as the analyzer for emulator #2 without asking any more questions This can be annoying if the state system is in fact connected to emulator #1.

Temporary solution:

Put the emulator without the analyzer (#2) in lower numbered slots. When msinit asks for the analyzer to be used, hit return to specify no analyzer.

Signed off 01/14/88 in release Z01.80

Number: D200077958 Product: 64000-UX OP-ENV 300 64801S004 01.00

One-line description:

HP enhancements are too slow to run softkeys.

Problem:

Softkeys track too slow on HP Terminals. Softkey lines are written out each time they change. Each time they are written, 400 characters are sent to the display; 80 for the contents of the line and another 320 for the underlining enhancement. The extra characters result is very slow tracking because of all the I/O.

Temporary solution:

All underlining can be turned off by creating a customized terminfo entry that does not have underlining capability.

As Superuser,

- 1) untic TERM >file #TERM is the value of the TERM variable for #that terminal
- 2)Edit the file and a) replace the top line with an entry that uniquely identifies the new terminal type. The top line contains valid names that represent the characteristics defined in this file.
- Ex. 2392.Jdb,
 - b) Remove the entry called "smul".
- 3) Save the file.
- 4) tic file.
- 5)Set the TERM variable to the new terminal type. TERM=2392.Jdb export TERM

Signed off 01/14/88 in release Z01.80

Page:

5

01.60

Number: D200079038 Product: 64000-UX OP-ENV 300 64801S004

displayed

One-line description:

option test multitest can't handle more than 24 cards

then

the softkeys show the softkeys for the 'selection' mode, but the display shows the display for the test selected.

When one attempts to do multitest, including all_cages, all_slots, the option test software quits after configuring 24 cards (6 68020) emulators). If each emulator is included separately, option test will configure all 8 emulators, but it goes into the weeds during cycling of the test and reports multiple failures even though no low-level display show any failures. In addition, the low-level displays may show only 3 test completed while the main-level display reports thousands.

Temporary solution: Do not test more than 24 boards at a time with multitest.

Signed off 01/14/88 in release Z01.80 Number: D200079095 Product: 64000-UX OP-ENV 300 64801S004

01.60

One-line description:

EDBUILD IS NOT WORKING PROPERLY

Edbuild runs much slower when a code segment is at a higher address than a Data segment.

This problem is not really related to the segment type, but rather to the type of symbols in the segments.

If the segments comprising a program are ordered such that one or ones containing no global symbols are loaded at the highest addresses in the program and there are no global symbols at higher addresses. edbuild will "forget" about the segment and all the symbol information within that segment. This leads to edbuild running faster because it is not processing all the symbol information.

Note that when it runs faster in this case, edbuild is working incorrectly.

Temporary solution:

To make edbuild work correctly, add one or more global symbols to the segment at the highest address.

Signed off 01/14/88 in release Z01.80

Number: D200079293 Product: 64000-UX OP-ENV 300 64801S004

01.70

One-line description:

Multiple <cr> after selecting card will leave softkeyw in an odd state.

Problem:

If you

1) select a card

2) press carriage-return several times before the next screen

WORKAROUND:

don't hit return until the next display appears.

Temporary solution:

don't hit return until the next display appears.

Signed off 01/14/88 in release Z01.80

SRB detail reports as of 09/01/88

Number: D200079509 Product: 64000-UX OP-ENV 300 64801S004

01.60

6

Page:

One-line description:

Incompatible /etc/update programs.

The version of /etc/update which is shipped with HP 64000-UX products is NOT compatible with the HP-UX version. This results in some rather unique problems when updates for the two types of products are to be loaded (i.e., "Cannot find table of contents").

Temporary solution:

Unload the update tools each time a new update is performed. This will insure that a compatible /etc/update is used for the appropriate software.

Signed off 01/14/88 in release Z01.80

Number: D200080093 Product: 64000-UX 0P-ENV 300 64801S004

01.60

One-line description:

64000-UX processes do not die when modem carrier is lost.

Problem:

When in measurement system via a modem line connection, if the carrier is lost then the processes do not get killed. Yet the highest level process (your shell) goes away. This results in another getty being spawned on this line even though meas. sys. is still reading and writing to this port.

Temporary solution:

None exists at this time.

Signed off 01/14/88 in release Z01.80

Number: D200081984 Product: 64000-UX OP-ENV 300 64801S004

01.60

One-line description:

Processes sometimes left running after parent has stopped.

Sometimes, when the parent process to a measurement system is killed some of the measurement systems processes are left running. Please

Page:

7

SRB detail reports as of 09/01/88 Number: 1650008409 Product: 6800 C

Keywords: CODE GENERATOR
One-line description:

Page: 8

00.01

64821

change the behaviour of the products so that these processes die nicely.

Temporary solution:

If the tty associated with the process is a pty, then you can release the processes by

cat < ptyxx

This causes the pending output to be flushed, and the processes will die naturally.

Signed off 01/14/88 in release Z01.80

Number: D200078923 Product: 64000-UX OP-ENV 300 64801S004

01.60

One-line description:

Search command files via "PATH" variable

Problem:

Allow search for command files using the PATH variable.

Temporary solution:

Command files must be specified with an absolute path or reside in the current working directory.

Signed off 01/14/88 in release Z01.80

Number: D200080101 Product: 64000-UX OP-ENV 300 64801S004

01.60

Keywords: ENHANCEMENT

One-line description:

64000-UX uses TERMINFO database only partially.

Problem:

64-UX software uses TERMINFO database only partially. There is no description of the fact that it uses the TERMINFO database or the fact that it uses it in a way inconsistent with the definitions in section 4 of the HPUX reference manual.

Signed off 01/14/88 in release Z01.80

The following program generates incorrect code:

If the members of the structure are not bit fields then this problem does not occur.

Nested IF stmnt, with bit field structure members genrate incorr. code

```
The problem occurs after the else statemnet. The code generated for the line "{if ((a!=6)&&(e!=0))" looks like: CLRB should be LDAB Dstatic+00001H BNE QUA01_11 JMP QUA1_6 QUA01_11 should be LDAB Dstatic  \begin{array}{c} \text{CMPB \#000H} \\ \text{CMPB \#000H} \\ \text{BNE} & \text{QUA01} & \text{Should be LDAB} & \text{Dstatic} \\ \end{array}
```

Since the variables are not loaded into B the comparisons are meaningles \mathbf{s} .

Temporary solution:

etc.

The following code might be used instead:

```
SRB detail reports as of 09/01/88
                                                             Page:
Signed off 01/14/88 in release Z02.10
Number: D200015073 Product: 6800 C
                                                    64821
                                                                      01 04
Keywords: CODE GENERATOR
One-line description:
Using a pointer dereference as an array index generates incorrect code.
Given the following program, an incorrect "LDX ,X" is generated.
"6800"
struct {
          struct {
                    short a:
                    short b[5]:
                  } c;
          short d:
          *p;
short t;
main () {
     t = p \rightarrow c.b[p \rightarrow d];
After loading accumulator B with p->d by the "LDAB ,X" instruction,
two subsequent loads of X are generated.
         LDX Dmain
LDX ,X
The "LDX ,X" is the incorrect instruction.
Temporary solution:
Define the structure as follows.
      struct {
               struct {
                        short a:
                        short b[5];
                      } c;
               short d:
              } str;
      struct str *p;
Then change the source line as follows for less and correct code.
      t = p \rightarrow c.b[str.d];
Signed off 01/14/88 in release Z02.10
Number: D200015347 Product: 6800 C
                                                    64821
                                                                      01.04
Keywords: CODE GENERATOR
One-line description:
Compiler doesn't reload register after value changes in a nested if expr
In the following nested if expression, the compiler assumes the value of
register D has not changed when it makes the comparison of test to
```

```
SRB detail reports as of 09/01/88
                                                          Page:
                                                                  1.0
" C "
"6800"
int test=0x0040;
main () {
 if ( test & 0xff00)
     if ( test & 0x01 );
Register D is initially loaded with the value of test, anded with 0xff00
and then set equal to the result of the and. The code for the next if
begins by anding the D register with 0x01 before reloading D with the
value of test.
Temporary solution:
Turn $AMNESIA ON$ before second if statement.
Signed off 01/14/88 in release Z02.10
Number: D200067629 Product: 6800 C
                                                  64821
                                                                   01.06
One-line description:
Assigning 0 to bitfield causes entire structure to be reset.
Problem:
If you have a static structure containing bit fields and you
set one of the members to 0 the entire structure is reset.
"6800"
unsigned int i;
struct
    unsigned one : 1;
    unsigned two : 1;
    unsigned three: 1;
    unsigned four: 1;
    unsigned five : 1;
    unsigned six : 1:
   unsigned seven: 1;
    unsigned eight: 1;
} bit struct;
main() {
bit struct. five = 0x01;
bit struct.eight = 0x00;
                                   /* entire structure is reset. */
Temporary solution:
The only known work around at this time is to declare a local
(automatic) structure of the same type as the external. Upon
entering a function equate the two structures and do this
again just before the function is exited. This will cause
excessive code generation.
Signed off 01/14/88 in release Z02.10
```

0X01.

Page: 11

Number: D200076802 Product: 6800 C 64821 01.07 One-line description: Array is being placed in the PROG section rather than data. Problem: Compiler puts array that should be in DATA section in PROG section Example: "Ž80" char array[12]; The above code when compiled creates an array of twelve bytes that will reside in the PROG section. This should be placed in the DATA section. Temporary solution: Generate an ASM FILE and edit the ASMProcessor file to place the array under the DATA counter. Signed off 01/14/88 in release Z02.10 Number: D200077149 Product: 6800 C 64821 01.07 Keywords: CODE GENERATOR One-line description: Floating point division of 2 constants generates incorrect result Problem: Compiler generates incorrect code for evaluation of double division: "8088" main() double xx: xx = 2.0/3.0;xx = 2.0;xx is assigned the value 2.0 by both statements. This problem also occurs with other variable types such as float, long. Any constant divided by a constant will generate this error. Temporary solution: xx = 2.0/y; where y = 3.0; Signed off 01/14/88 in release Z02.10 Number: D200079145 Product: 6800 C 64821 01 07 Keywords: PASS 1 One-line description:

```
Problem:
Conditionals that employ div, mod, or comparison operations may not
correctly extend signed short values to int size if the other operand
is an unsigned short or char. For example, in the following code s
is extended as if it were declared an unsigned short.
$SHORT_ARITH OFF$
unsigned short us:
main()
   if ((s/us)^0xffff)
                          /* both s and us get unsigned extend */
      error():
   if ((us%s)^0x007f)
                          /* both s and us get unsigned extend */
      error():
                          /* both s and us get unsigned extend */
   if (us==s)
      error():
   if (s!=us)
                          /* both s and us get unsigned extend */
      error();
   if (s<us)
                          /* both s and us get unsigned extend */
      error():
   if (s>us)
                          /* both s and us get unsigned extend */
      error();
Signed off 01/14/88 in release Z02.10
Number: D200080358 Product: 6800 C
                                                   64821
                                                                    01.07
One-line description:
Warning message text is incorrect.
68000 C compiler, Just updated to 2.07.
Warning 521: Unsigned integer to real conversion treated as signed.
Is incorrect.
The wording should imply that the conversion should be going the other w
ay, from real to unsigned integer.
To get the error:
"C"
"68000"
unsigned int a;
main()
a=0.0;
NOTE: this error message is not in the manuals.
Temporary solution:
If you do not want to see this message you may specify
                                   - -8
```

Page: 12

SRB detail reports as of 09/01/88

DIV, MOD and COMParisons may do unsigned estend of signed values

Page: 13

 $\$ This will turn off all warning messages.

Signed off 01/14/88 in release Z02.10

```
SRB detail reports as of 09/01/88
                                                            Page: 14
Number: 5000116848 Product: 6800 PASCAL
                                                   64811
                                                                     01.08
Keywords: WITH
One-line description:
Generates bad code for parameter as ADDR of component.
Problem:
"6800"
 { PascBug25: Pascal generates bad code for parameter as ADDR of
               component.
   Pascal is generating bad code if a parameter passed to a pro-
   cedure is the address of the first element of a record, and that
   record is specified in a WITH statement.
   The compiler is erroniously generating an indirect flag preceding
   the parameter specifier in the calling sequence.
   To observe the bad code, try:
     "compile PascBug25 listfile printer options expand" }
PROGRAM PascBug25;
TYPE PTR = ^INTEGER:
VAR V: RECORD
          element_1: INTEGER;
element_2: INTEGER;
        END:
PROCEDURE proc (pointer: PTR); EXTERNAL;
BEGIN
 WITH V DO
    BEGIN
      proc (ADDR (element_1)); {bad code - addr passed with indirection}
      proc (ADDR (element 2)) {good code}
    END
END.
Temporary solution:
Avoid use of "WITH" statement.
Signed off 01/14/88 in release Z01.90
Number: D200063123 Product: 6800 PASCAL
                                                    64811
                                                                     01.10
One-line description:
functional type change of a constant into multi-byte structure gen's err
Functional type casting of a constant into a multi-byte structure
generates bad data.
```

```
SRB detail reports as of 09/01/88
                                                               Page: 15
"processor"
PROGRAM BAD DATA;
TYPE EVENT = RECORD
            : BYTE;
        Α
        В
            : BYTE;
        С
            : INTEGER;
        D
            : BYTE;
      END:
      EVENT1 : EVENT;
PROCEDURE
            GENERATOR();
   BEGIN
      EVENT1 := EVENT(0); { THIS ASSIGNMENT RESULTS IN BAD DATA }
BEGIN
END.
Temporary solution:
No temporary solution.
Signed off 01/14/88 in release Z01.90
Number: D200075861 Product: 6800 PASCAL
                                                      64811
                                                                        01.20
One-line description:
Unsigned 8 treated as signed value in FOR loop test.
Assigning a constant to an unsigned_8 variable whose upper bit is set
causes problems. Specifically, when the unsigned_8 var is used later it is treated as a signed value. In the example below, an unsigned_8
is assigned 247 decimal at the top of a FOR loop. When the compiler
compares it is does a byte compare and therefore interprets the
unsigned_8 as a signed quantity.
"processor"
$EXTENSIONS ON$
PROGRAM DOLOOP:
      SECTORNUM, STOPSECTOR
                                : UNSIGNED 8;
VAR
                                 : INTEGER;
       Α
 BEGIN
    STOPSECTOR := UNSIGNED 8(247);
     FOR SECTORNUM := UNSIGNED 8(0) TO STOPSECTOR DO BEGIN
          A := 5;
     END;
```

```
SRB detail reports as of 09/01/88
                                                           Page:
                                                                   16
END.
Temporary solution:
USE AN UNSIGNED 16 FOR THE CONTROLLING VAR.
"PROCESSOR"
$EXTENSIONS ON$
PROGRAM DOLOOP;
       SECTORNUM, STOPSECTOR : UNSIGNED 16;
                              : INTEGER;
       Α
BEGIN
     STOPSECTOR := UNSIGNED 16(247);
     FOR SECTORNUM := UNSIGNED 16(0) TO STOPSECTOR DO BEGIN
     A := 5;
     END;
END.
This works for values up to 8000H.
Signed off 01/14/88 in release Z01.90
Number: D200079178 Product: 6800 PASCAL
                                                                    01.20
                                                   64811
One-line description:
Pascal does not report error for assignment of constant to structure
Problem:
The Pascal/64000 compiler fails to report an error when using
the functional type change operator to attempt to assign an
immediate constant to a multi-byte structure.
Since the Pascal/64000 compiler does not support structured constants,
there is no meaningful way to assign a constant to a structure.
Each element must be assigned individually.
The Pascal/64000 compiler does report an error 505 (Warning: type
changes physical size), when it should generate a fatal error. It
tries to generate code for the illegal statement which will not
produce the results expected by the user.
The compiler should produce fatal Error #451: Structured constants not
implemented.
Here is a simple example and the workaround by explicit individual
assignment statements.
```

```
SRB detail reports as of 09/01/88
                                                            Page: 17
"PASCAL" PREPROCESS
"6809"
{ Test program to demonstrate Pascal language defect }
 Functional type change of constant to multi-byte variable }
PROGRAM PTEST101:
$EXTENSIONS ON$
TYPE event = RECORD
                type
                       : BYTE;
                qualifier: BYTE;
                msg
                        : INTEGER;
                send_task: BYTE;
              END:
 VAR event1: event:
      i: INTEGER;
      R: REAL;
 BEGIN
{The following code is attempting to initialize}
{ the multibyte record event to zeros. }
{It should be interpreted as a Pass 1 error }
 Error #451: Structured constants not implemented}
{ The code produced will be processor dependent }
     event1 := event(0); {This code is incorrect Pascal}
 {Correct Pascal using individual assignments}
    event1.type:=0;
     event1.qualifier:=0;
     event1.msg:=0;
     event1.send task:=0;
 END.
Signed off 01/14/88 in release Z01.90
Number: D200079236 Product: 6800 PASCAL
                                                   64811
                                                                    01.20
Keywords: PASS 1
One-line description:
Functional type changes not always evaluated correctly
Some functional type changes are not correctly evaluated. For example,
the following code illustrates the problem.
$EXTENSIONS ON$
PROGRAM PTEST;
    S8 : SIGNED_8
    U8 : UNSIGNED 8 ;
    S16 : SIGNED 1\overline{6} :
    U16 : UNSIGNED 16 ;
```

```
SRB detail reports as of 09/01/88

BEGIN

U16 := UNSIGNED_16(S8); (* signed extension of S8 - correct *)

U16 := UNSIGNED_8(S8); (* signed extension of S8 - incorrect *)

S16 := SIGNED_16(U8); (* unsigned extension of U8 - correct *)

S16 := SIGNED_8(U8); (* unsigned extension of U8 - incorrect *)

END.

Signed off 01/14/88 in release Z01.90
```

```
Number: D200061556 Product: 68000 ASSEMB
                                                  64845
                                                                   01.10
One-line description:
EQU is not working with DC correctly.
The EQU pseudo when used with the DC psuedo causes incorrect
object code to be generated.
"68000"
Х
        DC.B
                Х
                              ; VALUE IS 6
        SET
Х
                X - 1
        DC.B
                              ; VALUE IS 5
Temporary solution:
No temporary solution known at this time.
Signed off 01/14/88 in release Z02.10
Number: D200093344 Product: 68000 ASSEMB
                                                  64845
                                                                    00.00
Keywords: PROBLEM ON VAX
One-line description:
*PRODUCT # CHANGE on the VAX* From= 64xxxS003 To=64xxxM003
This Service Request has been entered to inform users of the product
THAT:
The *PRODUCT NUMBER has CHANGED on the VAX version of this product
    FROM (OLD Product Number) = 64xxxS003 < The real change being
                                          the "S" changed to "M"
         (NEW Product Number) = 64xxxM003 < in this Product Series
    (The "xxx" in the above to be filled in with the Product Number
     against which this SR is entered... This text applies to many
     SR's and is generic in nature.)
The above event happend without a change to the REVISION CODES on the
PRODUCT.
This event happend on the revision code that was used to sign off
this Service Request.
```

Page:

19

SRB detail reports as of 09/01/88

```
SRB detail reports as of 09/01/88
                                                            Page:
Number: 1650026583 Product: 68000 C
                                                   64819
                                                                    01.10
One-line description:
Invalid error 60 flagged.
When multiple assignments which include a function call are made
on a single line error 60 is incorrectly flagged.
"processor"
extern int *func();
main() {
int *xptr;
char *cptr:
cptr = (char *)xptr = func();
Temporary solution:
Break the assignment across two lines.
"processor"
extern int *func();
main()
char *cptr:
int *xptr;
xptr = func();
cptr = (char *)xptr;
Signed off 01/14/88 in release Z02.10
Number: 5000171124 Product: 68000 C
                                                                     01.09
                                                   64819
One-line description:
Result is invalid if terenary expression evaluates to false.
Problem:
Incorrect code is generated when the result from a conditional
statement is false.
" C "
"68000"
struct s_type {
        int field1;
```

Signed off 08/31/88 in release A02.10

```
SRB detail reports as of 09/01/88
                                                            Page: 21
        int field2; };
extern int my funct();
int test(sp)
struct s_type *sp;
{ int loc var = 0:
  sp \rightarrow field2 = (loc var ? my funct() : 0);
main() {}
The expanded code for the above program demonstrates the problem.
The offset into the the structure is calculated only for the
true condition. If a false condition is the result the program
jumps before it calculates the offset.
Temporary solution:
Replace the terenary expression with an equivalent if-then-else.
Signed off 01/14/88 in release Z02.10
Number: 5000188839 Product: 68000 C
                                                   64819
                                                                    01.10
One-line description:
$LIST ON/OFF$ doesn't work correctly.
$LIST ON$ and $LIST OFF$ directives not working properly.
For Example:
" C "
"68000"
$LIST OFF$
/* comment 1 off */
$LIST ON$
/* comment 1 on */
main()
When compiled with the output option creates:
"68000"
$LIST OFF$
/* comment 1 off */
$LIST ON$
/* comment 1 on */
Temporary solution:
No temporary solution at this time.
Signed off 01/14/88 in release Z02.10
```

```
SRB detail reports as of 09/01/88
                                                           Page:
                                                                   22
                                                  64819
Number: 5000204586 Product: 68000 C
                                                                   01.10
One-line description:
Wrong floating point value assigned in a terenary expression.
64000 - UX C Compiler rev. 1.1
Incorrect value generated when:
                                        result1 should = result2 but doe
                                        sn't, when the var name is alone
"68000"
                                        without ( +#) the results are
$FAR$
                                        odd. The same thing happens for
$CAL ABS LONG$
                                        choosing the "TRUE" value.
$LIB ABS LONG$
float test1, test10;
float result1, result2, result3, result4;
main() {
 float number = 10;
 float num = 1;
 test1 = 1;
 test10 = 10;
 result1 = (test1>2)?number:num;
                                         -result1 = 3c000000h = 1/128
 result2 = (test1>2)?(number+0):(num+0); -result2 = 3f800000h = 1.0 OK!
 result3 = (test1<2)?number;num;
                                          -result3 = 49000000h = 2**19
 result4 = (test1<2)?(number+0):(num+0): }-result4 = 41200000h = 10 0K!
Signed off 01/14/88 in release Z02.10
Number: 5000206649 Product: 68000 C
                                                  64819
                                                                   01.09
One-line description:
Two external declarations are made for one function.
Compiler makes double external symbols.
Example
f1()
{ extern f();
f2()
{ extern f();
Compile this file, make
    EXTERNAL F
    EXTERNAL F
Temporary solution:
The file will still link with no errors so you can ignore the
problem. Or pull the declaration of "extern f()" outside
of the procedures which reference f() ( in other words make
the declaration at the top of your source file.)
Signed off 01/14/88 in release Z02.10
```

```
SRB detail reports as of 09/01/88
                                                                    23
                                                            Page:
Number: 5000223099 Product: 68000 C
                                                   64819
                                                                    01.90
Keywords: ENHANCEMENT
One-line description:
Generate XREF from compiler which is readable by EDT.
Antoinette Burkett sc:
Generate a listing with cross references from a C compiler program
on the VAX. When editing that file using edt an error message will
be encountered : error reading from input file filename : file
specification %rms-w-rtb 512 byte record too large for users
buffer, press return to continue. The edt editor will then show
all parts of the file except the xref.
Signed off 01/14/88 in release Z02.10
Number: 5000234237 Product: 68000 C
                                                   64819
                                                                     01.02
One-line description:
68008 libraries cause target processor disagree errors.
Linker gives error message : target processors disagree file
/usr/hp64000/lib/clib/168008/real lib.R !
Signed off 01/14/88 in release Z02.10
Number: D200014340 Product: 68000 C
                                                    64819
                                                                     01.07
Keywords: CODE GENERATOR
One-line description:
Bad code using $RANGE$ or $DEBUG$ with $CALL_PC_LONG$ or $LIB_PC_LONG$
Problem:
   Bad code is generated when calling functions and the compiler
directives $RANGE ON$ or $DEBUG ON$ are used in combination with
the directives $CALL PC LONG$ or $LIB_PC_LONG$. For example,
   $DEBUG ON, LIB PC LONG$
                                int i;
   int f() { return 0; }
            { i = f() * 2; /* Produces bad code */
   main()
                         ;CALL F
        BSR F
        MULS #2,D7 ;MULTIPLY RESULT IN D7 TIMES 2
MOVE.L D7,-[A7] ;PUSH PARAMETER FOR Zoverflow_s16
        MOVE.L #Zoverflow s16[PC].D7 :ERROR!! D7 DESTROYED!!
         JSR -6[PC.D7.L] : CALL Zoverflow s16 VIA PC LONG METHOD
        MOVE.W D7.I
                         :WRONG VALUE STORED, D7 CONTAINS BAD DATA!!
Temporary solution:
   Avoid the combination of functions, $RANGE$ or $DEBUG$, and
```

```
SRB detail reports as of 09/01/88
                                                            Page:
                                                                   24
   i = f(): /*STATEMENT DOES NOT CAUSE CALL TO OVERFLOW ROUTINE*/
   i = i * 2; /*OVERFLOW ROUTINE CALLED HERE BUT DATA IS NOT IN D7*/
Signed off 01/14/88 in release Z02.10
                                                                    01 09
Number: D200069666 Product: 68000 C
                                                   64819
One-line description:
Compiler aborts when it encounters a legal structure declaration.
Problem:
The compiler aborts for a legal structure declaration.
"processor"
structure tag { int var1; } A;
main() {
A.var1 = 1;
The compiler allocates 110H bytes of storage and then aborts.
Temporary solution:
No temporary solution at this time.
Signed off 01/14/88 in release Z02.10
Number: D200077065 Product: 68000 C
                                                   64819
                                                                    01.10
Keywords: CODE GENERATOR
One-line description:
Floating point division of 2 constants generates incorrect result
 Problem:
 Compiler generates incorrect code for evaluation of double division:
 "C"
 "8088"
main()
       double xx;
      xx = 2.0/3.0;
      xx = 2.0;
 xx is assigned the value 2.0 by both statements.
 This problem also occurs with other variable types such
 as float, long. Any constant divided by a constant will
 generate this error.
 Temporary solution:
```

\$CALL_PC_LONG\$ or \$LIB_PC_LONG\$. The example above may be rewritten

to achieve the same functionality.

```
SRB detail reports as of 09/01/88
                                                                                  SRB detail reports as of 09/01/88
                                                           Page: 25
  xx = 2.0/y; where y = 3.0;
                                                                                  Number: 1650009456 Product: 68000 PASCAL
Signed off 01/14/88 in release Z02.10
                                                                                  One-line description:
                                                                                  System reboot for syntax error.
Number: D200079129 Product: 68000 C
                                                  64819
                                                                   01.10
Keywords: PASS 1
                                                                                  The following program will cause the 64000 station to reboot.
One-line description:
                                                                                  "68000"
DIV, MOD and COMParisons may do unsigned estend of signed values
                                                                                  PROGRAM TASK4;
                                                                                  PROCEDURE TEST1:
Conditionals that employ div, mod, or comparison operations may not
                                                                                                  REAL:
correctly extend signed short values to int size if the other operand
                                                                                                  BOOLÉAN;
                                                                                        Α
is an unsigned short or char. For example, in the following code s
is extended as if it were declared an unsigned short.
                                                                                  BEGIN
                                                                                     IF X>0.0 THEN A := FALSE
                                                                                                                   {MISSING SEMI-COLON CAUSES PROBLEM}
$SHORT ARITH OFF$
                                                                                     IF X<0.0 THEN A := FALSE
                                                                                                                   {THIS IF IS ALSO NEEDED. }
                                                                                  END:
short s;
unsigned short us;
                                                                                  Temporary solution:
main()
                                                                                  If the 64000 station reboots during a compilation check your code
                                                                                  for this type of syntax error.
   if ((s/us)^0xffff)
                          /* both s and us get unsigned extend */
   error();
if ((us%s) 0x007f)
                                                                                  Signed off 01/14/88 in release Z01.90
                          /* both s and us get unsigned extend */
                                                                                  Number: 1650019224 Product: 68000 PASCAL
      error();
   if (us==s)
                          /* both s and us get unsigned extend */
      error():
                                                                                  One-line description:
   if (s!=us)
                                                                                  Incorrect code generated for array which has boolean indices.
                          /* both s and us get unsigned extend */
      error():
   if (s<us)
                          /* both s and us get unsigned extend */
                                                                                  Using boolean values as indices to an array will cause an incorrect
      error():
   if (s>us)
                          /* both s and us get unsigned extend */
                                                                                  offset to be generated.
      error();
                                                                                  "68000"
Signed off 01/14/88 in release Z02.10
                                                                                  PROGRAM
                                                                                                  bool;
                                                                                  $EXTENSIONS ON$
                                                                                  VAR arr : ARRAY[1..4,BOOLEAN] OF BYTE;
```

j := FALSE: { This is OK } arr[1,j] := 1;arr[2,j] := 1;{ offset is calculated incorrectly (200H + j).END. Temporary solution: Use an indice of type integer rather than boolean. "68000" - -8

j : BOOLEAN;

BEGIN

Page:

64815

64815

26

00.01

01.10

```
SRB detail reports as of 09/01/88
                                                             Page:
                                                                    27
                                                                                     SRB detail reports as of 09/01/88
                                                                                                                                                  Page:
                                                                                                                                                           28
                                                                                     Signed off 01/14/88 in release Z01.90
$EXTENSIONS ON$
                                                                                     Number: D200007179 Product: 68000 PASCAL
                                                                                                                                         64815
                                                                                                                                                           00.00
         TRUE = 1:
CONST
         FALSE = 0;
                                                                                     Keywords: PASS 1
        arr : ARRAY[1..4,0..1] OF BYTE;
VAR
                                                                                     One-line description:
         j : INTEGER;
                                                                                     COMP_SYM file not purged when COMP_SYM option not selected.
BEGIN
  j := FALSE;
                                                                                     If COMP_SYM option is not selected when compiling, previously created COMP_SYM file is not purged. Since this file can only cause trouble, it
  arr[2,j] :=1;
                                                                                     should be purged if the COMP_SYM option is not specified. This only
END.
                                                                                     happens if you have 64330.
Signed off 01/14/88 in release Z01.90
                                                                                     Temporary solution:
Number: 1650019331 Product: 68000 PASCAL
                                                    64815
                                                                      01.10
                                                                                     Purge the COMP_SYM file before compiling.
One-line description:
                                                                                     Signed off 01/14/88 in release Z01.90
Set manipulation results in incorrect code being generated.
                                                                                     Number: D200063792 Product: 68000 PASCAL
                                                                                                                                         64815
                                                                                                                                                           01.11
The compiler appears to miss a syntax error and instead generates
                                                                                     One-line description:
                                                                                     functional type change of a constant into multi-byte structure gen's err
bad code.
"68000"
$EXTENSIONS ON$
                                                                                     Functional type casting of a constant into a multi-byte structure
                                                                                     generates bad data.
PROGRAM set_test;
                                                                                     "processor"
TYPE set values
      set type
                                 SET OF set_values;
                                                                                     PROGRAM BAD_DATA;
$EXTVAR ON$
                                                                                     TYPE EVENT = RECORD
                                                                                                : BYTE;
      operation
                        BYTE:
                                                                                             В
                                                                                                : BYTE:
      X, y, z
                       INTEGER:
                                                                                             С
                                                                                                : INTEGER;
      set var
                     : set type;
                                                                                             D
                                                                                                : BYTE;
      values
                     : set_values;
                                                                                           END:
$EXTVAR OFF$
                                                                                     VAR EVENT1 : EVENT;
      set_member
                     : INTEGER;
BEGIN
                                                                                     PROCEDURE
                                                                                                 GENERATOR();
                                                                                        BEGIN
      set member := 04:
                                                                                           EVENT1 := EVENT(0); { THIS ASSIGNMENT RESULTS IN BAD DATA }
      set var
                  := set_type[set_member];
                                                                                        END:
{ I believe the customer wants to type cast set member and therefore
                                                                                     BEGIN
  should use '()'. The compiler generates code to clear a 5 byte
                                                                                     END.
  block beginning at the address of the variable operation. }
                                                                                     Temporary solution:
END.
                                                                                     No temporary solution at this time.
Temporary solution:
                                                                                     Signed off 01/14/88 in release Z01.90
```

No temporary solution at this time.

```
Number: D200079202 Product: 68000 PASCAL
                                                  64815
                                                                   01.12
One-line description:
Pascal does not report error for assignment of constant to structure
The Pascal/64000 compiler fails to report an error when using
the functional type change operator to attempt to assign an
immediate constant to a multi-byte structure.
Since the Pascal/64000 compiler does not support structured constants.
there is no meaningful way to assign a constant to a structure.
Each element must be assigned individually.
The Pascal/64000 compiler does report an error 505 (Warning: type
changes physical size), when it should generate a fatal error. It
tries to generate code for the illegal statement which will not
produce the results expected by the user.
The compiler should produce fatal Error #451: Structured constants not
implemented.
Here is a simple example and the workaround by explicit individual
assignment statements.
"PASCAL" PREPROCESS
"6809"
{ Test program to demonstrate Pascal language defect }
{ Functional type change of constant to multi-byte variable }
PROGRAM PTEST101:
$EXTENSIONS ON$
TYPE event = RECORD
                type
                         : BYTE:
                qualifier: BYTE;
                msg
                        : INTEGER:
                send task: BYTE;
              END:
 VAR event1: event:
      i: INTEGER:
      R: REAL;
 BEGIN
{The following code is attempting to initialize}
{ the multibyte record event to zeros. }
{It should be interpreted as a Pass 1 error }
 Error #451: Structured constants not implemented}
{ The code produced will be processor dependent }
     event1 := event(0); {This code is incorrect Pascal}
 {Correct Pascal using individual assignments}
     event1.type:=0:
     event1.qualifier:=0;
     event1.msg:=0:
     event1.send task:=0:
```

29

SRB detail reports as of 09/01/88

```
SRB detail reports as of 09/01/88
                                                           Page: 30
END.
Signed off 01/14/88 in release Z01.90
Number: D200079269 Product: 68000 PASCAL
                                                  64815
                                                                   01.12
Kevwords: PASS 1
One-line description:
Functional type changes not always evaluated correctly
Problem:
Some functional type changes are not correctly evaluated. For example,
the following code illustrates the problem.
$EXTENSIONS ON$
PROGRAM PTEST;
VAR
    S8 : SIGNED 8
    U8 : UNSIGNED_8;
    S16 : SIGNED 16 ;
    U16 : UNSIGNED 16 ;
BEGIN
    U16 := UNSIGNED 16(S8):
                             (* signed extension of S8 - correct *)
    U16 := UNSIGNED_8(S8);
                             (* signed extension of S8 - incorrect *)
    S16 := SIGNED 16(U8);
                             (* unsigned extension of U8 - correct *)
    S16 := SIGNED 8(U8);
                             (* unsigned extention of U8 - incorrect *)
Signed off 01/14/88 in release Z01.90
```

```
SRB detail reports as of 09/01/88
                                                                                   SRB detail reports as of 09/01/88
                                                                                                                                               Page:
                                                                                                                                                       32
                                                            Page:
                                                                    31
Number: D200076844 Product: 6809 C
                                                   64822
                                                                    01.08
                                                                                   Problem:
                                                                                   Conditionals that employ div. mod. or comparison operations may not
                                                                                   correctly extend signed short values to int size if the other operand
One-line description:
Array is being placed in the PROG section rather than data.
                                                                                   is an unsigned short or char. For example, in the following code s
                                                                                   is extended as if it were declared an unsigned short.
Compiler puts array that should be in DATA section in PROG section
                                                                                   $SHORT ARITH OFF$
Example:
" C "
" 280 "
                                                                                   short s;
                                                                                   unsigned short us;
char array[12];
The above code when compiled creates an array of twelve bytes that will
                                                                                   main()
reside in the PROG section. This should be placed in the DATA section.
                                                                                      if ((s/us)^0xffff)
                                                                                                              /* both s and us get unsigned extend */
                                                                                      error();
if ((us%s) 0x007f)
Temporary solution:
Generate an ASM FILE and edit the ASMProcessor file to place
                                                                                                              /* both s and us get unsigned extend */
the array under the DATA counter.
                                                                                         error();
                                                                                      if (us==s)
                                                                                                              /* both s and us get unsigned extend */
Signed off 01/14/88 in release Z01.80
                                                                                         error():
                                                                                      if (s!=us)
                                                                                                              /* both s and us get unsigned extend */
Number: D200077180 Product: 6809 C
                                                   64822
                                                                    01.08
                                                                                         error();
                                                                                      if (s<us)
                                                                                                              /* both s and us get unsigned extend */
Keywords: CODE GENERATOR
                                                                                         error();
                                                                                      if (s>us)
                                                                                                              /* both s and us get unsigned extend */
One-line description:
                                                                                         error():
Floating point division of 2 constants generates incorrect result
Problem:
                                                                                   Signed off 01/14/88 in release Z01.80
Compiler generates incorrect code for evaluation of double division:
                                                                                   Number: D200080366 Product: 6809 C
                                                                                                                                      64822
                                                                                                                                                        01.08
"8088"
main()
                                                                                   One-line description:
                                                                                   Warning message text is incorrect.
      double xx;
      xx = 2.0/3.0;
                                                                                   Problem:
      xx = 2.0;
                                                                                   68000 C compiler, Just updated to 2.07.
xx is assigned the value 2.0 by both statements.
                                                                                   Warning 521: Unsigned integer to real conversion treated as signed.
                                                                                   Is incorrect.
                                                                                   The wording should imply that the conversion should be going the other w
This problem also occurs with other variable types such
                                                                                   ay, from real to unsigned integer.
as float, long. Any constant divided by a constant will
generate this error.
                                                                                   To get the error:
Temporary solution:
                                                                                    "68000"
   xx = 2.0/y; where y = 3.0;
                                                                                   unsigned int a;
                                                                                   main()
Signed off 01/14/88 in release Z01.80
                                                                                   a=0.0;
Number: D200079152 Product: 6809 C
                                                   64822
                                                                    01.08
Keywords: PASS 1
                                                                                   NOTE: this error message is not in the manuals.
One-line description:
                                                                                   Temporary solution:
DIV, MOD and COMParisons may do unsigned estend of signed values
                                                                                   If you do not want to see this message you may specify
                                                                                   $WARN OFF$. This will turn off all warning messages.
```

Page: 33

Signed off 01/14/88 in release Z01.80

```
SRB detail reports as of 09/01/88
                                                             Page: 34
Number: D200063719 Product: 6809 PASCAL
                                                    64813
                                                                      01.10
One-line description:
functional type change of a constant into multi-byte structure gen's err
Functional type casting of a constant into a multi-byte structure
generates bad data.
"processor"
PROGRAM BAD_DATA;
TYPE EVENT = RECORD
           : BYTE;
        В
           : BYTE;
        С
           : INTEGER;
        D : BYTE;
      END:
VAR EVENT1 : EVENT;
PROCEDURE GENERATOR();
   BEGIN
      EVENT1 := EVENT(0); { THIS ASSIGNMENT RESULTS IN BAD DATA }
   END:
BEGIN
END.
Temporary solution:
No temporary solution.
Signed off 01/14/88 in release Z01.60
Number: D200075911 Product: 6809 PASCAL
                                                                      01.11
                                                    64813
One-line description:
Unsigned 8 treated as signed value in FOR loop test.
Assigning a constant to an unsigned 8 variable whose upper bit is set
causes problems. Specifically, when the unsigned 8 var is used later it is treated as a signed value. In the example below, an unsigned 8
is assigned 247 decimal at the top of a FOR loop. When the compiler
compares it is does a byte compare and therefore interprets the
unsigned 8 as a signed quantity.
"processor"
$EXTENSIONS ON$
PROGRAM DOLOOP:
      SECTORNUM, STOPSECTOR
                               : UNSIGNED 8;
                               : INTEGER;
```

```
SRB detail reports as of 09/01/88
                                                           Page: 35
                                                                                  SRB detail reports as of 09/01/88
                                                                                                                                              Page:
                                                                                                                                                       36
                                                                                   tries to generate code for the illegal statement which will not
BEGIN
                                                                                   produce the results expected by the user.
                                                                                   The compiler should produce fatal Error #451: Structured constants not
    STOPSECTOR := UNSIGNED 8(247);
                                                                                   implemented.
    FOR SECTORNUM := UNSIGNED 8(0) TO STOPSECTOR DO BEGIN
                                                                                   Here is a simple example and the workaround by explicit individual
         A := 5:
                                                                                   assignment statements.
    END:
                                                                                   "PASCAL" PREPROCESS
END.
                                                                                   "6809"
                                                                                   { Test program to demonstrate Pascal language defect }
Temporary solution:
                                                                                   { Functional type change of constant to multi-byte variable }
                                                                                   PROGRAM PTEST101:
USE AN UNSIGNED 16 FOR THE CONTROLLING VAR.
                                                                                   $EXTENSIONS ON$
                                                                                   TYPE event = RECORD
"PROCESSOR"
                                                                                                   type
                                                                                                            : BYTE:
                                                                                                   qualifier: BYTE:
$EXTENSIONS ON$
                                                                                                   msg
                                                                                                           : INTEGER:
                                                                                                   send task: BYTE;
PROGRAM DOLOOP;
                                                                                    VAR event1: event;
                                                                                         i: INTEGER;
VAR
       SECTORNUM, STOPSECTOR
                              : UNSIGNED 16;
                                                                                         R: REAL;
                              : INTEGER;
                                                                                    BEGIN
BEGIN
                                                                                   {The following code is attempting to initialize}
                                                                                    the multibyte record event to zeros. }
     STOPSECTOR := UNSIGNED 16(247);
                                                                                   {It should be interpreted as a Pass 1 error }
                                                                                    Error #451: Structured constants not implemented}
     FOR SECTORNUM := UNSIGNED 16(0) TO STOPSECTOR DO BEGIN
                                                                                   { The code produced will be processor dependent }
     A := 5:
     END;
                                                                                        event1 := event(0): {This code is incorrect Pascal}
END.
                                                                                    {Correct Pascal using individual assignments}
This works for values up to 8000H.
                                                                                        event1.type:=0;
                                                                                        event1.qualifier:=0;
Signed off 01/14/88 in release Z01.60
                                                                                        event1.msg:=0;
                                                                                        event1.send task:=0;
Number: D200079186 Product: 6809 PASCAL
                                                                    01.11
                                                   64813
                                                                                    END.
One-line description:
Pascal does not report error for assignment of constant to structure
                                                                                   Signed off 01/14/88 in release Z01.60
                                                                                   Number: D200079244 Product: 6809 PASCAL
                                                                                                                                      64813
                                                                                                                                                       01.11
The Pascal/64000 compiler fails to report an error when using
the functional type change operator to attempt to assign an
                                                                                   Keywords: PASS 1
immediate constant to a multi-byte structure.
                                                                                   One-line description:
Since the Pascal/64000 compiler does not support structured constants.
                                                                                   Functional type changes not always evaluated correctly
 there is no meaningful way to assign a constant to a structure.
Each element must be assigned individually.
                                                                                   Some functional type changes are not correctly evaluated. For example,
The Pascal/64000 compiler does report an error 505 (Warning: type
                                                                                   the following code illustrates the problem.
changes physical size), when it should generate a fatal error. It
```

```
SRB detail reports as of 09/01/88
                                                          Page: 37
$EXTENSIONS ON$
PROGRAM PTEST;
VAR
   S8 : SIGNED_8 ;
   U8 : UNSIGNED_8;
   S16 : SIGNED 16 :
   U16 : UNSIGNED_16 ;
BEGIN
   U16 := UNSIGNED 16(S8); (* signed extension of S8 - correct *)
   U16 := UNSIGNED_8(S8);
                            (* signed extension of S8 - incorrect *)
   S16 := SIGNED_16(U8);
                             (* unsigned extension of U8 - correct *)
                             (* unsigned extention of U8 - incorrect *)
   S16 := SIGNED_8(U8);
END.
Signed off 01/14/88 in release Z01.60
```

Page: 38

Number: D200068825 Product: 80286B ASSEMB

64859

01.02

One-line description:

Assembling on 64100 & linking on VAX generates erroneous absolute file

Problem

If all programs are assembled and linked on the VAX and then downloaded to the 64100, the execution in the emulator is fine. But if the monitor is assembled on the 64100 and uploaded where it is linked on the VAX and downloaded back to the 64100, the program runs off in the weeds.

Temporary solution:

There is no known work around at this time.

Signed off 01/14/88 in release Z01.30

```
SRB detail reports as of 09/01/88
                                                           Page:
Number: D200063909 Product: 8085 B PASCAL
                                                  64825
                                                                   01.03
One-line description:
functional type change of a constant into multi-byte structure gen's err
Functional type casting of a constant into a multi-byte structure
generates bad data.
"processor"
PROGRAM BAD DATA;
TYPE EVENT = RECORD
           : BYTE;
        Α
        В
           : BYTE:
           : INTEGER:
           : BYTE;
      END:
VAR
     EVENT1 : EVENT;
PROCEDURE
           GENERATOR();
   BEGIN
      EVENT1 := EVENT(0); { THIS ASSIGNMENT RESULTS IN BAD DATA }
   END;
BEGIN
END.
Temporary solution:
No temporary solution at this time.
Signed off 01/14/88 in release Z01.90
Number: D200064212 Product: 8085 B PASCAL
                                                   64825
                                                                    01.03
Keywords: PASS 2
One-line description:
Incorrect code generated when set elements are passed as parameters.
Problem:
Incorrect code is generated when sets are passed as parameters.
The stack pointer is manipulated so that the program "goes in the
weeds" after the call to the procedure. The following code is
an example:
"processor name"
$SEPARATE ON$
$EXTENSIONS ON$
  Letters = (a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,r);
  Set of Letters = SET OF Letters:
$GLOBPROC ON$
PROCEDURE Letters_Pas(Received:Set_of_Letters):EXTERNAL;
```

39

```
SRB detail reports as of 09/01/88
                                                            Page:
                                                                    40
PROCEDURE Init Set;
BEGIN
                      (*Code generates an extra INC SP after the
 Letters_Pas([]);
                         call to Letters_Pas*)
END:
$GLOBPROC OFF$
Temporary solution:
Any set size other than 3 bytes will work correctly.
Signed off 01/14/88 in release Z01.90
Number: D200076109 Product: 8085 B PASCAL
                                                   64825
                                                                    01.04
One-line description:
Unsigned 8 treated as signed value in FOR loop test.
Assigning a constant to an unsigned 8 variable whose upper bit is set
causes problems. Specifically, when the unsigned_8 var is used later
it is treated as a signed value. In the example below, an unsigned 8
is assigned 247 decimal at the top of a FOR loop. When the compiler
compares it is does a byte compare and therefore interprets the
unsigned 8 as a signed quantity.
"processor"
$EXTENSIONS ON$
PROGRAM DOLOOP:
VAR
     SECTORNUM, STOPSECTOR
                              : UNSIGNED 8;
                              : INTEGER:
BEGIN
    STOPSECTOR := UNSIGNED 8(247);
    FOR SECTORNUM := UNSIGNED 8(0) TO STOPSECTOR DO BEGIN
         A := 5;
    END;
END.
Temporary solution:
USE AN UNSIGNED_16 FOR THE CONTROLLING VAR.
"PROCESSOR"
$EXTENSIONS ON$
PROGRAM DOLOOP:
VAR
                                  UNSIGNED 16:
       SECTORNUM, STOPSECTOR
                                 INTEGER;
       Α
                                   - -0
```

```
SRB detail reports as of 09/01/88
                                                           Page:
                                                                   41
                                                                                  SRB detail reports as of 09/01/88
                                                                                   BEGIN
BEGIN
                                                                                  {The following code is attempting to initialize}
     STOPSECTOR := UNSIGNED 16(247);
                                                                                  { the multibyte record event to zeros. }
                                                                                  {It should be interpreted as a Pass 1 error }
     FOR SECTORNUM := UNSIGNED 16(0) TO STOPSECTOR DO BEGIN
                                                                                    Error #451: Structured constants not implemented}
                                                                                  { The code produced will be processor dependent }
     A := 5:
     END;
                                                                                       event1 := event(0); {This code is incorrect Pascal}
END.
                                                                                   {Correct Pascal using individual assignments}
This works for values up to 8000H.
                                                                                       event1.type:=0;
                                                                                       event1.qualifier:=0;
Signed off 01/14/88 in release Z01.90
                                                                                       event1.msg:=0;
                                                                                       event1.send task:=0;
Number: D200079228 Product: 8085 B PASCAL
                                                  64825
                                                                    01.04
One-line description:
Pascal does not report error for assignment of constant to structure
                                                                                  Signed off 01/14/88 in release Z01.90
Problem:
                                                                                  Number: D200079285 Product: 8085 B PASCAL
                                                                                                                                     64825
The Pascal/64000 compiler fails to report an error when using
the functional type change operator to attempt to assign an
                                                                                  Keywords: PASS 1
immediate constant to a multi-byte structure.
                                                                                  One-line description:
                                                                                  Functional type changes not always evaluated correctly
Since the Pascal/64000 compiler does not support structured constants.
there is no meaningful way to assign a constant to a structure.
Each element must be assigned individually.
                                                                                  Some functional type changes are not correctly evaluated. For example,
                                                                                  the following code illustrates the problem.
The Pascal/64000 compiler does report an error 505 (Warning: type
changes physical size), when it should generate a fatal error. It
tries to generate code for the illegal statement which will not
produce the results expected by the user.
                                                                                  $EXTENSIONS ON$
The compiler should produce fatal Error #451: Structured constants not
                                                                                  PROGRAM PTEST;
implemented.
                                                                                  VAR
Here is a simple example and the workaround by explicit individual
                                                                                       S8 : SIGNED 8
                                                                                       U8 : UNSIGNED_8;
assignment statements.
                                                                                       S16 : SIGNED 16 ;
                                                                                      U16 : UNSIGNED_16 ;
"PASCAL" PREPROCESS
"6809"
                                                                                  BEGIN
{ Test program to demonstrate Pascal language defect }
                                                                                                                (* signed extension of S8 - correct *)
                                                                                      U16 := UNSIGNED 16(S8);
                                                                                       U16 := UNSIGNED 8(S8);
                                                                                                                (* signed extension of S8 - incorrect *)
{ Functional type change of constant to multi-byte variable }
PROGRAM PTEST101:
$EXTENSIONS ON$
                                                                                                                (* unsigned extension of U8 - correct *)
                                                                                       S16 := SIGNED 16(U8);
 TYPE event = RECORD
                                                                                       S16 := SIGNED 8(U8);
                                                                                                                (* unsigned extention of U8 - incorrect *)
                type
                         : BYTE;
                qualifier: BYTE;
                msg
                        : INTEGER:
                                                                                   Signed off 01/14/88 in release Z01.90
                send task: BYTE;
              END:
 VAR eventi: event;
```

i: INTEGER: R: REAL;

Page:

42

01.04

```
SRB detail reports as of 09/01/88
                                                           Page:
                                                                   43
Number: 5000172742 Product: 8085 C
                                                  64826
                                                                   01.03
Keywords: CODE GENERATOR
One-line description:
bad code generated with *pointer++ operation
Problem:
The example provided produces the following code:
*b++ = *c++:
   LXI
        H,00002H
    DAD
         SP
    MOV
         E,M
    INX
         Н
    MOV
         D.M
    XCHG
    SHLD Dfunc+0002H
    INX H
    XCHG
    LXI
         H,00002H
                  /* HL = SP+2 */
    DAD
          SP
    VOM
         M.E
                 <--puts address of what b points to + 1 in
    INX
         H
                 <--- | --- address of b, instead of *b++
    MOV
         M.D
                 <---1
    LHLD Dfunc
Temporary solution:
Use $RECURSIVE ON$ directive, or increment the pointer in a seperate
operation
Signed off 01/14/88 in release Z02.10
Number: 5000202846 Product: 8085 C
                                                  64826
                                                                   01.04
Keywords: CODE GENERATOR
One-line description:
> = does not work with float type
Comparison of real numbers using "less than or equal" (LEQ) libraries
may fail.
Temporary solution:
Break the comparison into two separate tests
Signed off 01/14/88 in release Z02.10
Number: 5000220186 Product: 8085 C
                                                   64826
                                                                    01.04
Keywords: CODE GENERATOR
One-line description:
When subtract an integer from a pointer, get unnecessary warning message
```

```
Problem:
Unnecessary warning message is given when subtracting an integer from
a pointer.
Example:
"8085"
unsigned short var, *ptr;
main()
  var=(*(ptr - 1));
  this generates an unnessary message about the pointer and the integer
not being the same size
Temporary solution:
A workaround is to add a negative integer and no warning message will
be generated. Example var=(*(ptr + -1)).
Signed off 01/14/88 in release Z02.10
Number: D200068403 Product: 8085 C
                                                   64826
                                                                    01.03
One-line description:
Expression used as array index generates incorrect code.
Incorrect code is generated if an array index is an expression of
the form [i+1] for example. The following program demonstrates
the problem:
"C"
"8085"
$RECURSIVE OFF$
$SEPARATE ON$
$EXTENSIONS ON$
$INIT ZEROES OFF$
#define number_of_pages 100
int program page[];
delete page (page number)
int page number:
  int i, j:
  for (i=page number; i < (number of pages - 2); ++i)
    program page[i] = program page[i+1]; (*This statement causes the
                                                 problem*)
The code generated by the assignment statement is
                          (*???*)
   LXI
            D.Istatic
   DAD
            H
   DAD
            D
```

SRB detail reports as of 09/01/88

```
SRB detail reports as of 09/01/88
                                                            Page:
                                                                   45
   SHLD
            Ddelete page+0004H
   LHLD
            Ddelete_page
   INX
   LXI
            D.Istatic (*???*)
   DAD
   DAD
   MOV
            E.M
   INX
   MOV
   LHLD
            Ddelete page+0004H
   MOV
            E.M
   INX
   MOV
            D,M
Temporary solution:
Use a temporary variable as the array index:
delete page(page number)
int page number;
  int i,j;
  for (i = page number; i < (number of pages - 2); ++i)
    j + i + 1;
   program page[i] = program page[j];
Signed off 01/14/88 in release Z02.10
Number: D200076919 Product: 8085 C
                                                   64826
                                                                    01.04
One-line description:
Array is being placed in the PROG section rather than data.
Compiler puts array that should be in DATA section in PROG section
Example:
"Z80"
char array[12];
The above code when compiled creates an array of twelve bytes that will
reside in the PROG section. This should be placed in the DATA section.
Temporary solution:
Generate an ASM FILE and edit the ASMProcessor file to place
the array under the DATA counter.
Signed off 01/14/88 in release Z02.10
```

```
SRB detail reports as of 09/01/88
                                                           Page:
                                                                   46
                                                  64826
Number: D200077263 Product: 8085 C
                                                                   01.04
Keywords: CODE GENERATOR
One-line description:
Floating point division of 2 constants generates incorrect result
Compiler generates incorrect code for evaluation of double division:
"8088"
main()
      double xx;
      xx = 2.0/3.0;
      xx = 2.0:
xx is assigned the value 2.0 by both statements.
This problem also occurs with other variable types such
as float, long. Any constant divided by a constant will
generate this error.
Temporary solution:
   xx = 2.0/y; where y = 3.0;
Signed off 01/14/88 in release Z02.10
Number: D200079087 Product: 8085 C
                                                  64826
                                                                   01.04
Keywords: CODE GENERATOR
One-line description:
+=, -=, *=, & /= may fail to auto vars with $RECURSIVE ON$
Problem:
Composite assignment operators may fail to automatic variables when
$RECURSIVE ON$ is in effect.
The following program segment illustrates this problem.
"C"
"8085"
$RECURSIVE ON$
func(i1,i2,doub)
int i1, i2;
double doub;
   int answer;
   answer = 1;
   answer += i2*x: /* after this statement answer still is 1 */
                    /* however i1 = i2 * x
```

```
SRB detail reports as of 09/01/88
                                                            Page:
Temporary solution:
There is no known fix at this time.
Signed off 01/14/88 in release Z02.10
Number: D200079160 Product: 8085 C
                                                   64826
                                                                     01.04
Keywords: PASS 1
One-line description:
DIV, MOD and COMParisons may do unsigned estend of signed values
Problem:
Conditionals that employ div, mod, or comparison operations may not
correctly extend signed short values to int size if the other operand
is an unsigned short or char. For example, in the following code s
is extended as if it were declared an unsigned short.
$SHORT_ARITH OFF$
short s;
unsigned short us;
main()
   if ((s/us)^0xffff)
                           /* both s and us get unsigned extend */
   error();
if ((us%s) 0x007f)
                           /* both s and us get unsigned extend */
      error();
   if (us==s)
                           /* both s and us get unsigned extend */
      error():
   if (s!=us)
                           /* both s and us get unsigned extend */
      error():
                           /* both s and us get unsigned extend */
   if (s<us)
      error();
                           /* both s and us get unsigned extend */
   if (s>us)
      error();
Signed off 01/14/88 in release Z02.10
Number: D200080382 Product: 8085 C
                                                    64826
                                                                     01.04
One-line description:
Warning message text is incorrect.
68000 C compiler, Just updated to 2.07.
Warning 521: Unsigned integer to real conversion treated as signed.
Is incorrect.
The wording should imply that the conversion should be going the other \boldsymbol{w}
ay, from real to unsigned integer.
```

```
SRB detail reports as of 09/01/88

"C"
"68000"
unsigned int a;
main()
{
a=0.0;
}

NOTE: this error message is not in the manuals.

Temporary solution:
If you do not want to see this message you may specify
$WARN OFF$. This will turn off all warning messages.

Signed off 01/14/88 in release Z02.10
```

To get the error:

Page: 49

Number: 5000152918 Product: 8085 EMULATION

64203

01.06

One-line description:

Can't use 9.5" paper to print mem map, due to centering of printout.

Signed off 01/14/88 in release Z01.07

SRB detail reports as of 09/01/88

Page: 50

Number: 1650004598 Product: 8086/8 ASSEMB

64853

02.01

One-line description:

Wrong values during EQU from externals.

Problem:

The 8086 assembler assigns wrong values during equ from externals.

Following program will show the bug :

ext a1,a2 (assigned somwhere else e.g. to 1 and 2)

x equ a2

here the value of al is assigned to x !!!!

Temporary solution:

No known workaround at this time.

Signed off 01/14/88 in release A02.70

Number: 1650013235 Product: 8086/8 ASSEMB

64853

02.03

One-line description:

Tabs in source file are expanded to 6 spaces instead of 8 spaces

Problem:

The first tab encountered in the source code is expanded to 6 characters instead of the expected 8 blanks, causing unaligned fields in the assembly listing output.

Temporary solution:

Do not put tabs in the source code.

Signed off 01/14/88 in release Z02.70

Number: 5000136085 Product: 8086/8 ASSEMB

64853

02.00

One-line description:

Assembler/linker does not correctly handle EQU <EXT LABEL> statement.

Problem:

Temporary solution:

Don't use the statement

FOO1 EQU OFFSET LAB1

Put the address calculation part of the expression in the MOV statement something like

MOV AX, OFFSET LAB1

In other words the EQU statement is not correctly resolved by the assembler/linker.

Signed off 01/14/88 in release Z02.70

Page: 51

Number: 5000170415 Product: 8086/8 ASSEMB

64853

64853

02.03 0005 2E8A8C000C 000A 2E8B84000C

MOV DB

6

7FIX

Page:

CL.FIX[SI]

11.22.33

AX, WORD PTR FIX[SI]

64853

One-line description:

The noload files aren't showing up in the listing; absolute correct

Problem:

Noload files are being linked correctly. They do not appear in the absolute file. However, the listing shows these files as loaded. The expected parenthesis around the no load file is not present.

Temporary solution:

No known temporary solution for the listing problem. Emulation can verify that the absolute is correct.

Signed off 01/14/88 in release Z02.70

Number: 5000172593 Product: 8086/8 ASSEMB

02.03

Keywords: LINKER

One-line description:

Label preceded with WORD PTR.NEAR PTR, etc. will not appear in the xref

Problem:

A label which is preceded by a psuedo like NEAR PTR, WORD PTR, etc. does not appear in the assembler's xref in the references column.

"processor name"

1 LAB1 MOV AW.#0H

BZ NÉAR PTR LAB1

3 BR LAB1

END

Cross Reference table:

LINE# SYMBOL TYPE REFERENCES

LAB1 3 <---should also have 2 1 Р

Temporary solution:

Do xref on the 64100. Problem only occurs on host computers.

Signed off 01/14/88 in release Z02.70

Number: 5000201012 Product: 8086/8 ASSEMB

02.02

Keywords: CODE GENERATOR

One-line description:

Incorrect Object code generated

Problem:

1 "8086"

ASSUME CS: PROG 2

PROG 3

MOV 0000 2E8A84000C 4

AL, FIX[SI]

- -0

IN ABOVE PROGRAM, ASSEMBLER DOES NOT COUNT ADDRESS CORRECTRY. 000F SHOUD BE GENERATED (NOW 000C)

The address OC that is used for addressing FIX[SI] points to the middle of line 000A. The three addresses OC should point to line 0000F. This is a bug in the most recent SMS.

Signed off 01/14/88 in release Z02.70

SRB detail reports as of 09/01/88

Number: D200060509 Product: 8086/8 ASSEMB

64853

02.01

52

Keywords: LINKER

000F 0B1621

ERRORS = 0

One-line description:

Linker generates error if COMN segment is not 0000H

This SR was originally entered under the operating system, SR#5000-143487.

The linker generates a "Max addr or seg boundry exceed" when the COMN area is used and when its segment is not 0000H.

For Example: Linking a file that uses the COMN psuedo instruction at 010001000,010002000,010003000, will result in this error.

Temporary solution:

No known temporary solultion.

Signed off 01/14/88 in release Z02.70

Number: D200077768 Product: 8086/8 ASSEMB

64853

02.01

One-line description: reusing accumulator

Problem:

The AX register is being destroyed:

"80186"

\$EXTENSIONS ON\$

\$POINTER SIZE=32\$

\$SEPARATE CONST OFF\$

PROGRAM CL:

TYPE

U 8 = UNSIGNED 8;

 $U_16 = UNSIGNED_16;$

```
SRB detail reports as of 09/01/88
                                                                       53
                                                               Page:
U 32 = UNSIGNED 32;
IDS = U 8(0)..U 8(9);
BASE_CLK = RECORD
 HEAD
        : U 8;
          : U_8;
  TAIL
  SIZE
          : U_8;
END:
CLSREC = RECORD
  TOTCNT : U 32;
 Z PAD
           : ARRAY[U 16(0)..U 16(500)] OF U 8;
ND:
AR
        : ARRAY[U_8(0)..U_8(1),IDS] OF BASE_BLK;
: ARRAY[U_8(1)..U_8(48)] OF CLSREC;
CLSSR
FUNCTION GCNT(ID: IDS): U 16;
VAR
CH
        : U_8;
BEGIN
$LIST CODE ON$
    GCNT := CR[CLSSR[CH, ID].HEAD].TOTCNT;
    MOV
           AL, #+00003H
    MUL
           SS:BYTE PTR [BP+00004H]
    ADD
           BX,AX
    MOV
           AL, DS: BYTE PTR [BX]
    MOV
           AH,#0
    MUL
           AS
                                 AX GETS DESTROYED HERE
    ADD
           SI,AX
           AX, DS: WORD PTR [SI]
    MOV
$LIST CODE OFF$
END;
Temporary solution:
There is no known work around at this time.
Signed off 01/14/88 in release Z02.70
Number: D200093377 Product: 8086/8 ASSEMB
                                                                       00.00
                                                     64853
Keywords: PROBLEM ON VAX
One-line description:
*PRODUCT # CHANGE on the VAX* From= 64xxxS003 To=64xxxM003
Problem:
```

Page: 54

This Service Request has been entered to inform users of the product THAT:

The *PRODUCT NUMBER has CHANGED on the VAX version of this product

(The "xxx" in the above to be filled in with the Product Number against which this SR is entered... This text applies to many SR's and is generic in nature.)

The above event happend without a change to the REVISION CODES on the PRODUCT.

This event happend on the revision code that was used to sign off this Service Request.

Signed off 08/31/88 in release A02.70

Page: 55

TUE, 32 Aug 1987,

02.20

SRB detail reports as of 09/01/88

Number: 5000226613 Product: 8086/8 ASSEMB

300 648535004

Number: D200079335 Product: 8086/8 ASSEMB

Submission Number: 00663LSDqf

VAX 64853S003

02.50

56

Page:

Keywords: LINKER

One-line description:

Linker can generate invalid DATE on listing file.

00000400

There is no work around at this time.

Signed off 01/14/88 in release Z02.70

boot.R

Very infrequently, the linker generates an invalid DATE on the listing file. When file are compiled or assembled on 9/01, the DATE file shows

as 32 Aug 1987. FILE/PROG NAME

Temporary solution:

PROGRAM DATA COMMON ABSOLUTE DATE TIME

Defect Status: OPEN

Date Found: 870817

Keywords: CODE GENERATOR

One-line description:

Date Arrived: 870817

Prod/SCMS:/lsd/pplus/cmd/lnk

Date Received: 870820

Version : current

Date Resolved: (estimated)

Severity: 1 Showstopper: No Number of Duplicates:

Workaround: No Defect/Enhancement: Additional Files: 1

* defect

Text:

VMS hosted linker does not recognize logical names

VMS Hosted linker does not recognize logical names

Detailed Listing for Defect Number LSDqf00689

Submitter Supplied Information

Submitter name:

Lee Jackson

Submitter phone:

Submitter address: lee

Activity used to find defect: casual use

Responder Supplied Information

Responsible site: Responsible project: stars Responsible engineer: STARS II

.submitter

When the linker is given a file name it does not test to see that the name is a logical name, thus if the name is a logical name, the linker will not open the appropriate file.

Temporary solution:

There is no known work around at this time.

Signed off 01/14/88 in release Z02.70

```
SRB detail reports as of 09/01/88
                                                             Page:
                                                                    57
Number: 1650026708 Product: 8086/8 C
                                                   64818
                                                                     03.01
Keywords: CODE GENERATOR
One-line description:
Right shift using var. for # of places to shift generates bad code
The following program generates incorrect code:
.. C...
"8086"
main() {
   int a;
   unsigned b;
   a = 5 \rightarrow b:
     /* negates and then does a left shift instead of a right shift */
   a = 5 \rightarrow 3:
     /* works fine */
   a = 5 << 3; a = 5 << b:
     /* both work fine */
Temporary solution:
Manually edit the ASM8086 file, generated using $ASM FILE$, and
assemble.
Signed off 01/14/88 in release Z03.70
Number: 2700005520 Product: 8086/8 C
                                                    64818
                                                                     00 00
Keywords: RUN-TIME LIBRARY
One-line description:
REAL NUMBER COMPARISONS MAY NOT EVALUATE CORRECTLY.
Problem:
There is a problem with REAL COMP in the 8086 C real number library
when mantissas are compared. Real numbers declared as float or double
do not compare correctly when they differ in the sixth figure.
   double a. b:
                      /* can also be declared float */
   a = 12.3456:
   b = 12.3455;
     if (a > b)
        result = 1:
     else if (a == b)
        result = 0:
     else result = 2:
                          /* result = 0 after this code is executed */
Temporary solution:
No known temporary solution at this time.
```

```
SRB detail reports as of 09/01/88
                                                             Page:
                                                                      58
Signed off 01/14/88 in release Z03.70
Number: 5000134593 Product: 8086/8 C
                                                    64818
                                                                      02.01
Keywords: CODE GENERATOR
One-line description:
1102 error generated - register needed but not availiable
Problem:
The following program generates a 1102 -register needed but not
available error:
  "C"
  "8086"
  struct test {
    int bbb;
    short aaa:
bbb(ptr)
struct test *ptr:
short x;
x = ptr \rightarrow aaa \rightarrow 4;
main()
{ }
The assembly code mneumonics generated for the expression,
x = ptr \rightarrow aaa \rightarrow 4, included:
    mov cl, #+00004H
    push cx
    mov ch, (some variable)
    pop cx
                     (ch is unknown after the pop)
    shr ch, cl
This same code was genrated by the Pascal compiler, SR#5000-138388.
Signed off 01/14/88 in release Z03.70
Number: 5000134601 Product: 8086/8 C
                                                     64818
                                                                      02.01
Keywords: CODE GENERATOR
One-line description:
Incorrect segment of array transfered to pointer
Problem:
ES is used to store the segment of an array but DS is loaded into the
pointer+2H.
  "C"
  "8086"
  $FAR EXTVARS$
  $POINTER SIZE 32$
  extern struct {int a,b[3],c;} ary[5];
                                    - -0
```

```
SRB detail reports as of 09/01/88
                                                            Page: 59
  int *p,i;
  f001()
  { p=&ary[i].b[i];}
    MOV AX, SEG ary
    MOV ES, AX
                       {segment of ary in ES}
    MOV DS:WORD PTR Dstatic+2H,DS {moves incorrect segment into ptr}
  main(){}
Temporary solution:
The following program generates the correct code:
   extern struct {int a,b[3],c;} *p,ary[5];
   int *t, i;
   f() { p=&ary[i];
         t=&(*p).b[i];}
Signed off 01/14/88 in release Z03.70
Number: 5000136267 Product: 8086/8 C
                                                   64818
                                                                     02.01
Keywords: CODE GENERATOR
One-line description:
ES register corrupt when used to get address of array to place in ptr.
Problem:
The following program places the incorrect segment of an array
address into a pointer.
   "8086"
   $POINTER SIZE 32$
   $FAR EXTVARS$
   extern int var [10][10];
   extern int *point;
   main() { int x,y;
            point = &var[x][y];
         MOV AX, #+0014H
         MOV AX, SEG var
         MOV ES, AX
                               {ES contains the segment value of var}
         MOV AX, SEG point
         MOV ES, AX
                               {ES contains the segment value of point}
         MOV ES: WORD PTR point+00002H, DS {DS is unknown}
The segment value for var should have been loaded into DS, or PUSH on th
 e stack.
Temporary solution:
Temporary solution:
     extern int var [10*10]:
```

```
SRB detail reports as of 09/01/88
                                                           Page:
                                                                   60
    extern int *point;
    main () { int x,y;
             int p;
p= x*10+y;
             point = &var[p];
Signed off 01/14/88 in release Z03.70
Number: 5000149229 Product: 8086/8 C
                                                  64818
                                                                   03.00
Keywords: CODE GENERATOR
One-line description:
Return statement not putting value on BX register
Problem:
In the following program, the code generated for case 4
does not return a value in the "BX" register. A "12" is
put in the accumulator, but nothing ever happens to it.
When the program is getting ready to return we need the
following command:
       BX.SS:WORD PTR {BP 00008H]
/******Sample Program*******/
"C" "8086"
$SEPARATE CONST OFF$ $POINTER_SIZE=32$ $FAR_EXTVARS$
$FULL LIST OFF$ $AMNESIA ON$ $EXTENSIONS ON$ $INIT ZEROES OFF$
$FAR PROC ON$ $FAR_LIBRALIES ON$
struct
      int ino;
} index[160]:
sp10main()
         int
               1,c;
         while(1) {
               switch(c) {
                  case 4:
                             return(12);
                             for (1=15; index[(2*1+c)*16+1].ino<0;1--);
                  case 1:
Temporary solution:
Breaking up the expression for the array value of index[]
causes the compiler to generate the correct code. Create
an "int" type variable:
int k
k=(2*1+c)*16+1
and use this inside the 'for' loop
```

```
SRB detail reports as of 09/01/88
                                                              Page: 61
Signed off 01/14/88 in release Z03.70
Number: 5000149757 Product: 8086/8 C
                                                     64818
                                                                       03.02
One-line description:
Code generated for illegal C statement - POP BH generated
The C compiler generates invalid code for the following program.
"80188"
$FAR_EXTVARS, POINTER SIZE 32$
struct Button def {
           char *(*labels)[];
extern struct Button def Button List[];
Draw Button(but)
char but:
  struct Button Def *but p;
  char *lab_p[];
  char bindex;
  but p = &Button List[bindex];
  lab_p = *but p->labels:
       /*generates invalid code including a POP BH*/
The compiler does not flag an error when a pointer is being assigned
to a constant address with no memory associated with it. For example,
lab_p is the name of an array. There is memory allocated for each of the array elements (i.e. lab_p[2]), but the name lap_b has no memory
associated with it. Therefore, you should not be able to write "lab_p
= whatever". Our compiler, however, attempts to generate code for this
statement. ( Note that the s/w going out in the October suds generates
a "60:Lvalue expected" error for this statement).
Temporary solution:
One possible way to get the desired results is:
"80188"
$FAR_EXTVARS, POINTER_SIZE 32$
struct Button Def
       char *(*labels)[];
extern struct Button_def Button_List[];
Draw_Button(but)
char but;
    struct Button_Def *but_p;
    char **lab_p;
```

```
SRB detail reports as of 09/01/88
                                                             Page: 62
    char bindex;
    but p = &Button List[bindex];
    lab p = *but p->labels;
labels is a ptr to an array of ptrs. to chars.
lab p is now a ptr to a ptr to chars.
These two can now be equated.
Signed off 01/14/88 in release Z03.70
Number: 5000149765 Product: 8086/8 C
                                                    64818
                                                                      03 02
One-line description:
Address of array element incorrectly calculated
The following program causes the processor to go into the weeds.
"80188"
$FAR EXTVARS, POINTER SIZE 32$
struct Button Obj {
       char butx1, buty1, butx2, buty2; char button_code, label_code;
       char button_parm, button_attrib; };
#define diasable bit 0x08
extern int Button;
extern struct Button_Obj Current_Buttons[];
extern char obj index;
State Machine() {
    char B_code;
    int Error;
    if ( Button != 0xFFFF)
SM1:
          obj index = ( Button & 0xFF );
           Button = 0xFFFF;
           if ((Current Buttons[obj index].button attrib & disable bit) =
= 0)
  { }
The code generated for the last if statement looks like:
        MOV AX, SEG obj index
        MOV ES, AX
        MOV BL, ES: BYTE PTR obj index
        MOV BH, #0
        SHL BX, #+00003H
        MOV AX, SEG Current Buttons
        MOV ES, AX
        MOV AL, ES:BYTE PTR Current Buttons[BX+07H]
            etc.
```

SRB detail reports as of 09/01/88 Page: 63
WHen tracing the emulation the same statement as MOV AL,ES:BYTE PTR
Current_Buttons[BX+07H] becomes BX+08H.
This may be incorrect.

The program was loaded at 1000h,2000h,3000h. The monitor was loaded at 4000H,5000H,6000h.

The second file consists of :

"C"
"80188"
"\$FAR_EXTVARS, POINTER_SIZE 32\$
struct Button Obj {

Temporary solution: No known temporary solution.

Signed off 01/14/88 in release Z03.70

Number: 5000162487 Product: 8086/8 C 64818 03.02

Keywords: CODE GENERATOR

One-line description:

Vax not creating same code as the 64000

Problem:

8086 C compiler rev 3.4 on Vax does not create the same code as the compiler on the 64000. The code on the 64000 is correct. The code on the VAX is not.

" C " 64000 creates the following VAX creates these: "8086" for both assignment statements: #\$LIST_CODE\$ LEA SI,DS:CONST data <= that for the temp=0.5</pre> #\$LIST ON\$ LEA DI, test(): this for the 1.0/2.0LEA SI, DS: CONST_data+0008H double temp; DATA temp=0.5: temp=1.0/2.0: CONST data DB $0\overline{0}0H.000H.000H.000H$ DB 000H,000H,000H,000H 000H,000H,0E0H,03FH 000H,000H,0E0H,03FH

Temporary solution:

There is no known work around at this time.

Signed off 01/14/88 in release Z03.70

```
Number: 5000163410 Product: 8086/8 C
                                                   64818
                                                                    03.02
Keywords: PASS 1
One-line description:
compiler using DS segment rather than ES segment for 32 bit pointers
Problem:
When 32 bit pointers are used with structures the DS segment is moved
rather than the ES segment. This occurs if arithmatic is done in a
parentehsis.
EXAMPLE:
"80186"
$POINTER SIZE 32$
$FAR EXTVARS ON$
struct cmd exe struct{
       int test:
       int opt_parms[16];
extern struct cmd exe struct cmd exe[];
main()
int dev, *ptr;
ptr = cmd exe[dev-1].opt parms;
Temporary solution:
Assign arithmatic operations within parenthesis to a temporary
variable.
Signed off 01/14/88 in release Z03.70
Number: 5000165134 Product: 8086/8 C
                                                   64818
                                                                    03.02
Keywords: CODE GENERATOR
One-line description:
BX register overwritten with a switch statement
Problem:
The following program causes the BX register to be overwritten while
calculating the index of the array.
"C"
"80188"
$EXTENSIONS ON$
```

SRB detail reports as of 09/01/88

\$FAR_EXTVARS\$
\$POINTER SIZE=32\$

Page:

64

```
SRB detail reports as of 09/01/88
                                                          Page: 65
extern char Channel_Data[6][9], SelectedTrace, SIchnl type;
#define ECG 0
#define SI ECG btns 0
char btns;
SIchannel_sel(chnl_type, chnl-index)
 char chnl type, chnl index;
switch (Channel_Data[SelectedTrace][SIchnl type] )
  NOV AL.#+00009H
  MOV CS, SEG SelectedTrace
  MOV ES, CX
  MUL ES:BYTE PTR SelectedTrace
  MOV BX, AX
  LEA BX,DS:Channel Data[BX]
                                   puts address of Channel Data in BX
   MOV BL,ES:BYTE PTR SIchnl Type reuses BX - Channel Data address
  MOV
       BH,#0
   ADD
       BX,BX
    case(ECG):
      btns = SI ECG btns;
      break;
Temporary solution:
There is no known work around at this time.
Signed off 01/14/88 in release Z03.70
Number: 5000172239 Product: 8086/8 C
                                                  64818
                                                                   03.02
One-line description:
external used 2x in same pgm, w/ ASM_FILE ON, get 2 EXT stmts in ASMfile
Problem:
The following C program, when, using ASM_FILE ON, puts 2 EXTERNAL
zzz statements, and then the ASM70108 file will not assemble.
"8086"
$ASM FILE ON$
b()
extern zzz;
c()
```

```
SRB detail reports as of 09/01/88
                                                          Page: 66
extern zzz:
The ASM70108 file looks like this:
"70108"
; 1 0000 0 "C"
  EXTERNAL ZZZ
  EXTERNAL ZZZ
^ ERROR-ET
ET - Expression Type
07/24/87 LSD STARS DTS LINK
                                  COPIED TO D200078766 64818
07/24/87 LSD STARS DTS LINK
                                  COPIED TO D200078774 64818S001
07/24/87 LSD STARS DTS LINK
                                  COPIED TO D200078782 64818S004
Temporary solution:
No known solution at this time.
Signed off 01/14/88 in release Z03.70
Number: 5000186718 Product: 8086/8 C
                                                  64818
                                                                  03.01
Keywords: CODE GENERATOR
One-line description:
Floating point division of 2 constants generates incorrect result
Compiler generates incorrect code for evaluation of double division:
"8088"
main()
      double xx;
      xx = 2.0/3.0;
      xx = 2.0:
xx is assigned the value 2.0 by both statements.
This problem also occurs with other variable types such
as float, long. Any constant divided by a constant will
generate this error.
Temporary solution:
   xx = 2.0/y; where y = 3.0;
Signed off 01/14/88 in release Z03.70
Number: 5000193466 Product: 8086/8 C
                                                                   03.01
                                                  64818
Keywords: CODE GENERATOR
One-line description:
When using calculated value for array index, uses BX register twice
```

```
SRB detail reports as of 09/01/88
                                                                                    SRB detail reports as of 09/01/88
                                                             Page: 67
Problem:
When compiling the next source, compiler generates incorrect codes.
 .. C...
  "8086"
  $FAR EXTVARS$ $POINTER SIZE=32$
  $FAR LIBRARIES+$ $SEPARATE CONST+$
  extern long CPOS[4], PCMDTBL[6][50][8]:
 main(){ int stepno;
           stepno=1:
           PCMDTBL[0][stepno-1][1]=CPOS[1];}
The assembler listing file is as follows.
  LES BX, SS: DWORD PTR[BP-00006H] ----(1)
                                                                                                                                        END OF 2/2
  MOV BX SEG PCMDTBL
                                   ----(3)
 MOV ES, BX
                                                                                    Temporary solution:
  POP ES: [BX+00004H]
                                                                                    No know solution at this time.
 POP ES: [BX+00006H]
                                                      END OF 1/2
                                                                                    Signed off 01/14/88 in release Z03.70
Compiler sets the offset address of PCMDTBL[0][stepno-1][1] to BX
register (line(1)).
                                                                                    Number: 5000195628 Product: 8086/8 C
                                                                                                                                        64818
But BX register is set the segment address of PCMDTBL at line (2).
Temporary solution is as follows.
                                                                                    One-line description:
                                                                                    ES reg overwritten when assign char array to complex data structure
  int stepno, X;
  stepno=1;
                                                                                    When the submitted text was compiled with version 3.70 of
  X=stepno-1
                                                                                    the 8086 C Compiler the results were correct. However, new
  PCMDTBL[0][X][1]=CPOS[1];
                                                                                    source was sent that produced the original error:
                                                                                    "C"
                                                                                     "8086"
                                                                                    $OPTIMIZE OFF$
                                                                                    $FIXED PARAMETERS ON$
                                                    END OF 2/2
                                                                                    $EXTENSIONS ON$
8086 C generates incorrect codes:
                                                                                    $FAR_LIBRARIES ON$
Array's address isn't correct.
                                                                                    $FAR PROC ON$
                                                                                    $POINTER_SIZE 32$
$SEPARATE_CONST OFF$
                                                                                    $RECURSIVE ON$
                                                                                    $LIST CODE ON$
                                                                                     #define artex len 20
                                                                                    #define mask \overline{8}0 7FH
                                                                                    struct SET1 {
                                                                                               int dummy;
                                                                                               char ART TEXT[64];
                                                                                    struct SET2 {
                                                                                               int dummy1;
                                                                                               int dummy2;
                                                      END OF 1/2
Please refer to the verifier text No. 1/2.
                                                                                               char ARTTEXT[64];
```

03.01

```
SRB detail reports as of 09/01/88
                                                               Page:
                                                                       69
function()
  struct SET1 *P6:
  struct SET2 *P7;
  for (I=0:I<artex len:I++)
    P6\rightarrow ART\ TEXT[I] = P7\rightarrow ARTTEXT[I] | (P6\rightarrow ART\ TEXT[I] \& mask 80)
Version 3.70 of the C Compiler did indeed generate incorrect code.
The ES segment was loaded using LES when accessing P7, and ES was
never re-assigned before loading the value into P6.
However, version 3.80 saved the value loaded into ES from P6, and
re-assigned ES before after accessing P7. Therefore, I believe
3.80 fixed this SR.
Temporary solution:
Use an array name instead of a pointer.
Signed off 01/14/88 in release Z03.70
Number: 5000201749 Product: 8086/8 C
                                                      64818
                                                                        03.20
Keywords: CODE GENERATOR
One-line description:
compiler reusing CX register
Problem:
This program causes the CX register to be used twice, without being
reintialized in between uses.
"8086"
struct struct3 {char ele1; char ele2; char ele3;};
struct struct8 {char ele1; char ele2; char ele3; char ele4; char ele5; char ele6; char ele7; char ele8;};
func()
   char c;
   int i:
struct struct8 (*src)[100]:
struct struct3 (*dest)[4];
c=(*src)[i].ele3:
 (*dest)[i].ele2=c;
```

```
SRB detail reports as of 09/01/88
                                                           Page:
                                                                  70
reinitialized inbetween uses.
Temporary solution:
Create ASM file and modify
Signed off 01/14/88 in release Z03.70
Number: 5000203596 Product: 8086/8 C
                                                  64818
                                                                    03.30
Keywords: CODE GENERATOR
One-line description:
Problem w/ unreleased Rev. Dx Register destroyed
DX register using temporary data buffer was destroyed by calculateing
the address of external variable, before using this temporary data.
example:
func(lncin,lncout)
   unsigned short Incin;
   unsigned short Incout;
   struct tgcntb {
   { char *cinpa,
           *couta:
      unsigned int cinpb
                   coutb:
   extern struct centb[8]
   extern unsigned int centp, centc;
   if (centc < 8)
$OPTIMIZE OFF$
$OPTIMIZE ON$
   centb[centp].cinpb=lncin;
   centb[centp].coutb=lncout :
                DX.SS:WORD PTR [BP+00012H]
           MOV
           MOV
                 AX, #+0000CH
           MOV
                 DX.SEG centp
                                   ; DX IS DESTROY
Temporary solution:
There is no know work around at this time.
Signed off 01/14/88 in release Z03.70
Number: 5000216036 Product: 8086/8 C
                                                   64818
                                                                    03.10
Keywords: LINKER
One-line description:
The noload files aren't showing up in the listing, absolute correct
```

```
SRB detail reports as of 09/01/88
                                                            Page:
                                                                    72
Number: 5000229476 Product: 8086/8 C
                                                   64818
                                                                    03.02
Keywords: SF1001
One-line description:
When casting unsigned ints to floats using +=, generates a error #1001
Problem:
Program generates error #1001 when using summation "+=" and casting
the result of a multiplication of 2 unsigned integers into a double.
 "8086"
 " C "
 unsigned int b[2][5] = \{ \{1, 1, 1, 1, 1\}, \{1, 1, 1, 1, 1\} \};
 unsigned int a[5] = \{1, 1, 1, 1, 1\};
 double x;
 int CNTR:
 int XPIX:
 main()
      for (CNTR=0:CNTR=4:++CNTR)
           x += b[CNTR][XPIX] * a[CNTR];
 THIS GENERATES AN ERROR #1001
Temporary solution:
x = x + b[CNTR][XPIX] * a[CNTR]
or cast the right side of the equation into a float
Signed off 01/14/88 in release Z03.70
Number: D200025858 Product: 8086/8 C
                                                   64818
                                                                     01.06
Keywords: CODE GENERATOR
One-line description:
Argument to switch statement may be doubled.
Problem:
Switching on a dereferenced pointer to a structure field or on a multi-
dimensional array field generates incorrect code which doubles the
switch argument. The following is an example of this:
"C"
"PROCESSOR NAME"
unsigned short i;
struct { short z: short y[]: } *x:
main()
   i = 1;
   switch(x \rightarrow y[i]) {
                          /*Generates code which doubles the argument*/
      case 0: break;
```

for (cp1=&dme,cp2=&DISPJ2;cp2 < buf)

Signed off 01/14/88 in release Z03.70

```
Temporary solution:
Set up a temporary variable of the appropriate type and assign the
expression to it. Use the temporary in the switch statement:
int temp:
temp = x \rightarrow y[i];
switch(temp) {
. . . }
Signed off 01/14/88 in release Z03.70
Number: D200031476 Product: 8086/8 C
                                                  64818
                                                                    02.00
One-line description:
Using a postfix decrement operator in a conditional statement fails.
Using a postfix decrement operator in a conditional statement generates
an incorrect comparison. When a value is supposed to be compared to
zero, it is instead compared to -1. If the value is declared unsigned
then this will never be true. The following code is an example:
"processor name"
unsigned short i, j:
char s[20],d[20];
main() {
  j = 10;
  for (i = 0; j--; s[i++] = d[j]); /*compares j to -1, which it will
                                        never be*/
The order of evaluation of the decrement operator is also incorrect,
which is documented in SR #D200-031294.
Temporary solution:
Rearrange the expression so that the postfix decrement operator is not
used:
   for (i = 0; j; s[i++] = d[--j]);
Signed off 01/14/88 in release Z03.70
Number: D200042606 Product: 8086/8 C
                                                   64818
                                                                    02.00
One-line description:
Compiler uses wrong segment register.
In the following example, the compiler forgets which segment register
to use after several expressions involving pointers.
"processor name"
$POINTER_SIZE=32$
test()
int *p,*q,i,j;
```

SRB detail reports as of 09/01/88

```
SRB detail reports as of 09/01/88
                                                            Page: 74
     j=*(p+1):
     i=*p;
     q=p+2;
             /*listing looks like this:
                ADD
                         BX.#+04H
                         SS:WORD PTR [BP-00008H], BX
                VOM
                         SS:WORD PTR [BP-00006H],DS
                MOV
                                                  `should be ES */
Temporary solution:
Turn $AMNESIA ON$ around that expression.
Signed off 01/14/88 in release Z03.70
Number: D200049916 Product: 8086/8 C
                                                                    03.00
                                                   64818
One-line description:
DX register is used although it is overwritten by IMUL instruction
The value of the DX register is incorrect because it has been
destructed by the IMUL instruction.
Example:
struct {
       char dummy1;
       int var1:
       } block [12]:
ROUTINE (param1.param2)
 int param1;
 long param2;
  block[parami].vari = param2 /0x10000;
              IMUL SS: WORD PTR [BP+00008H]
              mov ES:WORD PTR [SI-00FFFH].DX : DX has been overwritten
                                               ; by IMUL
  return;
Temporary solution:
No known temporaray solution.
Signed off 01/14/88 in release Z03.70
Number: D200057802 Product: 8086/8 C
                                                                     03.00
                                                    64818
Keywords: CODE GENERATOR
One-line description:
Nonsense code generated by dynamic struc declaration in a funct.
Problem:
```

Page: 75

64818

Dynamic data structures which access an array element of an unknown sized array cause the compiler to generate bad code.

Temporary solution:

No known solution at this time.

Signed off 01/14/88 in release Z03.70 Number: D200068684 Product: 8086/8 C

03.01

Keywords: CODE GENERATOR

One-line description:

Compile incorrect when a ptr to an int is casted as a short and incremen

The following table describes the compiled files and their results on 64100.

	"if" used		Number of increments; statemnt separation	increment and gets separate statements	BUG DESCRIPTION
TEST1	yes	32	2 ;	no	Reboots system
TEST2	no	32	2 ;	no	No increments in listing
TEST3	yes	32	2 ,	no	No increments in listing
TEST4	yes	16	2 ;	no	Reboots system
TEST5	no	16	2;	no	compiles correctly
TEST6	yes	16	2 ,	no	Reboots system
TEST7	yes	32	1	no	No increments in listing
TEST8	yes	16	1	no	Reboots system
TEST9	no	32	1	yes	error in factor message
TEST10	no	16	1	ye <i>s</i>	error in factor message
TEST11		32	1	ye <i>s</i>	No increments in listing
TEST12	no no	16	1	yes	No increments in listing

Temporary solution:

No known temporary solution.

Signed off 01/14/88 in release Z03.70

Number: D200070532 Product: 8086/8 C 64818 03.02

Keywords: CODE GENERATOR

One-line description:

Incorrect segment passed to external function

The compiler passes the incorrect segment to an external function.

.. C.. "8088"

#define ushort unsigned short #define uint unsigned

SRB detail reports as of 09/01/88

76 Page:

```
$POINTER SIZE 32$
$FAR_EXTVARS$
$INIT ZEROES OFF$
$SEPARATE CONST OFF$
$FAR LIBRARIES ON$
$FAR_PROC ON$
$ENTRY OFF$
extern char m[2][4][8];
extern ushort a[5];
extern movb();
char *p;
proc(ptr,num)
   char *ptr;
   uint num:
   { uint \hat{r}, j, k;
      movb( m[k][r]);
           /* MOV CL, #+00005H
              MOV BX,SS:WORD PTR [BP-00002H]
              SHL BX,CL
              LEA BX, DS: m[BX]
                                   offset loaded into bx
              MOV AX, SEG m
              MOV ES, AX
                                    segment for m into ES
               PUSH DS
                                    DS passed to movb() not ES
               PUSH BX
                                    WRONG
               CALL FAR PTR movb
```

This problem occurs on version 3.20 of the compiler. ES should have been pushed on the stack instead of DS.

Signed off 01/14/88 in release Z03.70

Number: D200070615 Product: 8086/8 C

03.01 64818

Keywords: CODE GENERATOR

One-line description:

Incorrect segment passed to external function

Problem:

The compiler passes the incorrect segment to an external function.

"8088"

#define ushort unsigned short #define uint unsigned

```
SRB detail reports as of 09/01/88
                                                            Page: 77
$POINTER SIZE 32$
$FAR EXTVARS$
$INIT ZEROES OFF$
$SEPARATE CONST OFF$
$FAR LIBRARIES ON$
$FAR PROC ON$
$ENTRY OFF$
extern char m[2][4][8]:
extern ushort a[5];
extern movb();
char *p;
proc(ptr.num)
   char *ptr:
   uint num;
   { uint r.i.k:
     movb( m[k][r]);
/* MOV CL,#+00005H
              MOV BX, SS: WORD PTR [BP-00002H]
              SHL BX,CL
              LEA BX, DS:m[BX]
                                  offset loaded into bx
              MOV AX, SEG m
              MOV ES, AX
                                  segment for m into ES
              PUSH DS
                                  DS passed to movb() not ES
              PUSH BX
                                  WRONG
              CALL FAR PTR movb
This problem occurs on version 3.20 of the compiler. ES should have
been pushed on the stack instead of DS.
Signed off 01/14/88 in release Z03.70
Number: D200072371 Product: 8086/8 C
                                                   64818
                                                                    03.01
Keywords: CODE GENERATOR
One-line description:
Assignment to ptr var. (w/ Separate_const off) causes corrupt stack
The following program generates an incorrect number of PUSH's
and POP's. The problem did not occur on rev. 3.01.
"C"
"8086"
$POINTER_SIZE 16$ /* pointer_size 32 has this problem also */
$SEPARATE CONST OFF$ /* required for problem to occur */
```

```
SRB detail reports as of 09/01/88
                                                           Page: 78
main ()
    double *a:
     *a++ = 0.0;
        /* MOV AX,SS:WORD PTR [BP-00002H]
            ADD SS: WORD PTR [BP-00002H], #+00008H
            LEA SI.DS:Const prog
            PUSH DS - saves the value of ds
            missing a PUSH CS here to set up for the MOVSB
            MOV BX.AX
            LEA DI DS: [BX]
            MOV CX.#+00008H
            PUSH DŚ
            POP ES
            CLD
            POP DS
            REP MOVSB
                        - cs should have been loaded into ds but wasn:t
            POP DS
                  Nothing left on the stack from this routine
          */
This problem also occurs without the increment. Any constant assignment
to a dereferenced pointer that generates a MOVSB instruction will cause
the problem (i.e. pointers to long, double, strings). This problem is
caused only when the constants are being stored in the code segment
(CONST prog).
Temporary solution:
Modify the assembly file, generated with the $ASM_FILE ON$
directive, to include the required PUSH CS and assemble.
Signed off 01/14/88 in release Z03.70
Number: D200074237 Product: 8086/8 C
                                                  64818
                                                                    03.02
One-line description:
PROGRAMS WITH DUPLICATE GOTO LABELS MAY FAIL IN PASS 3
C programs with duplicate user labels(for goto's) may fail in pass3.
The current SUDS C compilers may produce the error
   "comp: failed: too many errors in pass 3."
   from some C programs which previously compiled correctly.
This problem did not appear in any C compilers before April 1987.
In C it is valid to use the same goto label symbol in different
functions, since they have a logical different scope.
However, the HP64000 C cross will inform the user that these symbols
are duplicate in the pass3 on the compiler. These symbols would
produce duplicate label definitions when defined the ASM FILE output
is assembled. In addition the emulation products will only find one
of these symbols.
```

"C"

Page: 79

The duplicate symbol detection algorithm on the HPUX/300, HPUX/500 and VAX/VMS C language compilers has an error which causes the compiler to fail.

However, the duplicate symbol checking is done after all of the relocatable and asmb_sym files have been produced. These output files are equivalent to those produced in the HP64000 version compilers. Thus, the output of the compilers is still correct, except for some trailing lines in the listing file.

The following program will cause this defect to occur:

```
"6800"
    TEST file for problem with duplicate local labels
    This program fails in pass 3 on VAX & HPUX/500 &/300
       While checking for duplicate asmb_sym symbols
                                                         */
       due to the "duplicate" error exit labels
/*-----
/* The workaround
     is to use the same local symbol only once per module
int i:
test1()
  if (i == 77) goto error_exit;
   /* ... */
 error_exit:
   i = -1;
/* ... */
/* duplicate symbol should be created */
test2()
 if (i == 137) goto error_exit;
   /* ... */
 error exit:
   i = -1;
/* ... */
Signed off 01/14/88 in release Z03.70
```

```
SRB detail reports as of 09/01/88
                                                            Page:
                                                                    80
Number: D200077396 Product: 8086/8 C
                                                   64818
                                                                    03.02
Keywords: CODE GENERATOR
One-line description:
VAX and 64100 generate different constants. VAX is incorrect.
There is a problem with the double constant divide:
"C"
"8088"
main()
double x:
x=3.1415926535898/180.0;
The program generates an incorrect constant on the VAX, the 64K
code is fine.
Temporary solution:
There is no known solution at this time.
Signed off 01/14/88 in release Z03.70
Number: D200077727 Product: 8086/8 C
                                                   64818
                                                                     03.02
Keywords: CODE GENERATOR
One-line description:
CL register being used twice
Problem:
Compiler uses CX register for two different values
example:
"8088"
#define ushort unsigned short
#define uint
                 unsigned
$FIXED PARAMETERS ON$
$POINTER SIZE=32$
$SEPARATE CONST OFF$
$FAR LIBRARIES ON$
$FAR PROC ON$
$FAR EXTVARS$
uint arr1[3][2],arr2[40];
ushort i:
main()
$LIST CODE ON$
arr2[\overline{2}0] = arr1[i][0]/100+30;
       MOV CX,#+00064H
                                          <---load CL w/ 100 decimal
```

```
SRB detail reports as of 09/01/88
                                                                                  SRB detail reports as of 09/01/88
                                                          Page: 81
      MOV BL, DS: BYTE PTR Dstatic+0005CH
                                                                                  Number: D200080051 Product: 8086/8 C
                                                                                                                                    64818
      MOV BH,#0
      MOV CL, #+00002H
                                          <---CL loaded w/ 2H before
                                                                                  Keywords: CODE GENERATOR
      SHL BX,CL
                                           it can be used for divide
      MOV AX, DS: WORD PTR Dstatic[BX]
                                                                                  One-line description:
      SUB DX,DX
                                                                                  Cannot prevent adding Esymbol and Rsymbol info to global symbol table
      DIV CX
                                           <---dividing by 2 not 64H
       ADD AX, #+0001EH
                                                                                  Problem:
      MOV DS:WORD PTR Dstatic+00034H.AX
                                                                                  When using the linker on the VAX one does not have the capability to
$LIST CODE OFF$
                                                                                  prevent adding Esymbol and Rsymbol information to the global symbol
                                                                                  table. This presents a problem for me because I currently have
Temporary solution:
                                                                                  approximately 10,000 global symbols in my source code and when I link
There is no know work around at this time.
                                                                                  the files this grows to approximately 30,000 symbols because the E and
                                                                                  R values are added to the linklisting. It becomes very difficult to
Signed off 01/14/88 in release Z03.70
                                                                                  deal with this much information especially since the E and R values are
                                                                                  of no use to me. I need the capability to turn off the calculation of
Number: D200079111 Product: 8086/8 C
                                                  64818
                                                                   03.02
                                                                                  the Entry and Return values for global symbols.
Keywords: PASS 1
                                                                                  Temporary solution:
                                                                                  There is no known solution at this time.
One-line description:
DIV, MOD and COMParisons may do unsigned estend of signed values
                                                                                  Signed off 01/14/88 in release Z03.70
Problem:
                                                                                  Number: D200080333 Product: 8086/8 C
                                                                                                                                    64818
Conditionals that employ div. mod, or comparison operations may not
correctly extend signed short values to int size if the other operand
                                                                                  One-line description:
is an unsigned short or char. For example, in the following code s
                                                                                  Warning message text is incorrect.
is extended as if it were declared an unsigned short.
                                                                                  68000 C compiler, Just updated to 2.07.
$SHORT ARITH OFF$
                                                                                  Warning 521: Unsigned integer to real conversion treated as signed.
short s:
                                                                                  Is incorrect.
unsigned short us;
                                                                                  The wording should imply that the conversion should be going the other w
                                                                                  ay, from real to unsigned integer.
main()
                                                                                  To get the error:
   if ((s/us)^0xffff)
                          /* both s and us get unsigned extend */
   error();
if ((us%s) 0x007f)
                                                                                  "68000"
                          /* both s and us get unsigned extend */
                                                                                  unsigned int a;
      error();
                                                                                  main()
   if (us==s)
                          /* both s and us get unsigned extend */
      error():
                                                                                  a=0.0:
   if (s!=us)
                          /* both s and us get unsigned extend */
      error():
   if (s<us)
                          /* both s and us get unsigned extend */
                                                                                  NOTE: this error message is not in the manuals.
      error():
   if (s>us)
                          /* both s and us get unsigned extend */
                                                                                  Temporary solution:
      error();
                                                                                  If you do not want to see this message you may specify
                                                                                  $WARN OFF$. This will turn off all warning messages.
Signed off 01/14/88 in release Z03.70
                                                                                  Signed off 01/14/88 in release Z03.70
```

82

03.02

03 02

SRB detail reports as of 09/01/88 Page: 83 Number: 1650038430 Product: 8086/8 C 300 64818S004 03.02 Keywords: CODE GENERATOR One-line description: printer arithmetic gives warning "integer not pointer size" Incorrect warning message on instructions using pointers: char *p; *(p-2)=5: gives the message: 515: Warning: integer not pointer size Temporary solution: Add, rather than subract from the pointer:

Signed off 01/14/88 in release Z03.70

*(p+(-2)) = 5:

```
SRB detail reports as of 09/01/88
                                                                    Page:
                                                                             84
Number: 5000221788 Product: 8086/8 C
                                                     500 64818S001
                                                                             03.30
Keywords: CODE GENERATOR
One-line description:
bade code gen if local ptr to extrnl strcture is assgn vlu frm extrn ary
Problem:
Bad code generated when local pointer to external structure is
assigned a value from an external array. Example:
"80186"
$POINTER SIZE 32$
$FAR EXTVARS$
struct update_msg { char node_id; short neigh_devid[16]; };
extern int tdb[100];
main() { int temp_devid; struct update_msg *buffer;
          buffer->neigh devid[temp devid] = tdb[3];
The problem is that ES:BX is set up to point to buffer->neigh_devid[0], then the value tdb[3] is put in AL, which requires that ES be loaded with the segment of tdb. Then the value temp_devid is added to BX, and
finally ES:BX is used to load AL into what should be
buffer->neigh devid[temp devid], but is not.
Temporary solution:
Break the equation up into smaller pieces.
create temp variable holds of integer type. Then do:
 hold1 = tdb[3];
 buffer->neigh devid[temp devid] = hold1;
Signed off 01/14/88 in release Z03.70
```

```
SRB detail reports as of 09/01/88
                                                           Page:
                                                                   85
Number: 1650004705 Product: 8086/8 PASCAL
                                                  64814
                                                                   02.01
Keywords: CODE GENERATOR
One-line description:
Using ES register without initalization - REP MOVSB.
Problem:
The following programs demonstrates a code generation problem:
The ES register is used without initalization.
TYPE
  Pointer = ^Record:
  Record
          = RECORD
                first : BYTE;
                last : ARRAY [0..40] OF BYTE;
              END:
VAR A, B : Pointer;
BEGIN
 A^{\cdot}.last := B^{\cdot}.last:
END.
The expanded listing shows that the DS and ES registers are
pushed, then DS is popped. The following REP MOVSB
instruction does therefore use the contents of the ES
register. which was never intialized.
Signed off 01/14/88 in release Z03.50
Number: 1650018689 Product: 8086/8 PASCAL
                                                                   00.01
                                                  64814
Keywords: CODE GENERATOR
One-line description:
Stack POP'S exceed Stack PUSH'S when assignment made to ext var.
The following program loaded character constants into Const_PROG
but fails to load the DS segment with the value of the CS segment
before a REP MOVSB. This instruction requires the source address to
be in DS and SI and the destination addres to be in ES and DI.
WHen CS is not equal to DS the program fails.
"80186"
$separate const ON$
$EXTENSIONS ON$
$RECURSIVE ON$
$FAR LIBRARIES ON$
$POINTER_SIZE 32$
$FAR EXTVARS$
$GLOBPROC ON$
PROGRAM TEST:
```

```
SRB detail reports as of 09/01/88
                                                              Page:
   CHARSET = SET OF CHAR:
   SET1 : CHARSET;
$EXTVAR +$
  SET2 : CHARSET;
$EXTVAR -$
BEGIN
  SET1 := ['a','b','c'];
SET2 := ['e','f','g'];
(* LEA SI,DS:CONST_prog+014H *)
      (* PUSH DS *)
      (* missing PUSH CS here *)
      (* MOV AX, SEG SET2 *)
      (* MOV ES, AX *)
      (* LEA DI, DS: SET2 *)
      (* MOV CX,020H *)
      (* CLD *)
      (* POP DS - this should load CS into DS, but instead it loads *)
                 (* DS into DS *)
      (* REP MOVSB *)
      (* POP DS - nothing on the stack from this procedure to pop *)
END.
Temporary solution:
No known temporary solution other than identifying the problem
and editing manually the ASM8086 file, then assembling the ASM8086
file.
Signed off 01/14/88 in release Z03.50
Number: 5000103432 Product: 8086/8 PASCAL
                                                                       02.01
                                                     64814
One-line description:
Incorrect code generated in FOR loop.
Problem:
8086/8 Pascal compiler generates incorrect code when an mixed
mode arithmatic is done using array elements indexed by a loop
variable of type BYTE.
Temporary solution:
Use a loop variable of type SIGNED 16.
Signed off 01/14/88 in release Z03.50
Number: 5000118844 Product: 8086/8 PASCAL
                                                     64814
                                                                       02.00
Keywords: CODE GENERATOR
One-line description:
Wrong code generated for expression in 'FOR' loop
The following program creates bad code:
```

TYPE

```
SRB detail reports as of 09/01/88
                                                            Page:
                                                                    87
                                                                                   SRB detail reports as of 09/01/88
                                                                                                                                               Page:
                                                                                                                                                       88
   "8086"
   $EXTENSIONS$
                                                                                   This problem was also reported on the 6809 (sr# 5000-124065).
  TYPE
     INT = SIGNED 16;
                                                                                   Temporary solution:
     STRUC = RECORD A : SIGNED 16;
                                                                                   No known temporary solution.
                     B : SIGNED 16;
             END:
                                                                                   Signed off 01/14/88 in release Z03.50
   VAR
   $GLOBVAR$
                                                                                   Number: 5000134817 Product: 8086/8 PASCAL
                                                                                                                                      64814
                                                                                                                                                       02.01
   TABLE_CADRAGE : ARRAY [1..12] OF STRUC;
   TAB_PAR_SELEC : ARRAY [1..14] OF SIGNED 16;
                                                                                   Keywords: CODE GENERATOR
   PT TAB_PAR_SELECT : INT;
   $GLOBVAR OFF$
                                                                                   One-line description:
   $GLOBPROC$
                                                                                   Incorrect address calculated for beginning of ary in WITH stamnt
   PROCEDURE CADRER:
   VAR
     VAL : SIGNED_16;
                                                                                   The following program generates incorrect code:
   BEGIN
                                                                                      "processor name"
   FOR PT_TAB_PAR_SELEC := 1 TO 12 DO BEGIN
                                                                                      $EXTENSIONS ON$
   VAL := VAL * TABLE_CADRAGE[PT_TAB_PAR_SELEC].A;
                                                                                      PROGRAM TEST;
   END:
                                                                                      TYPE NUM REC = RECORD
                                                                                                            NUM_BUF : ARRAY [1..24] OF BYTE;
   END:
                                                                                                            TOT NUM : BYTE; END;
                                                                                           PTR = ^INTEGER;
                                                                                      VAR KEY: BYTE; NUM INP : NUM REC; POINTER: PTR;
   compiler puts the limit of the FOR loop in CX
   then moves CX into DX
                                                                                      PROCEDURE DISPLAY (ROW, COLUMN, LENGTH : BYTE; START: PTR:): EXTERNAL:
   then moves DX into BX
   but BX has the pointer of the array stored in it.
                                                                                      PROCEDURE IN:
                                                                                      BEGIN
Signed off 01/14/88 in release Z03.50
                                                                                        WITH NUM INP DO BEGIN
                                                                                          NUM_BUF[TOT NUM] := KEY;
Number: 5000124313 Product: 8086/8 PASCAL
                                                                    02.01
                                                   64814
                                                                                              ADD BX, AX
                                                                                                                 {BX WILL HOLD ADDR OF TOT NUM}
One-line description:
The library routine, DISPOSE, overwrites the ES register
                                                                                          POINTER: = ADDR(NUM_BUF);
Problem:
                                                                                              MOV DS:WORD PTR DTEST+01AH,BX {Assumes BX contains addr of
The library routine, DISPOSE, overwrites the ES register with out
                                                                                                                                  NUM_BUF, IT DOESN'T}
restoring it. For example:
                                                                                          DISPLAY (5,25-TOT NUM, TOT NUM, POINTER):
  "8086"
                                                                                                   AL, DS: BYTE PTR [BX+00018H] {also assumes this. wrong!}
  $POINTER SIZE 32$
  $FAR LIBRARIES$
                                                                                        END;
  $FAR PROC ON$
                                                                                      END; .
  TYPE
                                                                                   Temporary solution:
         A = ARRAY[1..6] OF BYTE;
                                                                                   Do not use the WITH statement. Reference all record members directly.
         REC : ^A;
                                                                                   Signed off 01/14/88 in release Z03.50
   VAR P : REC;
                                                                                   Number: 5000138388 Product: 8086/8 PASCAL
                                                                                                                                      64814
                                                                                                                                                        03.00
  PROCEDURE TEST:
  BEGIN
                                                                                   Keywords: CODE GENERATOR
   NEW (P)
   DISPOSE(P);
                                                                                   One-line description:
  END:
                                                                                   Incorrect code gener, when shift function operand is mult, dimen, array
```

```
SRB detail reports as of 09/01/88
                                                                   89
                                                                                   SRB detail reports as of 09/01/88
                                                                                                                                               Page: 90
                                                            Page:
                                                                                    V : ARRAY [UNSIGNED 8(0) .. (COUNT-UNSIGNED 8(1))] OF UNSIGNED 16;
The following code genrates an "1102 - register needed but not
                                                                                   I,X : UNSIGNED 8;
available" error:
                                                                                   BEGIN
                                                                                   X := UNSIGNED 8(2);
   "8086"
                                                                                    FOR I := UNSIGNED 8(0) TO (COUNT-UNSIGNED 8(1)) DO
  PROGRAM TEST;
                                                                                     V[I] := UNSIGNED 16((UNSIGNED 8(4))*X);
                                                                                                                                          <= Incorrect code
  $EXTENSIONS ON$
                                                                                                                                             generated here!
  VAR TABLE: ARRAY [0..3,0..15] OF SIGNED_8;
                                                                                   See verifier text for details.
  BEGIN
                                                                                   Signed off 01/14/88 in release Z03.50
    TABLE[2,3] := SHIFT(TABLE[2,3],4);
   END.
                                                                                   Number: 5000171876 Product: 8086/8 PASCAL
                                                                                                                                                       03.01
                                                                                                                                      64814
Part of the genrated code looks like:
                                                                                   Keywords: CODE GENERATOR
         MOV
                     CL, #+00004H
                                          :Loads 4 into the counter
         PUSH
                     CX
                                          Puts 16-bit reg. onto stack
                                                                                   One-line description:
                   CH. DS:BYTE PTR DTEST+000023H ; Loads high byte with
         MOV
                                                                                   Code produces an #1102 error - reg. needed but not available
                                                    TABLE[2,3]
         POP
                                          ;Takes 16-bit reg. off stack,
                                          overrides the address of
                                                                                   The following code produces compile time error #1102 "register needed
                                          TABLE[2,3] in CH.
                                                                                   bu not available" for the 80186 Pascal Cross Compiler (compiler rev
         SHL
                    CH, CL
                                          ;CH not valid.
                                                                                   #3.01 and Op Sys rev #2.04).
If AL had been used instead of CH, the problem would not occur.
                                                                                   "80186"
                                                                                                                 ---> continued from right column
                                                                                   $EXTENSIONS ON$
                                                                                   PROGRAM MISC;
Temporary solution:
Use of a dummy variable in the shift function instead of the array
                                                                                   TYPE
                                                                                                                R1:ARRAY[U 8(0)..U 8(1)] OF REC1;
element will generate the correct code.
                                                                                   U 8=UNSIGNED 8:
                                                                                                                X:U 8;
                                                                                   U 16=UNSIGNED 16;
                                                                                                                PROCEDURE TEST (N:U 8);
For example:
                                                                                   REC1=RECORD
                                                                                                                BEGIN
    "8086"
                                                                                   A:U 16;
                                                                                                                X := R1[R1[N].A].A
    PROGRAM TEST;
                                                                                   B:U 8;
                                                                                                                END;
    $EXTENSIONS ON $
                                                                                   END;
    VAR TABLE : ARRAY[0..3,0..15] OF SIGNED 8;
                                                                                   ---> continued in left column
        X : SIGNED_8;
    BEGIN
                                                                                   Signed off 01/14/88 in release Z03.50
      X := TABLE[2,3];
      TABLE[2,3] := SHIFT(X,4);
                                                                                   Number: 5000171884 Product: 8086/8 PASCAL
                                                                                                                                      64814
                                                                                                                                                       03.01
Signed off 01/14/88 in release Z03.50
                                                                                   Keywords: CODE GENERATOR
Number: 5000163824 Product: 8086/8 PASCAL
                                                   64814
                                                                    03.01
                                                                                   One-line description:
                                                                                   BX register gets overwritten when accessing arrays of records
Keywords: CODE GENERATOR
                                                                                   Problem:
One-line description:
Multiplication result stored in CX and overwritten when counter reg need
                                                                                   The following program overwrites the value originally stored in BX
                                                                                   and then attempts to use BX for the original value.
                                                                                   See submitter/verifier text for declarations.
Incorrect code generated when 80186 Pascal compiler sees this code:
                                                                                   FUNCTION TEST: BOOLEAN:
"80186"
                                                                                   BEGIN
                                                                                   TEST := (U_16(5)*R1[N2[N1]].B) \rightarrow (U_16(2)*R2[N1].B);
$EXTENSIONS ON$
PROGRAM TRY:
 CONST COUNT = UNSINGED 8(4);
VAR
                                                                                             MOV BX,AX
```

```
SRB detail reports as of 09/01/88
                                                           Page: 91
          MOV AX, #00002H
         MOV BX, DX
                         *BX register gets overwritten here
                         *which did contain 3*N1
          MUL DS:WORD PTR DMISC[BX+000AH] *WRONG value now in BX
 END:
Temporary solution:
   Using the compiler option $AMNESIA ON$ will force the compiler
   to correct this situation.
   The ASM8086 file can be edited (generated by using $ASM FILE on$)
   and the line MOV BX,DX can be changed to MOV CX,DX. Also, the line
   CMP BX, AX should be changed to CMP CX, AX.
Signed off 01/14/88 in release Z03.50
Number: 5000171900 Product: 8086/8 PASCAL
                                                  64814
                                                                    03.01
Keywords: CODE GENERATOR
One-line description:
Contents of register A gets overwritten when accessing mult. arrys of rd
Signed off 01/14/88 in release Z03.50
Number: 5000197624 Product: 8086/8 PASCAL
                                                  64814
                                                                   03.01
Keywords: PASCAL
One-line description:
for loop w/ counter = unsignd 8 type uses BX twice
Signed off 01/14/88 in release Z03.50
Number: 5000207845 Product: 8086/8 PASCAL
                                                  64814
                                                                    03.00
Keywords: CODE GENERATOR
One-line description:
bad code for accessing parameters in nested procedures
Compiler produces bad code when accessing parameters in nested
procedures. Register are used twice and address are lost.
Temporary solution:
There is no known bug at this time.
```

```
Number: 5000221994 Product: 8086/8 PASCAL
                                                   64814
                                                                    03.03
Keywords: CODE GENERATOR
One-line description:
Using WITH statement and complex record structure causes bad code
Problem:
The 8086/8 PASCAL compiler generates code that does not execute
correctly as documented below:
FILE TEST5: WORK
"80186"
$extensions on$
program tests;
type
rectype = record
  val1: unsigned 32;
  val2 : unsigned 16;
 val3 : unsigned_16;
  pad2: array[0.7255] of unsigned 8;
end;
rec1 : array[unsigned 8(1)..unsigned 8(4)] of rectype;
$list code on$
procedure test(aaa,bbb;unsigned 8);
begin
   with recl[aaa] do
   begin
      val1 := val1 + rec1[bbb].val1:
     val2 := val2 + rec1[bbb].val2;
           mov
                     dx.ds:word ptr [bx+00004h] --- GETS [AAA].VAL2
           mov
                      ax,#+00108h
           mul
                     CX
                                      --- STOMPS ON [AAA].VAL2
           mov
                     si,ax
           add
                      dx,ds:word ptr dtest5[si-00104h] --- ATTEMPTS TO
                                      ADD [BBB]. VAL2 TO GARBAGE
                      ds:word ptr [bx+00004h].dx
           mov
     val3 := val3 + rec1[bbb].val3;
                      dx.ds:word ptr [bx+00006h] --- SAME PROB. AS ABOVE
           mov
                      ax.#+00108h
           mov
           mul
                      СХ
           mov
                      si,ax
                      dx, ds:word ptr dtest5[si-00102h]
           add
           mov
                      ds:word ptr [bx+00006h],dx
   end;
end.
```

92

Temporary solution:

SRB detail reports as of 09/01/88

The bugs will disappear if either \$amnesia\$ is turned on or if the first operation is not a 32-bit operation.

Signed off 01/14/88 in release Z03.50

Page: 93

64814

64814

Signed off 01/14/88 in release Z03.50

Number: D200019273 Product: 8086/8 PASCAL

01.10

Keywords: RUN-TIME LIBRARY

One-line description:

Problem with Pascal I/O library (PIOLIB).

When using the Pascal I/O library (PIOLIB), run-time error messages are not correctly returned to the 'Abort' routine. The routine 'Perror' places the error message into the DATA segment (DS) while 'Abort' assumes the message is in the CODE segment.

Please call your Hewlett-Packard Sales Representative in the event you experience this problem.

Temporary solution:

No known workaround at this time.

Signed off 01/14/88 in release Z03.50

Number: D200022137 Product: 8086/8 PASCAL

01.10

Keywords: RUN-TIME LIBRARY

One-line description:

Real number comparisons may not 'evaluate' correctly.

Problem:

Real number comparisons, i.e. \rangle , \langle , \rangle =, \langle =, may not be evaluated correctly with numbers having six (6) or more significant places. For example, the following IF statement will NOT be evaluated correctly.

a := 12.3456; b := 12.3455; IF a > b THEN result := 1 result := 0:

In the above example, 'result' will equal '0'.

Temporary solution:

No known workaround at this time.

Signed off 01/14/88 in release Z03.50

Number: D200023283 Product: 8086/8 PASCAL 64814 01.10

Keywords: CODE GENERATOR

One-line description:

Illegal PUSH instruction generated.

```
SRB detail reports as of 09/01/88
  Compiling the following program will cause the compiler to generate
an incorrect PUSH statement.
  $POINTER SIZE 32$
  PROGRAM TEST:
  $EXTENSIONS$
       VARIABLE : INTEGER:
    PROCEDURE PROC ONE (OFFSET : UNSIGNED 16); EXTERNAL;
     BEGIN
        PROC ONE (UNSIGNED 16(ADDR(VARIABLE))):
The PROC_ONE(...) statement will cause the compiler to generate a
PUSH BL instruction which is illegal.
Temporary solution:
  This problem appears to be related to the use of 32 bit pointers
in conjunction with the ADDR function.
Signed off 01/14/88 in release Z03.50
```

Number: D200053710 Product: 8086/8 PASCAL

64814

03.00

Page: 94

Keywords: CODE GENERATOR

One-line description:

Var. addresses incorrect inside nested WITH statements

Problem:

THE FOLLWOING CODE WAS TAKEN FROM THE PROGRAM LISTED IN THE SUBMITTER TEXT. tHE FIRST LINE GENERATES A DIFFERENT VALUE FOR HIGH BYTE THAN THE SECOND TWO LINES.

DATA_BYTE [SOURCE_MOST_SIGN] := CRCS_10_ADDR [CRCS_10_NUM].HIGH_BYTE;

WITH CRCS 10 ADDR [CRCS 10 NUM] DO DATA BYTE[SOURCE MOST SIGN] := HIGH BYTE

Another example of this problem can be found on !hplsdsb under users/robin/awabug.s

Temporary solution:

Do not use nested WITH statements.

Signed off 01/14/88 in release Z03.50

```
SRB detail reports as of 09/01/88
                                                                                                                                                  Page:
SRB detail reports as of 09/01/88
                                                            Page:
                                                                     95
Number: D200063750 Product: 8086/8 PASCAL
                                                   64814
                                                                     03.01
                                                                                    PROGRAM TEST;
One-line description:
                                                                                       TYPE
functional type change of a constant into multi-byte structure gen's err
                                                                                          LOD LIM = RECORD
                                                                                                     MIN HEAD : REAL;
                                                                                                     END;
Problem:
Functional type casting of a constant into a multi-byte structure
                                                                                          IO UNITS = RECORD
                                                                                                     G MW, G MVAR, VOLT : REAL;
generates bad data.
                                                                                                     END;
"processor"
                                                                                          GEN LOAD = RECORD
                                                                                                      B_gener_mw : REAL;
                                                                                                      B volt : REAL;
PROGRAM BAD DATA;
TYPE EVENT = RECORD
        A : BYTE;
                                                                                    $GLOBVAR ON$
           : BYTE;
        В
                                                                                       VAR
        С
           : INTEGER;
                                                                                          units : SIGNED 16;
                                                                                          GEN_CON : ARRAY[1..17] OF GEN_LOAD;
IO_GN : ARRAY [1..17] OF IO_UNITS;
        D
            : BYTE;
      END:
                                                                                          LL GN : ARRAY [1..17] OF LOD LIM;
                                                                                    $GLOBVAR OFF$
    EVENT1 : EVENT;
                                                                                    PROCEDURE BUFFER_DATA;
PROCEDURE GENERATOR();
                                                                                        BEGIN
   BEGIN
                                                                                         FOR units := 1 TO 17 DO
                                                                                                  {MOV CX,#+11H - loads cx with 17}
      EVENT1 := EVENT(0): { THIS ASSIGNMENT RESULTS IN BAD DATA }
   END;
                                                                                             WITH GEN_CON[units], LL_GN[units],
                                                                                                  {MOV AX,CX - counter now in ax}
BEGIN
                                                                                                  10 GN[units] DO
END.
                                                                                                  {MOV CX, AX - counter moved back into CX}
                                                                                                BEGIN
Temporary solution:
No temporary solution at this time.
                                                                                                  B volt := VOLT;
                                                                                                       {MOV DI.CX - moves counter into DI}
                                                                                                        {MOV CX, #4H - destroys contents of cx}
Signed off 01/14/88 in release Z03.50
                                                                                                  B gener mw := G MW;
Number: D200065060 Product: 8086/8 PASCAL
                                                    64814
                                                                      03.01
                                                                                                       {LEA DI, memory loc - destroys counter in DI}
                                                                                                END {WITH};
Keywords: CODE GENERATOR
                                                                                             END {FOR}:
                                                                                                {MOV CX.DI -loads counter back into cx, but counter}
                                                                                                         isn't in DI}
One-line description:
FOR loop counter gets destroyed when loop includes multiple WITH's
                                                                                                {LOOP
                                                                                                            - decrements counter}
                                                                                        END {BUFFER DATA};
The following program demonstrates the FOR loop counter
                                                                                     BEGIN
being destroyed. This problem only occurs if the WITH
                                                                                        BUFFER DATA;
contains at least 3 records and the record IO UNITS has the
                                                                                     END.
variable VOLT at least third in the variable \overline{1}ist.
The code generated stores the FOR loop counter into CX, then
it later moves the counter to DI in preparation for the MOVSB
                                                                                     Temporary solution:
instruction for which uses CX. However, MOVSB uses DI as well.
                                                                                     The temporary solution requires that an IF statement be added
                                                                                     to the BUFFERDATA procedure.
The counter gets lost when the destination for the string move
is loaded into DI.
                                                                                     Change:
                                                                                                WITH GEN CON[units], LL GN[units],
"8086" PREPROCESS
                                                                                                     IO GN[units] DO
```

BEGIN

96

```
SRB detail reports as of 09/01/88
                                                            Page: 97
                B volt := VOLT;
To:
           WITH GEN_CON[units], LL_GN[units],
                IO GN[units] DO
               IF (1=1) THEN x := TRUE;
               {x must be declared as a boolean variable}
               B volt := VOLT;
Signed off 01/14/88 in release Z03.50
Number: D200068759 Product: 8086/8 PASCAL
                                                   64814
                                                                    03.02
One-line description:
WITH construct causes wrong offset
The examples for this problem have been given to the lab (file
Problem3)
When using the WITH construct, the compiler calculates the correct
offset for the variable in the FOR statement, but it fails to save
the segment part of the pointer. Later it loads in a random number
as this segment address. This only occurs when the IF statement is
inside the WITH statement.
"80186" PREPROCESS
$EXTENSIONS ON$
$RECURSIVE ON$
$POINTER SIZE 32$
$FAR LIBRARIES ON$
$FAR PROC ON$
$SEPARATE CONST OFF$
PROGRAM CC_ANALYSIS_job;
CONST
   MAXINT = 32767;
   Addr min = 0
   Addr max = 8:
   Analys b no = UNSIGNED16(196);
   Analys res = UNSIGNED 16(197);
TYPE
   INTEGER = SIGNED 16;
   Time type = UNSI\overline{G}NED 16:
#DEFINE ORD INTEGER;
 que_type = ( timer que, event que);
 Ptr = ^INTEGER;
 Pid = RECORD
       dma : BYTE:
       process : INTEGER;
       END;
 Signal p = ^Signal;
```

```
SRB detail reports as of 09/01/88
                                                               Page: 98
 Event_type = UNSIGNED_16;
 Addr type = RECORD
             Len : BYTE;
              Adrtype : BYTE;
              Digits: ARRAY [Addr min .. Addr max] OF CHAR:
              END:
 User_cat = ( No_bar, Bar_1, Bar_2);
 e_Analys_b_no = RECORD
                  Dest addr type;
                  Cat : User cat:
                  END;
 Ana res type = (Next digit, Local call, No convert,
                  Outgoing_call, Invalid_digit);
 Signal = RECORD
          Link, Backlink : Signal p:
          Que : que_type ;
Duration : Timer_type;
          Address, Sender : Pid;
         CASE Event : Event_type OF
             Analys b no : (Analys b no e : e Analys b no);
 Analysis_Result = RECORD
                   Result : Ana_res_type;
           CASE Ana_res_type OF
                 Next digit : (Ana index, dummy1 : BYTE);
                 Local call : (Mult_no :UNSIGNED_16);
                 No convert : (Conv_index,dummy2 : BYTE );
                 Outgoing_call : (Rout_index,Bar_c:BYTE);
                 Invalid digit : (dummy3 : INTEGER);
No sub table = ARRAY [0...15] OF Analysis result:
Table \bar{p} = \hat{N}o sub table:
Conv type = (Replace no, Delete digits, Add digits, Del and add);
Convelements = RECORD
              Conversion : Conv_type;
              Del_position : BYTE;
              Number_of_del : BYTE;
Add_position : BYTE;
Number_of_add : BYTE;
              Newe digits: ARRAY [1..15] OF CHAR;
             END:
VAR
   sig : Signal p;
i : BYTE;
   Analys li : BYTE;
    Analys_no : ARRAÝ [1..15] OF BYTE;
$RECURSIVE OFF$
FUNCTION IA5 converted : BOOLEAN;
VAR
  i : BYTE;
BEGIN
    IA5_convertede := TRUE;
   WITH sig^, Analys_b_no_e, Dest_adr DO
```

```
SRB detail reports as of 09/01/88
                                                               Page:
                                                                        99
     IF Len = 0
          MOV DS:WORD PTR DIA5 converted+00006H,SI
            {but does not save segment}
     THEN IA5_converted := FALSE;
     ELSE FOR i := 1 TO Len DO
        CASE Digits[i] OF
           LES BX,DS:WORD PTR DIA5_converted+0006H
                {this loads garbage into ES}
          '0','1','2','3','4','5','6','7','8','9'

: Analys_no[i] := BYTE(Digits[i] - '0');

'*': Analys_no[i] := 11;

'#': Analys_no[i] := 11;
           'A' : Analys no[i] := 12;
           'B' : Analys_no[i] := 13;
           'C' : Analys_no[i] := 14;
           'D' : Analys_no[i] := 15;
         Analys_li := sig^.Analys b no e.Dest_adr.Len;
     END:
BEGIN
END.
      END;
 END;
BEGIN
END.
Temporary solution:
No known temporary solution.
Signed off 01/14/88 in release Z03.50
Number: D200068767 Product: 8086/8 PASCAL
                                                      64814
                                                                         03.02
One-line description:
With construct causes wrong offset
Problem.
The examples for this problem have been given to the lab (file
Problem4)
An globally ORGed variable is accessed inside a Procedure using
a WITH construct. The array offset is calculated and stored in
the AX register. It is then moved to the BX register. When the
offset is changed, the code access the AL register instead of the BX
register. Hence, the wrong offset into the array is calculated.
This problem does not occur when the variable is load to the
procedure.
 "80186" PREPROCESS
 $EXTENSIONS ON$
$RECURSIVE ON$
```

```
SRB detail reports as of 09/01/88
                                                            Page: 100
$POINTER SIZE 32$
$FAR LIBRARIES ON$
$FAR PROC ON$
$SEPARATE CONST OFF$
PROGRAM WITHTEST:
CONST
   MAXINT = 32767;
TYPE
   INTEGER = SIGNED 16;
#DEFINE ORD INTEGER;
TYPE
   Tilst txt lintyp = RECORD
                      Pos L : BYTE;
                      Pos H : BYTE:
                      Li : BYTE;
                      Txtstring: ARRAY [1..42] OF BYTE;
                      END:
   Tilst_txt_element = RECORD
                         Tilst txt lin : ARRAY [1..2] OF Tilst txt linty
p;
                       END:
   Tilst txt type = ARRAY [0..16] OF Tilst txt element;
VAR
$ORG 20000000H$
    X : BYTE:
$END ORG$
$EXTVAR ON$
Tilst txt : Tilst txt type;
$EXTVĀR OFF$
PROCEDURE FAST TXT_TILST(Tilst_txtnr,Linie ofset : INTEGER);
VAR
   N : INTEGER;
      X : BYTE;
                   makes the problem go away }
 BEGIN
   WITH Tilst txt[Tilst txtnr] DO
     BEGIN
       FOR N := 1 TO 2 DO
          BEGIN
            X := Tilst txt lin[N].Pos 1;
               SUB AL, #+002DH (shold be SUB BX, #+002DH)
           END;
     END;
```

```
SRB detail reports as of 09/01/88
                                                              Page: 101
                                                                                     SRB detail reports as of 09/01/88
END;
                                                                                     BEGIN
BEGIN
                                                                                           STOPSECTOR := UNSIGNED 16(247);
END.
                                                                                           FOR SECTORNUM := UNSIGNED_16(0) TO STOPSECTOR DO BEGIN
Temporary solution:
No known temporary solution.
                                                                                           A := 5;
                                                                                           END:
Signed off 01/14/88 in release Z03.50
                                                                                     END.
Number: D200075952 Product: 8086/8 PASCAL
                                                    64814
                                                                      03.02
                                                                                     This works for values up to 8000H.
One-line description:
Unsigned_8 treated as signed value in FOR loop test.
                                                                                     Signed off 01/14/88 in release Z03.50
                                                                                      Number: D200077875 Product: 8086/8 PASCAL
                                                                                                                                          64814
Assigning a constant to an unsigned 8 variable whose upper bit is set
causes problems. Specifically, when the unsigned 8 var is used later it is treated as a signed value. In the example below, an unsigned_8
                                                                                      One-line description:
                                                                                      $RECURSIVE $ option defaults to incorrect mode (OFF)
is assigned 247 decimal at the top of a FOR loop. When the compiler
compares it is does a byte compare and therefore interprets the
                                                                                      Problem:
unsigned 8 as a signed quantity.
                                                                                      "80188"
                                                                                      PROGRAM ERROR;
"processor"
                                                                                      PROCEDURE ERR 3;
$EXTENSIONS ON$
                                                                                     VAR A,B : SINGED 16;
                                                                                      BEGIN
PROGRAM DOLOOP;
                                                                                      A:= B;
                                                                                          MOV AX, DS: WORD PTR DERR 3+0002H
     SECTORNUM, STOPSECTOR
                               : UNSIGNED 8;
                                                                                          MOV DS:WORD PTR DERR #, AX
                               : INTEGER;
                                                                                      ERR 3:
                                                                                         CALL FAR PTR ERR 3;
BEGIN
    STOPSECTOR := UNSIGNED 8(247);
                                                                                      The $RECUSRSIVE$ option should default to ON, but instead defaults
                                                                                      to OFF.
    FOR SECTORNUM := UNSIGNED 8(0) TO STOPSECTOR DO BEGIN
         A := 5;
    END;
                                                                                      Temporary solution:
END.
                                                                                      Use explicit Directive in program.
Temporary solution:
                                                                                      Signed off 01/14/88 in release Z03.50
USE AN UNSIGNED 16 FOR THE CONTROLLING VAR.
                                                                                      Number: D200078642 Product: 8086/8 PASCAL
                                                                                                                                          64814
"PROCESSOR"
                                                                                      Keywords: CODE GENERATOR
$EXTENSIONS ON$
                                                                                      One-line description:
                                                                                      pointers passed as procedure parameters not fully dereferenced.
PROGRAM DOLOOP;
VAR
       SECTORNUM, STOPSECTOR
                               : UNSIGNED 16;
                                                                                      When passing a pointer to a pointer to a record, the pointer is not
       Α
                                : INTEGER;
                                                                                      fully dereferenced. See verifier text for example.
```

\$EXTENSIONS ON\$

Page: 102

03.02

03.00

```
SRB detail reports as of 09/01/88
                                                           Page: 103
$SEPERATE CONST OFF$
$SEPARATE ON$
$FAR PROC ON$
$GLOBPROC ON$
$FAR LIBRARIES $
$POINTER SIZE 32$
$FAR_EXTVARS$
$RECURSIVE ON$
$OPTOMIZE ON$
$DEBUG OFF$
$IOCHECK OFF$
$FULL_LIST OFF$
$LIST_CODE OFF$
$LIST OBJ OFF$
PROGRAM Error 15;
TYPE
  ARTIKEL = RECORD
            ELE1 : SIGNED_16;
            ELE2 : SIGNED 16;
            END;
  ARTIKEL_PTR = ^ARTIKEL;
PROCEDURE ART DEFAULTS(VAR ART : ARTIKEL);
BEGIN
END;
{this is the problem routine}
PROCEDURE ERR 15 (VAR ART : ARTIKEL PTR);
ART_DEFAULTS(ART^); {<-----this generates the following error code}
                     SS: [BP+0000AH]
             PUSH
                     SS:[BP+00008H]
             PUSH
             CALL
                     FAR PTR ART DEFAULTS
{The variable art^ was never fully dereferenced. It now points at
a pointer to ARTIKEL, not at ARTIKEL}
END;
Temporary solution:
PROCEDURE WORK 15 (VAR ART : ARTIKEL_PTR);
VAR
  A : ARTIKEL_PTR; {this solution will fully dereferene the pointer}
```

```
Fage: 104
A := ART:
ART DEFAULTS(A^);
END:
Signed off 01/14/88 in release Z03.50
Number: D200079194 Product: 8086/8 PASCAL
                                                  64814
                                                                    03.02
One-line description:
Pascal does not report error for assignment of constant to structure
The Pascal/64000 compiler fails to report an error when using
the functional type change operator to attempt to assign an
immediate constant to a multi-byte structure.
Since the Pascal/64000 compiler does not support structured constants,
there is no meaningful way to assign a constant to a structure.
Each element must be assigned individually.
The Pascal/64000 compiler does report an error 505 (Warning: type
changes physical size), when it should generate a fatal error. It
tries to generate code for the illegal statement which will not
produce the results expected by the user.
The compiler should produce fatal Error #451: Structured constants not
implemented.
Here is a simple example and the workaround by explicit individual
assignment statements.
"PASCAL" PREPROCESS
"6809"
 { Test program to demonstrate Pascal language defect }
  Functional type change of constant to multi-byte variable }
PROGRAM PTEST101:
$EXTENSIONS ON$
 TYPE event = RECORD
                type
                         : BYTE;
                qualifier: BYTE;
                         : INTEGER;
                msg
                send_task: BYTE;
              END:
 VAR event1: event:
      i: INTEGER:
      R: REAL:
 BEGIN
 {The following code is attempting to initialize}
 { the multibyte record event to zeros. }
 {It should be interpreted as a Pass 1 error }
 { Error #451: Structured constants not implemented}
 { The code produced will be processor dependent }
     event1 := event(0): {This code is incorrect Pascal}
```

BEGIN

```
SRB detail reports as of 09/01/88
                                                             Page: 105
 {Correct Pascal using individual assignments}
     event1.type:=0;
     event1.qualifier:=0;
     event1.msg:=0;
     event1.send task:=0;
END.
Signed off 01/14/88 in release Z03.50
Number: D200079251 Product: 8086/8 PASCAL
                                                                      03.02
                                                     64814
Keywords: PASS 1
One-line description:
Functional type changes not always evaluated correctly
Some functional type changes are not correctly evaluated. For example,
the following code illustrates the problem.
$EXTENSIONS ON$
PROGRAM PTEST:
VAR
    S8 : SIGNED_8 ;
    U8 : UNSIGNED 8 ;
    S16 : SIGNED 16 ;
    U16 : UNSIGNED 16 ;
BEGIN
    U16 := UNSIGNED 16(S8); (* signed extension of S8 - correct *)
    U16 := UNSIGNED 8(S8);
                              (* signed extension of S8 - incorrect *)
                               (* unsigned extension of U8 - correct *)
(* unsigned extention of U8 - incorrect *)
    S16 := SIGNED 16(U8):
    S16 := SIGNED 8(U8);
END.
Signed off 01/14/88 in release Z03.50
```

Page: 106

Number: 5000121830 Product: 9900/0 ASSEMB

64847

00.46

Keywords: CODE GENERATOR

One-line description:

Autoincrement with indirect addressing does not assemble correctly.

Problem:

THE HOSTED 9989 ASSEMBLER/LINKER ON THE 9000 DOES NOT ASSEMBLE CORRECTLY WHEN THE CUSTOMER USES THE INDIRECT ADDRESSING WITH AUTOINCREMENT. THE CODE DOES ASSEMBLE CORRECTLY ON THE 64000.

EXAMPLE:

MOV R11.*R7+

AND

INC *R6+

GENERATES THE ERROR MISSING OPERATOR, AN ARITHMETIC OPERATOR WAS EXPECTED AND WAS NOT FOUND ON THE HOSTED SOFTWARE.

Temporary solution:

There is no know work around at this time.

Signed off 01/14/88 in release Z01.80

Number: 5000232959 Product: 9900/0 ASSEMB

64847 00.00

Keywords: CODE GENERATOR

One-line description:

Problem with negative displacementwith SBO SBZ instructions.

Temporary solution:

All constants have a 32 bit internal representation. When negative numbers need to be reprsented, the following syntax should be used:

SBO OFFFFFFFFH

When the used does not put 8 F's, the system sign extends the high order bytes, and interprets the number as positive 255, outside the legal range for this instruction.

Signed off 01/14/88 in release Z01.80

Number: D200035220 Product: 9900/0 ASSEMB

64847

00.46

One-line description:

In macros, "" and '' are not equivalent.

roblem:

In macros, "" and '' are not equivalent, but should be as defined in the manual.

Page: 107

Number: D200093369 Product: 9900/0 ASSEMB

64847

00.00

Keywords: PROBLEM ON VAX

One-line description:

PRODUCT # CHANGE on the VAX From= 64xxxS003 To=64xxxM003

Problem:

This Service Request has been entered to inform users of the product

THAT:

The *PRODUCT NUMBER has CHANGED on the VAX version of this product

FROM (OLD Product Number) = 64xxxS003 < The real change being the "S" changed to "M" (NEW Product Number) = 64xxxM003 < in this Product Series

(The "xxx" in the above to be filled in with the Product Number against which this SR is entered... This text applies to many SR's and is generic in nature.)

The above event happend without a change to the REVISION CODES on the PRODUCT.

This event happend on the revision code that was used to sign off this Service Request.

Signed off 08/23/88 in release A01.80

SRB detail reports as of 09/01/88

01.04

Page: 108

Number: 5000224022 Product: F9450 EMULATION

64286

One-line description:

Answer to "Emulate SCR?" is automatically changed to "yes"

If the emulator is configured for 17 bits of address or greater, and the user modifies the memory configuration, then the configuration setting of "emulate the system configuration register" is set to "yes" even if the user had previously set the response to "no".

Temporary solution:

If you don't want to emulate the SCR, and you are using 17 bits of address or greater, then you must always check the answer to "emulate system configuration register?" to be sure that the answer is "no".

Signed off 01/14/88 in release Z01.05

Number: 5000164004 Product: F9450 EMULATION 64286 01.03

Keywords: ENHANCEMENT

One-line description: Cannot single step through a Software Breakpoint

It is not possible to single step through a Software Breakpoint and have the breakpoint actually function properly. If you step the BEX code, you end up single stepping the monitor code itself at the Software Break Entry location. Since the monitor is not re-entrant, this causes some minor problems. The biggest problem is that the user's registers and IC get lost since the monitor itself uses some of the registers.

This problem occurs most often when the user has multiple software breakpoints set. The user encounters a software breakpoint while running, then decides to single step the code at the breakpoint location. The user then accidentally single steps the BEX code itself and finds himself stepping the emulation monitor code.

Temporary solution:

A good work-around for this problem is to "modify software breakpoints clear" after breaking to the emulation monitor. Then perform the single stepping that is desired. And to restore all of the breakpoints, just enter "modify software breakpoints set" before using the "run" command.

Page: 109

Number: D200066357 Product: F9450 EMULATION

64286

64286

01.03

Keywords: ENHANCEMENT

One-line description:

MASK, STATUS, and IC are not always cleared when running from reset.

Problem:

When you enter the monitor from a hardware reset, the MASK, STATUS word, and Instruction Counter contain the values that existed at the previous break entry into the monitor. These three registers should be cleared when running in the monitor from a reset condition since the F9450 cpu will clear the same registers after a reset. Note that the values are initialized to zero in the assembly code for the monitor, but there is no code that actively resets the values to zero upon entering the monitor at the RESET IN location.

Signed off 01/14/88 in release Z01.05

Number: D200068957 Product: F9450 EMULATION

01.04

Keywords: ENHANCEMENT

One-line description:

Enhance the register display to show the Pending Interrupt Register

Problem:

The current register display does not show the Pending Interrupt Register.

Temporary solution:

A good temporary implementation of this enhancement can be made by the user of the F9450 emulator. The emulation monitor can be modified such that the PIR is displayed in place of the Fault Register. All that is necessary is a small modification to the F9450 monitor program so that the PIR is stored in the memory location where the Fault Register is now stored.

To implement this idea, replace the instruction XIO R14,RCFR with the instruction XIO R14,RPIR in the "UNLOAD" section of the monitor, $MON_9450:HP:source$.

Signed off 01/14/88 in release Z01.05

SRB detail reports as of 09/01/88

Page: 110

Number: 1650019257 Product: HOST SOFTWARE / VAX 64882

01.20

One-line description:

VAX help on MAPBUS command causes system error

Problem.

Digital VMS help command gives an access violation when part of a keyword is entered and the help file has a blank line after the keyword. The MAPBUS help entry has a spurious blank line after the MAPBUS keyword.

Temporary solution:

Delete spurious blank line after MAPBUS keyword in help file.

Signed off 01/14/88 in release Z02.30

Number: D200069104 Product: HOST SOFTWARE / VAX 64882

01.70

02.00

One-line description:

64100 cluster disk free list is corrupted so there is not enough space

Problem:

The HSL seems to destroy the free page list during operatino. Transfer reports no space available to transfer the file. Directory reports no space available. Directory of all user ids shows that the disk has a significant portion remaining. (+20%) This appears to be happenning at 4 sites. One site has sent me an image backup made after the problem occurred. This is probably just a VAX HSL link problem.

Temporary solution:

SOFT FIX will generally repair the problem, or at least indicate any exceptionally large files on the disk. These files can then be purged.

Signed off 01/14/88 in release Z02.30

Number: D200082669 Product: HOST SOFTWARE / VAX 64882

Keywords: TRANSFER

One-line description:

CSIB process does not come up on system bootup

Problem:

CSIB process does not come up on system boot-up. The following error message is seen on the system console:

CSIBx: unable to connect to HSL driver, check installation.

This is an intermittent problem, and rebooting the system can work.

Temporary solution:

Try rebooting the system until the CSIB process comes up.

Page: 111

01.00

Number: D200082636 Product: HOST SOFTWARE / 300 64883

Number: 1650018721 Product: HOST SOFTWARE / 500 64880

01.60

Page: 112

One-line description:

Transfer does not handle imbedded linefeeds in binary files.

Transfer software not capable of handling imbedded linefeeds in binary files.

Signed off 01/14/88 in release Z01.10

One-line description:

SRB detail reports as of 09/01/88

Debug file transfers may not function with 14 character file names.

Debug file transfer may not function correctly when 14 character file names are used during program development. As an example, consider the following:

- 1) create a source file with a 14-character filename (i.e., "source7890ab.C") and compile
- 2) link the relocatable file and create an absolute filename of the form "source7890ab.X")
- 3) transfer the data to a 64000 system using the command

\$ transfer -thda source789ab.L :TMP

Transfer will report problems with one of the temporary files which transfer created.

Signed off 01/14/88 in release Z01.80

Number: 5000219204 Product: HOST SOFTWARE / 500 64880

01.06

Keywords: TRANSFER

One-line description:

Bad file format does not cause error in transfer.

The transfer software will successfully transfer files with formats that are not supported. For example, an absolute file with records greater than 256 bytes will successfully transfer. However, this file will cause unpredictable problems on the destination system.

The example given is a file transfered from 500 to 64000. This transfer completes successfully. When the file is transfered back to the 500, an error is generated and the transfer is not complete. The error gives no indication that the file format is wrong.

Temporary solution:

To insure the successful transfer and usability of files, the users should use the utility read64 on files to be transfered. This utility will indicate the size of the records in the files. For a description of the format of absolute files, see manual 64880-90903.

Page: 113

01.10

Number: D200019265 Product: HOST SOFTWARE / 500 64880

Number: D200093393 Product: MS1750A ASSEMB

64857

00.00

Page: 114

One-line description:

Invalid file names are not detected by the transfer utility.

Problem:

When constructing the transfer command as a one line command, the transfer software does not verify the syntax of the 64000 file name before sending the command to the 64000. The result is a syntax error on the 64000 for invalid file names.

Signed off 01/14/88 in release Z01.80

Keywords: PROBLEM ON VAX

SRB detail reports as of 09/01/88

One-line description:
PRODUCT # CHANGE on the VAX From= 64xxxS003 To=64xxxM003

Problem:

This Service Request has been entered to inform users of the product

THAT:

The *PRODUCT NUMBER has CHANGED on the VAX version of this product

FROM (OLD Product Number) = 64xxxS003 < The real change being < the "S" changed to "M" TO (NEW Product Number) = 64xxxM003 < in this Product Series

(The "xxx" in the above to be filled in with the Product Number against which this SR is entered... This text applies to many SR's and is generic in nature.)

The above event happend without a change to the REVISION CODES on the PRODUCT.

This event happend on the revision code that was used to sign off this Service Request.

Signed off 08/23/88 in release A01.90

Page: 115

Number: 1650006908 Product: OPERATING SYSTEM

64100

00.01

Keywords: DC600

One-line description:

64000 backup from 7946 to 9144 with 150' tape produces wrong message.

Backup to a 9144 tape drive and using a tape that is too small for the disc, i.e. a 150' tape, will produce an incorrect message: "Disc and DC600 units must be at the same controller address"

Temporary solution:

Multi-tape backups to a 9144 are not currently supported on the 64000 system.

Signed off 01/14/88 in release Z02.10

Number: 1650033209 Product: OPERATING SYSTEM

64100

02.07

One-line description:

Unique label is flagged as undefined in macro expansion.

Using labels in macro causes incorrect error message

Error-ML - Macro Label, Label not found within macro body.

"68000"

REGMEMS MACRO &INST,&FPM,&EA,&IX

.IF "&IX" .EQ. "'' LLL1 &&&&

MOVE.L DO.D1

LLLL1 &&&& MOVE.L D1,D0

NUL REL TST.B D7

MEND

The errors occur in the maocro calls within the main program:

*Main Program

REGMENS FMOVE, FPO. D1

.IF '' .EQ. "" LLLL1 0001

ERROR-ML

Temporary solution:

No temporary solution known at this time.

Signed off 01/14/88 in release Z02.10

Number: 5000111666 Product: OPERATING SYSTEM

64100

02.01

One-line description:

Formatting a floppy from a command file sometimes is unsuccessful.

Problem:

When the 64941 floppydrive is used to initialise a floppy from a

SRB detail reports as of 09/01/88

command file, it first shows a number of retries, than it seems to

format but at the end 'System area on disc 0 bad: format failed' is displayed.

Formatting by giving the command manually, always goes well.

Formatting from a command file sometimes goes well but mostly not.

The floppy used was a 'XIDEX' precision flexible disk.

Temporary solution:

A temporary solution is to put something in the command file to delay execution of the next command until the drive has finished initialization.

Signed off 01/14/88 in release Z02.10

Number: 5000181552 Product: OPERATING SYSTEM 64100 02.04

Keywords: DC600

One-line description:

No multi-tape backup strategy for discs > 64MB on the 64000.

Signed off 01/14/88 in release Z02.10

Number: 5000189985 Product: OPERATING SYSTEM 64100 02.07

One-line description:

Instructions assembling differently than previous assembler.

Problem:

TWO INSTRUCTIONS ASSEMBLE DIFFERENTLY THAN THEY DID ON A PREVIOUS RELEAS E. THIS WOULD REQUIRE CHANGING A GREAT DEAL OF CODE.

FOR MACROS

IF LABLE.EQ.LABLE2

NOW GIVES ERRORS UNLESS BLANKS ARE ADDED ON EACH SIDE

Page: 116

OF .

IF LABLE . EQ . LABLE2

FOR REFERENCES OF THE TYPE [A1,D3.L] THERE IS NOW AN ERROR POINTING TO THE .L WHICH SAYS MISSING OPERAND.

Temporary solution:

No temporary solution known at this time.

Signed off 01/14/88 in release Z02.10

Number: 5000202770 Product: OPERATING SYSTEM 64100 02.06

One-line description:

Logical operators generate MO error.

Problem:

All assemblers generate Missing Operand error at logical operator.

For example the .NE. operator will generate an error.

Page: 117

64100

64100

Temporary solution:

Reload operating system 2.05.

Signed off 01/14/88 in release Z02.10

Number: D200027953 Product: OPERATING SYSTEM

02.01

Keywords: COPY

One-line description:

"copy f:link_com to display" doesn't display all attributes of "f".

Link a file with list, xref, overlap check, and comp db on. Then, when one does "copy file: link com to display", only the values for map and xref appear.

Temporary solution: None at this time.

Signed off 01/14/88 in release Z02.10

Number: D200062604 Product: OPERATING SYSTEM

02.04

One-line description:

Comment is taken as a parameter when a null parameter is passed.

Problem:

If you invoke a macro with a null parameter and a comment is included on the line, the comment will be taken as the parameter (even with a semi-colon).

"68000"

MACRO &PARM

> .IF MOVE

"&PARM".EQ."'' DONE #3.D0

. NOP

DONE

MEND

Х ΗI

х THIS COMMENT WILL BE A PARAM.

END

Temporary solution:

No work around at this time other than not placing comments on the macro invokation line.

Signed off 01/14/88 in release Z02.10

SRB detail reports as of 09/01/88

Page: 118

Number: D200085050 Product: OPERATING SYSTEM

64100

02.07

One-line description:

Phase error incorrectly reported on 64000 and hosted assemblers.

Problem:

The 1750 assembler reports a spurious error message PH ERR (Phase error) due to the usage of COUNTER UPDATE vs. GEN CODE in passes 1 and 2 of the assembler.

Cause:

This defect has been fixed and this report is being submitted for QA release purposes.

Temporary solution: None At this Time ...

Page: 119

Number: 5000223792 Product: TMS 32010 MODULES

64285 01.00

One-line description:

Inverse assembly for 1E91H is incorrectly shown as SUB *-, E, 0

Problem:

The instruction code 1E91H should be inverse assembled to "SUB *-, E,1" but instead is displayed as "SUB *-, E,0"

Temporary solution:

Until this problem is fixed, you can verify whether the inverse assembly is correct by examining the code itself. 1E91H is the code for SUB *-, E, O.

Signed off 01/14/88 in release Z01.02

SRB detail reports as of 09/01/88

Page: 120

Number: D200081620 Product: USER DEF ASSEMB 500 64851S001

01.60

One-line description:

expressions of the form 123456.78 cause errors

Problem

There is a problem with the expression handler on the hosted software when parsing expressions of the form 12345.67, which the assembler thinks is a real number. This problem is shown in sample code supplied to Dave Ritchie by JLO in conjunction with the 64180 assembler.

Page: 121

01.60

Number: D200081638 Product: USER DEF ASSEMB VAX 64851S003

Number: 5000241562 Product: USER DEF EMULATION 64274

One-line description:

expressions of form 123456.78 cause errors

Problem:

There is a problem with the expression handler on the hosted software when parsing expressions of the form 12345.67, which the assembler thinks is a real number. This problem is shown in sample code supplied to Dave Ritchie by JLO in conjunction with the 64180 assembler.

Signed off 01/14/88 in release Z02.10

One-line description:

SRB detail reports as of 09/01/88

run until <addr> fails from reset when reset points to user code.

Page: 122

01.05

Problem:

If the reset vector points to user code, the command "run until <addr>" from a reset state may not work correctly. The expected result is that the emulator will start executing user code and when the address is found by the analyzer, a break into the monitor will occur.

What may happen is that the emulator will break into the monitor as a result of the analysis break from the "run until <addr>" command. Following this, an "exit monitor" command is given and the emulator starts running user code again without an analyzer break pending. The condition that will cause this command to work incorrectly is that the "until" address must not be accessed within approximately 30 mS of the release from reset.

The generic algorithm that the UDE software uses for a "run until <addr>" command is as follows:

- 1) The analyzer is set up with the break condition for the until address and it is then started.
- 2) The processor is released from reset.
- An ARE YOU THERE monitor command is executed by the host to determine if the emulator is running in the monitor or running user code.
- 4) If in the monitor, an EXIT monitor command is given. No test is made to determine if the break condition occurred to get into the monitor.

If running user code, nothing is done.

The incorrect behaviour is caused by step 4. Since there is no test to determine if the analyzer break caused entry into the monitor, the emulation software assumes that it must exit to user code so it issues the EXIT command when it should not.

Temporary solution:

A very reliable and easy to use workaround can be set up with a command file. In a command file called RU (for "run until"), put the following instructions.

&PARMS ADDRESS

trace before &ADDRESS break_on trigger
run

Page: 123

This command file performs exactly the same function as "run until <address>". It is invoked by typing

RU xxxx

where xxxx is the "until" address.

Signed off 01/14/88 in release Z01.06

Number: D200043828 Product: USER DEF EMULATION 64274

01.04

One-line description:

Bad display of trace data with 8-bit UDE

Problem:

With 8-bit UDE emulators, the trace, when displayed, gives the wrong data at odd addresses. What is seen in the trace is the same data in the odd address as was captured for the preceeding even address. Note that this problem is only with version 1.04 of the UDE software, the previous version 2420 does not exhibit the problem.

Temporary solution:

Changing the UDE Configuration file parameter "OPCODE_SIZE" to WORD will partially solve this problem. Changing the parameter to WORD, should allow the internal analyzer to display each data field, however, the data will be visually offset on the HP64000 display. Changing the "OPCODE_SIZE" to equal WORD may adversely affect the inverse assembly of opcodes during single-stepping.

Signed off 01/14/88 in release Z01.06

Number: D200046623 Product: USER DEF EMULATION 64274

01.04

One-line description:

modify memory starting at odd addresses does not always work

Signed off 01/14/88 in release 401.06

SRB detail reports as of 09/01/88

Page: 124

Number: 1650036525 Product: USER INTERFACE 300 64808S004

01.20

One-line description:

Pmon flags a syntax error when attempting to append files

Problem:

pmon flags a syntax error for

cat file >> file2

But this a valid command and necessary to append i. e. a reloc file to a library.

Temporary solution: Workaround:

Use

!cat file >> file2

In this case however the pmon softkeys can't be used.

Signed off 01/14/88 in release Z02.10

Number: 1650038521 Product: USER INTERFACE 300 64808S004

02.00

Keywords: MENUS

One-line description:

Pmon command completion via shell variables not working correctly

Problem:

Pmon generates collision errors in command completion between the external shell variables (whether set externally or by internal default) and the "default" pmon commands when they are the same.

The problem appears with all commands controlled by external shell variables.

Example: PMON_COMPILE not set, default pmon compile is "comp". If the user types co<tab>, pmon should complete to "comp". However, the error ERROR: possible tokens: comp, comp is generated.

Signed off 01/14/88 in release Z02.10

Number: D200077495 Product: USER INTERFACE 300 64808S004 01.20

One-line description:

User softkey display should be erased after shell escape.

Problem:

Display needs to be cleaned up when executing certain commands. In one case the softkeys need to be erased before going on.

Number: D200080135 Product: USER INTERFACE 300 64808S004

01.20

Page: 125

One-line description:

pwd truncates the /net/system portion of the path when RFA'ed to system.

Problem:

When using the HP 64000-UX products and netunaming across the LAN to another system, such as a compile server, the HP-UX command "pwd" which is used by the HP64000-UX product to tell what the local directory is, truncates the "/net/system" part of the path.

This is a HP-UX operating system defect. It is not a defect in the HP 64000-UX application software. As soon as this defect is fixed in HP-UX, it will work correctly when using the HP 64000-UX applications.

Signed off 01/14/88 in release Z02.10

Number: D200080721 Product: USER INTERFACE 300 64808S004

01.20

One-line description:

Pmon command completion intermittantly fails after completion error.

Problem:

Pmon evidently sets a flag on a command completion error which inhibits further errors on the same completion. Once the user types more characters and/or starts a new command, the flag should be reset such that new completion requests will be processed.

Unfortunately, the flag is not consistently reset, so command completions after a completion error will intermittantly have no effect.

Temporary solution:

Use softkeys or, when command completion fails with no message of any kind, add more characters of command and try again. Most errors occur only at the one or two character level.

Signed off 01/14/88 in release Z02.10

Number: D200081141 Product: USER INTERFACE 300 64808S004 01.20

One-line description:

Command search algorithm should match the softkey package.

Problem:

Pmon will not properly execute a command file which is not in the current directory. If the command file is in the search path specified in the PATH variable, a shell is forked to execute the command file. The shell will refuse to execute the command file, presumably since pmon command files are not executable.

Temporary solution:

Use only command files which are in the current directory.

Signed off 01/14/88 in release Z02.10

Page: 126

```
SRB detail reports as of 09/01/88
                                                             Page: 127
                                                                                    SRB detail reports as of 09/01/88
Number: 5000170654 Product: Z80/NSC800 C
                                                   64824
                                                                     01.03
                                                                                     Number: 5000173278 Product: Z80/NSC800 C
                                                                                                                                         64824
One-line description:
                                                                                    One-line description:
                                                                                    Array is being placed in the PROG section rather than data.
Error using switch (*x++).
The following program hangs during complation on the 64100 and flags an
                                                                                    Compiler puts array that should be in DATA section in PROG section
error on the 9000/500 hosted compiler. The 64100 displays "STATUS: comp
                                                                                    Example:
iling C/Z80 in pass 2 Line #8, Errors=0". The error message from the 90 00/500 is "line #8 -- pass 2 error #1006, 1006: Compiler Error. Contact
                                                                                     "C"
                                                                                    "Z80"
                                                                                    char array[12];
Hewlett Packard. The program is as follows:
.. C...
                                                                                    The above code when compiled creates an array of twelve bytes that will
"Z80"
                                                                                    reside in the PROG section. This should be placed in the DATA section.
/* program with switch problem */
main()
                                                                                    Temporary solution:
                                                                                     Generate an ASM FILE and edit the ASMProcessor file to place
    char *chrptr,*chrptr2;
                                                                                     the array under the DATA counter.
    *chrptr='a';
    switch (*chrptr++) {
                                                                                     Signed off 01/14/88 in release Z02.10
    case 'a':
                                                                                     Number: 5000231605 Product: Z80/NSC800 C
         *chrptr='z';
                                                                                                                                         64824
    case 'b':
                                                                                     One-line description:
          *chrptr='v':
                                                                                     += operator does not work for pointers to structures.
                                                                                     Problem:
                                                                                     Bad code generated when plus equals, times equals or divide equals (+=,
Temporary solution:
                                                                                     *=, /= ) with pointers to structure elements are used. Example: "C"
The work around is to break the switch(*chrptr++) into two statements.
The first is switch (*chrptr) and then after the switch statements do a
                                                                                     "Z80"
*chrptr++.
                                                                                     $SEPARATE ON$
                                                                                     struct fb { int i; int size; } x, y;
Signed off 01/14/88 in release Z02.10
                                                                                     main(){
                                                                                        struct fb *a, *b;
Number: 5000172825 Product: Z80/NSC800 C
                                                    64824
                                                                      01 03
                                                                                        a = &x:
                                                                                        b = &y;
                                                                                        b \rightarrow size = 3:
One-line description:
RETI is not generated when exiting an interrupt procedure.
                                                                                        a \rightarrow size = 4;
                                                                                        if( b != a ) /* removing this line eliminates the problem */
                                                                                            a -> size += b -> size; /* wrong value stored in a-> size */
When using $INTERRUPT ON$ the compiler does not generate the RETI
instruction of the Z80 microprocessor. This is crucial when designing
with such Z80 peripheral chips as the Toshiba Z84C30 Counter/Timer
                                                                                     The result of a += is actually a->size = &a->size + b->size
because the chip expects to see this instruction inorder to terminate
its interrupt cycle. If the compiler is going to push all of the
                                                                                     Temporary solution:
registers when using $INTERRUPT ON$ then why not use the correct
                                                                                     Expand the expression as follows:
instruction when returning from the interrupt. One other point to be
```

made is that the Z80 emulator 64253A takes into consideration this peripheral requirement when emulating out of emulation memory by enabling output buffers during emulation memory read cycles.

Signed off 01/14/88 in release Z02.10

a->size = a->size + b->size;

Signed off 01/14/88 in release Z02.10

Page: 128

01.03

01.04

Page: 129

Number: 5000233866 Product: Z80/NSC800 C

64824

01.04

One-line description:

ZDconvert library module has two errors in the ZDdwordtoword routine.

Problem:

The ZDconvert module contains two errors in the ZDsdwordtoword conversion utility.

These errors cause two problems:

First, if the data to be converted is located at an adress above or equal to 8000H the routine generates an overflow error trap, although there actually is no overflow.

Second, if the data to be converted is negative, the stack gets misalligned, which will cause unpredictable results.

The problem is restricted to the "debug" conversion routine, i.e. it will only occur if \$DEBUG ON\$ is set in the source program.

See the corrected Library Routine below for details: ZDsdwordtoword:

```
CALL Zsave address
        PUSH AF
        PUSH DE
              E,[HL]
        LD
         INC
              ΗĹ
              D. [HL]
        LD
* check for overflow
        LD
              A,H
                         ! ERROR 1 ! should be LD A,[HL]
         OR
         JP
              M, NEG DWORD
         INC
         RET
NEG DWORD INC HL
          LD A, [HL]
          INC HL
          AND [HL]
          EX DE, HL
          CP -1
           CALL NZ, Zoverflow
                               ! ERROR 2 !
                                 POP DE
                                 POP AF
                                 must be included before the return
                                 to be consistent with the POP's on
                                 entry of ZDsdwordtoword, because this
                                 is the second return point of this
                                 routine!
```

SRB detail reports as of 09/01/88

Page: 130

01.01

Temporary solution:

No temporary solution, however you can turn \$DEBUG OFF\$.

Signed off 01/14/88 in release Z02.10

Number: D200038778 Product: Z80/NSC800 C

64824

One-line description:

Incorrect transfer address when linking 9 or more files.

Problem:

I have files submitted by a customer which have the following problem. If you compile and assemble these files (most are C programs, a couple are assembly code) on the vax they will not link properly. What happens is the linker reports transfer address at loc XXXX defined by Zlibrary The address it reports is different than the address of the ENTRY label and in fact is outside of the module Zlibrary altogether. The customer said he had this problem when he linked eight or more files of any size. I cannot duplicate this with files I create, but, I can duplicate the problem with the files he sent me. Incidently, if the files are compiled on the 64000 and uploaded (relocs uploaded) they will link successfully.

Temporary solution:

Compile the files on the 64000 and upload the relocatables to the VAX. The 64000 generated reloc's will link successfully.

Signed off 01/14/88 in release Z02.10

Number: D200071373 Product: Z80/NSC800 C

64824

01.03

One-line description:

INT Multiplication of short by negative constant with SHORT ARITH.

Problem

When the compiler directive \$SHORT ARITH ON\$ is in effect multiplication of byte sized quantities by negative constants will produce code that extends the byte to int size and then preforms an int size multiplication operation. The following code illustrates:

\$SHORT_ARITH ON\$

```
SRB detail reports as of 09/01/88
                                                            Page: 131
Number: D200071431 Product: Z80/NSC800 C
                                                   64824
                                                                    01.03
Keywords: PASS 1
One-line description:
DIV, MOD and COMParisons may do unsigned estend of signed values
Conditionals that employ div. mod. or comparison operations may not
correctly extend signed short values to int size if the other operand
is an unsigned short or char. For example, in the following code s
is extended as if it were declared an unsigned short.
$SHORT ARITH OFF$
short s:
unsigned short us:
main()
   if ((s/us)^0xffff)
                          /* both s and us get unsigned extend */
   error();
if ((us%s) 0x007f)
                           /* both s and us get unsigned extend */
      error();
                           /* both s and us get unsigned extend */
   if (us==s)
      error();
   if (s!=us)
                           /* both s and us get unsigned extend */
      error();
   if (s<us)
                           /* both s and us get unsigned extend */
      error():
                           /* both s and us get unsigned extend */
   if (s>us)
      error():
Signed off 01/14/88 in release Z02.10
Number: D200075044 Product: Z80/NSC800 C
                                                                     01.04
                                                   64824
One-line description:
Z80 COMPILER GENERATING INCORRECT CODE FOR THE FOLLOWING PROGRAM.
" 780 "
      (*BGETVC()) ();
INT
GETC (PARM)
INT PARM;
 { INT (*TEST)();
   TEST = BGETVC(10);
   RETURN((TEST)(11,PARM));
```

```
SRB detail reports as of 09/01/88
                                                           Page: 132
TEST CONTAINS AN ADDRESS WHICH POINTS TO A FUNCTION. WHEN IT IS
ASSIGNED TO, THE CODE ASSIGNS THE CORRECT ADDR OF THE FUNCTION.
HOWEVER, WHEN THE COMPILER GENERATES CODE TO CALL THE FUNCTION VIA
TEST IT DOES NOT ACCESS TEST. INSTEAD IT ACCESSES A LOCATION TWO
BYTES LOWER IN MEMORY.
Signed off 01/14/88 in release Z02.10
Number: D200077222 Product: Z80/NSC800 C
                                                  64824
                                                                   01.04
Keywords: CODE GENERATOR
One-line description:
Floating point division of 2 constants generates incorrect result
Compiler generates incorrect code for evaluation of double division:
"8088"
main()
      double xx:
      xx = 2.0/3.0:
      xx = 2.0;
xx is assigned the value 2.0 by both statements.
This problem also occurs with other variable types such
as float, long. Any constant divided by a constant will
generate this error.
Temporary solution:
   xx = 2.0/y; where y = 3.0;
Signed off 01/14/88 in release Z02.10
Number: D200079079 Product: Z80/NSC800 C
                                                  64824
                                                                   01.04
One-line description:
+=, -=, *=, & /= may fail to auto vars with $RECURSIVE ON$
Problem:
Text:
  +=, -=, *=, & /= may fail to auto vars with $RECURSIVE ON$
SUBMITTER TEXT:
Composite assignment operators may fail to automatic variables when
$RECURSIVE ON$ is in effect. This problem results from the compiler
failing to keep track of how many bytes of parameters have been pushed
onto the stack (and then popped off) for runtime library routines.
The effect of this failure is an incorrect stack location being updated.
The following program segment illustrates this problem.
```

" C"

```
"8085"
$RECURSIVE ON$
func(i1,i2,doub)
int i1, 12;
double doub;
  int answer;
  answer = 1;
  answer += i2*x; /* after this statement answer still is 1 */
                    /* however i1 = i2 * x
Signed off 01/14/88 in release Z02.10
Number: D200080374 Product: Z80/NSC800 C
                                                                    01.04
                                                  64824
One-line description:
Warning message text is incorrect.
68000 C compiler, Just updated to 2.07.
Warning 521: Unsigned integer to real conversion treated as signed.
Is incorrect.
The wording should imply that the conversion should be going the other w
ay, from real to unsigned integer.
To get the error:
.. C...
"68000"
unsigned int a;
main()
a=0.0;
NOTE: this error message is not in the manuals.
Temporary solution:
If you do not want to see this message you may specify
$WARN OFF$. This will turn off all warning messages.
Signed off 01/14/88 in release Z02.10
Number: D200081471 Product: Z80/NSC800 C
                                                   64824
                                                                    01.04
One-line description:
MOD operation returning the wrong value.
Problem:
The MOD operator is returning the wrong value.
```

Page: 133

SRB detail reports as of 09/01/88

```
SRB detail reports as of 09/01/88
                                                            Page: 134
"BZ80"
PROGRAM TEST:
$EXTENSIONS ON$
$GLOBVAR ON$
VAR I1, I2, I3: INTEGER;
BEGIN
   I1 := 5280;
   I2 := 1000;
   I3 := I1 MOD I2;
END.
The result of the mod operation is 4280 decimal.
Temporary solution:
No temporary solution at this time.
Signed off 01/14/88 in release 402.10
```

```
SRB detail reports as of 09/01/88
                                                             Page: 135
                                                                      01.20
Number: 5000226605 Product: Z80/NSC800 C
                                                300 648245004
One-line description:
Double word divide library returning incorrect result.
Zsdworddiv calculates incorrectly. The result calculated becomes 1,
if it was incorrect.
Zsdworddiv is correct on 64000. This is the problem on 9000/300.
The example is as followes.
   "Z80"
          long a,b,ldiv;
          main()
              a=70000;
              b=150:
              1 \text{div} = a/b; <----- 1 \text{div} must be 0 \text{1D2H} but it is 1!
Temporary solution:
No temporary solution at this time.
Signed off 01/14/88 in release Z02.10
```

```
SRB detail reports as of 09/01/88
                                                           Page: 136
Number: 1650011585 Product: Z80/NSC800PASCAL
                                                  64823
                                                                   01.01
Keywords: PASS 2
One-line description:
Incorrect code generated when set elements are passed as parameters.
Problem:
Incorrect code is generated when sets are passed as parameters.
The stack pointer is manipulated so that the program "goes in the
weeds" after the call to the procedure. The following code is
an example:
"processor name"
$SEPARATE ON$
$EXTENSIONS ON$
TYPE
  Letters = (a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,r);
  Set of Letters = SET OF Letters;
$GLOBPROC ON$
PROCEDURE Letters Pas(Received: Set of Letters): EXTERNAL;
PROCEDURE Init Set;
BEGIN
                      (*Code generates an extra INC SP after the
 Letters Pas([]);
END:
                         call to Letters Pas*)
$GLÓBPROC OFF$
Temporary solution:
Any set size which is not equal to 3 bytes will work correctly.
Signed off 01/14/88 in release Z01.90
Number: 5000161000 Product: Z80/NSC800PASCAL
                                                   64823
                                                                    01.03
One-line description:
Unbelieveable amount of library code linked for no-line program.
Problem:
The following no-line program yields a 4000 byte absolute file
when linked with Zlibrary and Zreallib.
"BZ80"
PROGRAM LOTS OF CODE;
PROCEDURE REAL ADD; EXTERNAL;
BEGIN
END.
Several modules that seem to be unnecessary (e.g. REAL ADD, REAL ATAN,
REAL MUL) are loaded. Since the address space of the Z80 is only
64K. The libraries should be written in such a way to minimize the
code loaded.
Signed off 01/14/88 in release Z01.90
```

```
SRB detail reports as of 09/01/88
                                                             Page: 137
                                                                                     SRB detail reports as of 09/01/88
Number: 5000161034 Product: Z80/NSC800PASCAL
                                                    64823
                                                                     01.03
One-line description:
Libraries reference procedures not actually needed.
The following code requires the lib, reallib, piolib, and simlib
to be linked so that no linker errors are generated.
"BZ80"
PROGRAM SIM;
VAR
    REAL_S : STRING;
    X : REAL:
    P,Q: INTEGER;
BEGIN
    STRWRITE (REAL S, P, Q, X);
    STRREAD(REAL \overline{S}, \dot{P}, \dot{Q}, \dot{X});
END.
Linking all of the libraries causes the absolute file to be
17000 bytes long.
Signed off 01/14/88 in release Z01.90
Number: 5000163287 Product: Z80/NSC800PASCAL
                                                    64823
                                                                      01.04
One-line description:
Code generated by compiler increased 12% with latest version.
Problem:
Latest revision of the compiler generates approximately 12% more
code then the previous revision did, according to this customer.
The following example was submitted showing a piece of code that
generated 2 lines of code with the previous version, and now
generates 7 lines of code with the most recent version.
"BZ80"
PROGRAM DUMMY;
CONST
  C S = 32;
TYPE
  P1 = RECORD
        C : SIGNED 16;
       END;
VAR
  LED : P1;
PROCEDURE A;
BEGIN
  LED.C := C S; (*Generates 7 lines of code, used to generate 2*)
BEGIN
  LED.C := C_S;
END.
```

```
Page: 138
Signed off 01/14/88 in release Z01.90
Number: 5000182014 Product: Z80/NSC800PASCAL
                                                                    01.03
                                                  64823
One-line description:
FOR statement with SIGNED BYTE produces incorrect code.
Bad code generated when FOR statement requires a signed byte
mod library call. Example:
"BZ80"
$EXTENSIONS ON$
VAR
    A,B:BYTE:
BEGIN
    FOR A:=(B MOD 64) TO 100 DO
The problem is that a temporary storage location is set up for the
FOR loop counter, but after the initial value of the mod is
calculated, register A is loaded from this location temporary storage
location instead of being stored there.
Temporary solution:
  Use UNSIGNED 8 instead of BYTE, or declare a temporary variable
to hold the result of the mod operation.
Signed off 01/14/88 in release Z01.90
Number: 5000186742 Product: Z80/NSC800PASCAL
                                                                    01 03
Keywords: ADDR
One-line description:
ADDR(x) generates incorrect code is x is of type BYTE.
Problem:
Incorrect code generated when using ADDR function if taking the
address of a local variable of type "BYTE". EXAMPLE:
"BZ80"
PROGRAM TEST:
$EXTENSIONS ON$
$RECURSIVE ON$
PROCEDURE RUN;
VAR
    ONE: BYTE:
    ONE_POINTER: BYTE;
BEGIN
    ONE_POINTER: = ADDR(ONE);
An incorrect value is written to ONE POINTER
Temporary solution:
Use $RECURSIVE OFF$, or declare ONE POINTER outside the procedure,
```

```
SRB detail reports as of 09/01/88
                                                            Page: 139
or use type INTEGER instead of BYTE.
Signed off 01/14/88 in release Z01.90
Number: 5000190629 Product: Z80/NSC800PASCAL
                                                   64823
                                                                    01.04
One-line description:
Bad code generated when CASE expression involves addition of two bytes.
Bad code generated when CASE statement expression is the addition
of two BYTEs:
"BZ80"
$EXTENSIONS+$
PROGRAM BUG PROG:
PROCEDURE BUG:
VAR
       A,B,C:BYTE;
BEGIN
       A:=1; B:=2;
       CASE A+B OF
            0 : C:=0;
            1 : C:=1;
            2 : C:=2;
            3 : C:=3; OTHERWISE C:=100; END END;
Temporary solution:
1. Store the result of A+B in a temporary value, then CASE on that
temporary value.
2. Use INTEGER(A+B)
3. Declare A and B as type INTEGER
Signed off 01/14/88 in release Z01.90
                                                                    01.04
Number: 5000217927 Product: Z80/NSC800PASCAL
                                                   64823
One-line description:
Signed 32 divide returns wrong result.
The library Zsdworddiv improperly handles some signed 32 bit
divisions. Example:
"BZ80"
PROGRAM DIVIDE;
VAR
    B1,B2,B3:SIGNED 32
BEGIN
    B1:=362700;
    B2:=2000:
    B3:=B1/B2:
                 {the result returned is one}
Temporary solution:
```

```
SRB detail reports as of 09/01/88
                                                           Page: 140
Signed off 01/14/88 in release Z01.90
Number: D200063875 Product: Z80/NSC800PASCAL
                                                  64823
                                                                   01.03
One-line description:
functional type change of a constant into multi-byte structure gen's err
Functional type casting of a constant into a multi-byte structure
generates bad data.
"processor"
PROGRAM BAD DATA;
TYPE EVENT = RECORD
        A : BYTE:
        В
           : BYTE:
           : INTEGER;
           : BYTE;
      END:
     EVENT1 : EVENT;
PROCEDURE GENERATOR();
   BEGIN
      EVENT1 := EVENT(0); { THIS ASSIGNMENT RESULTS IN BAD DATA }
   END:
BEGIN
END.
Temporary solution:
No temporary solution at this time.
Signed off 01/14/88 in release Z01.90
Number: D200066761 Product: Z80/NSC800PASCAL
                                                  64823
                                                                    01.03
One-line description:
Code generated by compiler increased 12% with latest version.
Latest revision of the compiler generates approximately 12% more
code then the previous revision did, according to this customer.
The following example was submitted showing a piece of code that
generated 2 lines of code with the previous version, and now
generates 7 lines of code with the most recent version.
"BZ80"
PROGRAM DUMMY;
CONST
  C_S = 32;
TYPE
  P1 = RECORD
       C : SIGNED_16;
```

No temporary solution at this time.

```
SRB detail reports as of 09/01/88
                                                           Page: 141
       END;
VAR
  LED : P1;
PROCEDURE A:
BEGIN
  LED.C := C_S; (*Generates 7 lines of code, used to generate 2*)
END;
BEGIN
  LED.C := C S;
END.
Signed off 01/14/88 in release Z01.90
Number: D200071332 Product: Z80/NSC800PASCAL
                                                   64823
                                                                   01.03
One-line description:
Links not correctly established during calls of nested procedures.
Problem:
Calls between procedures at different nesting levels may not correctly
establish links needed for referencing higher level variables. The
following code illustrates the problem.
"PASCAL"
"BZ80"
$EXTENSIONS ON$
$RECURSIVE ON$
PROGRAM BUG1018B;
PROCEDURE TEST1018B:
   LOCAL1018 : INTEGER ;
   PROCEDURE INC LOCAL :
   BEGIN
      LOCAL1018 := LOCAL1018 + 1;
   END ;
   PROCEDURE NEST1 ;
   VAR
      DUMMY1 : INTEGER ;
      PROCEDURE NEST2;
      VAR
         DUMMY2 : INTEGER ;
      BEGIN { NEST2 }
         INC LOCAL; (* variable local is NOT correctly incremented *)
      END ; { NEST2 }
   BEGIN { NEST1 }
      INC_LOCAL ; (* variable local is correctly incremented *)
      NEST2 ;
   END; { NEST1 }
```

```
SRB detail reports as of 09/01/88
                                                           Page: 142
BEGIN { TEST1018B }
  LOCAL1018 := 0 ;
   NEST1
END : { TEST1018B }
Signed off 01/14/88 in release Z01.90
Number: D200071340 Product: Z80/NSC800PASCAL
                                                  64823
                                                                    01.03
One-line description:
Certain variable accesses by nested procedures may not work
Problem:
In certain situations where a local variable of one procedure is
referenced by another procedure nested inside the first procedure,
the register loaded with the link may be walked on. The following
code illustrates the problem.
"PASCAL"
"BZ80"
$EXTENSIONS ON$
$RECURSIVE ON$
PROGRAM BUG1018A:
PROCEDURE LEVEL1 :
VAR
   LEV1_1, LEV1_2 : INTEGER ;
   PROCEDURE LEVEL2 ;
   VAR
      ARR1 : STRING
      INDEX : INTEGER ;
   BEGIN { LEVEL2 }
      ARR1[INDEX] := CHR (LEV1 2 + 1) ; { access to LEV1 2 incorrect }
   END ; { LEVEL2 }
BEGIN { LEVEL1 }
   LEVEL2 ;
END ; { LEVEL1 }
Signed off 01/14/88 in release Z01.90
Number: D200071365 Product: Z80/NSC800PASCAL
                                                   64823
                                                                    01.03
Keywords: PASS 1
One-line description:
Functional type changes not always evaluated correctly
Problem:
Some functional type changes are not correctly evaluated. For example,
```

```
SRB detail reports as of 09/01/88
                                                           Page: 143
the following code illustrates the problem.
$EXTENSIONS ON$
PROGRAM PTEST:
    S8 : SIGNED 8
    U8 : UNSIGNED_8;
    S16 : SIGNED 16 :
    U16 : UNSIGNED 16 :
BEGIN
    U16 := UNSIGNED 16(S8): (* signed extension of S8 - correct *)
    U16 := UNSIGNED 8(S8);
                             (* signed extension of S8 - incorrect *)
    S16 := SIGNED 16(U8);
                             (* unsigned extension of U8 - correct *)
    S16 := SIGNED 8(U8):
                             (* unsigned extention of U8 - incorrect *)
Signed off 01/14/88 in release Z01.90
Number: D200071423 Product: Z80/NSC800PASCAL
                                                  64823
                                                                    01.03
One-line description:
Function Calls via pointer may fail
Function calls via pointers may fail. The following code sample
illustrates the problem:
typedef int (*PFI)();
extern int code_array[100]; /* code_array is actually a function */
main()
   (*((PFI)code_array))();
                               /* this call fails to transfer
                                 control to code array */
           LXI H, main 01 0
           PUSH H
           LHLD code array
                               /* the instruction should be
                                 LXI H.code array */
           PUSH H
           RET
        main01 0
            .
Temporary solution:
typedef int (*PFI)();
PFI func ptr;
extern int code array[100]; /* code array is actually a function */
main()
```

```
func ptr = code array;
   (*func_ptr)();
                             /* call to code array is correct */
Signed off 01/14/88 in release Z01.90
Number: D200073031 Product: Z80/NSC800PASCAL
                                                  64823
                                                                   01.03
One-line description:
Pascal does not report error for assignment of constant to structure
The Pascal/64000 compiler fails to report an error when using
the functional type change operator to attempt to assign an
immediate constant to a multi-byte structure.
Since the Pascal/64000 compiler does not support structured constants,
there is no meaningful way to assign a constant to a structure.
Each element must be assigned individually.
The Pascal/64000 compiler does report an error 505 (Warning: type
changes physical size), when it should generate a fatal error. It
tries to generate code for the illegal statement which will not
produce the results expected by the user.
The compiler should produce fatal Error #451: Structured constants not
implemented.
Here is a simple example and the workaround by explicit individual
assignment statements.
"PASCAL" PREPROCESS
"6809"
 Test program to demonstrate Pascal language defect }
  Functional type change of constant to multi-byte variable }
PROGRAM PTEST101:
$EXTENSIONS ON$
 TYPE event = RECORD
                type
                         : BYTE;
                qualifier: BYTE:
                        : INTEGER;
                msg
                send task: BYTE:
              END:
 VAR event1: event;
      i: INTEGER:
      R: REAL:
 BEGIN
{The following code is attempting to initialize}
 { the multibyte record event to zeros. }
{It should be interpreted as a Pass 1 error }
 { Error #451: Structured constants not implemented}
{ The code produced will be processor dependent }
```

Page: 144

SRB detail reports as of 09/01/88

```
SRB detail reports as of 09/01/88
                                                           Page: 145
                                                                                 SRB detail reports as of 09/01/88
                                                                                                                                             Page: 146
     event1 := event(0); {This code is incorrect Pascal}
                                                                                                                : INTEGER;
 {Correct Pascal using individual assignments}
                                                                                  BEGIN
     event1.type:=0:
     event1.qualifier:=0;
                                                                                       STOPSECTOR := UNSIGNED 16(247);
     event1.msg:=0:
     event1.send_task:=0;
                                                                                       FOR SECTORNUM := UNSIGNED_16(0) TO STOPSECTOR DO BEGIN
 END.
                                                                                       A := 5;
                                                                                       END;
Signed off 01/14/88 in release Z01.90
                                                                                  END.
Number: D200076067 Product: Z80/NSC800PASCAL
                                                  64823
                                                                   01.04
                                                                                  This works for values up to 8000H.
One-line description:
Unsigned 8 treated as signed value in FOR loop test.
                                                                                  Signed off 01/14/88 in release Z01.90
                                                                                                                                                     01.04
                                                                                  Number: D200079301 Product: Z80/NSC800PASCAL
                                                                                                                                    64823
Assigning a constant to an unsigned 8 variable whose upper bit is set
causes problems. Specifically, when the unsigned_8 var is used later
                                                                                  One-line description:
it is treated as a signed value. In the example below, an unsigned 8
                                                                                  Compiler may confuse similar parameters in different subroutines
is assigned 247 decimal at the top of a FOR loop. When the compiler
compares it is does a byte compare and therefore interprets the
                                                                                  Problem:
unsigned_8 as a signed quantity.
                                                                                  The Z80 & 8085 B Pascal compilers may confuse similar parameters in
                                                                                  different (but nested) subroutines. The following program illustrates
                                                                                  this problem. The problem stems from the compiler searching for a
"processor"
                                                                                  parameter in a register. It finds one with the correct attributes
$EXTENSIONS ON$
                                                                                  (position, size, indirects, data type, etc), but it is unfortunately
                                                                                  not from the correct subroutine.
PROGRAM DOLOOP;
      SECTORNUM, STOPSECTOR
                                                                                  "PASCAL" PREPROCESS
                              : UNSIGNED_8;
      Α
                              : INTEGER;
                                                                                  "BZ80"
                                                                                  $EXTENSIONS ON$
BEGIN
                                                                                  $SEPARATE ON$
    STOPSECTOR := UNSIGNED_8(247);
                                                                                  $RECURSIVE ON$
    FOR SECTORNUM := UNSIGNED_8(0) TO STOPSECTOR DO BEGIN
                                                                                  PROGRAM PTEST104;
                                                                                  PROCEDURE TEST1018: { Test problems in Pascal Scoped ACCESSES; }
         A := 5:
    END;
                                                                                   PROCEDURE Level1(l1p1,l1p2:BYTE);
                                                                                      VAR
END.
                                                                                            11v1,11v2: BYTE;
Temporary solution:
                                                                                    PROCEDURE Level2(12p1,12p2:BYTE);
USE AN UNSIGNED 16 FOR THE CONTROLLING VAR.
                                                                                        VAR
                                                                                              12v1,12v2: BYTE;
"PROCESSOR"
                                                                                     BEGIN {Level2}
                                                                                      12p2:=11v2;
$EXTENSIONS ON$
                                                                                      l1v1:=l1p2:
                                                                                                    ERROR livi gets the value of 12p2 rather than 11p1.
                                                                                                    The value of 12p2 was in a register from the
                                                                                     END:
PROGRAM DOLOOP:
                                                                                                  { previous assignment.
       SECTORNUM,STOPSECTOR : UNSIGNED_16;
VAR
                                                                                   BEGIN {Level1}
```

- -8

- -8

```
SRB detail reports as of 09/01/88
```

Page: 147

END;

BEGIN {TEST1018}

END;

Temporary solution: No temporary solution.

```
SRB detail reports as of 09/01/88
                                                           Page: 148
Number: 5000224204 Product: Z80/NSC800PASCAL VAX 64823S003
                                                                   01.70
One-line description:
Nested external procedure call causes bad code to be generated.
Bad code is generated when a procedure which is declared external
within a second procedure that passes parameter(s) to a third.
Example:
"BZ80" PREPROCESS
PROGRAM HAROLD;
$EXTENSIONS+$
VAR B:BYTE;
PROCEDURE ERROR ;
   PROCEDURE CLR PRTB ( MASK : BYTE ) ; EXTERNAL :
   CLR_PORTB( B ) ;
END;
Temporary solution:
WORKAROUND: declare PROCEDURE CLR PORTB(MASK:BYTE); EXTERNAL;
in the outer scope of the module, not inside the procedure.
Signed off 01/14/88 in release 201.90
```

```
SRB detail reports as of 09/01/88
                                                           Page: 149
Number: D200076760 Product: Z8000 C
                                                  64820
                                                                   01.06
One-line description:
Array is being placed in the PROG section rather than data.
Compiler puts array that should be in DATA section in PROG section
Example:
.. C...
"Z80"
char array[12]:
The above code when compiled creates an array of twelve bytes that will
reside in the PROG section. This should be placed in the DATA section.
Temporary solution:
Generate an ASM FILE and edit the ASMProcessor file to place
the array under the DATA counter.
Signed off 01/14/88 in release Z02.10
Number: D200077107 Product: Z8000 C
                                                  64820
                                                                   01.06
Keywords: CODE GENERATOR
One-line description:
Floating point division of 2 constants generates incorrect result
Compiler generates incorrect code for evaluation of double division:
"8088"
main()
      double xx:
      xx = 2.0/3.0:
      xx = 2.0;
xx is assigned the value 2.0 by both statements.
This problem also occurs with other variable types such
as float, long. Any constant divided by a constant will
generate this error.
Temporary solution:
   xx = 2.0/y; where y = 3.0:
Signed off 01/14/88 in release Z02.10
Number: D200079137 Product: Z8000 C
                                                  64820
                                                                    01.03
Keywords: PASS 1
One-line description:
DIV, MOD and COMParisons may do unsigned estend of signed values
```

```
SRB detail reports as of 09/01/88
                                                           Page: 150
Problem:
Conditionals that employ div, mod, or comparison operations may not
correctly extend signed short values to int size if the other operand
is an unsigned short or char. For example, in the following code s
is extended as if it were declared an unsigned short.
$SHORT_ARITH OFF$
short s:
unsigned short us:
main()
   if ((s/us)^0xffff)
                          /* both s and us get unsigned extend */
      error():
   if ((us%s) 0x007f)
                          /* both s and us get unsigned extend */
      error():
                          /* both s and us get unsigned extend */
   if (us==s)
      error();
                          /* both s and us get unsigned extend */
   if (s!=us)
      error();
                          /* both s and us get unsigned extend */
   if (s<us)
      error();
                          /* both s and us get unsigned extend */
   if (s>us)
      error():
Signed off 01/14/88 in release Z02.10
Number: D200080341 Product: Z8000 C
                                                   64820
                                                                    01.06
One-line description:
Warning message text is incorrect.
Problem:
68000 C compiler, Just updated to 2.07.
Warning 521: Unsigned integer to real conversion treated as signed.
Is incorrect.
The wording should imply that the conversion should be going the other w
ay, from real to unsigned integer.
To get the error:
"C"
"68000"
unsigned int a:
main()
a=0.0;
NOTE: this error message is not in the manuals.
Temporary solution:
If you do not want to see this message you may specify
$WARN OFF$. This will turn off all warning messages.
```

Page: 151

```
SRB detail reports as of 09/01/88
                                                              Page: 152
Number: D200063834 Product: Z8000 PASCAL
                                                    64816
                                                                      01.11
One-line description:
functional type change of a constant into multi-byte structure gen's err
Functional type casting of a constant into a multi-byte structure
generates bad data.
"processor"
PROGRAM BAD DATA;
TYPE EVENT = RECORD
        A : BYTE;
        B : BYTE;
           : INTEGER;
        С
        D : BYTE;
      END:
VAR EVENT1 : EVENT;
PROCEDURE GENERATOR();
   BEGIN
      EVENT1 := EVENT(0); { THIS ASSIGNMENT RESULTS IN BAD DATA }
   END:
BEGIN
END.
Temporary solution:
No temporary solution at this time.
Signed off 01/14/88 in release Z01.90
Number: D200076026 Product: Z8000 PASCAL
                                                                       01.12
                                                     64816
One-line description:
Unsigned_8 treated as signed value in FOR loop test.
Assigning a constant to an unsigned_8 variable whose upper bit is set
causes problems. Specifically, when the unsigned 8 var is used later it is treated as a signed value. In the example below, an unsigned_8
is assigned 247 decimal at the top of a FOR loop. When the compiler
compares it is does a byte compare and therefore interprets the
unsigned 8 as a signed quantity.
 "processor"
$EXTENSIONS ON$
PROGRAM DOLOOP;
       SECTORNUM, STOPSECTOR
                                : UNSIGNED_8;
                                : INTEGER;
       Α
```

```
SRB detail reports as of 09/01/88
                                                           Page: 153
                                                                                  SRB detail reports as of 09/01/88
                                                                                                                                              Page: 154
                                                                                  tries to generate code for the illegal statement which will not
BEGIN
                                                                                  produce the results expected by the user.
    STOPSECTOR := UNSIGNED 8(247);
                                                                                  The compiler should produce fatal Error #451: Structured constants not
                                                                                  implemented.
    FOR SECTORNUM := UNSIGNED 8(0) TO STOPSECTOR DO BEGIN
                                                                                  Here is a simple example and the workaround by explicit individual
         A := 5:
                                                                                  assignment statements.
    END;
                                                                                  "PASCAL" PREPROCESS
END.
                                                                                   "6809"
                                                                                   { Test program to demonstrate Pascal language defect }
Temporary solution:
                                                                                    Functional type change of constant to multi-byte variable }
USE AN UNSIGNED 16 FOR THE CONTROLLING VAR.
                                                                                  PROGRAM PTEST101;
                                                                                  $EXTENSIONS ON$
                                                                                   TYPE event = RECORD
"PROCESSOR"
                                                                                                   type
                                                                                                            : BYTE;
                                                                                                   qualifier: BYTE:
$EXTENSIONS ON$
                                                                                                   msg
                                                                                                            : INTEGER;
                                                                                                   send_task: BYTE;
PROGRAM DOLOOP;
                                                                                   VAR event1: event;
       SECTORNUM, STOPSECTOR
VAR
                             : UNSIGNED 16;
                                                                                        i: INTEGER;
                              : INTEGER;
                                                                                        R: REAL;
                                                                                   BEGIN
BEGIN
                                                                                   {The following code is attempting to initialize}
     STOPSECTOR := UNSIGNED_16(247);
                                                                                   { the multibyte record event to zeros. }
                                                                                   {It should be interpreted as a Pass 1 error }
                                                                                    Error #451: Structured constants not implemented}
     FOR SECTORNUM := UNSIGNED 16(0) TO STOPSECTOR DO BEGIN
                                                                                   { The code produced will be processor dependent }
     A := 5:
     END:
                                                                                        event1 := event(0); {This code is incorrect Pascal}
END.
                                                                                    {Correct Pascal using individual assignments}
This works for values up to 8000H.
                                                                                        event1.type:=0;
                                                                                        event1.qualifier:=0:
Signed off 01/14/88 in release Z01.90
                                                                                        event1.msg:=0:
                                                                                        event1.send task:=0;
Number: D200079210 Product: Z8000 PASCAL
                                                   64816
                                                                    01.12
                                                                                    END.
One-line description:
Pascal does not report error for assignment of constant to structure
                                                                                   Signed off 01/14/88 in release Z01.90
                                                                                   Number: D200079277 Product: Z8000 PASCAL
                                                                                                                                      64816
                                                                                                                                                       01.12
The Pascal/64000 compiler fails to report an error when using
the functional type change operator to attempt to assign an
                                                                                   Keywords: PASS 1
immediate constant to a multi-byte structure.
                                                                                   One-line description:
Since the Pascal/64000 compiler does not support structured constants,
                                                                                   Functional type changes not always evaluated correctly
there is no meaningful way to assign a constant to a structure.
Each element must be assigned individually.
                                                                                   Some functional type changes are not correctly evaluated. For example,
```

The Pascal/64000 compiler does report an error 505 (Warning: type

changes physical size), when it should generate a fatal error. It

the following code illustrates the problem.

```
SRB detail reports as of 09/01/88
                                                            Page: 155
$EXTENSIONS ON$
PROGRAM PTEST:
    S8 : SIGNED 8
    U8 : UNSIGNED_8;
    S16 : SIGNED 1\overline{6} ;
    U16 : UNSIGNED 16 ;
BEGIN
    U16 := UNSIGNED 16(S8): (* signed extension of S8 - correct *)
                             (* signed extension of S8 - incorrect *)
    U16 := UNSIGNED_8(S8);
    S16 := SIGNED 16(U8);
                              (* unsigned extension of U8 - correct *)
    S16 := SIGNED 8(U8):
                              (* unsigned extention of U8 - incorrect *)
```

Signed off 01/14/88 in release Z01.90

SRB detail reports as of 09/01/88

Page: 156

01.07

64233

Number: 5000137869 Product: Z8002 EMULATION

One-line description:

Monitor displays wrong value for R15 and SSTK

Problem

When displaying register contents, the value shown for R15 and SSTK is 6 (six) less than it should be. This is a result of the way the monitor is entered.

Temporary solution:

Modify the emulation monitor as follows:

```
440 LD MONR14L,R14

NEW INC R15,#6

441 LD MONR15L,R15

NEW INC MONSSTKL,#6
```

Signed off 01/14/88 in release Z02.01

Number: 5000151431 Product: Z8002 EMULATION 64233 02.00

One-line description:

User interrupts are not serviced for 17ms after analysis generated break

Problem

Starting with revision 1.07 of the emulation operating software, the STOP line is asserted over a 17ms period with a duty cylce of 520us asserted, followed by 40us of time with the STOP line disasserted. Version 1.06 of the emulation software similarly asserted the STOP line but for only approximately 2.3ms with a 50% duty cyle of 40us on, followed by 40us off. The problem comes with the fact that the cpu will suspend all operations while the STOP line is asserted. So with version 1.07 of the software, there is a period of 17ms during which the cpu will only be active for 1.2ms If user interrupts occur more often than every 17ms and the interrupt service routine takes more than 1.2ms to complete, then user interrupts will be missed.

NOTE: This problem occurs only after an analysis generated break.

Therefore you may only see the problem after "trace break_on trigger/measurment complete". or "run until <state>".

Version 1.07 is essentially equivalent to version 2.00 with regard to this problem.

Temporary solution: Contact your HP representative if you encounter this problem. He should be able to get you a copy of the software that solves this problem until the new revision of software is available.

Page: 157

Number: D200071415 Product: Z8002 EMULATION

64233

02.00

One-line description:

Can't find symbols loaded with more address bits than specified.

Problem:

If the user links his code with more significant address bits than the number specified in the emulation configuration, the emulator will be unable to access the symbols, and the monitor may not function properly.

