****** 03-15-63 MASTER CONTROL PROGRAM INDEX ******

IPL PROGRAM

MCP PROGRAM

TIME CLOCK CC054041 PUNID CARD ID 10000003 DIST. OF 3/01 3/01 PAGE NUMBER 1

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION	000040
000040.00 LOWER MEMORY BOUND								
236543.00 UPPER MEMORY BOUND								
1*				B	PROSA	IOD,DISK,CDICEX	0001234354	10000003
2*		*		B	UNUSE1	IOD,NOT USED,0,PULL THIS CARD BEFORE UPDATING	0002000000	10000004
3*		*		B	UNAGN3	IOD,RESERVED FOR UNASSIGN,0,PULL CARD BEFORE UPDATING	0003000000	10000005
4*		*		B	VRTP	IOD,TAPE,VRTEXT,CH32	0004224133	10000006
5*		*		B		REEL,NLBSCAN2	0004	10000007
6*		*		B	VCRD	IOD,READER,VCREXT	0005224115	10000008
7*		*		B	VWTP	IOD,TAPE,VWTEXT,CH33	0006224124	10000009
8*		*		B		REEL,NLBSCAN1	0006	10000010
9*		*		B	UNUSE2	IOD,NOT USED,0,PULL THIS CARD BEFORE UPDATING	0007000000	10000011
10*		*		B	JCIOD	IOD,CONSOLE,JCFIX,CONS1	0010232723	10000012
11*		*		B	UNAGN9	IOD,RESERVED FOR UNASSIGN,0,PULL CARD BEFORE UPDATING	0011000000	10000013
12*		*		B	PCDEF2	IOD,CONSOLE,PDBEX,CONS1	0012232653	10000014
13*		*		B	CT11	IOD,TAPE,AXITA,CH34,UNO	0013222541	10000015
14*		*		B		REEL,NLBOUTPT	0013	10000016
15*		*		B	CT21	IOD,TAPE,AXITB,CH34,UN1	0014222553	10000017
16*		*		B		REEL,NLBOUTPT	0014	10000018
17*		*				SEM,114,116,118,119,120		10000019

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION
1*				03-15-63 IBM NEW VERSION OF MCP	
2*				-**********	11000002
3*				PUNFUL	11000003

```
JOB,MCPIPL
, TIME  C6#15#59
```

IBM

BAD TAPE RECORD, IF START IS PUSHED, NEXT TAPE RECORD WILL BE READ.

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 000040	
CC0040.CC LOWER MEMORY BOUND							
236543.CC UPPER MEMORY BOUND							
1*			B	PROSA	IOD,DISK,CDICEX	0001234354	10000003
2*	*		B	UNUSE1	IOD,NOT USED,0,PULL THIS CARD BEFORE UPDATING	0002000000	10000004
3*	*		B	UNAGN3	IOD,RESERVED FOR UNASSIGN,0,PULL CARD BEFORE UPDATING	0003000000	10000005
4*	*		B	VRTP	IOD,TAPE,VRTEXT,CH32	0004224133	10000006
5*	*		B		REEL,NLBSCAN2	0004	10000007
6*	*		B	VCRD	IOD,READER,VCREXT	0005224115	10000008
7*	*		B	VWTP	IOD,TAPE,VWTEXT,CH33	0006224124	10000009
8*	*		B		REEL,NLBSCAN1	0006	10000010
9*	*		B	UNUSE2	IOD,NOT USED,0,PULL THIS CARD BEFORE UPDATING	0007000000	10000011
10*	*		B	JCIOD	IOD,CONSOLE,JCFIX,CONS1	0010232723	10000012
11*	*		B	UNAGN9	IOD,RESERVED FOR UNASSIGN,0,PULL CARD BEFORE UPDATING	0011000000	10000013
12*	*		B	PCDEF2	IOD,CONSOLE,PDBEX,CONS1	0012232653	10000014
13*	*		B	CT11	IOD,TAPE,AXITA,CH34,UNO	0013222541	10000015
14*	*		B		REEL,NLBOUTPT	0013	10000016
15*	*		B	CT21	IOD,TAPE,AXITB,CH34,UN1	0014222553	10000017
16*	*		B		REEL,NLBOUTPT	0014	10000018
17*	*				SEM,114,116,118,119,120		10000019

```
LINE  LOCATION  BINARY OUTPUT  NAME  STATEMENT  LOCATION
    1*                                  03-15-63  IBM NEW VERSION OF MCP
    2*                                 -*****************************************************************  11000002
    3*                                 PUNFUL                                                             11000003
    4* 000041.00                       (CC*)DD(BU,,12),B      HED,REP,11E11BSP,LOAD,,            *     11000004
    5* 000051.34 *                     (CC*)DD(BU,,12),                          11E11BSP*                11000005
    6*                                 PUNCRG                                                             11000006
    7*                                 PUNID,11E11BSP                                                     11000007
    8*                                 RESEQ                                                              11000008
    9*                                 PRNS                                                               11000009
   10*                                 TAIL,(2)G                                                          11000010
   11*                              -  *****************************************************************  11000011
   12*                              -   MCP INIALIZATION BOOTSTRAP                                        11000012
   13*                              - *****************************************************************  11000013
   14*                              -                                                                     11000014
   15* 000040.CC                       SLC,(8)40.0                                                        11000015
   16*                                 -                                                                  11000016
   17* 000040.C0  000041.00+ 000 000560 000001  CW(CR),X IPL BS,X BS END-X IPL BS,1                       11000017
   18*                                 -IPL CW FOR READING IN IPL BOOTSTRAP                               11000018
   19*                                 -RECORD FROM SOURCE TAPE                                           11000019
   20*                                 -ONE IN REFILL FIELD IDENTIFIES IPLCW                              11000020
   21*                              -                                                                     11000021
   22*                                 -*** CLEAR 7030 LOWER REGISTERS AND STORAGE ***                    11000022
   23*                              -                                                                     11000023
   24* 000041.C0    000043.44 00     X IPL BS BD,X BEGIN              -DISABLE AND START IPL             11000024
   25* 000041.40  CCCOCC.00+                 VF,C                    -SLOT FOR TAPE CW                  11000025
   26* 000042.00  CCCOCC.00+ 000 000000 000000  XW,C                  -SLOT FOR DISK CW                  11000026
   27* 000043.00                       X VERFY  (A*)DD(BU,32,8),C911*  -SLOT FOR DATE OF SOURCE TAPE IN A-8  11000027
   28* 000043.40    000547.36 10       X BEGIN  LX,$15,XW SR           - INITIALIZE TO CLEAR LOWER REGISTERS  11000028
   29* 000044.00    COCCOO.22 00                Z,0.0                                                      11000029
   30* 000044.40    COCCO2.22 0F       X LOOP   Z,2.0 ($15)            -CLEAR LOWER REGESTERS             11000030
   31* 000045.00    000044.77 4C                CBR+,$15,X LOOP                                            11000031
   32* 000045.40    000547.40 80  000000.20 50  L(BU),XW SR+.32         -DONE CLEAR C AND D REGISTERS      11000032
   33* 000046.40    COCC47.00 46       X CL IND BMKZ,$+.32                                                11000033
   34* 000047.00    COCC46.63 80  006000.22 BC  M+1(BU,6),X CL IND+.19 -CLEAR NON MASKABLE INDICATORS      11000034
   35* 000050.00    000046.76 48                CB,$15,X CL IND                                            11000035
   36* 000050.40    COCCOO.22 0F       X CLSTO  Z,0.0($15)              -CLEAR ONE WORD                    11000036
   37* 000051.00    COCC52.10 46                BADZ,$+1.0              -IF DONE CLEARING STORAGE          11000037
   38* 000051.40    COCC50.77 48                CB+,15,XCLSTO           -ADVANCE AND RETURN                11000038
   39* 000052.00    000546.37 30                SV,15,X S ROOF          -TEMPORARILY SAVE 7030 SIZE        11000039
```

```
LINE  LOCATION           BINARY OUTPUT                NAME        STATEMENT                                              LOCATION

  1*                                                  - ******************************************************************  11000041
  2*                                                              -*** FIND IPL CHANNEL NUMBER ***                      11000042
  3*                                                  - ******************************************************************  11000043
  4*                                                  -                                                                 11000044
  5*  000052.40 *   000053.40 80  023000.22 B0        X1          M+1(BU,19),X1 CCW        - ADVANCE CHANNEL            11000045
  6*  000053.40     000017.40 30  000041.21 00        X1 CCW      CCW,15.32,X IPL BS                                    11000046
  7*  000054.40     000551.00 80                      X ERR 00    SIC,X ERR AD                                          11000047
  8*  000055.00     000133.03 46                                  BEKJZ,X ERROR -IF EXCHANGE ERROR                      11000047
  9*  000055.40     000041.77 80  000052.74 00                    BZB,X IPL BS+.63,X1     -IS IT IPL CHANNEL            11000048
 10*  000056.40     000053.77 80                                  LVE,15,X1 CCW            - OBTAIN NUMBER OF IPL CHANNEL 11000049
 11*  000057.00     000070.10 00                                  B,X8                        -TO SPACE OVER TAPE MARK  11000050
 12*                                                  -                                                                 11000051
 13*                                                              -*******************************************************  11000052
 14*                                                              -*** IO TEST ****                                     11000053
 15*                                                              -*******************************************************  11000054
 16*                                                  -                                                                 11000055
 17*  000057.40     000551.00 80                      X7 1        SIC,X ERR AD                                          11000056
 18*  000060.00     000133.03 46                                  BEKJZ,X ERROR -IF EXCHANGE ERROR                      11000056
 19*  000060.40     000551.00 80                      X ERR 02    SIC,X ERR AD                                          11000057
 20*  000061.00     000133.03 C6                                  BUNRJZ,X ERROR -UNIT NOT READY REJECT                 11000057
 21*  000061.40     000551.00 80                      X ERR 03    SIC,X ERR AD                                          11000058
 22*  000062.00     000133.04 46                                  BCBJZ,X ERROR -IF CHANNEL BUSY REJECT                 11000058
 23*  000062.40     000000.00 8F  000041.21 00        X7 1 CCW    CCW,0($15),X IPL BS                                   11000059
 24*  000063.40     000551.00 80                      X ERR 04    SIC,X ERR AD                                          11000060
 25*  000064.00     000133.03 46                                  BEKJZ,X ERROR -IF EXCHANGE ERROR FOR CCW              11000060
 26*  000064.40     000041.30 80  000062.74 02                    BB,X IPL BS+.24,X7 1 CCW -IO OPERATION COMPLETED      11000061
 27*  000065.40     000041.23 80  005000.07 70                    CTOC11(BU,5),X IPL BS+.19                             11000062
 28*  000066.40 *   000000.34 C2                      X7 3        BRZ,0.0                  -SUCCESSFUL                  11000063
 29*  000067.00     000551.00 80                      X ERR 05    SIC,X ERR AD                                          11000064
 30*  000067.40     000133.10 00                                  B,X ERROR    -IO STATUS BIT ON                        11000064
 31*                                                  -                                                                 11000065
 32*                                                              -*******************************************************  11000066
 33*                                                              -SPACE OVER TAPE MARK                                 11000067
 34*                                                              -*******************************************************  11000068
 35*  000070.00     000000.00 8F  000077.15 00        X8          SPFL(SEOP),0.0($15)         -SPACE OVER TAPE MARK     11000069
 36*  000071.00     000551.00 80                      X ER 05A    SIC,X ERR AD                                          11000070
 37*  000071.40     000133.03 46                                  BEKJZ,X ERROR -IF EXCHANGE ERROR                      11000070
 38*  000072.00     000551.00 80                      X ER 05B    SIC,X ERR AD                                          11000071
 39*  000072.40     000133.03 C6                                  BUNRJZ,X ERROR -IF UNIT NOT READY REJECT              11000071
 40*  000073.00     000551.00 80                      X ER 05C    SIC,X ERR AD                                          11000072
 41*  000073.40     000133.04 46                                  BCBJZ,X ERROR -IF CHANNEL BUSY REJECT                 11000072
 42*  000074.00     000000.00 8F  000041.21 00        X8 1        CCW,0($15),X IPL BS         -GET STATUS BITS          11000073
 43*  000075.00     000551.00 80                      X ER 05D    SIC,X ERR AD                                          11000074
 44*  000075.40     000133.03 46                                  BEKJZ,X ERROR -IF EXCHANGE ERROR                      11000074
 45*  000076.00     000041.30 80  000074.34 02                    BB,X IPL BS+.24,X 8 1       -IF SEOP OFF              11000075
 46*  000077.00     000041.25 80  000101.34 04                    BZBZ,X IPL BS+.21,XER05E  -OFF * IF EE ON             11000076
 47*  000100.00     000041.23 80  000102.34 00                    BZB,X IPL BS+.19,X8 2   -YES*TEST FOR UK              11000077
 48*  000101.00     000551.00 80                      X ER 05E    SIC,X ERR AD                                          11000078
 49*  000101.40     000133.10 00                                  B,X ERROR     -ERROR IN SPACING                       11000078
 50*  000102.00 *   000000.00 8F  000000.33 00        X8 2        REL(SEOP),0.0($15)       -CLEAR EE AND EOP STATUS BIT 11000079
 51*  000103.00     000066.40 80                                  SIC,X7 3                                              11000080
 52*  000103.40     000057.50 00                                  B,X7 1          - TO IO TEST                          11000080
```

```
LINE  LOCATION          BINARY OUTPUT                NAME      STATEMENT                                        LOCATION

  1*                                                 - ************************************************************ 11000082
  2*                                                 -  FETCH PROSA                                             11000083
  3*                                                 - ************************************************************ 11000084
  4*                                                 -                                                          11000085
  5* 000104.00        000000.00 8F  000552.11 00   X9 A      RD(SEOP),0.0($15),X PROSA    -FETCH PROSA          11000086
  6* 000105.00        000551.00 80                 X9 A 1    SIC,XERRAD                                         11000087
  7* 000105.40        000133.03 46                           BEKJZ,X ERROR- EXCHANGE ERROR                      11000087
  8* 000106.00        000551.00 80                 X ERR 07  SIC,X ERR AD                                       11000088
  9* 000106.40        000133.03 C6                           BUNRJZ,X ERROR -IF UNIT NOT READY REJECT           11000088
 10* 000107.00        000551.00 80                 X ERR 08  SIC,X ERR AD                                       11000089
 11* 000107.40        000133.04 46                           BCBJZ,X ERROR -IF CHANNEL BUSY REJECT              11000089
 12* 000110.00        000000.00 8F  000041.21 00   X9 A CCW  CCW,0($15),X IPL BS                                11000090
 13* 000111.00        000551.00 80                 X ERR 09  SIC,X ERR AD                                       11000091
 14* 000111.40        000133.03 46                           BEKJZ,X ERROR -IF EXCHANGE ERROR FOR CCW           11000091
 15* 000112.00        000041.30 80  000110.34 02             BB,X IPL BS+.24,X9ACCW       -TRY AGAIN IF BUSY    11000092
 16* 000113.00        000041.23 80  005000.07 70             CTOC11(BU,5),X IPL BS+.19                          11000093
 17* 000114.00        000125.74 C0                 X9 A 3    BZRZ,X DONE                  -SUCCESSFUL           11000094
 18* 000114.40        000115.10 00                 X9 A 3A   B,X9A4                       -RETURN AFTER IO TEST 11000095
 19* 000115.00        011407.30 10                 X9 A 4    LX,$12,X BUFER+1.0      - GET DICTIONARY           11000096
 20* 000115.40 *      000034.31 50                           SC,$12,$12                                         11000097
 21* 000116.00        011411.34 10                           LX,$14,X BUFER + 3.0    -GET INDEX                 11000098
 22* 000116.40        000036.35 50                           SC,$14,$14                                         11000099
 23* 000117.00        000050.03 CB                           LVS,$1,$12,$14            -WORDS PRECEEDING MCP    11000100
 24* 000117.40        011413.26 10                           LX,$11,X BUFER+5.0      - GET IPL                  11000101
 25* 000120.00        000033.27 50                           SC,$11,$11                                         11000102
 26* 000120.40        011415.24 10                           LX,$10,X BUFER+7.0        -GET MCP SIZE            11000103
 27* 000121.00        000032.25 50                           SC,$10,$10                                         11000104
 28* 000121.40        011406.00 81  000621.26 20   X9 A 5    T,$11,X BUFER($1),X BS END -MOVE MCP IPL           11000105
 29* 000122.40        000000.00 80  000000.33 00             REL(SECP),0.0($0)       -RELEASE DISK              11000106
 30* 000123.40        000631.03 C2                           BUNRJ,X ERR 12                                     11000107
 31* 000124.00        377777.01 02                           LCI,0,(8)377777.0                                  11000108
 32* 000124.40        000124.40 48                           CB,0,$                                             11000109
 33* 000125.00        000622.10 00                           B,X 10                     -TO MCPIPL              11000110
 34* 000125.40        000041.25 80  000127.74 02   X DONE    BB,X IPL BS+.21,X DONE+2.0                         11000111
 35* 000126.40        000551.00 80                 X ERR 10  SIC,X ERR AD                                       11000112
 36* 000127.00        000133.10 00                           B,X ERROR   -OTHER STATUS BITS ON                  11000112
 37* 000127.40        000020.31 80  001000.36 F0             CM1111(BU,1),$0 +.25             -END OF PROSA FILE 11000113
 38* 000130.40 *      000000.00 8F  000000.33 00             REL(SEOP),0.0($15)      - CLEAR STATUS BITS        11000114
 39* 000131.40        000066.40 80                           SIC,X7 3                                           11000115
 40* 000132.00        000057.50 00                           B,X7 1          - IO TEST                          11000115
 41* 000132.40        000114.50 00                           B,X9 A 3A                                          11000116
```

```
LINE  LOCATION          BINARY OUTPUT               NAME      STATEMENT                                    LOCATION

  1*                                                          -***************************************************************  11000118
  2*                                                          -ERROR ROUTINE                                                    11000119
  3*                                                          -***************************************************************  11000120
  4*                                                          -                                                                 11000121
  5* 000133.00       000245.04 10                   X ERROR  LX,$2,X ERR IN              -INITIALIZE WITH BASE AND SIZE OF    11000122
  6*                                                                                       -X ERR DD TABLE                    11000123
  7* 000133.40       000551.02 30                            LV,$1,X ERR AC              -GET BIASED ERROR ADDRESS           11000124
  8* 000134.00       000000.02 92                   X ERR SH KV,$1,0.0($2)               -TEST AGAINST TABLE CODE            11000125
  9* 000134.40       000136.32 02                            BXE,X 1 ERR                 -IF CODES ARE EQUAL                 11000126
 10* 000135.00       000134.05 48                            CB+,$2,X ERR SH             -TO TEST NEXT CODE                  11000127
 11* 000135.40       000135.44 00                            BU,$                   -IPL CONTAMINATED                        11000128
 12* 000136.00       000551.00 80  025300.46 70     X1 ERR   LF(BU,21,3),X ERR AC,1   -BREAK ADDRESS INTO EIGHT              11000129
 13*                                                                                  -BIT BYTES                             11000130
 14* 000137.00       000000.44 32                            LV,$2,.32($2)               -GET ADDRESS OF MESSAGE             11000131
 15* 000137.40       000000.20 82  060004.22 90              M+MG(BU,48,8),.8+.8($2),8 -SKIPPING OVER CONTROL CODESFORM     11000132
 16*                                                                                   -FULL WORD PORTION IN IQS           11000133
 17* 000140.40       000001.00 82  010000.22 90              M+MG(BU,8,8),.8+.48+.8($2)    -FORM HALF WORD PORTION         11000134
 18* 000141.40       000247.05 00                            SVA,$2,XMSG CW              -INITIALIZE CW                      11000135
 19* 000142.00       002156.02 30                            LV,$1,S YCOCH               -GET CONSOLE CHANNEL SLOT CONTENT   11000136
 20* 000142.40       000157.31 40                            BZXVZ,X 2A ERR              -IF CHANNEL NUMBER PRESENT          11000137
 21* 000143.00       000020.03 01                            LVI,$1,(8)20.0         -NO* ENTER FIRST CHANNEL OF              11000138
 22*                                                                                   -BASIC EXCHANGE                     11000139
 23* 000143.40       000040.03 02                            LCI,$1,32.                  -GET MAXIMUM SIZE OF BASIC          11000140
 24*                                                                                   -EXCHANGE                           11000141
 25* 000144.00       000175.40 80                   X1A ERR  SIC,X 1D ERR                                                    11000142
 26* 000144.40 *     000171.50 00                            B,X 1B ERR   -TO CLEAR OUT OLD CHANNEL                          11000142
 27*                                                                                -STATUS BITS                             11000143
 28* 000145.00       000000.00 81  000000.15 00              CTL(SEOP),0.0($1),0.0     -ILLEGAL IO CONTROL CODE              11000144
 29* 000146.00       000166.43 42                            BEKJ,X6 ERR            -EXHAUSTED ALL CHANNELS OR EXCHANGE      11000145
 30*                                                                                - ERROR                                  11000146
 31* 000146.40       000175.40 80                            SIC,X1DERR                                                      11000147
 32* 000147.00       000171.44 46                            BCBJZ,X 1B ERR -BUSY                                            11000147
 33* 000147.40       000166.03 06                            BUNRJZ,X5 ERR          -CONTROL UNIT OR UNIT NOT READY          11000148
 34* 000150.00       000175.40 80                            SIC,X 1D ERR                                                    11000149
 35* 000150.40       000171.50 00                            B,X1B ERR      - TO RELEASE STATUS BIT                          11000149
 36* 000151.00       000000.00 81  000000.17 00     X 1E ERR LOC(SEOP),0.0($1),0.0  -TEST IF TAPE CHANNEL                    11000150
 37* 000152.00       000166.43 42                            BEKJ,X6ERR                  -EXHAUSTED ALL CHANNELS OR          11000151
 38*                                                                                -      EXCHANGE ERROR                    11000152
 39* 000152.40       000000.00 81  000253.21 00     X 2 ERR  CCW,0.0($1),XERR CW            -GET CW                          11000153
 40* 000153.40       000166.43 42                            BEKJ,X6 ERR                                                     11000154
 41* 000154.00       000253.30 80  000152.74 02              BB,X ERR CW+.24,X 2 ERR  -TEST SEOP BIT                         11000155
 42* 000155.00       000253.23 80  000166.34 00              BZB,X ERR CW+.19,X 5 ERR       -TEST IF TAPE UNIT * NO EPGK     11000156
 43* 000156.00       000175.40 80                            SIC,X 1D ERR                                                    11000157
 44* 000156.40       000171.50 00                            B,X1B ERR          -NON TAPE *RELEASE STATUS BIT                11000157
 45* 000157.00       000000.00 81  000177.15 00     X 2A ERR GONG(SEOP),0.0($1)           - ISSUE CONSOLE COMMAND            11000158
 46* 000160.00 *     000166.43 42                            BEKJ,X 6 ERR                                                    11000159
 47* 000160.40       000166.03 06                            BUNRJZ,X 5 ERR         -REFERENCED UNIT NOT READY               11000160
 48* 000161.00       000000.00 81  000253.21 00     X 3 ERR  CCW,0.0($1),X ERR CW           -GET GONG CW                     11000161
 49* 000162.00       000166.43 42                            BEKJ,X6ERR                -IF EXCHANGE ERROR                    11000162
 50* 000162.40       000253.30 80  000161.34 02              BB,X ERR CW+.24,X3 ERR   -TEST SEOP BIT .                       11000163
 51* 000163.40       000253.23 80  000166.34 02              BB,X ERR CW+.19,X 5 ERR   -IF CONSOLE * NO EPGK                 11000164
 52* 000164.40       000000.00 81  000246.13 00     X4 ERR   W(SEOP),0.0($1),X MS CW1 -CONSOLE                               11000165
 53* 000165.40       000166.50 00                            B,X 6 ERR                                                       11000166
 54* 000166.00       000144.02 08                   X 5 ERR  CBH,$1,X 1A ERR                -NOT DONE TESTING                11000167
 55*                                                         -                                                               11000168
 56* 000166.40       000551.00 80  000011.02 A0     X6 ERR   TI,1,X ERR AC,$R          -DISPLAY ERROR ADDRESS IN CE CONSOLE  11000169
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 000167
1*	000167.4C	000167.44 00			BD,$	-LOOP	11000170
2*					-		11000171
3*	000170.00	000175.40 80		X 7 ERR	SIC,X 1C ERR		11000172
4*	000170.40	000171.5C 00			B,X 1B ERR - TO RELEASE STATUS BIT		11000172
5*	000171.00	000144.1C 00			B,X 1A ERR	-TO LOCATE AGAIN	11000173
6*					-		11000174
7*	000171.40	000000.00 81	000000.33 00	X1B ERR	REL(SECP),0.0($1)	-CLEAR OUT OLD STATUS BITS	11000175
8*	000172.40	000166.43 42			BEKJ,X6 ERR		11000176
9*	000173.00 *	000000.00 81	000253.21 00	X1C ERR	CCW,0.0($1),X ERR CW		11000177
10*	000174.00	000166.43 42			BEKJ,X6 ERR		11000178
11*	000174.40	000253.30 80	000173.34 02		BB,X ERR CW+.24,X1C ERR	-IF RELEASED	11000179
12*	000175.4C	000000.10 00		X1C ERR	B,0.0	-YES*BACK	11000180

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION
1*				CNOP	11000182
2*	000176.00	000055.40+	X ERR 00	VF,X ERR 00+1.0	11000183
3*	000176.40	000254.00+		VF,X MSG 00 -EKJ ON CCW OF IPL CW	11000183
4*	000177.00	000060.40+		VF,X ERR 01+1.0	11000184
5*	000177.40	000260.00+		VF,X MSG 01 -EKJ DETECTED IN IO TEST ROUTINE	11000184
6*	000200.00	000061.40+		VF,X ERR 02+1.0	11000185
7*	000200.40	000266.00+		VF,X MSG 02 -UNRJ DETECTED IN IO TEST ROUTINE	11000185
8*	000201.00	000062.40+		VF,X ERR 03+1.0	11000186
9*	000201.40	000274.00+		VF,X MSG 03 -CBJ DETECTED IN IO TEST ROUTINE	11000186
10*	000202.00	000064.40+		VF,X ERR 04+1.0	11000187
11*	000202.40	000302.00+		VF,X MSG 04 -EKJ ON CCW IN IO TEST ROUTINE	11000187
12*	000203.00	000070.00+		VF,X ERR 05+1.0	11000188
13*	000203.40	000310.00+		VF,X MSG 05 -UNSUCCESSFUL COMPLETION	11000188
14*	000204.00	000072.00+		VF,X ER 05A+1.0	11000189
15*	000204.40	000315.00+		VF,X MS 05A -EKJ IN SPACING OVER EOF	11000189
16*	000205.00	000073.00+		VF,X ER 05B+1.0	11000190
17*	000205.40	000322.00+		VF,X MS 05B -UNRJ IN SPACING OVER EOF	11000190
18*	000206.00	000074.00+		VF,X ER 05C+1.0	11000191
19*	000206.40	000327.00+		VF,X MS 05C -CBJ IN SPACING OVER EOF	11000191
20*	000207.00	000076.00+		VF,X ER 05D+1.0	11000192
21*	000207.40 *	000334.00+		VF,X MS 05D -EKJ OF CCW IN TEST OF SPACE FILE	11000192
22*	000210.00	000102.00+		VF,X ER 05E+1.0	11000193
23*	000210.40	000342.00+		VF,X MS 05E -SPACE EOF OPERATION IN ERROR	11000193
24*	000211.00	000127.40+		VF,X ERR 10+1.0	11000194
25*	000211.40	000374.00+		VF,X MSG 10 -UNSUCCESSFUL COMPLETION OF MCP	11000194
26*				-IPL READ	11000195
27*	000212.00	000106.00+		VF,X ERR 06+1.0	11000196
28*	000212.40	000347.00+		VF,X MSG 06 -EKJ ON READ OF SOURCE TAPE	11000196
29*	000213.00	000107.00+		VF,X ERR 07+1.0	11000197
30*	000213.40	000354.00+		VF,X MSG 07 -UNRJ ON READ OF SOURCE TAPE	11000197
31*	000214.00	000110.00+		VF,X ERR 08+1.0	11000198
32*	000214.40	000361.00+		VF,X MSG 08 -CBJ ON READ OF SOURCE TAPE	11000198
33*	000215.00	000112.00+		VF,X ERR 09+1.0	11000199
34*	000215.40	000366.00+		VF,X MSG 09 -EKJ ON CCW ON SOURCE TAPE	11000199
35*				-CHANNEL	11000200
36*	000216.00	000631.00+		VF,X ERR 11+1.0	11000201
37*	000216.40	000403.00+		VF,X MSG 11 -EKJ ON DISK OPERATION	11000201
38*	000217.00	000632.00+		VF,X ERR 12+1.0	11000202
39*	000217.40	000410.00+		VF,X MSG 12 -UNRJ ON DIST OPERATION	11000202
40*	000220.00	000633.00+		VF,X ERR 13+1.0	11000203
41*	000220.40	000415.00+		VF,X MSG 13 -CBJ ON DISK OPERATION	11000203
42*	000221.00	000640.40+		VF,X ERR 14+1.0	11000204
43*	000221.40	000424.00+		VF,X MSG 14 -EKJ ON CCW ON DISK WRITE OPERATION	11000204
44*	000222.00	000641.40+		VF,X ERR 15+1.0	11000205
45*	000222.40	000432.00+		VF,X MSG 15 -CBJ ON CCW ON DISK WRITE OPERATION	11000205
46*	000223.00 *	000642.40+		VF,X ERR 16+1.0	11000206
47*	000223.40	000432.00+		VF,X MSG 16 -UNSUCCESSFUL COMPLETION OF DISK	11000206
48*				-LOCATE	11000207
49*	000224.00	000645.40+		VF,X ER 16A+1.0	11000208
50*	000224.40	000432.00+		VF,X MS 16A -EKJ OF CCW IN TEST OF DISK WRITE	11000208
51*	000225.00	000646.40+		VF,X ER 16B+1.0	11000209
52*	000225.40	000432.00+		VF,X MS 16B -WRITE DISK OPERATION IN ERROR	11000209
53*	000226.00	000662.40+		VF,X ER 16C+1.0	11000210
54*	000226.40	000440.00+		VF,X MS 16C -NO IOCD CARD DETECTED	11000210
55*	000227.00	000707.40+		VF,X ERR 17+1.0	11000211
56*	000227.40	000444.00+		VF,X MSG 17 -WRONG EQUIPMENT CODE	11000211

```
LINE  LOCATION        BINARY OUTPUT                NAME      STATEMENT                                            LOCATION   000230

 1* 000230.00    000723.40+                                VF,X ERR 18+1.0                                                  11000212
 2* 000230.40    000451.00+                                VF,X MSG 18   -IO CONFIGURATION DEFINED                          11000212
 3*                                                                                -INCORRECTLY                              11000213
 4* 000231.00    000760.40+                                VF,X ERR 19+1.0                                                  11000214
 5* 000231.40    000460.00+                                VF,X MSG 19   -INCORRECT CARD TYPE                               11000214
 6* 000232.00    001006.40+                                VF,X ERR 20+1.0                                                  11000215
 7* 000232.40    000464.00+                                VF,X MSG 20   -NO CONSOLE DEFINED                                11000215
 8* 000233.00    001010.00+                                VF,X ERR 21+1.0                                                  11000216
 9* 000233.40    000501.00+                                VF,X MSG 21   -NO CONSOLE AVAILABLE                              11000216
10* 000234.00    001157.40+                                VF,X ER 21A+1.0                                                  11000217
11* 000234.40    000464.00+                                VF,X MS 21A -EKJ OF CCW IN IO STATUS REPORT                      11000217
12*                                                                            -ROUTINE                                      11000218
13* 000235.00    001441.40+                                VF,X ERR 22+1.0                                                  11000219
14* 000235.40    000473.00+                                VF,X MSG 22   -INCORRECT CARD TYPE WITHIN IODS                   11000219
15* 000236.00    001453.00+                                VF,X ERR 23+1.0                                                  11000220
16* 000236.40 *  000501.00+                                VF,X MSG 23   -IO REQUIREMENTS REJECTED                          11000220
17* 000237.00    001471.40+                                VF,X ERR 24+1.0                                                  11000221
18* 000237.40    000506.00+                                VF,X MSG 24   -IO ASSIGNMENTS CANNOT BE MADE                     11000221
19* 000240.00    001505.40+                                VF,X ERR 25+1.0                                                  11000222
20* 000240.40    000513.30+                                VF,X MSG 25   -IO TABLES CANNOT BE FORMED                        11000222
21* 000241.00    001520.40+                                VF,X ERR 26+1.0                                                  11000223
22* 000241.40    000521.00+                                VF,X MSG 26   -PROSA ARC COUNT INCORRECT                         11000223
23* 000242.00    001605.40+                                VF,X ERR 27+1.0                                                  11000224
24* 000242.40    000526.00+                                VF,X MSG 27   -MCP PARAMETER INPUT MISSING                       11000224
25* 000243.00    001614.00+                                VF,X ERR 28+1.0                                                  11000225
26* 000243.40    000533.00+                                VF,X MSG 28   -IMPOSSIBLE OPERATING MODE                         11000225
27* 000244.00    001647.40+                                VF,X ERR 29+1.0                                                  11000226
28* 000244.40    000540.00+                                VF,X MSG 29   -SPOOL INPUT ASSIGNMENTS NOT                       11000226
29*                                                                                -MADE                                     11000227
30*                                                        CNOP                                                             11000228
31* 000047.00+      -00000000         B ,31 ,01    X E DD K SYN,$-X ERR DD               -SIZE OF ERROR TABLE               11000229
32* 000245.00    000176.00+ 000 000050 000000    X ERR IN XW,X ERR DD,X E DD K+1.0,0 -XW FOR INITIALIZING ERROR               11000230
33*                                                                            -SEARCH                                       11000231
34* 000246.00    001037.00+ 100 000003 000247    X MS CW1 CW,X ZEROS,3,X MSG CW(.25)1 -CW FOR LOWER CONSOLE REGISTERS         11000232
35* 000247.00    000000.00+ 000 000012 000000    X MSG CW CW,0,10,0                       -CW FOR ERROR MSG                   11000233
36* 000250.00 *     000003.00                    X LR     DR(BU,64),(3)                   -ZERO WORDS FOR CONSOLE LR          11000234
37* 000253.00    000000.00+ 000 000000 000000    X ERR CW CW,0                      - SLOT FOR COPIED CW                      11000235
38*                                                        -ERROR CODE ADDRESS EQIVALENCIES                                 11000236
39* 000057.40+      +00000000         BU,40 ,10    X ERR 01 SYN,X7 1                                                        11000237
40* 001156.40+      +00000000         BU,40 ,10    X ER 21A SYN,X IO AA                                                     11000238
41* 000105.00+      +00000000         BU,40 ,10    X ERR 06 SYN,X9 A 1                                                      11000239
42* 000630.00+      +00000000         BU,40 ,10    X ERR 11 SYN,X10 5                                                       11000240
43* 000706.40+      +00000000         BU,40 ,10    X ERR 17 SYN,X13 5                                                       11000241
44* 001440.40+      +00000000         BU,40 ,10    X ERR 22 SYN,X22 3                                                       11000242
45* 001452.00+      +00000000         BU,40 ,10    X ERR 23 SYN,X23 4                                                       11000243
46* 001604.40+      +00000000         BU,40 ,10    X ERR 27 SYN,X32 2                                                       11000244
47* 001613.00+      +00000000         BU,40 ,10    X ERR 28 SYN,X323A                                                       11000245
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION
1*					-**	11000247
2*					- AREA CONTAINING ERROR MESSAGES	11000248
3*					-**	11000249
4*					-	11000250
5*					CNOP	11000251
6*	000254.C0+	+0CC00000	NULL	X MSG 00	SYN,$	11000252
7*	000254.C0		375		DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN	11000253
8*	000254.10		002		DD(BU,8),(2)C0000010 -RED$	11000254
9*	000254.20				(IQS*)DD(BU,64,8),0C0000.0* -SLOT FOR ERROR ADDRESS	11000255
10*	000255.20				(IQS*)DD(BU,64,8), EKJ ON CCW OF IPL CW*	11000256
11*	000257.70		376		DD(BU,8),(2)1111 111C -CONTROL CODE * END OF MESSAGE	11000257
12*					CNOP	11000258
13*	000260.C0+	+0CC00000	NULL	X MSG 01	SYN,$	11000259
14*	000260.C0		375		DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN	11000260
15*	000260.10		002		DD(BU,8),(2)00000C10 -RED$	11000261
16*	000260.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS	11000262
17*	000261.20				(IQS*)DD(BU,64,8), EKJ DETECTED IN IC TEST ROUTINE *	11000263
18*	000265.30		376		DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE	11000264
19*	000265.40	000000.30 00			CNOP	11000265
20*	000266.C0+	+0CC00000	NULL	X MSG 02	SYN,$	11000266
21*	000266.C0		375		DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN	11000267
22*	000266.1C		002		DD(BU,8),(2)0000C01C -RED$	11000268
23*	000266.2C *				(IQS*)DD(BU,64,8),0C0000.C* -SLOT FOR ERROR ADDRESS	11000269
24*	000267.20				(IQS*)DD(BU,64,8), UNRJ DETECTED IN IC TEST ROUTINE*	11000270
25*	000273.30		376		DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE	11000271
26*	000273.40	000000.30 C0			CNOP	11000272
27*	000274.CC+	+0CC000CC	NULL	X MSG 03	SYN,$	11000273
28*	000274.C0		375		DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN	11000274
29*	000274.10		002		DD(BU,8),(2)00000010 -RED$	11000275
30*	000274.2C				(IQS*)DD(BU,64,8),CC0000.0* -SLOT FOR ERROR ADDRESS	11000276
31*	000275.20				(IQS*)DD(BU,64,8), CBJ DETECTED IN IO TEST ROUTINE *	11000277
32*	000301.30		376		DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE	11000278
33*	000301.40 *	000000.30 00			CNOP	11000279
34*	000302.CC+	+0CC000CC	NULL	X MSG 04	SYN,$	11000280
35*	000302.C0		375		DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN	11000281
36*	000302.10		002		DD(BU,8),(2)00000C10 -RED$	11000282
37*	000302.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS	11000283
38*	000303.20				(IQS*)DD(BU,64,8), EKJ ON CCW IN IO TEST ROUTINE *	11000284
39*	000307.10		376		DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE	11000285
40*	000307.40	CCCCC0.30 00			CNOP	11000286
41*	000310.C0+	+0CC00000	NULL	X MSG 05	SYN,$	11000287
42*	000310.CC		375		DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN	11000288
43*	000310.10		002		DD(BU,8),(2)00000010 -RED$	11000289
44*	000310.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS	11000290
45*	000311.20				(IQS*)DD(BU,64,8), UNSUCCESSFUL COMPLETION *	11000291
46*	000314.30		376		DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE	11000292
47*	000314.40	000000.30 00			CNOP	11000293
48*	000315.00+	+0CC00000	NULL	X MS 05A	SYN,$	11000294
49*	000315.00		375		DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN	11000295
50*	000315.10		002		DD(BU,8),(2)00000010 -RED$	11000296
51*	000315.20 *				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS	11000297
52*	000316.20				(IQS*)DD(BU,64,8), EKJ IN SPACING OVER EOF*	11000298
53*	000321.20		376		DD(BU,8),(2)1111 1110 -CONTROL CODE * END OF MESSAGE	11000299
54*	000321.4C	000000.30 00			CNOP	11000300
55*	000322.C0+	+0CC00000	NULL	X MS 05B	SYN,$	11000301
56*	000322.00		375		DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN	11000302

```
LINE   LOCATION        BINARY OUTPUT              NAME        STATEMENT                                           LOCATION   000322

 1* 000322.10                          002                    DD(BU,8),(2)00000010    -RED$                                       11000303
 2* 000322.20                                                 (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS                 11000304
 3* 000323.20                                                 (IQS*)DD(BU,64,8), UNRJ IN SPACING OVER EOF*                        11000305
 4* 000326.30                          376                    DD(BU,8),(2)1111 1110    -CONTROL CODE * END OF MESSAGE             11000306
 5* 000326.40      000000.30 00                               CNOP                                                                11000307
 6* 000327.00+     +00000000     NULL           X MS 05C      SYN,$                                                               11000308
 7* 000327.00                          375                    DD(BU,8),(2)1111 1101    -CONTROL CODE * CARRIAGE RETURN            11000309
 8* 000327.10                          002                    DD(BU,8),(2)00000010    -RED$                                       11000310
 9* 000327.20                                                 (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS                 11000311
10* 000330.20 *                                               (IQS*)DD(BU,64,8), CBJ IN SPACING OVER EOF*                         11000312
11* 000333.20                          376                    DD(BU,8),(2)1111 1110    -CONTROL CODE * END OF MESSAGE             11000313
12* 000333.40      000000.30 00                               CNOP                                                                11000314
13* 000334.00+     +00000000     NULL           X MS 05D      SYN,$                                                               11000315
14* 000334.00                          375                    DD(BU,8),(2)1111 1101    -CONTROL CODE * CARRIAGE RETURN            11000316
15* 000334.10                          002                    DD(BU,8),(2)00000010    -RED$                                       11000317
16* 000334.20                                                 (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS                 11000318
17* 000335.20                                                 (IQS*)DD(BU,64,8), EKJ OF CCW IN TEST OF SPACE FILE*                11000319
18* 000341.30                          376                    DD(BU,8),(2)1111 1110    -CONTROL CODE * END OF MESSAGE             11000320
19* 000341.40      000000.30 00                               CNOP                                                                11000321
20* 000342.00+     +00000000     NULL           X MS 05E      SYN,$                                                               11000322
21* 000342.00                          375                    DD(BU,8),(2)1111 1101    -CONTROL CODE * CARRIAGE RETURN            11000323
22* 000342.10                          002                    DD(BU,8),(2)00000010    -RED$                                       11000324
23* 000342.20                                                 (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS                 11000325
24* 000343.20 *                                               (IQS*)DD(BU,64,8), SPACE EOF OPERATION IN ERROR*                    11000326
25* 000346.70                          376                    DD(BU,8),(2)1111 1110    -CONTROL CODE * END OF MESSAGE             11000327
26*                                                           CNOP                                                                11000328
27* 000347.00+     +00000000     NULL           X MSG 06      SYN,$                                                               11000329
28* 000347.00                          375                    DD(BU,8),(2)1111 1101    -CONTROL CODE * CARRIAGE RETURN            11000330
29* 000347.10                          002                    DD(BU,8),(2)00000010    -RED$                                       11000331
30* 000347.20                                                 (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS                 11000332
31* 000350.20                                                 (IQS*)DD(BU,64,8), EKJ ON READ OF SOURCE TAPE *                     11000333
32* 000353.60                          376                    DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE               11000334
33*                                                           CNOP                                                                11000335
34* 000354.00+     +00000000     NULL           X MSG 07      SYN,$                                                               11000336
35* 000354.00                          375                    DD(BU,8),(2)1111 1101    -CONTROL CODE * CARRIAGE RETURN            11000337
36* 000354.10                          002                    DD(BU,8),(2)00000010    -RED$                                       11000338
37* 000354.20                                                 (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS                 11000339
38* 000355.20 *                                               (IQS*)DD(BU,64,8), UNRJ ON READ OF SOURCE TAPE *                    11000340
39* 000360.70                          376                    DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE               11000341
40*                                                           CNOP                                                                11000342
41* 000361.00+     +00000000     NULL           X MSG 08      SYN,$                                                               11000343
42* 000361.00                          375                    DD(BU,8),(2)1111 1101    -CONTROL CODE * CARRIAGE RETURN            11000344
43* 000361.10                          002                    DD(BU,8),(2)00000010    -RED$                                       11000345
44* 000361.20                                                 (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS                 11000346
45* 000362.20                                                 (IQS*)DD(BU,64,8), CBJ ON READ OF SOURCE TAPE *                     11000347
46* 000365.60                          376                    DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE               11000348
47*                                                           CNOP                                                                11000349
48* 000366.00+     +00000000     NULL           X MSG 09      SYN,$                                                               11000350
49* 000366.00                          375                    DD(BU,8),(2)1111 1101    -CONTROL CODE * CARRIAGE RETURN            11000351
50* 000366.10                          002                    DD(BU,8),(2)00000010    -RED$                                       11000352
51* 000366.20                                                 (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS                 11000353
52* 000367.20 *                                               (IQS*)DD(BU,64,8), EKJ ON CCW ON SOURCE TAPE CHANNEL *              11000354
53* 000373.50                          376                    DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE               11000355
54*                                                           CNOP                                                                11000356
55* 000374.00+     +00000000     NULL           X MSG 10      SYN,$                                                               11000357
56* 000374.00                          375                    DD(BU,8),(2)1111 1101    -CONTROL CODE * CARRIAGE RETURN            11000358
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 000374	
1*	000374.10			002	DD(BU,8),(2)00000010 -RED$		11000359
2*	000374.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS		11000360
3*	000375.20				(IQS*)DD(BU,64,8), UNSUCCESSFUL COMPLETION OF MCP IPL READ*		11000361
4*	000402.20			376	DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE		11000362
5*	000402.40	000000.30 00			CNOP		11000363
6*	000403.00+	+00000000	NULL	X MSG 11	SYN,$		11000364
7*	000403.00			375	DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN		11000365
8*	000403.10			002	DD(BU,8),(2)00000010 -RED$		11000366
9*	000403.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS		11000367
10*	000404.20 *				(IQS*)DD(BU,64,8), EKJ ON DISK OPERATION *		11000368
11*	000407.10			376	DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE		11000369
12*	000407.40	000000.30 00			CNOP		11000370
13*	000410.00+	+00000000	NULL	X MSG 12	SYN,$		11000371
14*	000410.00			375	DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN		11000372
15*	000410.10			002	DD(BU,8),(2)00000010 -RED$		11000373
16*	000410.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS		11000374
17*	000411.20				(IQS*)DD(BU,64,8), UNRJ ON DISK OPERATION *		11000375
18*	000414.20			376	DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE		11000376
19*	000414.40	000000.30 00			CNOP		11000377
20*	000415.00+	+00000000	NULL	X MSG 13	SYN,$		11000378
21*	000415.00			375	DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN		11000379
22*	000415.10			002	DD(BU,8),(2)00000010 -RED$		11000380
23*	000415.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS		11000381
24*	000416.20 *				(IQS*)DD(BU,64,8), UNSUCCESSFUL COMPLETION OF LOCATE TO DISK*		11000382
25*	000423.40			376	DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE		11000383
26*					CNOP		11000384
27*	000424.00+	+00000000	NULL	X MSG 14	SYN,$		11000385
28*	000424.00			375	DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN		11000386
29*	000424.10			002	DD(BU,8),(2)00000010 -RED$		11000387
30*	000424.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS		11000388
31*	000425.20				(IQS*)DD(BU,64,8), EKJ ON CCW ON DISK OPERATION *		11000389
32*	000431.00			376	DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE		11000390
33*	000431.40	000000.30 00			CNOP		11000391
34*	000432.00+	+00000000	NULL	X MSG 15	SYN,$		11000392
35*	000432.00+	+00000000	NULL	X MSG 16	SYN,$		11000393
36*	000432.00+	+00000000	NULL	X MS 16A	SYN,$		11000394
37*	000432.00+	+00000000	NULL	X MS 16B	SYN,$		11000395
38*	000432.00			375	DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN		11000396
39*	000432.10			002	DD(BU,8),(2)00000010 -RED$		11000397
40*	000432.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS		11000398
41*	000433.20 *				(IQS*)DD(BU,64,8), WRITE DISK OPERATION IN ERROR*		11000399
42*	000437.00			376	DD(BU,8),(2)1111 1110 -CONTROL CODE * END OF MESSAGE		11000400
43*	000437.40	000000.30 00			CNOP		11000401
44*	000440.00+	+00000000	NULL	X MS 16C	SYN,$		11000402
45*	000440.00			375	DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN		11000403
46*	000440.10				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS		11000404
47*	000441.10				(IQS*)DD(BU,64,8), NO IOCD CARD DETECTED*		11000405
48*	000443.70			376	DD(BU,8),(2)1111 1110 -CONTROL CODE * END OF MESSAGE		11000406
49*					CNOP		11000407
50*	000444.00+	+00000000	NULL	X MSG 17	SYN,$		11000408
51*	000444.00			375	DD(BU,8),(2)1111 1101 -CONTROL CODE * CARRIAGE RETURN		11000409
52*	000444.10			002	DD(BU,8),(2)00000010 -RED$		11000410
53*	000444.20				(IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS		11000411
54*	000445.20				(IQS*)DD(BU,64,8), WRONG EQUIPMENT CODE *		11000412
55*	000450.00			376	DD(BU,8),(2) 1111 1110 -CONTROL CODE *END OF MESSAGE		11000413
56*	000450.40	000000.30 00			CNOP		11000414

```
LINE  LOCATION            BINARY OUTPUT             NAME        STATEMENT                                              LOCATION    000451

 1* 000451.00+      +00000000      NULL        X MSG 18 SYN,$                                                          11000415
 2* 000451.00                               375         DD(BU,8),(2)1111 1101      -CONTROL CODE * CARRIAGE RETURN    11000416
 3* 000451.10                               002         DD(BU,8),(2)00000010     -RED$                                 11000417
 4* 000451.20 *                                         (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS            11000418
 5* 000452.20                                           (IQS*)DD(BU,64,8), IO CONFIGURATION DEFINED INCORRECTLY *      11000419
 6* 000457.00                               376         DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE          11000420
 7* 000457.40      000000.30 00                         CNOP                                                           11000421
 8* 000460.00+      +00000000      NULL        X MSG 19 SYN,$                                                          11000422
 9* 000460.00                               375         DD(BU,8),(2)1111 1101      -CONTROL CODE * CARRIAGE RETURN    11000423
10* 000460.10                               002         DD(BU,8),(2)00000010     -RED$                                 11000424
11* 000460.20                                           (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS            11000425
12* 000461.20                                           (IQS*)DD(BU,64,8), INCORRECT CARD TYPE *                       11000426
13* 000463.70                               376         DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE          11000427
14*                                                     CNOP                                                           11000428
15* 000464.00+      +00000000      NULL        X MSG 20 SYN,$                                                          11000429
16* 000464.00+      +00000000      NULL        X MS 21A SYN,$                                                          11000430
17* 000464.00                               375         DD(BU,8),(2)1111 1101      -CONTROL CODE * CARRIAGE RETURN    11000431
18* 000464.10                               002         DD(BU,8),(2)00000010     -RED$                                 11000432
19* 000464.20 *                                         (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS            11000433
20* 000465.20                                           (IQS*)DD(BU,64,8), EKJ OF CCW IN IO STATUS REPORT ROUTINE*     11000434
21* 000472.10                               376         DD(BU,8),(2)1111 1110      -CONTROL CODE * END OF MESSAGE     11000435
22* 000472.40      000000.30 00                         CNOP                                                           11000436
23* 000473.00+      +00000000      NULL        X MSG 22 SYN,$                                                          11000437
24* 000473.00                               375         DD(BU,8),(2)1111 1101      -CONTROL CODE * CARRIAGE RETURN    11000438
25* 000473.10                               002         DD(BU,8),(2)00000010     -RED$                                 11000439
26* 000473.20                                           (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS            11000440
27* 000474.20                                           (IQS*)DD(BU,64,8), INCORRECT CARD TYPE WITHIN IODS *           11000441
28* 000500.30 *                             376         DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE          11000442
29* 000500.40      000000.30 00                         CNOP                                                           11000443
30* 000501.00+      +00000000      NULL        X MSG 21 SYN,$                                                          11000444
31* 000501.00+      +00000000      NULL        X MSG 23 SYN,$                                                          11000445
32* 000501.00                               375         DD(BU,8),(2)1111 1101      -CONTROL CODE * CARRIAGE RETURN    11000446
33* 000501.10                                           (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS            11000447
34* 000502.10                                           (IQS*)DD(BU,64,8), IO REQUIREMENTS REJECTED *                  11000448
35* 000505.30                               376         DD(PU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE          11000449
36* 000505.40      000000.30 00                         CNOP                                                           11000450
37* 000506.00+      +00000000      NULL        X MSG 24 SYN,$                                                          11000451
38* 000506.00                               375         DD(BU,8),(2)1111 1101      -CONTROL CODE * CARRIAGE RETURN    11000452
39* 000506.10                               002         DD(BU,8),(2)00000010     -RED$                                 11000453
40* 000506.20                                           (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS            11000454
41* 000507.20                                           (IQS*)DD(BU,64,8), IO ASSIGNMENTS CAN NOT BE MADE *            11000455
42* 000513.20                               376         DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE          11000456
43* 000513.30+      +00000000      NULL        X MSG 25 SYN,$                                                          11000457
44* 000513.40 *    000000.30 00                         CNOP                                                           11000458
45* 000514.00                               375         DD(BU,8),(2)1111 1101      -CONTROL CODE * CARRIAGE RETURN    11000459
46* 000514.10                               002         DD(BU,8),(2)00000010     -RED$                                 11000460
47* 000514.20                                           (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS            11000461
48* 000515.20                                           (IQS*)DD(BU,64,8), IO TABLES CAN NOT BE FORMED *               11000462
49* 000520.70                               376         DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE          11000463
50*                                                     CNOP                                                           11000464
51* 000521.00+      +00000000      NULL        X MSG 26 SYN,$                                                          11000465
52* 000521.00                               375         DD(BU,8),(2)1111 1101      -CONTROL CODE * CARRIAGE RETURN    11000466
53* 000521.10                               002         DD(BU,8),(2)00000010     -RED$                                 11000467
54* 000521.20                                           (IQS*)DD(BU,64,8),000000.0* -SLOT FOR ERROR ADDRESS            11000468
55* 000522.20                                           (IQS*)DD(BU,64,8), PROSA ARC COUNT INCORRECT *                 11000469
56* 000525.50                               376         DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE          11000470
```

```
 LINE  LOCATION          BINARY OUTPUT              NAME      STATEMENT                                              LOCATION

  1*                                                         CNOP                                                    11000471
  2* 000526.00+     +0CC00000C        NULL          X MSG 27 SYN,$                                                   11000472
  3* 000526.00                              375              DD(BU,8),(2)1111 1101     -CONTROL CODE * CARRIAGE RETURN   11000473
  4* 000526.1C                              002              DD(BU,8),(2)0CC0C001C    -RED$                          11000474
  5* 00C526.20                                               (IQS*)DD(BU,64,8),CCC00C.0* -SLOT FOR ERROR ADDRESS     11000475
  6* 00C527.20 *                                             (IQS*)DC(BU,64,8), MCP PARAMETER INPUT MISSING *        11000476
  7* 000532.70                              376              DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE   11000477
  8*                                                         CNOP                                                    11000478
  9* 000533.00+     +0CCC000C0        NULL          X MSG 28 SYN,$                                                   11000479
 1C* 000533.00                              375              DD(BU,8),(2)1111 1101     -CONTROL CCDE * CARRIAGE RETURN   11000480
 11* 000533.10                              0C2              DD(BU,8),(2)00000010    -RED$                           11000481
 12* 000533.2C                                               (IQS*)DD(BU,64,8),CC000C.0* -SLOT FOR ERROR ADDRESS     11000482
 13* 000534.20                                               (IQS*)DD(BU,64,8), IMPOSSIBLE OPERATING MODE*           11000483
 14* 000537.40                              376              DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE   11000484
 15*                                                         CNOP                                                    11000485
 16* 00054C.CC+     +0CCCC0C0         NULL          X MSG 29 SYN,$                                                   11C00486
 17* 00054C.C0                              375              DD(BU,8),(2)1111 11C1     -CONTROL CODE * CARRIAGE RETURN   11000487
 18* 0CC540.10                              CO2              DD(BU,8),(2)0000C01C    -RED$                           11000488
 19* 000540.20                                               (IQS*)DD(BU,64,8),CC0000.0* -SLOT FOR ERROR ADDRESS     11000489
 2C* 000541.20 *                                             (IQS*)DD(BU,64,8), SPOOL INPUT ASSIGNMENTS NOT MADE *   11000490
 21* 000545.40                              376              DD(BU,8),(2) 1111 1110  -CONTROL CODE *END OF MESSAGE   11000491
 22*                                                - ***************************************************************** 11000492
 23*                                                -    BOOTSTRAP DEFINITIONS                                         11000493
 24*                                                - ***************************************************************** 11000494
 25*                                                -                                                                  11000495
 26* 000546.00    0C000C.00+ 000 000000 000000      X S ROOF XW,0                          -TEMP STORE FOR SIZE OF 7030  11000496
 27* 000561.CC+     -0000000CC        BU,40 ,10     X IPL K  SYN, 1.0 + X BS END - X IPLBS - SIZE OF BOOTSTRAP       11000497
 28* 00000C.00+     +0CC00006         BU,05 ,10     X EE ECP SYN(BU,5),(2)00110      - EOF STATUS BITS               11000498
 29*                                                -                                                                  11000499
 3C*                                                - ***************************************************************** 11000500
 31*                                                         -                      IPL BOOTSTRAP PARAMETERS           11000501
 32*                                                - ***************************************************************** 11000502
 33*                                                -                                                                  11000503
 34*                                                         CNOP                                                    11000504
 35* 000547.00    CC0CCC.00+ C00 000035 000550      XW SR    XW,C.0,29,XW IND          -XW FOR CLEARING LR AND TW    11000505
 36* 000550.00    000622.00+ 000 000024 000000      XW IND   XW,XIPLK+33.0,20.0   -XW FOR CLEARING NCN MASKABLE INDIC AND  11000506
 37* 00C551.0C    CCCCCC.00+                        X ERR AD VF,0                      -LOCATION OF ERROR +1.0           11000507
 38* 011406.00+     +00000000         NULL          X BUFER  SYN,X IN END+ 2000.0       - SLOTS LEFT FOR IOCD + ICDS     11000508
```

IBM

TIME CLOCK 00054041   PUNIC 11E11BSP   CARD ID 11000510   DIST. OF 3/01   3/01   PAGE NUMBER 14

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION
1*			-	**	11000510
2*			-	PROSA CWS	11000511
3*			-	**	11000512
4*	000552.00	011406.00+ 110 001001 000553	X PROSA	CW(CDSC),0 +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000513
5*	000553.00	012406.00+ 110 001001 000554		CW(CDSC),512. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000514
6*	000554.00	013406.00+ 110 001001 000555		CW(CDSC),1024. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000515
7*	000555.00	014406.00+ 110 001001 000556		CW(CDSC),1536. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000516
8*	000556.00 *	015406.00+ 110 001001 000557		CW(CDSC),2048. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000517
9*	000557.00	016406.00+ 110 001001 000560		CW(CDSC),2560. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000518
10*	000560.00	017406.00+ 110 001001 000561		CW(CDSC),3072. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000519
11*	000561.00	020406.00+ 110 001001 000562		CW(CDSC),3584. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000520
12*	000562.00	021406.00+ 110 001001 000563		CW(CDSC),4096. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000521
13*	000563.00	022406.00+ 110 001001 000564		CW(CDSC),4608. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000522
14*	000564.00	023406.00+ 110 001001 000565		CW(CDSC),5120. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000523
15*	000565.00	024406.00+ 110 001001 000566		CW(CDSC),5632. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000524
16*	000566.00	025406.00+ 110 001001 000567		CW(CDSC),6144. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000525
17*	000567.00	026406.00+ 110 001001 000570		CW(CDSC),6656. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000526
18*	000570.00	027406.00+ 110 001001 000571		CW(CDSC),7168. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000527
19*	000571.00 *	030406.00+ 110 001001 000572		CW(CDSC),7680. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000528
20*	000572.00	031406.00+ 110 001001 000573		CW(CDSC),8192. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000529
21*	000573.00	032406.00+ 110 001001 000574		CW(CDSC),8704. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000530
22*	000574.00	033406.00+ 110 001001 000575		CW(CDSC),9216. +X BUFER,513,$+1.0 -FETCH ONE PROSA REXORD	11000531
23*	000575.00	034406.00+ 110 001001 000576		CW(CDSC),9728. +X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000532
24*	000576.00	035406.00+ 110 001001 000577		CW(CDSC),10240.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000533
25*	000577.00	036406.00+ 110 001001 000600		CW(CDSC),10752.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000534
26*	000600.00	037406.00+ 110 001001 000601		CW(CDSC),11264.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000535
27*	000601.00	040406.00+ 110 001001 000602		CW(CDSC),11776.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000536
28*	000602.00	041406.00+ 110 001001 000603		CW(CDSC),12288.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000537
29*	000603.00	042406.00+ 110 001001 000604		CW(CDSC),12800.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000538
30*	000604.00	043406.00+ 110 001001 000605		CW(CDSC),13312.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000539
31*	000605.00 *	044406.00+ 110 001001 000606		CW(CDSC),13824.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000540
32*	000606.00	045406.00+ 110 001001 000607		CW(CDSC),14336.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000541
33*	000607.00	046406.00+ 110 001001 000610		CW(CDSC),14848.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000542
34*	000610.00	047406.00+ 110 001001 000611		CW(CDSC),15360.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000543
35*	000611.00	050406.00+ 110 001001 000612		CW(CDSC),15872.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000544
36*	000612.00	051406.00+ 110 001001 000613		CW(CDSC),16384.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000545
37*	000613.00	052406.00+ 110 001001 000614		CW(CDSC),16896.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000546
38*	000614.00	053406.00+ 110 001001 000615		CW(CDSC),17408.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000547
39*	000615.00	054406.00+ 110 001001 000616		CW(CDSC),17920.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000548
40*	000616.00	055406.00+ 110 001001 000617		CW(CDSC),18432.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000549
41*	000617.00	056406.00+ 110 001000 000620		CW(CDSC),18944.+X BUFER,513,$+1.0 -FETCH ONE PROSA RECORD	11000550
42*	000620.00 *	057406.00+ 000 001000 000621		CW(CR),19456.+X BUFER,512,$+1.0 -FETCH ONE PROSA RECORD AND STO	11000551
43*	000621.00+	+00000000 NULL	X BS	END SYN,$ - END OF THE MCP IPL BS ROUTINE	11000552

IBM

```
LINE   LOCATION              BINARY OUTPUT              NAME        STATEMENT                                   LOCATION

  1*                                                                PUNFUL                                                              12000001
  2* 000621.00                                                      (CC*)DD(BU,,12),B        HED,REP,11C11IPL,LOAD,,              *     12000002
  3* 000631.34 *                                                    (CC*)DD(BU,,12),                              11C11IPL*             12000003
  4*                                                                PUNORG                                                              12000004
  5*                                                                PUNID,11C11IPL                                                      12000005
  6*                                                                RESEQ                                                               12000006
  7* 000621.00                                                      SLC,X BS END                                                        12000007
  8*                                                                -*************************************************************     12000008
  9*                                                                -MCP INITIALIZATION                                                 12000009
 10*                                                                -                                                                   12000010
 11*                                                                -MOVE COMMUNICATION REGION TO IPL AREA AND POSITION DISK            12000011
 12*                                                                -*************************************************************     12000012
 13*                                                                -                                                                   12000013
 14*                                                                CNOP                                                                12000014
 15**000621.00       004645.00 00                       X IN        BE,X IN END-X IN            -SIZE OF IPL FOR UPDATE PROGRAM         12000015
 16* 000621.40       000000.00 00                       X UPDAT     BE,0                        -NUMBER OF PROSA ARCS                   12000016
 17* 000622.00       000150.23 0B                       X10         LVS,$9,$12,$11,$14          -COMPUTE NUMBER OF WORDS                12000017
 18*                                                                                                -PRECEEDING MCP                     12000018
 19* 000622.40       011406.21 B9                                   LVE,$8,X BUFER($9)       - GET (MCP)                                12000019
 20* 000623.00       011406.40 59                       X10 1       LC,$0, X BUFER +.32($9)     -GET SIZE OF COMM REGION                12000020
 21* 000623.40       011406.00 89  002150.00 20                     T,$0,X BUFER($9),S MCP         -MOVE COMM REGION                    12000021
 22* 000624.40       000546.00 70                                   LR,$0,X S ROOF                                                      12000022
 23* 000625.00       002162.01 70                                   SR,$0,S ROOF             -PLACE 7030 SIZE IN COMM REGION            12000023
 24* 000625.40       011406.00 89  000000.24 28                     T,$10,X BUFER($9),0.0($8)  -PLACE MCP IN STORAGE                    12000024
 25* 000626.40       000000.16 30                                   LV,7,0.0                       -INITIALIZE FIRST TIME THROUGH       12000025
 26* 000627.00       000000.00 80  000000.17 00     X10 4       LOC(SEOP),0.0,0.0              -POSITION TO ARC ZERO                12000026
 27*                                                                -DISK IO TEST                                                       12000027
 28* 000630.00       000551.00 80                       X10 5       SIC,X ERR AD                                                        12000028
 29* 000630.40       000133.03 46                                   BEKJZ,X ERROR -IF EXCHANGE ERROR                                    12000028
 30* 000631.00       000551.00 80                       X ERR 12    SIC,X ERR AD                                                        12000029
 31* 000631.40       000133.03 C6                                   BUNRJZ,X ERROR -IF DISK NOT READY                                   12000029
 32* 000632.00       000551.00 80                       X ERR 13    SIC,X ERR AD                                                        12000030
 33* 000632.40       000133.04 46                                   BCBJZ,X ERROR -IF DISK BUSY                                         12000030
```

```
LOCATION          BINARY OUTPUT                  NAME      STATEMENT                                        LOCATION

                                                           -****************************************************** 12000032
                                                           -WRITE PROSA ON DISK AND FETCH FROM MCPS TAPE            12000033
                                                           -****************************************************** 12000034
                                                           -                                                        12000035
000633.00         000041.14 30                   X11       LV,$6,X IPL BS      -GET FWA OF LAST READ(BIASED BY UR BIT) 12000036
000633.40         011406.15 0D                             V-I,$6,X BUFER       -COMPUTE NUMBER OF PROSA WORDS      12000037
                                                                                      -TO BE WRITTEN                12000038
000634.00 *       000026.14 50                             LC,$6,$6                                                 12000039
000634.40         000653.30 42                             BXCZ,X 11 3                                              12000040
000635.00         011406.15 01                             LVI,$6,X BUFER                                           12000041
000635.40         001746.15 10                             SX,$6,X PRO WR             -ASSEMBLED CW                 12000042
000636.00         000000.16 50                             LC,$7,0.0               -SET UP FOR TEST OF LOCATE       12000043
000636.40         000000.00 80  001746.13 00     X11 1     W(SEOP),0.0,X PRO WR    -WRITE PROSA                     12000044
000637.40         000551.00 80                   X ERR 14  SIC,X ERR AD                                             12000045
000640.00         000133.03 46                             BEKJZ,X ERROR -IF EKJ                                    12000045
000640.40         000551.00 80                   X ERR 15  SIC,X ERR AD                                             12000046
000641.00         000133.03 06                             BUNRJZ,X ERROR -IF UNRJ                                  12000046
000641.40         000551.00 80                   X ERR 16  SIC,X ERR AD                                             12000047
000642.00         000133.16 4A                             CBZ,$7,X ERROR -IF LOCATE NOT SUCCESSFUL                 12000047
000642.40         000636.44 46                             BCBJZ,X11 1             -IF LOCATE DONE                  12000048
000643.00         000000.16 50                             LC,$7,0.0               -DONE * SET UP FOR TEST OF WRITE 12000049
000643.40         000000.00 80  000042.21 00     X11 CCW   CCW,0.0,X IPL BS+1.0    -ATTEMPT TO GET CW               12000050
000644.40         000551.00 80                   X ER 16A  SIC,X ERR AD                                             12000051
000645.00         000133.03 46                             BEKJZ,X ERROR -IF EKJ                                    12000051
000645.40         000551.00 80                   X ER 16B  SIC,X ERR AD                                             12000052
000646.00         000133.16 4A                             CBZ,$7,X ERROR -IF WRITE NOT SUCCESSFUL                  12000052
000646.40         000643.44 46                             BCBJZ,X11 CCW           -IF WRITE DONE                   12000053
000647.00         000011.15 10                   X11 2     SX,$6,$R              -ENTER NUMBER OF ARCS JUST WRITTEN 12000054
000647.40 *       002157.11 80  011015.60 90               M+(BU,9),S DK MCP+9,18+9 -ACCUMULATE NUMBER OF ARCS      12000055
000650.40         000020.31 80  000653.34 02               BB,$0+.25,X11 3       -PROSA REFRESHED YES* OUT          12000056
000651.40         000114.40 80                             SIC,X9 A 3A                                              12000057
000652.00         000104.10 00                             B,X9 A              -TO FETCH PROSA                      12000057
000652.40         000633.10 00                             B,X11                                                    12000058
                                                           -REWIND AND UNLOAD MCPS TAPE WHEN DONE                   12000059
000653.00         000000.00 8F  000137.15 00     X11 3     CTL(SEOP),0.0($15),(8)137  -REWIND AND UNLOAD MCPS TAPE  12000060
000654.00         000066.40 80                             SIC,X7 3                                                 12000061
000654.40         000057.50 00                             B,X7 1                -IO TEST                           12000061
```

```
LINE   LOCATION          BINARY OUTPUT               NAME        STATEMENT                                LOCATION

  1*                                                             -*************************************************************   12000063
  2*                                                             -PROCESS IOCD CARDS SETTING UP CST AND UST                         12000064
  3*                                                             -*************************************************************   12000065
  4*                                                             -                                                                  12000066
  5* 000655.00        001750.03 02                   X13         LCI,$1,1000.0                 -SIZE OF WORKING AREA TO BE USED     12000067
  6* 000655.40        011406.22 00                               Z,X BUFER                -CLEAR FIRST WORD OF BUFFER               12000068
  7* 000656.00        011406.00 80  011407.02 20                 T,$1,X BUFER,X BUFER+1.0     -CLEAR 1000 WORDS                     12000069
  8* 000657.00        005466.11 01                               LVI,$4,X IN END          -END OF ASSEMBLED AND MOVE MCP IPL        12000070
  9*                                                                                      -NOTE THAT THIS REGION IS EQUAL TO OR     12000071
 10*                                                                                      -LESS THAN FOURTEEN WORDS OF THE          12000072
 11*                                                                                      -REGION CONTAINING THE IOCD CARDS         12000073
 12* 000657.40        000016.11 02                               LCI,$4,14               -SET UP TO TEST 14 WORDS FOR FIRST IOCD    12000074
 13* 000660.00        000001.54 84  000662.74 02     X13 A A     BB,1.44($4),X13 A A1     -IF ZONE BIT OF IOCD                      12000075
 14* 000661.00        000660.11 48                               CB+,$4,X13 A A           -IF SEARCH FRUITLESS                      12000076
 15* 000661.40        000551.00 80                   X ER 16C    SIC,X ERR AD                                                       12000077
 16* 000662.00        000133.10 00                               B,X ERROR    -NO IOCD DETECTED                                     12000077
 17* 000662.40        000024.32 30                   X13 A A1    LV,$13,$4                                                          12000078
 18* 000663.00 *      011406.13 01                               LVI,$5,X BUFER                                                     12000079
 19* 000663.40        000025.36 30                               LV,$15,$5                                                          12000080
 20* 000664.00        000100.37 05                               V+I,$15,64.0                  -BASE OF AREA CONTAINING UST         12000081
 21* 000664.40        000037.34 30                               LV,$14,$15                    -SAVE BASE OF UST AREA               12000082
 22* 000665.00        000077.03 02                               LCI,$1,63.0              -INITIALIZE TO PRESET 64 WORDS            12000083
 23* 000665.40        000000.31 85  001000.36 F0     X13 A       CM1111(BU,1),.25($5)   -CHANNEL NOT AVAILABLE BIT TO ON            12000084
 24* 000666.40        000000.35 85  001000.36 F0                 CM1111(BU,1),.29($5)     -NOT ASSIGNED BIT ON IN CST               12000085
 25* 000667.40        000000.00 85  000001.02 25                 T,$1,0.0($5),1.0($5)          -ALL CST ENTRIES TO NOT AVAILABLE    12000086
 26* 000670.40        000001.54 84  110000.17 70     X13 1       CT0111(V+I)(BU,8), 1.44($4) - ADVANCE TO NEX FIELD * CARD TYPE     12000087
 27*                                                                                           -TO 1.44                             12000088
 28* 000671.40        000000.62 84  160000.20 50     X13 1A      L(V+I)(BU,48),.48+.2($4)      -ENTER COLUMN CONTAINING IOCD        12000089
 29*                                                                                           -TO 2.30                             12000090
 30* 000672.40        001747.60 80  060000.23 10                 KF(BU,48),X IOCD                                                   12000091
 31* 000673.40        000756.76 C0                               BZAE,X19                      -NOT AN IOCD CARD                    12000092
 32* 000674.00        000000.14 84  107000.07 70     X13 2       CT0011(V+I)(BU,7),.12($4)     -TEST TENS POSITION OF CHANNEL       12000093
 33*                                                                                           -TO 2.42                             12000094
 34* 000675.00        000007.24 80  010427.24 30                 LCV(DU,8,4),$LZC+.3,46        -CONVERT TO OCTAL NUMBER             12000095
 35* 000676.00 *      000000.26 84  120000.07 70     X13 2 AA    CT0011(V+I)(BU,16),.22($4) -TEST UNITS POSITION * TO  2.52         12000096
 36* 000677.00        000007.24 80  004027.20 10                 +(BU,4),$LZC+.3,46            -FORM CHANNEL NUMBER                 12000097
 37* 000700.00        000011.06 30                               LV,$3,$R                      -CURRENT CHANNEL NUMBER FROM IOCD    12000098
 38* 000700.40        000023.07 90                               KC,$3,$3                                                           12000099
 39* 000701.00        000702.32 40                               BZXL,X132A                    -IF HIGEST CHANNEL YET               12000100
 40*                                                                                           -ENCOUNTERED                         12000101
 41* 000701.40        000023.06 50                               LC,$3,$3                      -SAVE NEW HIGEST CHANNEL             12000102
 42* 000702.00        000025.06 B0                   X13 2A      V+,$3,$5                      -ENTRY IN CST                        12000103
 43* 000702.40        000000.14 84  000704.74 02     X13 3       BB,.12($4),X13 4        -IS CHANNEL AVAILABLE                      12000104
 44* 000703.40        000000.31 83  001000.00 F0                 CM0000(BU,1),.25($3)          -YES * CHANNEL AVAILABLE FLAG TO     12000105
 45*                                                                                           -ON                                  12000106
 46* 000704.40        000000.30 84  114000.20 50     X13 4       L(V+I)(BU,12),.24($4)  -SECOND LETTER OF HOLLERITH EQUIPMENT       12000107
 47* 000705.40        001752.03 01                               LVI,$1,X EQP T                -BASE OF EQUIPMENT TABLE             12000108
 48* 000706.00        000012.03 02                               LCI,$1,10.0                   -SIZE OF EQUIPMENT TABLE +1          12000109
 49* 000706.40        000551.00 80                   X13 5       SIC,X ERR AD                                                       12000110
 50* 000707.00        000133.02 4A                               CBZ,$1,X ERROR   -WRONG EQUIPMENT CODE                             12000110
 51* 000707.40        000000.35 81  130000.23 10                 KF(V+I)(BU,24),.29($1)        -MATCH * ADVANCE TO NEXT SLOT        12000111
 52* 000710.40        000706.76 C0                               BZAE,X 13 5                                                        12000112
 53* 000711.00        777777.73 81  004000.20 50     X13 6       L(BU,4),-.5($1)               -ENTER EQUPMENT CODE FROM TABLE      12000113
 54* 000712.00 *      000000.64 83  004000.20 D0                 ST(BU,4),.52($3)              -INSERT IN CST ENTRY                 12000114
 55*                                                 -                                                                              12000115
 56*                                                             -*************************************************************   12000116
```

IBM

```
LINE  LOCATION       BINARY OUTPUT                 NAME     STATEMENT                                                   LOCATION

  1*                                                        -                                                           12000117
  2* 000713.00    777777.77 81  000740.74 00               BZB,-.1($1),X18          -TAPE EQUIPMENT TYPE               12000118
  3*                                                                                       -ENTRY                       12000119
  4* 000714.00    000010.37 02                   X14 1     LCI,$15,8.0                     -UST ENTRY COUNTER           12000120
  5* 000714.40    000000.37 33                             SV,$15,0.0($3)                  -INSERT UNIT STATUS TABLE ADDRESS 12000121
  6*                                                                                       -IN CST                      12000122
  7* 000715.00    000000.35 83  001000.00 F0               CM0000(BU,1),.29($3)     -TURN OFF MEANINGLESS ASSIGN BIT IN 12000123
  8*                                                                                -CST                                12000124
  9* 000716.00    000000.33 83  001000.36 F0               CM1111(BU,1),.27($3)            -YES * MULTI BIT TO ON IN CST 12000125
 10*                                             -                                                                      12000126
 11*                                             - ******************************************************************* 12000127
 12*                                                       -                                                            12000128
 13* 000717.00    000000.14 84  114000.07 70     X15       CTOC11(V+I)(BU,12),.12($4) -TEST UNIT AVAILABLE FIELD       12000129
 14* 000720.00    000731.74 C2                             BRZ,X 16 1                      -IF NULL THEN DONE WITH      12000130
 15*                                                                                       -MULTI-UNIT IOCD             12000131
 16* 000720.40    777777.66 84  000724.74 02               BB,C.0-.10($4),X152    -UNIT AVAILABLE                      12000132
 17* 000721.40    777777.64 84  000723.74 02               BB,C.0-.12($4),X151   -IF UNIT NOT AVAILABLE SET IT NOT     12000133
 18*                                                                                       -AVAILABLE BIT               12000134
 19* 000722.40    000551.00 80                   XERR 18   SIC,XERRAD                                                   12000135
 20* 000723.00    000133.10 00                             B,X ERROR     -IOCD PUNCHED INCORRECTLY                      12000135
 21* 000723.40    000000.34 8F  001000.36 F0     X15 1     CM1111(BU,1),.28($15)           -UNIT AVAILABLE BIT TO ON    12000136
 22* 000724.40    000000.35 8F  001000.36 F0     X15 2     CM1111(BU,1),.29($15)           -UNIT NOT ASSIGNED BIT TO ON 12000137
 23* 000725.40 *  000000.33 8F  001000.36 F0               CM1111(BU,1),.27($15)    -TAPE DISPOSITION BIT TO ON        12000138
 24* 000726.40    000000.47 8F  001000.36 F0               CM1111(BU,1),.39($15)           -SELECT STATUS ON            12000139
 25*                                             -                                                                      12000140
 26*                                             - ******************************************************************* 12000141
 27*                                                       -                                                            12000142
 28* 000727.40    000717.37 48                   X16       CB+,$15,X15                     -IF PROCESSED EIGHT UNITS    12000143
 29*                                                                                       -*ADVANCE UST ENTRY          12000144
 30* 000730.00    000000.73 83  001000.36 F0               CM1111(BU,1),.59($3)  -UNIT COUNT IN CST TO 8               12000145
 31* 000731.00    000737.10 00                             B,X17 1                   -TO SET UP FOR NEXT CARD           12000146
 32* 000731.40    000010.37 0A                   X16 1     KCI,$15,8.0                                                  12000147
 33* 000732.00    000736.32 C2                             BXE,X 17                        -NO UNITS AT ALL ON MULTI CHANNEL 12000148
 34* 000732.40    000010.00 80  422000.06 70               LFI(BU,18),8.0                                               12000149
 35* 000733.40    000037.34 80  022000.30 10               -(BU,18),$15+.28         -COMPUTE THE NUMBER OF UNITS       12000150
 36*                                                                                -IN UST                             12000151
 37* 000734.40    000000.73 83  004000.20 D0               ST(BU,4),.59($3)                -INSERT NUMBER OF UNITS      12000152
 38* 000735.40    000737.10 00                             B,X17 1                         -TO SET UP FOR NEXT CARD     12000153
 39*                                             -                                                                      12000154
 40*                                             - ******************************************************************* 12000155
 41*                                                       -                                                            12000156
 42* 000736.00    000000.00 83  021000.00 F0     X 17      CM0000(BU,17),0.0($3)           -CLEAR CST ADDRESS IN SCT ENTRY 12000157
 43* 000737.00    000017.33 05                   X 17 1    V+I,$13,15.0                                                 12000158
 44* 000737.40    000035.10 30                             LV,$4,$13                       -ENTER ADDRESS OF NEXT CARD  12000159
 45* 000740.00    000670.50 00                             B,X13 1                         -PROCESS NEXT CARD           12000160
```

```
LOCATION         BINARY OUTPUT                 NAME      STATEMENT                                        LOCATION

                                               -  ****************************************************** 12000162
000740.40 *      777777.43 81  030000.07 70  X18       CT0011(BU,24),-.29($1)                            12000163
000741.40        000737.34 02                          BRZ,X17 1                                         12000164
000742.00        000006.03 CA                X18 1     KCI,$1,6.0                 -LOGICAL MULTI UNIT * DISK 12000165
                                                                                  -OR CONSOL             12000166
000742.40        000753.33 40                          BZXF,X 18 4                                       12000167
000743.00        000002.37 02                          LCI,$15,2.0                                       12000168
000743.40        000000.37 33                          SV,$15,C.0($3)        -YES * ENTER UST ADDRESS IN CST 12000169
000744.00        000000.75 83  001000.36 F0            CM1111(BU,1),.61($3)  -SET UNIT COUNT TO TWO     12000170
000745.00        000000.33 83  001000.36 F0            CM1111(BU,1),.27($3)       -MULIT BIT ON IN CST   12000171
000746.00        000000.35 83  001000.00 F0            CM0C00(BU,1),.29($3)  -MEANINGLESS ASG BIT OFF   12000172
000747.00        000000.31 83  000751.34 00  X18 2     BZB,.25($3),X18 3    -IF CHANNEL AVAILABLE       12000173
000750.00        000000.34 8F  001000.36 F0            CM1111(BU,1),.28($15)      -NO * THEN UNIT NOT AVAILABLE 12000174
000751.00        000000.35 8F  001000.36 F0  X18 3     CM1111(BU,1),.29($15)      -YES * UNIT STATUS TO NOT 12000175
                                                                                  -ASSIGNED              12000176
000752.00        000747.37 48                          CB+,$15,X18 2              -IF PROCESSED TWO LOGICAL UNITS * 12000177
000752.40        000737.10 00                          B,X17 1                    -RETURN FOR NEXT CARD  12000178
000753.00        000000.31 83  000755.34 00  X18 4     BZB,.25($3),X18 5          -IF CHANNEL AVAILABLE  12000179
000754.00 *      000000.34 83  001000.36 F0            CM1111(BU,1),.28($3)   -SINGLE UNIT STATUS TO NOT AVAILABLE 12000180
                                                                                  -AVAILABLE             12000181
000755.00        000000.35 83  001000.36 F0  X18 5     CM1111(BU,1),.29($3)       -AND TO NOT ASSIGNED   12000182
000756.00        000737.10 00                          B,X17 1                    -RETURN FOR NEXT CARD  12000183
000756.40        001750.40 80  044006.23 10  X19       KF(BU,36),XIOD,12    -COMPARE AGAINST * IOD *    12000184
000757.40        000551.00 80                X ERR 19  SIC,X ERR AD                                      12000185
000760.00        000133.36 C4                          BZAEZ,X ERROR -NOT AN IOD CARD EITHER             12000185
                                                                                  -IOD*                  12000186
000760.40        002155.37 30                          SV,$15,S LR BU       -SAVE BASE OF IO ASSIGNMENT TABLES FOR 12000187
                                                                             - USE OF THE ASSIGN ROUTINE 12000188
000761.00        000037.34 50                X 191     LC,$14,$15 - ENTER CURRENT UST TESTING ADDRESS IN CF 12000189
000761.40        000762.35 D0                          SVA,$14,$+.32                                     12000190
000762.00        000000.35 08                          C-I,$14,0.0           - COMPUTE SIZE OF UST AREA  12000191
000762.40        000035.21 30                          SV,$8,$13                  -TEMPORARILLY SAVE BASE OF MCP 12000192
000763.00        000034.35 50                          SC,$14,$12                 -TEMPORARILLY SAVE SIZE OF UST 12000193
000763.40        000764.31 D0                          SVA,$12,$+.32                                     12000194
000764.00        000000.33 0D                          V-I,$13,0.0                                       12000195
000764.40        000000.00 8E  000000.34 2D            T,$14,0.0($14),0.0($13)  -MOVE UST TA UPPER STORAGE 12000196
000765.40        000033.07 50                X19 2     SC,$3,$11                                         12000197
000766.00        000025.26 B0                          V+ ,$11,$5                 -UPPER BOUND OF OLD CST 12000198
000766.40        000001.33 0D                          V-I,$13,1.0           -UPPER BOUND OF OLD CST     12000199
000767.00        000001.07 00                          C+I,$3,1.0            -ADJUST ADDRESS AND COUNT FOR TRANSFER 12000200
000767.40 *      000000.00 8B  000000.07 2D            TB,$3,C.0($11),0.0($13)    -MOVE BIASED CTS       12000201
000770.40        000023.24 10                X20       LX,$10,$3            -SIZE OF CST                 12000202
000771.00        002150.24 30                          LV,$10,SMCP                                       12000203
000771.40        001726.25 D0                          SVA,$10,X37 8           -PRESERVE ADDRESS OF COMREG 12000204
000772.00        000035.24 30                          LV,$10,$13           -UPPER LIMIT OF CST          12000205
000772.40        000000.33 8A  000776.74 00  X20 1     BZB,.27($10),X20 2     -IF MULTI                  12000206
000773.40        000000.22 3A                          LV,$9,C.0($10)             -YES                   12000207
000774.00        000774.75 D0                          SVA,$14,$+.32                                     12000208
000774.40        000000.23 0D                          V-I,$9,0.0                                        12000209
000775.00        000035.22 B0                          V+ ,$9,$13                                        12000210
000775.40        000001.23 05                          V+I,$9,1.0                                        12000211
000776.00        000000.23 3A                          SV,$9,C.0($10)             -INSERT UNBIASED UST ADDRESS 12000212
000776.40        000772.65 C8                X20 2     CB-,$10,X20 1                                     12000213
```

```
LINE   LOCATION             BINARY CUTPUT            NAME       STATEMENT                                  LOCATION

                                                                -*************************************************************   12000215
                                                                -ENTRIES IN COMMUNICATION REGION                                  12000216
                                                                -*S X CHAN*S MCP*S Y CO CH*                                       12000217
                                                                -*************************************************************   12000218
                                                                -                                                                 12000219
       000777.CC          000011.C7 50              X20A       SC,$3,$R                 -RESTORE SIZE OF CST                    12000220
       000777.40          000011.24 50                         LC,$10,$R                                                        12000221
       001000.C0          C000C1.25 05                         V+I,$1C,1.0                                                      12000222
       001000.40          002152.25 10                         SX,$10,S X CHAN          -SAVE BASE OF CST AND SIZE IN COMM REGIN 12000223
       001001.C0          000037.25 08                         C-I,$1C,32.0-1.0          -GET SIZE OF BASIC EXCHG CST          12000224
       001C01.40          002150.25 30              X20 A 1    SV,$10,S MCP             -SET BASE OF MCP IN COMM REGICN         12000225
       001002.00          00C040.25 05                         V+I,$10,32.0             -COMP LOC OF FIRST BASIC EACH CHG CHANNL 12000226
                                                               -*** SEARCH FOR CONSOLE CHANNEL IN CST ***                        12000227
       001002.40          100000.C0 80  404000.06 70           LFI(BU,4),(8)2           -ENTER CONSOLE EQUIPMENT CODE           12000228
       001003.40 *        000000.64 8A  004000.23 10 X20 A 2   KF(BU,4),.52($10)        -TEST AGAINST EQUIPMENT FIELD           12000229
       001004.40          001C06.36 C2              X20 A 3     BAE,X20A4               -IF CONSOLE PRESENT                     12000230
       001005.C0          001C03.65 48                         CB+,$10,X20 A2            -IF TESTED ALL CHANNELS                12000231
       001005.4C          001C05.44 C0              XERR 20    BD,$                      -YES *ERROR* NO CONSOLE                12000232
       001006.00          000000.31 8A  001007.74 00 X 20 A 4  BZB,+.25($10),X20A5      -IF CONSOL AVAILABLE                    12000233
       001007.00          001007.04 00              XERR21     BD,$                      -NO$ERROR * CONSOLE NOT AVAILABLE      12000234
       001007.40          000011.25 10              X20 A 5    SX,$10,$R                  -CONSOLE CST ENTRY                    12000235
       00101C.CC          002152.CC 80  023026.7C 10           -(BU,19),SXCHAN,45       -LESS BASE OF CST                       12000236
       001011.00          002156.00 80  023027.20 D0           ST(BU,19),SYCOCH,46       -CONSLOE CHANNEL NUMBER TO             12000237
                                                                                          -COMM REGION                           12000238
```

```
LINE  LOCATICN          BINARY CUTPUT                NAME      STATEMENT                                     LOCATION

  1*                                                            -***************************************************************  12000240
  2*                                                 - MCP SOURCE TAPE VERIFICATION                                                12000241
  3*                                                            -***************************************************************  12000242
  4*                                                            -                                                                  12000243
  5* 001012.CC       002156.36 30                    X DATE    LV,$15,SY CO CH          -GET CONSOLE CHANNEL                    12000244
  6* 001012.4C       C00043.CO 80  040000.2C 50                L(BU,32),X VERFY                                                 12000245
  7* 001013.40       C0C011.44 80  001015.74 00                BZB,$R+.36,X DATE 2     -IF A-8 ZERO                              12000246
  8* CC1014.40       C00011.44 80  004000.00 FO                CMOCOO(BU,4),$R+.36       -YES * CLEAR TENS DIGIT OF MONTH       12000247
  9* 001015.40       C00011.54 80  001020.74 00  X DATE 2  BZB,$R+.44,X DATE 3       -IF A-8 ZERO, EIGHT, OR NINE           12000248
 10* 001016.4C *     000011.56 80  001020.74 00                BZB,$R+.46,X DATE 3       -YES * IF A-8 ZERC                     12000249
 11* 001017.40       000011.54 80  004000.00 FO                CMOCOO(BU,4),$R+.44     -YES*CLEAR UNITS DIGIT OF MONTH          12000250
 12* OC1020.40       C00011.64 80  001022.74 04  X CATE 3  BZBZ,$R+.52,X DATE 4      -IF A-8 ZERO                           12000251
 13* 001021.40       C00011.64 80  004000.0C FO                CMOCOO(BU,4),$R+.52       -YES * CLEAR TENS DIGIT OF DAY         12000252
 14* 001022.40       000011.74 80  001025.74 00  X DATE 4  BZB,$R+.60,X DATE 5       -IF A-8 ZERO, EIGHT, OR NINE           12000253
 15* 001C23.40       000011.76 80  001025.74 00                BZB,$R+.62,X DATE 5       -YES * IF A-8 ZERO                     12000254
 16* 001024.40       C0C011.74 80  004000.00 FO                CMOCOO(BU,4),$R+.60       -CLEAR UNITS DIGIT OF DAY              12000255
 17* CO1025.40       C01047.53 80  004014.22 90  X DATE 5  M+MG(BU,4),X MONTH+.3,24  -GET TENS DIGIT                         12000256
 18* 001026.40       001047.63 80  004010.22 90                M+MG(BU,4),X MONTH+.8+.3,16 -GET UNITS DIGIT                     12000257
 19* 001027.40       001050.63 80  004004.22 90                M+MG(BU,4),X DAY+.3,8     -GET TENS DIGIT                        12000258
 20* 001030.40       C01050.73 80  004000.22 90                M+MG(BU,4),X DAY+.8+.3  -GET UNITS DIGIT                         12000259
 21* 001031.40       C0C000.CO 8F  001042.13 00                W(SEOP),0.0($15),X D CW  -IDENTIFY DATE OF SOURCE TAPE           12000260
 22* 001032.40 *     COCC66.40 80                              SIC,X7 3                                                         12000261
 23* 001C33.CO       COCC57.5C CO                              B,X7 1                 -IC TEST                                  12000261
 24* 001033.40       C01C52.10 CO                              B,XIC                     -TO IO STATUS REPORT                   12000262
 25*                                                            CNOP                                                             12000263
 26* 001034.CO *     000003.00                       X LR IN   DR(BU),(3)                    -BUFFER FOR LOWER REGISTERS FOR    12000264
 27*                                                                                          -READ                              12000265
 28* 001037.CC       COC003.CC                       X ZEROS   DR(BU),(3)                    -ZERO WORDS FOR LOWER REGISTERS    12000266
 29* 001042.CC     C01037.0C+ 1CO 000003 001043   X D CW    CW,X ZEROS,3,X D CW 1(.25)1                                     12000267
 30* 001043.CO     CC1045.0C+ COO 000005 OCCCCO   X D CW 1  CW,XDATE1,XDATEK,0         -CW USED TO STATE DATE               12000268
 31* 001044.00     CC1C34.00+ COO 000003 000000   X D CW 2  CW,X LR IN,3,0             -CW USED TO GET IPL OPTIONS          12000269
 32*                                                            CNOP                                                             12000270
 33* 001045.CO                                 375  X DATE 1  DD(BU,8),(2)1111 1101          -INITIAL CARRIAGE RETURN           12000271
 34* 001045.10                                 002            DD(BU,8),(2)00000010    -RED$                                     12000272
 35* OC1045.20                                                 (IQS*)DD(BU,64,8), DATE OF IPL TAPE *                            12000273
 36* OC1047.40                                 375            DD(BU,8),(2)1111 1101          -CARRIAGE RETURN FOR FIRST LINE    12000274
 37* 001047.50                                      X MONTH   (IQS*)DD(BU,64,8),OO MONTH *                                     12000275
 38* 001050.60                                      X DAY     (IQS*)DD(BU,64,8),CC DAY  *                                      12000276
 39* 001051.60                                 375            DD(BU,8),(2)1111 1101          -CARRIAGE RETURN FOR SECOND LINE   12000277
 40* 001051.7C                                 376            DD(BU,8),(2) 1111 1110         -END OF MSG                        12000278
 41*                                                            CNOP                          -ROUND TO FULL WORD                12000279
 42* 00C005.00+      -0CCC0000            BU,10 ,10  X DATE K  SYN,$-X DATE 1                -SIZE OF MSG                       12000280
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION
1*				-**	12000282
2*			-	OPERATOR STATUS REPORT FOR IO	12000283
3*				-**	12000284
4*				-	12000285
5*	001052.00	000000.00 8F 001044.11 00	X IO	RD(SECP),C.0($15),X C CW2 -GET IPL OPTIONS	12000286
6*	001053.00	000066.40 80		SIC,X7 3	12000287
7*	001053.40	000057.50 00		B,X7 1 -IO TEST	12000287
8*			-	****** IPL TIME CONSTANT ********	12000288
9*	001054.00	000006.07 02		LCI,$3,6.0	12000289
10*	001054.40	001034.03 01		LVI,$1,XLRIN	12000290
11*	001055.00 *	001034.00 80 000000.20 50		L(BU,64),XLRIN	12000291
12*	001056.00	000000.00 80 430024.23 10		KFI(BU,24),0,40 -NO TIME ENTERED	12000292
13*	001057.00	001211.76 C2		BAE,XVNCTM	12000293
14*	001057.40	000000.04 81 104000.20 50	XVLOOP	L(BU,4)(V+I),.4($1) -TEST FOR VALID CHARACTER.	12000294
15*	001060.40	440000.00 80 404000.23 10		KFI(BU,4),9	12000295
16*	001061.40	001225.77 42		BAH,XVTDER	12000296
17*	001062.00	001057.46 48		CB,3,XVLOOP	12000297
18*	001062.40	001034.03 01		LVI,$1,XLRIN	12000298
19*	001063.00	000000.10 81 110000.20 50		L(BU,8)(V+I),.8($1) -TEST FOR VALID COMBINATIONS.	12000299
20*	001064.00	110000.00 80 410000.23 10		KFI(BU,8),(16)24	12000300
21*	001065.00	001225.76 40		BZAL,XVTDER	12000301
22*	001065.40	000000.10 81 110000.20 50		L(BU,8)(V+I),.8($1)	12000302
23*	001066.40	300000.00 80 410000.23 10		KFI(BU,8),(16)60	12000303
24*	001067.40	001225.76 40		BZAL,XVTDER	12000304
25*	001070.00 *	000000.10 81 110000.20 50		L(BU,8)(V+I),.8($1)	12000305
26*	001071.00	300000.00 80 410000.23 10		KFI(BU,8),(16)60	12000306
27*	001072.00	001225.76 40		BZAL,XVTDER	12000307
28*	001072.40	001034.03 01	XVBACK	LVI,$1,XLRIN	12000308
29*	001073.00	000006.07 02		LCI,$3,6.0	12000309
30*	001073.40	000000.04 81 104000.20 50	XVLOP2	L(BU,4)(V+I),.4($1)	12000310
31*	001074.40	000000.00 80 404000.23 10		KFI(BU,4),0	12000311
32*	001075.40	001204.76 C2		BAE,XVZER -REPLACE WITH BCD ZERO	12000312
33*	001076.00	001073.46 48	XVCONS	CB,$3,XVLOP2	12000313
34*	001076.40	001034.03 01		LVI,$1,XLRIN	12000314
35*	001077.00	001242.02 80 430024.20 50		LI(BU,24),XVTIME,40	12000315
36*	001100.00	000011.04 30		LV,$2,$R	12000316
37*	001100.40	000000.02 82 101000.20 50		L(BU,1)(V+I),.2($2)	12000317
38*	001101.40	000000.04 81 104000.20 50		L(BU,4)(V+I),.4($1)	12000318
39*	001102.40	000000.06 82 104000.20 D0		ST(BU,4)(V+I),.6($2) - STORE IN TIME SLOT	12000319
40*	001103.40 *	000000.04 81 104000.20 50		L(BU,4)(V+I),.4($1)	12000320
41*	001104.40	000000.14 82 104000.20 D0		ST(BU,4)(V+I),.12($2)	12000321
42*	001105.40	000000.04 81 104000.20 50		L(BU,4)(V+I),.4($1)	12000322
43*	001106.40	000000.06 82 104000.20 D0		ST(BU,4)(V+I),.6($2)	12000323
44*	001107.40	000000.04 81 104000.20 50		L(BU,4)(V+I),.4($1)	12000324
45*	001110.40	000000.14 82 104000.20 D0		ST(BU,4)(V+I),.12($2)	12000325
46*	001111.40	000000.04 81 104000.20 50		L(BU,4)(V+I),.4($1)	12000326
47*	001112.40	000000.06 82 104000.20 D0		ST(BU,4)(V+I),.6($2)	12000327
48*	001113.40	000000.04 81 104000.20 50		L(BU,4)(V+I),.4($1)	12000328
49*	001114.40	000000.06 82 104000.20 D0		ST(BU,4)(V+I),.6($2)	12000329
50*			-	***** IPL DATE CONSTANT *****	12000330
51*	001115.40	000006.07 02		LCI,$3,6.0	12000331
52*	001116.00	001034.43 01		LVI,$1,XLRIN+.32	12000332
53*	001116.40	000000.04 81 104000.20 50	XVLOPS	L(BU,4)(V+I),.4($1) - TESTS FOR VALID CHARACTERS	12000333
54*	001117.40 *	440000.00 80 404000.23 10		KFI(BU,4),9	12000334
55*	001120.40	001225.77 42		BAH,XVTDER	12000335
56*	001121.00	001116.46 48		CB,$3,XVLOPS	12000336

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION 001121	
1*	001121.40		C01034.43 01			LVI,$1,XLRIN+.32		12000337
2*	001122.00		C0C000.10 81	110000.20 50		L(BU,8)(V+I),.8($1) - TESTS FOR VALID COMBINATIONS		12000338
3*	001123.00		046C00.C0 80	410000.23 10		KFI(BU,8),(16)13		12000339
4*	001124.00		001225.76 40			BZAL,XVTDER		12000340
5*	001124.40		C0C000.10 81	110000.20 50		L(BU,8)(V+I),.8($1)		12000341
6*	001125.40		144C00.C0 80	410000.23 10		KFI(BU,8),(16)32		12000342
7*	001126.40		001225.76 40			BZAL,XVTDER		12000343
8*	001127.00		001034.43 01			LVI,$1,XLRIN+.32		12000344
9*	001127.40		0CC006.07 02			LCI,$3,6.0		12000345
10*	001130.00		C00CC0.04 81	104000.20 50	XVLP	L(BU,4)(V+I),.4($1)		12000346
11*	001131.00		00CCC0.00 80	404000.23 10		KFI(BU,4),0		12000347
12*	001132.00		C01207.36 C2			BAE,XVZER1 - REPLACE WITH BCD ZERO		12000348
13*	001132.40		C01130.C6 48		XVCONT	CB,$3,XVLP		12000349
14*	001133.00 *		001034.43 01			LVI,$1,XLRIN+.32		12000350
15*	001133.40		001242.70 80	430024.20 50		LI(BU,24),XVDATE,40		12000351
16*	001134.40		00CC11.04 30			LV,$2,$R		12000352
17*	001135.00		C00C00.C2 82	101000.20 50		L(BU,1)(V+I),.2($2)		12000353
18*	001136.00		C00C00.C4 81	104000.20 50		L(BU,4)(V+I),.4($1)		12000354
19*	001137.00		00CC00.06 82	104000.20 D0		ST(BU,4)(V+I),.6($2) -STORE IN DATE SLOT		12000355
20*	001140.00		C0C000.04 81	104000.20 50		L(BU,4)(V+I),.4($1)		12000356
21*	001141.00		C0CC00.14 82	104000.20 D0		ST(BU,4)(V+I),.12($2)		12000357
22*	001142.00		C0CCC0.04 81	104000.20 50		L(BU,4)(V+I),.4($1)		12000358
23*	001143.00		C0CC00.06 82	104000.20 D0		ST(BU,4)(V+I),.6($2)		12000359
24*	001144.00		C0C000.04 81	104000.20 50		L(BU,4)(V+I),.4($1)		12000360
25*	001145.00		C0CC00.14 82	104000.20 D0		ST(BU,4)(V+I),.12($2)		12000361
26*	001146.00 *		C0CC00.04 81	104000.20 50		L(BU,4)(V+I),.4($1)		12000362
27*	001147.00		C0CC00.06 82	104000.20 D0		ST(BU,4)(V+I),.6($2)		12000363
28*	001150.00		C0C000.04 81	104000.20 50		L(BU,4)(V+I),.4($1)		12000364
29*	001151.00		C0CCC0.06 82	104000.20 D0		ST(BU,4)(V+I),.6($2)		12000365
30*	001152.00		C01034.35 80	001417.34 00	XVICRP	BZB,X LR IN+.29,X 20B - IF I/O STATUS REPORT DESIRED		12000366
31*	001153.00		C01166.10 00			B,X IO 2A - YES TO CHANGE TABLES		12000367
32*	001153.40		000000.00 8F	001410.13 00	XIO 1	W(SEOP),0.0($15),X IO CW -YES*REQUEST NEXT IO STATUS REPORT		12000368
33*						-REPORT		12000369
34*	001154.40		C00066.40 80			SIC,X7 3		12000370
35*	001155.00		C0CC57.50 00			B,X7 1 -TO IO TEST		12000370
36*	001155.40		C00000.C0 8F	000041.21 00	XIC A	CCW,0.C($15),X IPL BS -GET STATUS BITS		12000371
37*	001156.40		000551.C0 80		XIO AA	SIC,X ERR AD		12000372
38*	001157.00		000133.03 46			BEKJZ,X ERROR -IF EKJ		12000372
39*	001157.40		C0CC41.27 80	001155.74 00		BZB,X IPL BS+.23,X IO A		12000373
40*	001160.40		C0C000.C0 8F	000000.33 00		REL(SEOP),0.0($15) - CLEAR CS STATUS BIT		12000374
41*	001161.40		00CC66.40 80			SIC, X7 3		12000375
42*	001162.00 *		C00057.5C 00			B,X7 1 - IO TEST		12000375
43*	001162.40		C01163.10 00		XIC B	B,XIO 2		12000376
44*	001163.00		000000.00 8F	001044.11 00	X IO 2	RD(SEOP),0.0($15),X D CW2 -GET CHANNEL AND UNIT NOT		12000377
45*						-AVAILABLE		12000378
46*	001164.C0		C0CC66.40 80			SIC,X7 3		12000379
47*	001164.40		C0CC57.50 00			B,X7 1 -TO IO TEST		12000379
48*	001165.00		C01C34.35 80	001417.34 00		BZB,X LR IN+.29,X20B - IF DONE OUT		12000380
49*	001166.00		001035.30 80	010427.24 30	XIO 2A	LCV(DU,8),X LR IN+1.24,46 -CONVERT CHANNEL NUMBER		12000381
50*	001167.00		00CC11.34 30			LV,$14,$R -GET CHANNEL NUMBER		12000382
51*	001167.40		C02152.34 B0			V+,$14,SXCHAN -GET CST SLOT		12000383
52*	001170.C0		C0CC00.33 8E	001176.34 00		BZB,.27($14),X IC 4 -IF MULTI UNIT CHANNEL		12000384
53*	001171.C0		001035.74 80	001177.74 02		BB,X LR IN +1.60,XIO5 -YES* IF ENTIRE CHANNEL DOWN		12000385
54*	001172.00		C0CCC0.34 3E			LV,$14,C.C($14) -GET UST BASE		12000386
55*	001172.40		C01035.75 80	003000.20 50		L(BU,3),XLRIN+1.61 -ENTER UNIT NUMBER		12000387
56*	001173.40		C00036.C0 80	022000.22 90		M+MG(BU,18),$14 -COMPUTE UST ENTRY ADDRESS		12000388

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 001174	
1*	001174.40	CCCCCC.34 8E	0C1000.36 F0	X IC 3	CM1111(BU,1),.28($14)	-UNIT TO NOT AVAILABLE	12000389
2*	001175.4C *	001153.50 00			B,XIO1		12000390
3*	001176.CC	CCCCCC.34 8E	0C1000.36 F0	X IC 4	CM1111(BU,1),.28($14)	-UNIT NOT AVAILABLE	12000391
4*	001177.CC	C01153.50 00			B,XIO1		12000392
5*	001177.4C	CCCCC0.73 8E	004027.2C 50	X IC 5	L(BU,4),.59($14),46-	GET UNIT COUNT	12000393
6*	0012CC.4C	CCCC11.24 50			LC,$10,$R		12000394
7*	001201.CC	C01153.70 42			BXCZ,X IC 1-	IF NO UNITS ON CHANNEL (DEAD CHANNEL)	12000395
8*	001201.40	CCCCCC.34 3E			LV,$14,0.0($14)	-GET UST BASE	12000396
9*	001202.00	CCCCC0.34 8E	001000.36 F0	X IC 6	CM1111(BU,1),.28($14)	-UNIT TO NOT AVAILABLE	12000397
10*	001203.CC	CCCCC1.35 05			V+I,$14,1.0-		12000398
11*	001203.40	CC1202.24 48			CB,$10,X 106	-IF ALL UNITS KILLED	12000399
12*	001204.CC	C01153.5C C0			B,X IC 1- RETURN FOR MORE OPTIONS		12000400
13*	001204.4C	500000.CC 80	404027.06 70	XVZER	LFI(BU,4),(2)101C,46 - BCD ZERO		12000401
14*	001205.40	777777.74 81	004027.2C D0		ST(BU,4),-.4($1),46		12000402
15*	001206.40	C01076.10 00			B,XVCONS		12000403
16*	001207.CC	5CCCC0.CC 80	404027.06 70	XVZER1	LFI(BU,4),(2)101C,46 - BCD ZERO		12000404
17*	001210.CC	777777.74 81	004027.2C D0		ST(BU,4),-.4($1),46		12000405
18*	001211.CC *	001132.5C 00			B,XVCONT		12000406
19*	001211.40	CCCC01.34 80	032042.20 50	XV NOTM	L(BU,26),$TC,-60 - GET TIME		12000407
20*	001212.40	C01243.43 01			LVI,$1,XVSTOR		12000408
21*	001213.CC	740000.CC 80	406042.21 DC		/I(BU,6),60,-60		12000409
22*	001214.CC	CCCC15.66 80	006000.C6 70		C0011(BU,6),$RM+.54 -SECONDS IN RM IN BINARY		12000410
23*	001215.CC	CCCCC0.30 81	006000.12 F0		CM0101(BU,6),0.24($1) - SAVE BINARY SECONDS		12000411
24*	001216.CC	740000.CC 80	406042.21 DC		/I(BU,6),60,-60 -COMPUTE HOUR AND MINUTES		12000412
25*	001217.CC	000010.00 80	000010.21 B0		CV(BU),$L,16 -CONVERT HOURS TO DECIMAL		12000413
26*	001220.CC	000015.66 80	006000.22 30		LTRCV(BU,6),$RM+.54 - CONVERT MINUTES TO DECIMAL		12000414
27*	001221.00	000017.64 80	010004.06 70		C0011(BU,8),$TR+.52,8		12000415
28*	001222.00	CCCCC0.30 81	006000.22 30		LTRCV(BU,6),0.24($1) -CONVERT SECONDS		12000416
29*	001223.CC	CCCC17.64 80	010000.06 70		C0011(BU,8),$TR+.52		12000417
30*	001224.00 *	C01034.CC 80	030000.20 D0		ST(BU,24),XLRIN		12000418
31*	001225.00	001072.50 00			B,XVBACK		12000419
32*	001225.40	CCCCCC.CC 8F	001237.13 00	XVTDER	W(SEOP),0.0($15),XVTMCW -WRITE OUT ERROR MESSAGE.		12000420
33*	001226.40	000066.40 80			SIC,X73		12000421
34*	001227.CC	CCC057.50 00			B,X 71 - I/O TEST		12000421
35*	001227.40	C01672.23 80	001000.00 F0		CMOCC0(BU,1),XVSWCH.19		12000422
36*	001230.40	C01152.1C 00			B,XV IORP		12000423
37*					CNOP		12000424
38*	001231.00		375	XVMESS	DD(BU,8),(2)1111 1101 -CONTROL CODE FOR CARRAIGE RETURN		12000425
39*	001231.10		002		DD(BU,8),(2)00000010 -RED $		12000426
40*	001231.20				(IQS*)DD(BU,64,8),DATE/TIME INVALID RETRY *		12000427
41*	001234.20				(IQS*)DD(BU,64,8),VIA CCMD, CLOCK *		12000428
42*	001236.20		375		DD(BU,8),(2) 1111 1101 -CARRAIGE RETURN		12000429
43*	001236.30		376		DD(BU,8),(2) 1111 1110 -END OF MESSAGE		12000430
44*	001236.4C	000000.30 00			CNOP		12000431
45*	000006.00+	-0CCCCCCC	BU,10 ,10	XVTMST	SYN,$-XVMESS		12000432
46*	001237.00	CC1034.00+ 100	000003 001240	XVTMCW	CW,XLRIN,3,XVTCW(.25)1		12000433
47*	001240.00 *	CC1231.00+ 000	C00006 0000C0	XVTCW	CW,XVMESS,XVTMST		12000434
48*					CNOP		12000435
49*	001241.00			XVCLOK	(A*)DD(BU,,6),COMD,CLOCK,*		12000436
50*	001242.02			XVTIME	(A*)DD(BU,,6),00,00,00,*		12000437
51*	001242.70			XVDATE	(A*)DD(BU,,6),00/00/00*		12000438
52*	001243.50 *	000144.CC		XVSTOR	DRZ(BU),1CC - TEMPORARY STORAGE		12000439
53*	00141C.00	001034.00+ 100	000003 001411	XICCW	CW,XLRIN,3,XIOCW1(.25)1		12000440
54*	001411.00	CC1412.00+ 000	C00005 000000	X IC CW1	CW,X IC STA,X IO STK	-CW USED TO REQUEST IO STATUS	12000441
55*					CNOP		12000442
56*	001412.CC		375	X IO STA	DD(BU,8),(2)1111 1101	-CONTROL CODE CARRIAGE RETURN	12000443

```
LINE  LOCATION          BINARY OUTPUT                 NAME       STATEMENT                                              LOCATION   001412

  1* 001412.10                           002                     DD(BU,8),(2)0000001C     -RED$                                            12000444
  2* 001412.20                                                   (IQS*)DD(BU,64,8), MAKE YOUR IO STATUS REPORT IF ANY*                     12000445
  3* 001416.40                           375                     DD(BU,8),(2) 1111 1101        -CARRIAGE RETURN                            12000446
  4* 001416.50                           376                     DD(BU,8),(2) 1111 1110        -END OF MSG                                 12000447
  5*                                                             CNOP                                                                      12000448
  6* 000005.00+      -00000000      BU,10 ,10   X IO STK SYN,$-X IO STA                    -SIZE OF MSG                                    12000449
  7*                                                             -*************************************************************            12000450
  8*                                                             -ENTRIES IN COMMUNICATION REGION                                          12000451
  9*                                                             -*S Y PR CH*S SYRF T                                                      12000452
 10*                                                             -*************************************************************            12000453
 11*                                                             -                                                                         12000454
 12* 001417.00       002152.24 10                     X20 B      LX,$10,S X CHAN         -INITIALIZE FOR PRINTER CHANNEL SEARCH            12000455
 13* 001417.40       000040.25 05                                V+I,$10,32.0            -COMPUTE FIRST CST ENTRY FOR BASIC CHG            12000456
 14*                                                             -*** SEARCH FOR PRINTER CHANNEL IN CST ***                                12000457
 15* 001420.00       000037.25 08                                C-I,$10,31.0               -COMPUT NUMBER OF CHANNEL                      12000458
 16*                                                                                        -IN BASIC EXCHANGE                             12000459
 17* 001420.40       240000.00 80  404000.06 70                  LFI(BU,4),(8)5          -ENTER PRINTER EQUIPMENT CODE                     12000460
 18* 001421.40       000000.64 8A  004000.23 10       X20 B 1A KF(BU,4),.52($10)         -TEST AGAINST EQUIPMENT FIELD                     12000461
 19* 001422.40       001424.36 C2                                BAE,X20 B3              -IF PRINTER PRESENT                               12000462
 20* 001423.00 *     001427.25 4A                     X20 B 1    CBZ+,$10,X20 B 2        -IF NO PRINTER                                    12000463
 21* 001423.40       001421.50 00                                B,X20 B 1A                                                                12000464
 22* 001424.00       000011.25 10                     X20 B 3    SX,$10,$R                -PRINTER CST ENTRY                               12000465
 23* 001424.40       002152.00 80  023026.70 10                  -(BU,19),S X CHAN,45    -LESS BASE OF CST                                 12000466
 24* 001425.40       002156.40 80  023000.20 D0                  ST(BU,19),SY PR CH      -PRINTER CHANN NUM TO COMM RIGON                  12000467
 25* 001426.40       001430.50 00                     X20 B4     B,X22                                                                     12000468
 26* 001427.00       002156.40 80  023000.37 70       X20 B 2    CT1111(BU,19),SY PR CH -ILLEGAL CHANN NUM IN COMM REGION                  12000469
 27* 001430.00       001426.50 C0                                B,X20B4                                                                   12000470
 28*                                                  - *************************************************************                      12000471
 29*                                                             -**** TO UNCODE ****                                                      12000472
 30*                                                  - *************************************************************                      12000473
 31*                                                  -                                                                                    12000474
 32* 001430.40       000002.36 84  510000.07 70       X22        CTOC11(V-I)(BU,8),+2.30($4) -COMPUTE BASE OF AREA                         12000475
 33* 001431.40       002201.25 80  001000.36 F0                  CM1111(BU,1),YIPL1+.21                                                    12000476
 34* 001432.40       000024.16 30                                LV,$7,$4                   -CONTAINING IOD AND REEL CARDS                 12000477
 35* 001433.00       001435.35 C1                     X22 1      LVI,$14,X22 2 A                  -ENTER RETURNED PARAMETER SLOT           12000478
 36* 001433.40       002166.10 C0                     X22 2      B,YUNCOD                         -TO UNCODE ROUTINE                       12000479
 37*                                                             CNOP                                                                      12000480
 38* 001434.00                                        X22 2AA    (AQ)DD(BU,42,6),MCP IPLQ -PROGRAM NAME                                    12000481
 39* 001435.00     000000.00+ 000 000000 000000       X22 2 A    XW,0                             -FOR TOE, FIELD COUNT, IO REF            12000482
 40*                                                                                              -NUMBER                                  12000483
 41* 001436.00     000004.00+                                    VF,4.0                           -EXPECT IOD AND REEL CARDS               12000484
 42* 001436.40 *     000000.00 87                                ,0.0($7)                   -GET CARD AT                                   12000485
 43* 001437.00       000002.00 87                                ,2.0($7)                   -PUT TABLE AT                                  12000486
 44* 001437.40       001440.50 00                                B,X22 3                          -NOT IOD OR REEL CARD                    12000487
 45* 001440.00       001441.50 00                                B,X22 4                          -NORMAL                                  12000488
 46* 001440.40       000551.00 80                     X22 3      SIC,XERRAD                                                                12000489
 47* 001441.00       000133.10 C0                                B,X ERROR     -ERROR IN UNCODE                                            12000489
 48* 001441.40       777777.00 8E  000000.04 A7       X22 4      TI,2,-1.0($14),0.0($7)     -SAVE RETURNED PARAMETER IN                    12000490
 49*                                                                                        -TABLE                                         12000491
 50* 001442.40       000017.17 05                                V+I,$7,15.0                                                               12000492
 51* 001443.00       000002.04 87  001433.74 02                  BB,2.04($7),X22 2        -IF PROCESSED LAST CARD                          12000493
 52*                                                                                      -TEST 12 ZONE OF THIRD LETTER                    12000494
 53*                                                                                      -IN IOD,REEL OR MCPP TYPE FIELD                  12000495
```

```
LOCATION    BINARY OUTPUT                      NAME     STATEMENT                              LOCATION

                                               -        ****************************************************   12000497
                                                              -**** TO DECODE ****                             12000498
                                               -        ****************************************************   12000499
                                               -                                                                12000500
001444.00    000024.34 30                      X23      LV,$14,$4            -GET BASE OF AREA CONTAINING IOD   12000501
                                                                       -AND REEL CARDS BROKEN OUT               12000502
001444.40    001447.77 01                      X23 1    LVI,$15,X23 3        -ENTER DECODE LINKAGE PARAMETER    12000503
                                                                             -LOCATION                          12000504
001445.00    002201.25 80  001000.36 F0                 CM1111(BU,1),Y IPL 1+.21 -MAKE BE IN UNCODE INTO BD     12000505
001446.00    000001.35 05                      X23 2    V+I,$14,1.0      -ADVANCE POINTER TO SECOND WORD IN     12000506
                                                                       -TABLE                                   12000507
001446.40    001447.75 00                               SVA,$14,X23 3                                           12000508
001447.00    002737.10 00                      X23 2A   B,LDECOD         -TO DECODE ROUTINE                     12000509
001447.40  000000.00+                          X23 3    VF,0.0                -LOCATION OF TABLE TO BE          12000510
                                                                       -PROCESSED (ALPHA)                       12000511
001450.00  000001                                       CF,1.0                -NON ZERO FOR BYPASS MODE         12000512
001450.40  000000.00+                                   VF,0.0                -ERROR DISPOSITION                12000513
001451.00    001452.10 00                               B,X23 4               -ERROR RETURN                     12000514
001451.40    001453.10 00                      X23 N    B,X23 5          -NORMAL                                12000515
001452.00 *  000551.00 80                      X23 4    SIC,X ERR AD                                            12000516
001452.40    000133.10 00                               B,X ERROR   -IO REQUIREMENTS REJECTED                   12000516
001453.00    000016.35 05                      X23 5    V+I,$14,14.      -ADVANCE TO NEXT TABLE                 12000517
001453.40    000027.34 90                               KV,$14,$7        -TEST NEXT TABLE ADDRESS FOR           12000518
                                                                       -ADDRESS OF MCPP CARD                    12000519
001454.00    001446.32 42                               BXL,X23 2             -IF PROCESSED LAST TABLE          12000520
001454.40    001434.00 80  001461.02 A0        X23 6    TI,1,X22 2AA,X LAST-1.0 -ENTER NAME AT ALPHA-1.0        12000521
001455.40    000037.00 80                               SIC,$15                                                 12000522
001456.00    002737.10 00                               B,L DECOD                                               12000522
001456.40  001462.00+                                   VF,X LAST       -LOCATION OF ALPHA                      12000523
001457.00  000001                                       CF,1            -BYPASS MODE                            12000524
001457.40  000000.00+                                   VF,0            -ERROR DISPOSITION                      12000525
001460.00    001452.10 00                               B,X23 4         -ERROR RETURN                           12000526
001460.40    001464.10 00                               B,X24           -NORMAL RETURN                          12000527
001461.00  000000.00+ 000 000000 000000                 XW,0            -TABLE SLOTS FOR LAST TIME THROUGH      12000528
001462.00  000000.00+ 000 000000 000000        X LAST   XW,0                                                    12000529
001463.00  000000.00+ 000 000000 000000                 XW,0                                                    12000530
```

```
LINE  LOCATION            BINARY CUTPUT                    NAME        STATEMENT                                               LOCATION

  1*                                                       - ****************************************************************** 12000532
  2*                                                                   -**** TO ASSIGN ****                                    12000533
  3*                                                       - ****************************************************************** 12000534
  4*                                                       -                                                                   12000535
  5* 001464.00         001467.37 C1                        X24         LVI,$15,X24 2                 -ENTER PARAMETER LOCATION    12000536
  6* 001464.40         004474.25 80  001000.36 FO                      CM1111(BU,1),T IPLB1+.21 -CONVERT BE IN ASSIGN TO BD      12000537
  7* 001465.40 *       004540.65 80  001000.36 FO                      CM1111(BU,1),T IPLB2+.21 -CONVERT BE IN ASSIGN TO BD      12000538
  8* 001466.40         C03701.10 CO                        X24 1       B,TASIGN                                                  12000539
  9* 001467.00       CC000C.01- 1C0 000000 000000          X24 2       XW,-1,0,C,4                                               12000540
 10*                                                                                          -MODE                             12000541
 11* 00147C.00         001467.00 10                                    LX,$0,X24 2            -INITIALIZE $IND                  12000542
 12* 00147C.40         CCC551.00 80                        X ERR 24    SIC,X ERR AD                                              12000543
 13* 001471.00         000133.30 40                                    BZXCZ,X ERROR -IF ASSIGNMENT ERRCR                        12000543
 14* 001471.40         001500.10 00                                    B,X25                                                     12000544
 15*                                                       -                                                                   12000545
 16*                                                                   -****************************************************** 12000546
 17*                                                                   -ENTER TAPE MOUNTING MESSAGE IN MESSAGE BLOCK             12000547
 18*                                                                   -****************************************************** 12000548
 19*                                                                   -                                                         12000549
 20* 001472.00         C04455.01 80  004570.74 00          X24 A       BZB,TSBHDI,TPENY         -IF PASSED OVER FIRST TWO WRITE REQUESTS 12000550
 21* 001473.00         C04432.00 80  002000.20 A0          X24 A 2     TI,8,TBUFB1,X MSG BK      -SAVE CURRENT MOUNTING MESSAGE  12000551
 22* 001474.00         001473.71 B0                                    LVE,$12,X24A2+.32        -GET CURRENT MESSAGE LOCATION    12000552
 23* 001474.40         C01773.00 80  000000.02 AC          X24 A 3      TI,1,X MSG,0.0($12)      -REPLACE MSG PREFIX             12000553
 24* 001475.40         C01774.00 80  000011.02 AC                      TI,1,X MSG CR,9.0($12) -INSERT CARRIAGE RETURN            12000554
 25* 001476.40         C00012.31 C5                                    V+I,$12,10.0                                              12000555
 26* 001477.00         001473.71 D0                                    SVA,$12,X24A2+.32        -NEXT AVAILABLE MESSAGE SLOT     12000556
 27* 001477.40         C04575.50 00                                    B,TP3                                                     12000557
 28*                                                       - ****************************************************************** 12000558
 29*                                                                   -**** TO MOVE ****                                        12000559
 30*                                                       - ****************************************************************** 12000560
 31*                                                       -                                                                   12000561
 32* 00150C.00         C00024.34 30                        X25         LV,$14,$4                        -GET THE BASE OF AREA CONTAINING 12000562
 33*                                                                                                    -ICD                     12000563
 34*                                                                                                    -TABLES                  12000564
 35* 001500.40         000001.35 C5                                    V+I,$14,1.0            -ADVANCE TO ALPHA +1.0            12000565
 36* 001501.00 *       001503.37 C1                        X25 1       LVI,$15,X25 3                    -ENTER MOVE LINKAGE PARAMETER    12000566
 37* 001501.40         001503.35 D0                                    SVA,$14,X25 3                    -INITIAL ENTRY WITH NEGATIVE VF  12000567
 38*                                                                                                    -IN X25 3                12000568
 39* 001502.00         C05014.10 00                        X25 2       B,TMOVE                                                   12000569
 40* 001503.00       C0000C1.00- 110 000000 000000         X25 3       XW,-1.0,0,0,6                    -ICD TABLE LOCATION/EXIT DISP/   12000570
 41*                                                                                                    -ENTRY DISP/BYPASS/MCP   12000571
 42* 001504.00         001503.00 10                                    LX,$0,X25 3            -SET UP TO TEST ERRCR             12000572
 43* 001504.40         000551.00 80                        X ERR 25    SIC,X ERR AD                                              12000573
 44* 001505.00         000133.30 40                                    BZXCZ,X ERROR -IF MOVE ERROR                              12000573
 45* 001505.40         000017.35 C5                                    V+I,$14,15.0                     -ADVANCE TO NEXT TABLE           12000574
 46* 001506.00         00C027.34 90                                    KV,$14,$7              -TEST CURRENT TABLE ADDRESS       12000575
 47* 001506.40         C01503.35 30                                    SV,$14,X25 3                                              12000576
 48* 001507.00         001502.32 42                                    BXL,X25 2                        -IF PROCESSED LAST TABLE         12000577
```

```
LINE  LOCATION           BINARY OUTPUT                    NAME      STATEMENT                                                        LOCATION

  1*                                                                -************************************************************   12000579
  2*                                                                -COMPUTE BASE OF MCP AND MCP IO LOCATION TABLE AND RELOCATION    12000580
  3*                                                                -************************************************************   12000581
  4*                                                                -                                                                12000582
  5* 001507.40        002162.40 80  022027.20 50   X26 1     L(BU,18),SMARK,46        -UPPER BOUND OF TABLES PREP BY IO ASSIGN   12000583
  6* 001510.40        002155.00 80  022027.30 10             -(BU,18),S LR BU,46      -LESS LOWER BOUND                          12000584
  7* 001511.40        000011.26 50                           LC,$11,$R                -SIZE OF TABLE                             12000585
  8* 001512.00        002152.00 80  022027.20 50   X26 2     L(BU,18),S X CHAN,46     -BASE OF CST                               12000586
  9* 001513.00        000033.34 80  022027.30 10             -(BU,18),$11+.28,46        -LESS SIZE OF ASSIGNMENT TABLES          12000587
 10* 001514.00        000011.30 30                 X26 3     LV,$12,$R                -BASE OF MCP                               12000588
 11* 001514.40 *      002150.31 30                 X26 4     SV,$12,SMCP              -SAVE BASE OF MCP IN COM REGION            12000589
 12* 001515.00        002153.31 30                 X26 5     SV,$12,SBAMCP            -SAVE BASE OF MCP IO LOCATION TABLE        12000590
 13* 001515.40        002155.00 80  022027.30 10             -(BU,18),S LR BU,46      -BIAS FACTOR FOR RELOCATION                12000591
 14*                                               -                                                                             12000592
 15*                                                         -************************************************************       12000593
 16*                                                         -TEST FOR CORRECT SIZE OF PROSA                                     12000594
 17*                                                         -************************************************************       12000595
 18* 001516.40        002157.00 30                           LV,$0,S DK MCP            -GET COUNT OF PROSA ARCS                  12000596
 19* 001517.00        000621.40 90                           KV,$0,X UPDAT             -TEST AGAINIST COUNT OF                   12000597
 20*                                                                                     -PROSA RECORDS ON TAPE                  12000598
 21* 001517.40        000551.00 80                 XERR 26   SIC,X ERR AD                                                        12000599
 22* 001520.00        000133.32 C0                           BZXE,X ERROR-IF PROSA ARC COUNT EQUALS                              12000599
 23*                                                                                   -ARCS ASSIGNED                            12000600
 24* 001520.40        000007.01 05                           V+I,$0,(8)7.0             -ROUND TO NUMBER OF TRACKS                12000601
 25* 001521.00        000020.17 80  003000.00 F0             CMOC00(BU,3),$0+.15                                                 12000602
 26* 001522.00        002157.01 30                           SV,$0,S DK MCP            -SAVE TRACK ADDRESS                       12000603
 27* 001522.40        002157.41 30                           SV,$0,S SYRFT             -SAVE TRACK ADDRESS                       12000604
 28*                                               -                                                                             12000605
 29*                                                         -************************************************************       12000606
 30*                                                         -COMPUTE SIZE OF MCP IO LOCATION TABLE                              12000607
 31*                                                         -************************************************************       12000608
 32*                                                         -                                                                   12000609
 33* 001523.00        000034.00 80  022000.06 70   X28       LF(BU,18),$12              -ENTER BASE OF MCP                       12000610
 34* 001524.00        002155.70 50                           LC,$12,S MAX RN          -GET SIZED IO LOCATION TABLE               12000611
 35* 001524.40        002155.30 30                           LV,$12,S LR BU             -GET LOCATION OF IO LOCATION TABLE       12000612
 36* 001525.00        000001.31 C0                           C+I,$12,1.0                -ADD ONE TO MAXIMUM REFERENCE            12000613
 37*                                                                                    -NUMBER TO GET TABLE SIZE                12000614
 38*                                               -                                                                             12000615
 39*                                                         -************************************************************       12000616
 40*                                                         -BEGIN RELOCATION                                                   12000617
 41*                                                         -*FILE AREA ACTUATED ENTRY                                          12000618
 42*                                                         -************************************************************       12000619
 43* 001525.40        001551.71 4A                 X29       CBZ+,$12,X31 2               -GET THE CURRENT FAT ADDRESS FROM      12000620
 44*                                                                                      -IO LOCATION TABLE                     12000621
 45* 001526.00        000000.26 3C                           LV,$11,0.0($12)            -GET UAT ADDRESS                         12000622
 46* 001526.40        001525.71 42                           BXVZ,X29                   - IF ZERO TABLE ELEMENT                  12000623
 47* 001527.00        000003.00 8B  022000.23 10   X29 2     KF(BU,18),3.0($11)                                                  12000624
 48* 001530.00 *      001547.36 42                           BAL,X 31                                                            12000625
 49* 001530.40        000003.00 8B  022027.22 90             M+MG(BU,18),3.0($11),46 -BIAS FAT LAST ACTIVATED ENTRY              12000626
 50* 001531.40        000010.22 1B                 X29 5     LX,$9,8.0($11)           -GET UAT REEL ENTRIES                      12000627
 51* 001532.00        001537.71 42                           BXVZ,X304                    -IF TAPE * NO TO BIAS UAT              12000628
 52*                                                                                      -ADDRESS IN CST OR UST                 12000629
 53*                                                                                -YES*                                        12000630
```

IBM

```
  LINE   LOCATION          BINARY OUTPUT            NAME        STATEMENT                                              LOCATION

    1*                                                          -*****************************************************************  12000632
    2*                                                          -RELOCATION                                                         12000633
    3*                                                          -FIRST NEXT AND CURRENT REEL ADDRESSES                              12000634
    4*                                                          -*****************************************************************  12000635
    5*                                                          -                                                                   12000636
    6* 001532.40      000000.24 39               X30        LV,$10,0.0($9)          -GET NEXT REEL ADDR ENTRY                   12000637
    7* 001533.00      001535.71 42               X30 1      BXVZ,X30 3                 -IF NEXT REEL ADDRESS ZERO               12000638
    8* 001533.40      000000.00 89  022000.22 90 X30 2      M+MG(BU,18),0.0($9)     -BIAS NEXT REEL ADDRESS ENTRY               12000639
    9* 001534.40      000000.22 3A                          LV,$9,0.0($10)             -SET UP FOR NEXT BIASING                 12000640
   10* 001535.00      001532.50 00                          B,X30                   -MORE BIASING TO BE DONE                    12000641
   11* 001535.40      000010.00 8B  022027.22 90 X30 3      M+MG(BU,18),8.0($11),46 -BIAS FIRST REEL ADDR ENTRY                 12000642
   12* 001536.40      000010.40 8B  022027.22 90            M+MG(BU,18),8.32($11),46  -BIAS CURRENT REEL ADD ENTRY              12000643
   13*                                           -                                                                              12000644
   14*                                                          -*****************************************************************  12000645
   15*                                                          -RELOCATION AND TRANSFER OF TABLES                                  12000646
   16*                                                          -FILE AND UNIT AREA TABLE ADDRESS                                   12000647
   17*                                                          -*****************************************************************  12000648
   18*                                                          -                                                                   12000649
   19*                                                          -BIAS UAT ADDRESS IN CST OR UST                                     12000650
   20*                                                          -                                                                   12000651
   21* 001537.40      000033.32 30               X30 4      LV,$13,$11                          -GET COPY OF UAT ADDRESS        12000652
   22* 001540.00      000000.34 3D                          LV,$14,0.0($13)                     -GET CHANNEL                    12000653
   23* 001540.40      000036.34 B0                          V+,$14,$14                      -DOUBLE IT                          12000654
   24* 001541.00      002152.34 B0                          V+,$14,SXCHAN                       -GET CST ENTRY                  12000655
   25* 001541.40      000000.33 8E  001544.34 02 X30 5      BB,.27($14),X30 6                   -IF MULTI UNIT CHANNEL          12000656
   26* 001542.40      000000.00 8E  022027.22 90 X30 5 A    M+MG(BU,18),0.0($14),46   -FORM BIASED UAT ADDRESS              12000657
   27* 001543.40 *    001547.10 00                          B,X31                               -GO TO BIAS IO LOC TABLE        12000658
   28* 001544.00      000000.34 3E               X30 6      LV,$14,0.0($14)                     -GET BASE OF UST                12000659
   29* 001544.40      000000.74 BD                          V+,$14,.32($13)                     -GET UST ENTRY                  12000660
   30* 001545.00      000000.00 8E  022000.23 10            KF(BU,18),0.0($14)                                                  12000661
   31* 001546.00      001547.36 42                          BAL,X31                   -IF NO BIASING                            12000662
   32* 001546.40      001542.50 00                          B,X30 5 A                           -GO TO BIAS UAT                 12000663
   33* 001547.00      000000.00 8C  022027.22 90 X31        M+MG(BU,18),0.0($12),46 -BIAS UAT                                   12000664
   34* 001550.00      000000.40 8C  022027.22 90            M+MG(BU,18),.32($12),46 -BIAS FAT                                   12000665
   35* 001551.00      001525.50 00               X31 1      B,X29                   -PROCESS NEXT IO LOCATION TBL ENTRY         12000666
   36* 001551.40      002150.34 30               X31 2      LV,$14,S MCP                -GET BASE OF MCP                        12000667
   37* 001552.00      002155.32 30                          LV,$13,S LR BU              -GET BASE OF DEBIASED TABLES            12000668
   38* 001552.40      000000.00 8D  000000.26 2E            T,$11,0.0($13),0.0($14)  -MOVE THE RELOCATED TABLES TO MCP AREA     12000669
```

```
LINE  LOCATION          BINARY OUTPUT                NAME     STATEMENT                                             LOCATION

  1*                                                          -**********************************************************  12000671
  2*                                                          -MCP IPL REJECT REPORT                                       12000672
  3*                                                          -**********************************************************  12000673
  4*                                                          -                                                            12000674
  5* 001553.40      002156.36 30                       X REJ 1  LV,$15,SYCOCH          -GET CONSOLE CHANNEL NUMBER           12000675
  6* 001554.00      001034.36 80  001564.34 00                BZB,X LR IN+.30,X MODE 1 - IF JOBS ARE TO BE REJECTED        12000676
  7* 001555.00      001035.44 80  004000.31 70                CT1100(BU,4),X LR IN+1.36                                    12000677
  8* 001556.00      001557.74 C0                              BZRZ,XREJ2                                                   12000678
  9* 001556.40 *    001035.44 80  004000.00 F0                CMOC00(BU,4),X LR IN+1.36                                    12000679
 10* 001557.40      001035.50 80  004000.31 70       XREJ2    CT1100(BU,4),X LR IN+1.40                                    12000680
 11* 001560.40      001562.34 C0                              BZRZ,XREJ3                                                   12000681
 12* 001561.00      001035.50 80  004000.00 F0                CMOC00(BU,4),X LR IN+1.40                                    12000682
 13* 001562.00      001035.44 80  010400.24 30       XREJ3    LCV(DU,8,4),X LR IN+1.36    -CONVERT NUMBER OF JOBS REJECTED 12000683
 14* 001563.00      002161.40 80  022000.20 D0                ST(BU,18),SREJ JB     -SAVE COUNT                            12000684
 15*                                                          -**********************************************************  12000685
 16*                                                          -MCP MODE REPORT                                             12000686
 17*                                                          -**********************************************************  12000687
 18*                                                          -                                                            12000688
 19* 001564.00      001034.37 80  001601.34 00       X MODE1  BZB,X LR IN+.31,X 32 - IF NON-INSTALLATION MCP MODE          12000689
 20* 001565.00      001035.62 80  002000.06 70                LF(BU,2),X LRIN+1.50                                         12000690
 21* 001566.00      400000.00 80  402000.23 10                KFI(BU,2),(2)10                                              12000691
 22* 001567.00      001601.37 42                              BAH,X32                                                      12000692
 23* 001567.40      002151.10 80  002000.20 D0                ST(BU,2),S COM RG+.8    - ENTER MODE IN COM REG              12000693
 24* 001570.40      002151.11 80  001661.74 02       X MODE 3 BB,S COM RG+.9,X36       -IF OFFLINE MODE                      12000694
 25* 001571.40      002151.10 80  001617.34 02                BB,S COM RG+.8,X33AA     -NO*IF BYPASS                         12000695
 26* 001572.40 *    001647.50 00                              B,X35                    -OVERLAPPED MODE ON LINE              12000696
 27* 001573.00    001037.00+ 100 000003 001574       X MO CW  CW,X ZEROS,3,X MO CW1(.25)1                                  12000697
 28* 001574.00    001575.00+ 000 000004 000000       X MO CW1 CW,X MODE,X MODE K            -CW USED TO REQUEST OPERATING  12000698
 29*                                                                                        -MODE                          12000699
 30*                                                          CNOP                                                         12000700
 31* 001575.00                                  375  X MODE   DD(BU,8),(2)1111 1101     -CONTROL CODE CARRIAGE RETURN      12000701
 32* 001575.10                                                (IQS*)CC(BU,64,8), SPECIFY MCP OPERATING MODE *              12000702
 33* 001600.50                                  375           DD(BU,8),(2) 1111 1101        -CARRIAGE RETURN               12000703
 34* 001600.60                                  376           DD(BU,8),(2) 1111 1110        -END OF MSG                    12000704
 35*                                                          CNOP                                                         12000705
 36* 000004.00+     -00000000           BU,10 ,10    X MODE K SYN,$-X MODE                   -SIZE OF MSG                   12000706
```

```
LINE  LOCATION          BINARY OUTPUT                  NAME      STATEMENT                                                      LOCATION

  1*                                                             -************************************************************  12000708
  2*                                                   -  FROM MCPP CARD DETERMINE INSTALLATION MCP CPERATING MODE               12000709
  3*                                                             -************************************************************  12000710
  4*                                                             -                                                               12000711
  5* 001601.CC         000C27.10 30                     X32       LV,$4,$7                                                        12000712
  6* 001601.40         000C01.54 84  110000.01 70                 CTOC00(V+I)(BU,8),+1.44($4) -ADVANCE TO CARD TYPE FIELD         12000713
  7* 001602.40         000000.60 84  160000.20 50                 L(V+I)(BU,48),.48($4)    -ENTER CARD TYPE FIELD                 12000714
  8* 001603.40         001747.00 80  060000.23 10                 KF(BU,48),X MCPP                                                12000715
  9* 001604.40         000551.00 80                     X32 2     SIC,X ERR AD                                                    12000716
 10* 001605.CC         000133.36 C0                               BZAE,X ERROR  - IF MCPP CARD                                    12000716
 11* 001605.40 *       C00000.00 84  030000.20 50       X32 3     L(BU,24),0.0($4)           -GET MCP INSTALATION MODE FIELD      12000717
 12* 001606.40         002144.00 80  030000.23 10                 KF(BU,24),X ONOV                                                12000718
 13* 001607.40         001647.76 C2                               BAE,X35                  -IF ON LINE OVERLAPPED                 12000719
 14* 001610.00         002145.00 80  030000.23 10                 KF(BU,24),X OFOV                                                12000720
 15* 001611.00         001614.36 C2                                BAE,X 32 3 B           -IF OFF LINE OVERLAPPED                 12000721
 16* 001611.40         002146.00 80  030000.23 10                 KF(BU,24),X BYPS                                                12000722
 17* 001612.40         001615.36 C2                               BAE,X32 3C                 - IF BYPASS                          12000723
 18* 001613.00         000551.00 80                     X32 3 A   SIC,X ERR AD                                                    12000724
 19* 001613.40         000133.10 00                               B,X ERRCR -INCORRECT MODE ENTRY                                 12000724
 20*                                                              -MODE CODES FOR S COM RG                                        12000725
 21*                                                              -  OVERLAPPED ON LINE 0C                                        12000726
 22*                                                              -  OVERLAPPED OFF LINE 01                                       12000727
 23*                                                              -  BYPASS OFF LINE 10                                           12000728
 24* 001614.00         002151.11 80  001661.74 0C       X32 3B    BZB1,S COM RG+.9,X36     -MODE CODE TO 01                       12000729
 25* 001615.00         002151.10 80  001000.36 F0       X32 3C    CM1111(BU,1),S COM RG+.8 -MODE CODE TO 10                       12000730
 26*                                                    -                                                                         12000731
 27*                                                              -************************************************************  12000732
 28*                                                              -IF BYPASS MODE DELETE SPOOL INPUT TAPE MESSAGES                12000733
 29*                                                              -AND UNASSIGN THE UNITS                                         12000734
 30*                                                              -************************************************************  12000735
 31*                                                              -                                                               12000736
 32* 001616.00         002151.10 80  001660.34 00       X33       BZB,S COM RG+.8,X35A     -IF BYPASS                             12000737
 33* 001617.00         000002.01 02                     X33 A A   LCI,$0,2                 -YES*SET UP TO DELETE 2 MSG            12000738
 34* 001617.40         002153.74 30                     X 33 1    LV,$14,S R TAPE          -BYPASS GET SPOOL REAL TYPE IOD NUMBER 12000739
 35* 001620.00         002153.34 B0                     X33 1 A   V+,$14,S BA MCP           -SPOOL TAPE ENTRY IN IO LOC TABLE     12000740
 36* 001620.40         000000.30 1E                     X33 2     LX,$12,C.0($14)         -GET UAT ADD FOR DELET OF MOUNT MSG     12000741
 37* 001621.00         000000.34 1E                               LX,$14,0.0($14)           -GET UAT ADDRESS IN DUPLICATE         12000742
 38* 001621.40 *       000000.32 1E                               LX,$13,0.0($14)         -GET CHANNEL NUMBER                     12000743
 39* 001622.00         000035.32 B0                               V+,$13,$13               -DOUBLE CHANNEL =                      12000744
 40* 001622.40         000000.74 3E                               LV,$14,.32($14)         -GET UNIT NUMBER                        12000745
 41* 001623.00         002152.32 B0                               V+,$13,S X CHAN         -CST ENTRY                              12000746
 42* 001623.40         000000.32 3D                     X33 4     LV,$13,C.0($13)         -GET UST ENTRY                          12000747
 43* 001624.00         000036.32 B0                               V+,$13,$14              -UST ENTRY                              12000748
 44* 001624.40         000000.35 8D  001000.36 F0       X33 5     CM1111(BU,1),.29($13)      -ASSIGNED BIT OFF                    12000749
 45* 001625.40         000000.40 8D  001000.00 F0                 CM0000(BU,1),.32($13)   -OWNERSHIP BIT OFF                      12000750
 46* 001626.40         000000.63 8D  001000.00 F0                 CM0000(BU,1),.51($13)   -MOUNT BIT OFF                          12000751
 47* 001627.40         000000.65 8D  001000.00 F0                 CM0000(BU,1),.53($13)    -SI MMT OFF                            12000752
 48* 001630.40         000000.32 8D  001000.00 F0                 CM0000(BU,1),.26($13)    -STATI OFF                             12000753
 49* 001631.40         000000.33 8D  001000.36 F0                 CM1111(BU,1),.27($13)     -DISP TO 1                            12000754
```

IBM

```
LINE  LOCATION        BINARY OUTPUT                  NAME       STATEMENT                                                LOCATION

  1*                                                            -*****************************************************  12000756
  2*                                                            -MESSAGE DELETION PROCESS CONTINUED                      12000757
  3*                                                            -*****************************************************  12000758
  4* 001632.40       000000.32 1C                   X34         LX,$13,0.0($12)        -GET CHANNEL =                  12000759
  5* 001633.00       000035.32 80                               V+,$13,$13             -DOUBLE IT                      12000760
  6* 001633.40       000035.00 80  022000.20 30                 LCV(BU,18),$13         -CONVERT CHANNEL TO DECIMAL     12000761
  7* 001634.40       002000.31 01                               LVI,$12,X MSG BK       -INITIALIZE FOR MESSAGE BLOCK   12000762
  8* 001635.00 *     000006.33 8C  004000.23 10     X34 1       KF(BU,4),6.27($12)                                     12000763
  9*                                                            -BIT POSITIONS 4,5,6,AND 7 OF LOW ORDER 8 BIT CHANNEL DIGIT TES  12000764
 10* 001636.00       001644.36 C0                               BZAE,X34 2             -IF TESTS SHOULD CONTINUE       12000765
 11* 001636.40       000006.23 8C  004002.23 10                 KF(BU,4),6.19($12),4    -YES                           12000766
 12*                                                            -BIT POSITIONS 4,5,6,AND 7 OF 8 BIT TENS DIGIT CHANNEL CODE TES  12000767
 13* 001637.40       001644.36 C0                               BZAE,X34 2             -IF TEST SHOULD CONTINUE        12000768
 14* 001640.00       000011.35 30                               SV,$14,$R              -GET UNIT NUMBER                12000769
 15* 001640.40       000007.23 8C  004027.23 10                 KF(BU,4),7.19($12),46                                  12000770
 16*                                                            -BIT POSITIONS 4,5,6 AND 7 OF 8 BIT UNIT NUMBER CODE     12000771
 17* 001641.40       001644.36 C0                               BZAE,X34 2                -IF CHANNEL FOR WHICH SEARCHED  12000772
 18* 001642.00       000000.22 0C                               Z,0.0($12)               -CLEAR FIRST WORD OF MESSAGE AS MARKER  12000773
 19*                                                                                     -FOR LATER SKIPPING OF MSG    12000774
 20* 001642.40       001647.40 4A                               CBZ,$0,X35             -IF FOUND TWO MESSAGE           12000775
 21* 001643.00       002154.34 10                               LX,$14,S W TAPE        -NO* GET F                      12000776
 22* 001643.40       001620.10 C0                   X34 1 A     B,X33 1A               -FIND SECOND MESSAGE            12000777
 23* 001644.00       000012.31 05                   X34 2       V+I,$12,10.0           -ADVANCE TO NEXT MESSAGE        12000778
 24* 001644.40       001473.40 80  022027.06 70                 LF(BU,18),X24 A2+.32,46  -GET NEXT ADDRESS AVAILABLE   12000779
 25*                                                                                     -IN MSG BUFFER                12000780
 26* 001645.40       000011.30 90                               KV,$12,$R                                              12000781
 27* 001646.00       001635.32 42                               BXL,X34 1                -IF EXHAUSTED ALL MSG         12000782
 28* 001646.40       000551.00 80                   XERR 29     SIC,XERRAC                                             12000783
 29* 001647.00       000133.10 C0                               B,XERROR       -BOTH MESSAGES NOT FOUND                12000783
 30*                                                -                                                                  12000784
 31*                                                            -*****************************************************  12000785
 32*                                                            -BUILD MSG SPECIFYING INPUT CHANNEL FOR                  12000786
 33*                                                            -SPOOL BYPASS AND ON LINE OVERLAPPED READER              12000787
 34*                                                            -*****************************************************  12000788
 35*                                                            -                                                        12000789
 36* 001647.40       002154.74 30                   X35         LV,$14,S READ R        -GET SPOOL CARD READER IODR F   12000790
 37* 001650.00       002153.34 B0                               V+,$14,S BA MCP        -SPOOL READER FILE ENTRY IN IO LOCATION  12000791
 38* 001650.40 *     000000.34 1E                   X35 1       LX,$14,0.0($14)        -GET UAT                        12000792
 39* 001651.00       000000.34 1E                               LX,$14,0.0($14)        -GET CHANNEL NUMBER             12000793
 40* 001651.40       000036.34 B0                               V+,$14,$14             -DOUBLE IT                      12000794
 41* 001652.00       000036.00 80  022000.20 30                 LCV(BU,18),$14         -CONVERT TO DECIMAL             12000795
 42* 001653.00       001771.53 80  004402.22 90     X35 3       M+MG(BU,4,4),X RDR CR+.3,4-ADD CHANNEL TO MSG IN IQS   12000796
 43* 001654.00       001771.63 80  004400.22 90                 M+MG(BU,4,4),X RDR CR+.8+.3 -ADD CHANNEL TO MSG IN IQS  12000797
 44* 001655.00       001473.75 B0                               LVE,$14,X 24 A2 +.32   -GET CURRENT MESS BLOCK LOCATION  12000798
 45*                                                                                     -UNITS POSITION               12000799
 46* 001655.40       001765.00 80  000000.24 AE                 TI,$10,X RDR MG,0.0($14) -MOVE MSG TO MSG BLOCK        12000800
 47* 001656.40       000012.35 05                               V+I,$14,10.0           -ADVANCE TO NEXT AVAILABLE MESSAGE BLOCK  12000801
 48* 001657.00       001473.75 D0                               SVA,$14,X24 A2 +.32    -SAVE MESS BLOCK LOC            12000802
 49* 001657.40       001666.50 C0                               B,X37                                                  12000803
 50*                                                            -*****************************************************  12000804
 51* 001660.00       002151.11 80  001661.74 02     X35 A       BB,S CCM RG+.9,X36       -IF OVERLAPPED ON LINE        12000805
 52* 001661.00       001647.50 C0                               B,X35                  -YES*SPECIFY READER CHANNEL     12000806
 53* 001666.40+      +00000000         BU,40 ,10    X37A        SYN,X37                                                12000807
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION
1*					-**********		12000809
2*					-OFFLINE OVERLAPPED * UNASSIGN SPOOL READER		12000810
3*					-**********		12000811
4*					-		12000812
5*	001661.4C	C02154.74 30		X36	LV,$14,S READ R	-GET SPOOL READER IOP REFERENCE NUMBERS	12000813
6*	001662.CC	C02153.34 80			V+,$14,S BA MCP	-SPOOL READ ENTRY IN IC LOCATION TABLE	12000814
7*	001662.4C	CCCCC0.34 1E			LX,$14,C.0($14)	-GET UAT	12000815
8*	001663.CC	CCCCC0.34 1E		X36 3	LX,$14,C.0($14)	-GET CHANNEL NUMBER	12000816
9*	001663.4C	C00036.34 80			V+,$14,$14	-DOUBLE IT	12000817
10*	001664.CC *	002152.34 80			V+,$14,S X CHAN	-GET CST ENTRY	12000818
11*	001664.4C	CCCCC0.35 8E	001000.36 F0	X36 4	CM1111(BU,1),.29($14)	-UNIT STATUS TO NOT ASSIGNED	12000819
12*	001665.4C	CCCCC0.40 8E	001000.0C F0		CMOCC0(BU,1),.32($14)	-OWNERSHIP STATUS TO PP	12000820
13*				-			12000821
14*				-			12000822
15*					-**********		12000823
16*					-		12000824
17*	001666.4C	C02160.72 30		X37	LV,$13,S PR OUT	-SAVED RETURN ADDRESS FOR PRIME	12000825
18*	001667.CC	C02160.30 30			LV,$12,S PR IN	-ENTRY TC PRIME ROUTINE	12000826
19*	001667.40	C02151.10 80	001707.34 02	X37 1	BB,S COM RG+.8,X371B	-IF BYPS	12000827
20*	00167C.4C	C02151.11 80	001706.34 02		BB,S COM RG+.9,X371A	-NO * IF ON LINE MODE	12000828
21*	001671.4C	C01761.35 01		X37 4	LVI,$14,X ON LIN	-ON LINE	12000829
22*	001672.CC	C01677.7C 00		XVSWCH	NOP,XVNCGC		12000830
23*	001672.4C	C01677.35 D0			SVA,$14,XVPRIM		12000831
24*	001673.CC	C01241.35 C1			LVI,$14,XVCLOK		12000832
25*	001673.4C	CCCCC0.C0 8D			SIC,0.0($13)		12000833
26*	001674.CC	CCCCC0.C4 0C			BD,C.0($12)		12000833
27*	001674.40	CCC120.00 80			,S COMD		12000834
28*	001675.CC	CCCCC4.CC 80			,4.C		12000834
29*	001675.4C	CCCCC0.C0 8E			,0.C($14)		12000834
30*	001676.0C	CCCC34.C0 80			,28.0		12000835
31*	001676.40	CCCCC0.C0 80			,0.C		12000835
32*	001677.CC	001677.35 C1		XVPRIM	LVI,$14,$		12000836
33*	001677.40 *	001672.23 80	001700.74 0C	XVNCGC	BZB1,XVSWCH.19,X374A		12000837
34*	00167CC.40	CCCCC0.C0 8D		X37 4 A	SIC,0.C($13)		12000838
35*	001701.CC	CCCCC0.C4 0C			BD,C.0($12) -PRIME SYSTEM COMMAND ROUTINE		12000838
36*	001701.4C	CCC120.CC 80			,S COMD		12000839
37*	001702.00	CCCCC4.CC 80			,4.C	-IPL INDICATOR AS SENDER OF COMMAND	12000840
38*	001702.40	CCCCC0.C0 8E			,0.C($14)	-LOCATION OF COMMAND IN BCD	12000841
39*	001703.CC	CCCC14.C0 80			,12.0		12000842
40*	001703.4C	CCCCC0.C0 80			,0.0	-ERROR RETURN	12000843
41*	001704.CC	CCCCC0.C0 8D		X37 6	SIC,0.0($13)		12000844
42*	001704.40	CCCCC0.04 0C			BD,C.0($12) -PRIME JOB CONTROL 4		12000844
43*	001705.00	CCC116.4C 80			,SJC4		12000845
44*	001705.40	001710.10 00			B,X37 7		12000846
45*	001706.00	001763.35 01		X37 1A	LVI,$14,X OF LIN	-OFF LINE	12000847
46*	001706.40	001672.10 00			B,XVSWCH		12000848
47*	001707.CC	C01757.35 C1		X37 1 B	LVI,$14,X BYPAS	- PRIME SYSTEM COMM FCR BYPASS MODE	12000849
48*	001707.40	001672.1C 00			B,XVSWCH		12000850
49*	00171C.CC	002163.34 30		X37 7	LV,$14,S IA	-GET $IA	12000851
50*	001710.40	CCCCC2.35 30			SV,$14,$IA		12000852
51*	001711.00	001777.42 60			LWF(U),X BOUND	-GET MCP BOUNDS	12000853
52*	001711.40	CCCCC3.CC 80	000040.2C C0		ST(BU),$UB,64		12000854
53*	001712.40 *	C01034.34 80	001726.34 02		BB,X LR IN+.28,X 37 8 - BRANCH IF SUPPRESS MESSAGES		12000855

```
LINE  LOCATION          BINARY OUTPUT                   NAME       STATEMENT                                    LOCATION

  1*                                                     -  ********************************************************************  12000857
  2*                                                     -   PRINT CONTENTS OF X MSG BK                                            12000858
  3*                                                     -  ********************************************************************  12000859
  4*                                                     -                                                                         12000860
  5* 001713.40     001473.42 50                                    LC,$1,X 24 A2+.32          -DROP OUT BIAS                         12000861
  6* 001714.00     000021.03 50                                    SC,$1,$1                                                          12000862
  7* 001714.40     002000.35 01                          X37 7A    LVI,$14,XMSGBK             -GET BASE OF MSG BLOCK                 12000863
  8* 001715.00     000000.00 8E  000000.07 70            X37 7B    CT0011(BU,64),0.0($14)     -TEST IF MSG TO BE PRINTED             12000864
  9* 001716.00     001721.74 C2                                    BRZ,X37 7D                                                        12000865
 10* 001716.40     001725.35 00                                    SVA,$14,X MSG W2           -NO * FIX CW                           12000866
 11* 001717.00     002156.36 30                                    LV,$15,S Y CO CH           -GET CONSOLE CHANNEL                   12000867
 12* 001717.40     000000.00 8F  001724.13 00            X 37 7C   W(SEOP),0.0($15),X MSG W -WRITE ONE MSG                           12000868
 13* 001720.40     000066.40 80                                    SIC,X7 3                                                          12000869
 14* 001721.00     000057.50 00                                    B,X7 1          -IO TEST                                          12000869
 15* 001721.40     000012.35 05                          X37 7 D   V+I,$14,10.0                -ADVANCE TO NEXT MSG                  12000870
 16* 001722.00     000021.34 90                                    KV,$14,$1                                                         12000871
 17* 001722.40     001715.32 42                                    BXL,X377B       -IF PRINTED LAST MSG                              12000871
 18* 001723.00     001726.10 00                                    B,X37 8                                                           12000872
 19* 001724.00    001037.00+ 100 000003 001725           X MSG W   CW,X ZEROS,3,X MSG W2(.25)1                                       12000873
 20* 001725.00    000000.00+ 000 000012 000000           X MSG W2  CW,0.0,10,0                -TYPE ONE MSG                          12000874
 21* 001726.00     000000.35 01                          X37 8     LVI,$14,0.0                 -GET BASE OF MCP COMMUNICATION REGION 12000875
 22* 001726.40 *   002151.10 80  002000.36 F0                      CM1111(BU,2),S COM RG+.8 -SET MODE BITS TO IPL CODE               12000876
 23* 001727.40     000040.22 00                                    Z,32.0                      -CLEAR WORD 32.0                      12000877
 24* 001730.00     002161.00 30                                    LV,$0,S IF DMP              -GET IF TRAP INSTRUCTION FROM COM RG. 12000878
 25* 001730.40     000040.01 30                                    SV,$0,32.0                  -INSERT FIRST TRAP INSTRUCTION        12000879
 26* 001731.00     000040.41 30                                    SV,$0,32.32                 -INSERT DUPLICATE OF IF TRAP INSTR    12000880
 27* 001731.40     000000.03 01                                    LVI,$1,0.0                                                        12000881
 28* 001732.00     002155.43 30                                    SV,1,S MAXRN                -CLEAR S MAXRN                        12000882
 29* 001732.40     002150.74 50                                    LC,$14,SCOMSZ             -GET SIZE OF MCP COMMUNIZIATION REGION  12000883
 30* 001733.00     002150.00 80  000000.34 2E                      T,$14,SMCP,0.0($14)       -MOVE DUMMY COMMUNICATION REGION TO MCP 12000884
 31* 001734.00     000014.25 80  001000.36 F0                      CM1111(BU,1),$MASK+.21  -SET IF MASK BIT ON                       12000885
 32* 001735.00     002152.34 10                                    LX,14,SXCHAN               -GET BASE OF CST                       12000886
 33* 001735.40     000000.44 8E  001000.36 F0                      CM1111(BU,1),.36($14)   -FORCE LOCATE TO ZERO ON DISK             12000887
 34* 001736.40     000040.35 05                                    V+I,14,32.0                                                       12000888
 35* 001737.00     000040.35 08                                    C-I,14,32.                                                        12000889
 36* 001737.40     000020.37 01                                    LVI,15,16.0                                                       12000890
 37* 001740.00     000000.31 8E  001744.34 02            X HERE    BB,.25($14),X GOON                                                12000891
 38* 001741.00     000000.64 8E  001744.34 00                      BZB,.52($14),X GOON                                               12000892
 39* 001742.00 *   000000.00 8F  000000.17 00                      LOC(SEOP),0.0($15),0.0                                            12000893
 40* 001743.00     000066.40 80                                    SIC,X7 3                                                          12000894
 41* 001743.40     000057.50 00                                    B,X7 1          -IO TEST                                          12000894
 42* 001744.00     000000.77 05                          X GOON    V+I,15,.32                                                        12000895
 43* 001744.40     001740.35 48                                    CB+,14,X HERE                                                     12000896
 44* 001745.00     000040.00 00                          X37 9     BE,32.0                                                           12000897
 45* 001745.40     000041.00 80                                    ,DRET                                                             12000898
```

```
LINE  LOCATION              BINARY OUTPUT             NAME        STATEMENT                                        LOCATION

  1*                                                              -*********************************************************  12000900
  2*                                                              -MCP IPL DEFINITIONS                                         12000901
  3*                                                              -*********************************************************  12000902
  4*                                                              -                                                            12000903
  5* 001746.00    C00000.00+ C00 000000 000000    X PROWR  XW,C                     -COMPUTED DISK WRITE CW            12000904
  6*                                                                                          -CARDS                          12000905
  7*                                                              -*********************************************************  12000906
  8* 001747.00                    2040410020042004  X MCPP   DD(BU,48),(8)2040410020042004 -MCPP IN HOLLERITH            12000907
  9* 001747.60                    4001201041004040  X ICCD   DD(BU,48),(8)4001201041004040 -ICCD IN HOLLERITH            12000908
 10* 001750.40                        400120104040  X ICD    DD(BU,36),(8)400120104040     -ICD IN HOLLERITH             12000909
 11*                                                              -*********************************************************  12000910
 12* 001751.40      000000.30 00                                 CNOP                                -START XEQPT AT FULL WORD     12000911
 13*                                                                                                 -BOUNDARY                     12000912
 14* 001752.00                            00000000  X EQP T  DD(BU,24),(8)0000                                                 12000913
 15* 001752.30                                  00           DD(BU,4),(8)0 -NO EQUIPMENT                                      12000913
 16* 001752.34                                   0           DD(BU,1),0                 -SINGLE UNIT CHANNEL                  12000914
 17* 001752.35                            00002200           DD(BU,24),(8)2200                                                 12000915
 18* 001752.65                                  01           DD(BU,4),(8)1 -DISK * DK                                          12000915
 19* 001752.71                                   0           DD(BU,1),0                 -SINGLE UNIT CHANNEL                  12000916
 20* 001752.72                            00002020           DD(BU,24),(8)2020                                                 12000917
 21* 001753.22                                  02           DD(BU,4),(8)2 -CONSOLE *CN                                        12000917
 22* 001753.26                                   0           DD(BU,1),0                 -SINGLE UNIT CHANNEL                  12000918
 23* 001753.27                            00004040           DD(BU,24),(8)4040                                                 12000919
 24* 001753.57                                  03           DD(BU,4),(8)3 -READER * RD                                        12000919
 25* 001753.63                                   0           DD(BU,1),0                 -SINGLE UNIT CHANNEL                  12000920
 26* 001753.64                            00001040           DD(BU,24),(8)1040                                                 12000921
 27* 001754.14                                  04           DD(BU,4),(8)4 -PUNCH *PU                                          12000921
 28* 001754.20                                   0           DD(BU,1),0                 -SINGLE UNIT CHANNEL                  12000922
 29* 001754.21                            00002001           DD(BU,24),(8)2001                                                 12000923
 30* 001754.51                                  05           DD(BU,4),(8)5 -PRINTER * PR                                       12000923
 31* 001754.55                                   0           DD(BU,1),0                 -SINGLE UNIT CHANNEL                  12000924
 32* 001754.56                            00000000           DD(BU,24),(8)0                                                    12000925
 33* 001755.06                                  00           DD(BU,4),(8)0  -UNUSED                                            12000925
 34* 001755.12                                   0           DD(BU,1),0                 -SINGLE UNIT CHANNEL                  12000926
 35* 001755.13                            00000000           DD(BU,24),(8)0                                                    12000927
 36* 001755.43                                  00           DD(BU,4),(8)0  -UNUSED                                            12000927
 37* 001755.47 *                                 0           DD(BU,1),0                 -SINGLE UNIT CHANNEL                  12000928
 38* 001755.50                            00002004           DD(BU,24),(8)2004                                                 12000929
 39* 001756.00                                  10           DD(BU,4),(8)10 -TAPE MULTI * TP                                   12000929
 40* 001756.04                                   1           DD(BU,1),1                 -MULTI UNIT CHANNEL                   12000930
 41*                                                              -*********************************************************  12000931
 42*                                                              -MCP PSEUDO OP CODES                                         12000932
 43*                                                              -*********************************************************  12000933
 44* 001472.00+      +00000000          BU,100,10    D MCP     SYN,X24A                                                          12000934
 45* 000041.00+      +00000000          NULL         D RET     SYN,33.0                                                          12000935
 46* 000043.40+      +00000000          NULL         D COMM    SYN,35.32                                                         12000936
 47* 000116.40+      +00000000          NULL         SJC4      SYN,78.32                                                         12000937
 48* 000120.00+      +00000000          NULL         S COMD    SYN,80.0                                                          12000938
```

```
LINE  LOCATION          BINARY OUTPUT              NAME      STATEMENT                                                          LOCATION

  1*                                                         -*************************************************************    12000940
  2*                                                         -SYSTEM COMMAND OPS FOR STARTING MODE                             12000941
  3*                                                         -*************************************************************    12000942
  4* 001756.40     000000.30 00                              CNOP                                                              12000943
  5* 001757.00                                     XBYPAS    (A*)DD(BU,,6),COMD,BYPASS *                                       12000944
  6* 001760.40     000000.30 00                              CNOP                                                              12000945
  7* 001761.00                                     X ONLIN   (A*)DD(BU,,6),COMD,ONLINE *                                       12000946
  8* 001762.40     000000.30 00                              CNOP                                                              12000947
  9* 001763.00                                     X OFLIN   (A*)DD(BU,,6),COMD,OFFLINE*                                       12000948
 10*                                                         -*************************************************************    12000949
 11* 001764.40     000000.30 00                              CNOP                                                              12000950
 12* 001765.00                                375  X RDR MG  DD(BU,8),(2)1111 1101     -CARRIAGE RETURN                        12000951
 13* 001765.10                                002            DD(BU,8),(2)00000010    -RED$                                     12000952
 14* 001765.20 *                                             (IQS*)DD(BU,64,8), READER IS INPUT SOURCE ON CHANNEL *            12000953
 15*                                                                                  -MSG SPECIFIES READER CHANNEL            12000954
 16* 001771.50                                140  X RDR CR  DD(BU,8,8),(2)01100000,(2)01100000,(2)11111101,(2)11111110       12000955
 17* 001771.60                                140                                                                              12000955
 18* 001771.70                                375                                                                              12000955
 19* 001772.00                                376                                                                              12000955
 20*                                                                              -DUMMY IQS SLOTS,CR,END CODE                 12000956
 21*                                                         -                                                                 12000957
 22* 001772.40     000000.30 00                              CNOP                                                              12000958
 23* 001773.00                                002  X MSG     DD(BU,8),(2)00000010     -RED $                                   12000959
 24* 001773.10                                               (IQSX)DD(BU,56,8),MCPIPL*X     -MESSAGE PREFIX                    12000960
 25*                                                         CNOP                                                              12000961
 26* 001774.00          0000000000000000176776  X MSG CR  DD(BU,64,8),(2)1111110111111110  -MSL CR AND END RETURN              12000962
 27*                                                         -*************************************************************    12000963
 28*                                                 - **** MODIFICATION TO IOC PROCESSING ROUTINES ****                       12000964
 29*                                                         -*************************************************************    12000965
 30* 001775.00                                  0  YTBIT     DD(BU,1),0                     -FLAG USED BY THE UNCODE ROUTINE   12000966
 31* 001775.40    000000.00+                       YNLST     VF                             - NOT USED IN UNCODE FOR IPL       12000967
 32* 001775.40+     +00000000       B ,31 ,01      YNOPUN    SYN,YNLST                      - NOT USED IN UNCODE FOR IPL       12000968
 33* 000000.00+     +00000000       NULL           S IO LOC  SYN,0                                                             12000969
 34* 002155.00+     +00000000       B ,31 ,01      S LR BU   SYN, S BA PP                   - SAME AS FIRST SLOT OF IO LOC TABLE 12000970
 35*                                                         -*************************************************************    12000971
 36* 001776.00    000000.00+                       X ARC K   VF,0.0                         -ACCUMULATED PROSA ARCS            12000972
 37* 001776.40     000000.30 00                              CNOP                                                              12000973
 38*                                                         CNOP                                                              12000974
 39* 001777.00    000041.00+                       X BOUND   VF,33.0                                                           12000975
 40* 001777.40    000040.00+                                 VF,32.0          -BOUNDS AND BOUNDARY CONTROL BIT                 12000975
 41*                                                         CNOP                                                              12000976
 42* 002000.00 *   000144.00                       X MSG BK  DR(BU),(100)                   - MESSAGE BLOCK FOR IPL            12000977
 43*                                               -  OPERATING MODES                                                          12000978
 44*                                                         CNOP                                                              12000979
 45* 002144.00                           20102020  X ON OV   DD(BU,24),(8)20102020     -ON IN CARD CODE                        12000980
 46* 002144.40     000000.30 00                              CNOP                                                              12000981
 47* 002145.00                           20104010  X OF OV   DD(BU,24),(8)20104010     -OF IN CARD CODE                        12000982
 48* 002145.40     000000.30 00                              CNOP                                                              12000983
 49* 002146.00                           42001002  X BYPS    DD(BU,24),(8)42001002     -BY IN CARD CODE                        12000984
 50* 002146.30                       202020102001  X NOR     DD(BU,36),(8)202020102001   - UPL MODE * NORMAL                   12000985
 51* 002146.74                       440042002020  X ABN     DD(BU,36),(8)440042002020 ' - IPL MODE * ABNORMAL                 12000986
```

```
LINE   LOCATICN               BINARY CUTPUT                NAME        STATEMENT                                       LOCATION

  1*                                                      - ****************************************************************  13000001
  2*                                                      -              ******** THE COMMUNICATION REGION FOR MCP ********   13000002
  3*                                                      - ****************************************************************  13000003
  4*                                                      -                                                                   13000004
  5*                                                                 -                                                        13000005
  6* 002147.40     COCCCO.3C 00                                      CNOP                                                     13000006
  7* 00215C.00    CCOOCC.00+                              S MCP      VF,C                     -SLOT FOR BASE ADDRESS OF MCP   13000007
  8*                                                                 -                                                        13000008
  9**00215C.40    CCC016.00+                              S COM SZ VF,S END CM-S MCP        -SIZE OF COMMUNICATION REGION   13000009
 10*                                                                 -                                                        13000010
 11* 002151.CC    1CCCCC.00+ 000 000000 0CC000            S COM RG XW,(8)10C000.0,            -THE SYSTEM WORD FLAG        13000011
 12*                                                                 -                                                        13000012
 13* 002152.CC    CCCCCC.CC+ 000 000050 0CCC00            S XCHAN  XW,C,40,C                 -BASE ADDRESS OF CHAN STATUS TABLE   13000013
 14* 002152.34+     +00000000             BU,10C,10       S CHANK  SYN,SXCHAN+.28             -THE NUMBER OF CHANNELS CONNECTED   13000014
 15* 002152.CC+     +0CCCCCC0             BU,10C,10       S CHANS  SYN,SXCHAN                                                 13000015
 16*                                                                 -                                                        13000016
 17* 002153.CC    CC000C.CC+                              S BAMCP  VF,C                      -BASE ADDR CF THE MCP SYMB I/C LOC TBL   13000017
 18* 002153.40    CCCOC1.CO+                              S R TAPE VF,1.0                     -THE SPCOL READ TAPE IOD REF NC.   13000018
 19* 002154.00    CCC002.00+                              S W TAPE VF,2.0                     -THE SPCOL WRITE TAPE IOD REF NO.  13000019
 20* 002154.40    CCC003.0C+                              S READ R VF,3.0                     -THE SPCOL READER IOD REF NC.      13000020
 21* 002155.CC    CC000C.CC+                              S BA PP  VF,C                      -BASE ADDRESS CF PP IO LOCATION TABLE   13000021
 22*                                                                 -                                                        13000022
 23* 002155.40    CCCOCC.00+                              S MAXRN  VF                          -SMAX RN THE MAX REFERENCE NC FOR PP   13000023
 24*                                                                 -                                                        13000024
 25* 002156.CC    CC0026.04+                              S YCOCH  VF,22.4                   -THE CHANNEL NUMBER OF THE CONSCLE   13000025
 26* 002156.40    C00026.04+                              S YPRCH  VF,22.4                    -THE CHANNEL NUMBER OF THE PRINTER  13000026
 27*                                                                 -                                                        13000027
 28* 002157.CC    CC000C.CC+                              S DKMCP  VF,C                        -MCP RESET TRACK FCR DISK       13000028
 29* 002157.40 *  CCOOCC.00+                              S SYRFT  VF,C                        -VARIABLE PCINTER FOR PP DISK ASSIGN   13000029
 30*                                                                 -                                                        13000030
 31* 002160.00    CC2166.00+                              S PR IN  VF,S PRIME              -ENTRY TO PRIME ROUTINE            13000031
 32* 002160.40    CC2166.40+                              S PR OUT VF,S PRIM R             -SAVED ADDRESS JCE PRIME ROUTINE    13000032
 33*                                                                 -                                                        13000033
 34* 002161.00     CCCCCO.C4 CO                           S IF DMP BD,C                          -INSTRUCTION FETCH TRAP INSTRUCTION   13000034
 35* 002161.40    CCCCCC.00+                              S REJ JB VF,C.0                      -THE NUMBER OF JOBS TO REJECT    13000035
 36*                                                                 -                                                        13000036
 37* 002162.00    0CC00C.00+                              S ROOF   VF,0                      - TOP OF STORAGE                  13000037
 38* 002162.40    CCOOCC.00+                              S MARK   VF                          -THE NEXT VACANT REEL SLOT FOR PP   13000038
 39*                                                                 -                                                        13000039
 40* 002163.CC    CC000C.00+                              SIA      VF,0                         - LOCATION OF INTERRUPT TABLE   13000040
 41* 002163.40     000000.3C CO                                      CNOP                                                     13000041
 42* 002164.00                                            S CATE   (AX)DC(BU),03/15/63X  - FOR DATE OF IPL TAPE TO SPOOL      13000042
 43* 002165.CC                                            STODAY   (AX)DC(BU),  /  /63X    -FOR DATE OF JOBS ON SPOOL TAPE     13000043
 44* 002166.CC+     +0C0000C0             NULL            S END CM SYN,$                  -END OF COMMUNICATION REGION        13000044
 45* 002166.00+     +0CCC0CC0             NULL            S PRIME  SYN,$                 - SAVED ADDRESS FCR PRIME ROUTINE    13000045
 46* 0C2166.40+     +0CC000C0             NULL            S PRIM R SYN,$+.32               -LOCATION OF PRIME ROUTINE         13000046
```

IBM

```
LINE  LOCATION       BINARY CUTPUT                     NAME     STATEMENT                                         LOCATION

  1*                                                   -    ****************************************************************  14000001
  2*                                                   -         UNCCDE SUBROUTINE TC DECIPHER SYSTEM CARDS                   14000002
  3*                                                   -    ****************************************************************  14000003
  4* 002166.CC       CCOC33.00 8C  002324.06 A0  YUNCOD  TI,3,$11,YUXSAV          -SAVE UNDICIES                             14000004
  5* 002167.00       CCCC01.73 BE                        LVE,$13,1.32($14)        -GET LOCATICN OF HOLLERITH                 14000005
  6* 002167.40       CCC000.CC 8D  014000.2C 5C          L(BU,12),C.C($13)        -CARD AND TEST FOR B                       14000006
  7* 00217C.40       420000.00 80  414000.23 10          KFI(BU,12),(2)1CCO1CCOCOC                                           14000007
  8* 002171.40       002311.36 C4                        BZAEZ,YUER                -IF NOT A B GIVE ERROR RETURN             14000008
  9* 002172.00       C02174.33 30                        SV,$13,YUECS              -LOCATICN CF CARD TC EDIT CALLING         14000009
 1C* 002172.4C *     COCCC1.32 3E                        LV,$13,1.0($14)                -DISP. TC $13                        14000010
 11* 002173.CC       002174.37 01                        LVI,$15,$+1.C            -CONVERT CARS TC 6-BIYT BCD                14000011
 12* 002173.40       C02422.04 CO                        BD,SCA6                                                             14000012
 13* 002174.00    CCOCCC.00+                     YUECS   VF,C.0                                                              14000013
 14* 002174.40    CC0120                                 CF,8C                                                               14000014
 15* 002175.CO    CC2327.00+                             VF,YUCBF1                                                           14000015
 16* 002175.40       C02176.77 01                        LVI,$15,$+1.0             -BREAK CARD INTO FIELDS                   14000016
 17* 0C2176.CC       C02502.C4 CO                        BC,SBRK8                                                            14000017
 18* 002176.40    CC2327.66+                             VF,YUCBF1+.54                                                       14000018
 19* 002177.00    CC0065                                 CF,53.                                                              14000019
 2C* 002177.40    CC2337.00+                             VF,YUCBF2                                                           14000020
 21* 00220C.CC    CCCOC1.00+                     YUSB8C  VF,1.                                                               14000021
 22* 00220C.40       00CC01.33 C1                        LVI,$13,1.0               -ERROR RETURN- VALID ONLY FCR             14000022
 23* 002201.CO       C02201.4C 00                YIPL1   BE,$+.32                                                            14000023
 24*                                             -                                  JOB CARD SC FAKE DISPOSITICN             14000024
 25* 002201.40       002337.CC 80  060000.20 50          L(BU,48),YUCBF2           -NORMAL RETURN TEST FIRST                 14000025
 26* 002202.40       002355.CC 8D  060000.21 10          K(BU,48),YTYPMK($13)      -FIELD IN CARD                            14000026
 27* 002203.40       COCC01.33 04                         KVI,$13,1.C              -TEST DISPOSITION                         14000027
 28* 002204.00       C02207.36 C4                        BZAEZ,YMKEAR              -IF FIRST FIELD IS NOT CORRECT,           14000028
 29*                                             -                                 FURTHER TESTING IS REQUIRED               14000029
 3C* 002204.4C       002213.32 C6                        BXEZ,YJCBC               -DISP. WAS JOB                             14000030
 31* 002205.00       C02214.72 46                        BXLZ,YTCPGO                -CARD WAS T.C.P. - GO TYPE               14000031
 32* 002205.40       00C002.33 04                        KVI,$13,2.0               -TEST DISPOSITION FURTHER                 14000032
 33* 002206.00 *     C02246.32 C6                        BXEZ,YLIMC                -CARD WAS  A LIM.                         14000033
 34* 002206.40       C02266.5C 00                        B,YIOCC                   -CARD WAS AN ICD.                         14000034
 35* 002207.00       C02303.72 C2                YMKEAR  BXE,YJCCER                                                          14000035
 36* 002207.40       002311.32 42                        BXL,YUER                                                            14000036
 37* 002210.00       00C002.33 04                        KVI,$13,2.0               -DISP. 2.0 OR 4.0                         14000037
 38* 00221C.40       002311.32 C6                        BXEZ,YUER                 -DISPOSITION WAS LIM- TO ERROR RETURN     14000038
 39* 002211.CO       C02360.00 80  060000.21 10          K(BU,48),YRELMK           -TESTR FOR REEL CARD                      14000039
 4C* 002212.00       C02276.36 C6                        BAEZ,YREELC                                                         14000040
 41* 002212.4C       002311.1C CO                        B,YUER                                                              14000041
```

```
 LINE  LOCATION           BINARY OUTPUT                NAME     STATEMENT                                                        LOCATION

   1*                                                  - ********************************************************************** 14000043
   2*                                                  -         SERVICE ROUTINES TO EXTRACT INFORMATION FROM SYSTEN CARDS.       14000044
   3*                                                  - ********************************************************************** 14000045
   4* 002213.00       C00C01.32 9E                     YJCBC   KV,$13,1.0($14)                                                  14000046
   5* 002213.40       C02313.72 C6                             BXEZ,YNCRR                                                       14000047
   6* 002214.00       C02311.10 C0                              B,YUER                                                          14000048
   7* 002214.40       C0C034.22 00                      YTCPGC Z,$12                     -GO - SET COUNT FIELD TO PROPER        14000049
   8* 002215.00       C0C004.31 C2                             LCI,$12,(2)00100          -VALUE + GO TO NORMAL RETURN           14000050
   9* 002215.40       002340.CC 80  060000.20 50               L(BU,48),YUCBF2+1.0                                              14000051
  10* 002216.40       C02354.00 80  060000.21 10               K(BU,48),YGCMK                                                   14000052
  11* 002217.40       C02313.76 C2                             BAE,YNCRR                                                        14000053
  12* 002220.00       C02362.CC 80  060000.21 1C               K(BU,48),YCCMMK                                                  14000054
  13* 002221.00       002232.76 C2                             BAE,YTCPCM                                                       14000055
  14* 002221.40 *     C02363.00 80  060000.21 10               K(BU,48),YCNGMK                                                  14000056
  15* 002222.40       C02233.76 C2                             BAE,YTCPCG                                                       14000057
  16* 002223.CC       C02365.CC 80  060000.21 1C               K(BU,48),YUPCAT                                                  14000058
  17* 002224.CC       002311.36 C0                             BZAE,YUER                                                        14000059
  18* 002224.40       C02151.10 80  002311.34 00               BZB,SYSMCC,YUER                                                  14000060
  19* 002225.40       C02151.C3 80  001000.00 F0               CMOC00(BU,1),SCORG                                               14000061
  20* 002226.40       002162.32 30                             LV,$13,SROOF                                                     14000062
  21* 002227.00       C05464.73 30                             SV,$13,YLOL2                                                     14000063
  22* 002227.40       C0C035.22 C0                             Z,$13                                                            14000064
  23* 002230.00       C05465.33 30                             SV,$13,YLOL1                                                     14000065
  24* 002230.40       C05465.31 80  001000.36 F0               CM1111(BU,1),YLOL1+.25                                           14000066
  25* 002231.40       005464.10 00                             B,YBCRD                                                          14000067
  26* 002232.00       002311.10 00                             B,YUER                                                           14000068
  27* 002232.40       C0C023.31 02                      YTCPCM LCI,$12,(2)10011                                                 14000069
  28* 002233.00       C02234.10 00                             B,YTOPCG+.32                                                     14000070
  29* 002233.40       C0C013.31 02                      YTCPCG LCI,$12,(2)01011                                                 14000071
  30* 002234.00       C02200.36 50                             LC,$15,YUSB8C                                                    14000072
  31* 002234.40       C0C002.37 CA                             KCI,$15,2.0                                                      14000073
  32* 002235.00 *     C02313.73 40                             BZXF,YNORR                                                       14000074
  33* 002235.40       002342.00 80  060000.20 50               L(BU,48),YUCBF2+3.0                                              14000075
  34* 002236.40       001775.40 80  060000.21 10               K(BU,48),YNLST                                                   14000076
  35* 002237.40       C02241.36 C0                             BZAE,$+1.32                                                      14000077
  36* 002240.00       C0C034.54 80  001000.CC FC               CMOC00(BU,1),$12+.44                                             14000078
  37* 002241.00       C0C003.37 0A                             KCI,$15,3.0                                                      14000079
  38* 002241.40       C02313.73 40                             BZXF,YNCRR                                                       14000080
  39* 002242.00       002343.00 80  060000.20 50               L(BU,48),YUCBF2+4.0                                              14000081
  40* 002243.00       C01775.40 80  060000.21 1C               K(BU,48),YNOPUN                                                  14000082
  41* 002244.00       C02313.76 C0                             BZAE,YNCRR                                                       14000083
  42* 002244.40       C0C034.55 80  001000.00 F0               CMOC00(BU,1),$12+.45                                             14000084
  43* 002245.40       002313.5C C0                             B,YNORR                                                          14000085
  44* 002246.CC       002322.30 10                      YLIMC  LX,$12,YUCX12             -LIM CARD- CONVERT BCD ZEROS           14000086
  45* 002246.40       120C00.00 80  406000.20 50               LI(BU,6),(2)001010         -TO TRUE ZEROS                        14000087
  46* 002247.40       000000.C6 8C  106000.15 70        YLL2   CT0110(V+I)(BU,6),.6($12)      -IS THIS BYTE A BCD ZERO          14000088
  47* 002250.40 *     C02252.34 C4                             BZRZZ,$+1.32               -IF NOT TEST NEXT BYTE                14000089
  48* 002251.00       777777.72 8C  006000.00 F0               CMOC00(BU,6),-.6($12)      -IF SO, REPLACE BY TRUE ZERO          14000090
  49* 002252.00       C02247.70 4C                             CBR,$12,YLL2                                                     14000091
  50* 002252.40       C02247.63 40                             BZXF,YLL2                                                        14000092
  51* 002253.00       002340.0C 80  044600.06 70               LF(BU,36,6),YUCBF2+1.0    -LIMITS TO                             14000093
  52* 002254.CC       C0C034.00 80  022300.12 F0               SF(BU,18,3),$12           -BINARY, PUT IN $12                    14000094
  53* 002255.00       C02341.00 80  044600.06 70               LF(BU,36,6),YUCBF2+2.0    -                                      14000095
  54* 002256.00       C0C034.34 80  022300.12 F0               SF(BU,18,3),$12+.28                                              14000096
  55* 002257.00       C05465.70 90                             KV,$12,STERMI                                                    14000097
  56* 002257.40       002262.32 42                             BXL,YUCLLC                                                       14000098
```

IBM

```
LINE   LOCATION              BINARY OUTPUT              NAME      STATEMENT                                          LOCATION    002260

  1* 002260.00         002162.31 90                             KC,$12,SROOF                                                             14000099
  2* 002260.40         002311.33 42                             BXH,YUER                                                                 14000100
  3* 002261.00         002162.26 30                             LV,$11,SROOF                                                             14000101
  4* 002261.40         002264.50 00                             B,YUCLLH                                                                 14000102
  5* 002262.00         002150.31 90                   YUCLLC    KC,$12,SMCP                                                              14000103
  6* 002262.40         002311.33 42                             BXH,YUER                                                                 14000104
  7* 002263.00         000041.31 04                             KVI,$12,33.0                                                             14000105
  8* 002263.40         002311.32 42                             BXL,YUER                                                                 14000106
  9* 002264.00 *       002150.26 30                             LV,$11,SMCP                                                              14000107
 10* 002264.40         002153.27 30                   YUCLLH    SV,$11,SMAXUB                                                            14000108
 11* 002265.00         000034.31 90                             KC,$12,$12                          -IS LOWER GREATER                    14000109
 12* 002265.40         002311.33 40                             BZXH,YUER                           -THAN UPPER LIMIT                    14000110
 13* 002266.00         002313.50 00                             B,YNORR                    -LIMITS OK - TO NORMAL RETURN                 14000111
 14* 002266.40         002321.30 10                   YIODC     LX,$12,YIDX12              -CONVERT I-O REFERENCE                        14000112
 15* 002267.00         120000.00 80   406000.20 50              LI(BU,6),(2)001010         -NUMBER AND ABSOLUTE EXIT                     14000113
 16* 002270.00         000000.06 8C   106000.15 70    YIODTL    CT0110(V+I)(BU,6),.6($12)       -FUELDS ON IOD CARD TO BINARY            14000114
 17* 002271.00         002272.74 C4                             BZRZZ,YIOCB                                                              14000115
 18* 002271.40         777777.72 8C   006000.00 F0              CMOC00(BU,6),-.6($12)                                                    14000116
 19* 002272.40         002270.30 4C                   YIOCB     CBR,$12,YIODTL                                                           14000117
 20* 002273.00         002334.64 80   074600.06 70              LF(BU,60,6),YUTOE                                                        14000118
 21* 002274.00         000034.64 80   014330.12 F0              SF(BU,12,3),$12+.52,48       -PUT IN $12                                 14000119
 22* 002275.00         000034.00 80   022300.12 F0              SF(BU,18,3),$12                                                          14000120
 23* 002276.00         002200.30 50                   YREELC    LC,$12,YUSB8C                       -LOAD COUNT WITH = OF FIELDS         14000121
 24* 002276.40         000033.00 80   002324.06 E0              SWAPI,3,$11,YUXSAV                                                       14000122
 25* 002277.40 *       000002.37 BE                             LVE,$15,2.0($14)                                                         14000123
 26* 002300.00         002364.00 80   000000.02 AF              TI,1,YBLWD4,0.0($15)                                                     14000124
 27* 002301.00         000000.00 8F   000001.16 AF              TI,7,0.0($15),1.0($15)                                                   14000125
 28* 002302.00         000033.00 80   002324.06 E0              SWAPI,3,$11,YUXSAV                                                       14000126
 29* 002303.00         002313.50 00                             B,YNORR                    -IN BREAKDOWN, AND RETURN                     14000127
 30* 002303.40         002200.36 50                   YJOCER    LC,$15,YUSB8C                                                            14000128
 31* 002304.00         000001.32 9E                             KV,$13,1.0($14)                                                          14000129
 32* 002304.40         002311.32 C0                             BZXE,YUER                                                                14000130
 33* 002305.00         002324.00 80   000033.06 A0              TI,3,YUXSAV,$11                                                          14000131
 34* 002306.00         000002.37 BE                             LVE,$15,2.0($14)                                                         14000132
 35* 002306.40         000000.00 8F   000000.00 F0              CMOC00(BU),0($15)                                                        14000133
 36* 002307.40         002337.00 80   000000.36 2F              T,$15,YUCBF2,0.0($15)                                                    14000134
 37* 002310.40         000002.50 0E                             B,2.32($14)                                                              14000135
 38* 002311.00         002324.00 80   000033.06 A0    YUER      TI,3,YUXSAV,$11                                                          14000136
 39* 002312.00         000002.37 BE                             LVE,$15,2.0($14)                                                         14000137
 40* 002312.40         000000.22 0F                             Z,0.0($15)                                                               14000138
 41* 002313.00 *       000002.50 0E                             B,2.32($14)                                                              14000139
```

```
LINE  LOCATION         BINARY OUTPUT              NAME      STATEMENT                                   LOCATION

  1*                                              - ******************************************************************  14000141
  2*                                              - -           RETURNS, MASKS, TEMPORARY STORAGE FOR UNCODE.          14000142
  3*                                              - ******************************************************************  14000143
  4* 002313.40      CCCC00.31 1E                    YNCRR   SX,$12,0.0($14)          -PUT INFORMATION IN CALLING       14000144
  5* 002314.00      001775.CC 80  001000.00 F0              CMOCOO(BU,1),YTBIT                                         14000145
  6* 002315.CO      CO2324.CC 80  000033.06 AO              TI,3,YUXSAV,$11          -SEQUENCE                         14000146
  7* 002316.CC      000C02.37 BE                             LVE,$15,2.0($14)        -IF BETA SUB I ISNON ZERO,        14000147
  8* 002316.40      002200.36 50                            LC,$15,YUSB8C            -TRANSMIT BROKEN OUT              14000148
  9* 002317.C0      C02320.71 42                            BXVZ,$+1.32              -CARD TC REQUESTED AREA           14000149
 10* 002317.40      CO2337.CC 80  000000.36 2F              T,$15,YUCBF2,0.0($15)                                      14000150
 11* 002320.40      000CO3.10 OE                            B,3.0($14)         -RETURN                                 14000151
 12* 002321.00   CC2334.64+ OCO 000012 0C0000      YIDX12   XW,YUTOE,10,0                                              14000152
 13* 002322.00   0C2340.00+ 000 000006 002323      YUCX12   XW,YUCBF2+1.0,6,$+1.0       -INDEX WORDS FOR ABOVE ROUTINE 14000153
 14* 002323.00   CC2341.00+ 111 000006 0CC000               XW,YUCBF2+2.0,6,C,7                                        14000154
 15* 002324.CO *    00CC03.00                      YUXSAV   DRZ(BU,64),(3)                                             14000155
 16* 002327.CC      000C10.00                      YUCBF1   DRZ(BU,64),(8)                                             14000156
 17* 002337.CO      COC015.CC                      YUCBF2   DRZ(BU,64),(13)                                            14000157
 18* 002354.CC                                      YGOMK   (AX)DD(BU,48,6),GO         X                               14000158
 19*                                                        CNOP                                                       14000159
 20* 002355.C0                                     YTYPMK   (AX)DD(BU,48,6),TYPE       X                               14000160
 21*                                                        CNOP                                                       14000161
 22* 002356.CC                                              (AX)DD(BU,48,6),JOB        X                               14000162
 23*                                                        CNOP                                                       14000163
 24* 002357.CC                                              (AX)DD(BU,48,6),LIM        X                               14000164
 25*                                                        CNOP                                                       14000165
 26* 00236C.CC                                     YRELMK   (AX)DD(BU,48,6),REEL       X                               14000166
 27*                                                        CNOP                                                       14000167
 28* 002361.CC                                              (AX)DD(BU,48,6),IOD        X                               14000168
 29*                                                        CNOP                                                       14000169
 30* 002362.CC                                      YCOMMK  (AX)DD(BU,48,6),COMPILE X                                  14000170
 31*                                                        CNOP                                                       14000171
 32* 002363.00                                     YCNGMK   (AX)DD(BU,48,6),COMPILGOX                                  14000172
 33*                                                        CNOP                                                       14000173
 34* 002364.CC                                     YBLWD4   (AX)DD(BU,48,6),           X                               14000174
 35*                                                        CNOP                                                       14000175
 36* 002365.00                                     YUPDAT   (AX)DD(BU,48,6),UPDATE  X                                  14000176
 37* 002334.64+       +0000000C          BU,100,10  Y UTOE  SYN,YUCBF1+.372          -LOCATION OF REF = AND TOE        14000177
```

```
LOCATION          BINARY OUTPUT                  NAME      STATEMENT                         LOCATION

                                                 -  *******************************************************************  15000001
                                                 -          **********BCD TO IQS CONVERSION ROUTINE *************        15000002
                                                 -  *******************************************************************  15000003
002365.60 *                                             SLC,$                                                            15000004
002366.00      002403.00 80  002374.04 A0  S A8IQS  TI,2,G OSMI,G KRUH          -SET LOOP FOR 8BIT BCD               15000005
002367.00      002370.50 00                             B,$+1.32                                                         15000006
002367.40      002405.00 80  002374.04 A0  S A6IQS  TI,2,G SEST,G KRUH          -SET LOOP FOR 6BIT BCD               15000007
002370.40      002407.33 10                             SX,$13,G ULOZX              -SAVE ORIGINAL INDEX REGISTERS       15000008
002371.00      002410.35 10                             SX,$14,G ULOZX+1.0                                               15000009
002371.40      002411.37 10                             SX,$15,G ULOZX+2.0                                               15000010
002372.00      000000.34 3F                             LV,$14,0.0($15)             -PUT *IN* IN VF OF $14               15000011
002372.40      000000.74 5F                             LC,$14,.32($15)             -PUT *N* IN CF OF $14                15000012
002373.00      002401.30 42                             BXCZ,G PRYC                                                      15000013
002373.40      000001.32 3F                             LV,$13,1.0($15)             -PUT *OUT* IN VF OF $13              15000014
                                                        CNOP                                                             15000015
002374.00 *    000002.00                   G KRUH   DRZ(BU,64),(2)              -RESERVE 2 FULL WORDS                15000016
002376.00      000011.36 30                G SKOK   LV,$15,$R                   -PUT BIT ADDRESS*8 IN $15            15000017
002376.40      002412.00 8F  010000.20 50           L(BU,8),G RADA($15)         -LOAD 8BIT CODE IQS CHARACTER        15000018
002377.40      000000.10 8D  110000.20 D0           ST(V+I)(BU,8),.8($13)       -STORE SAME                          15000019
002400.40      002374.34 48                             CB,$14,G KRUH                                                    15000020
002401.00      002407.32 10                G PRYC   LX,$13,G ULOZX              -RESTORE INDEX REGISTERS             15000021
002401.40      002410.34 10                             LX,$14,G ULOZX+1.0                                               15000022
002402.00      002411.36 10                             LX,$15,G ULOZX+2.0                                               15000023
002402.40      000001.50 CF                             B,1.32($15)                                                      15000024
                                                        CNOP                 -BACK TO RETURN                             15000024
002403.00      000000.10 8E  110025.60 50  G OSMI   L(V+I)(BU,8),.8($14),43     -FOR 8BIT BCD                        15000025
002404.00      000000.00 80  002030.40 7C               C0000(BU,2),0.0,49                                               15000026
002405.00      000000.06 8E  106025.60 50  G SEST   L(V+I)(BU,6),.6($14),43     -FOR 6BIT BCD                        15000027
002406.00      002376.10 00                             B,G SKOK                                                         15000028
002406.40      000000.30 00                             NOP                                                              15000028
002407.00 *    000003.00                   G ULOZX  DRZ(BU,64),(3)              -RESERVE 3 FULL WORDS FOR INDEXES    15000029
002412.00                                  G RADA   (IQS*)DD(BU,8,8),/1234567890=*                                   15000030
002413.40                          052              (2)DD(BU,8,8),00101010      -QUOTATION                           15000031
002413.50                                           (IQS*)DD(BU,8,8),/// /STUVWXYZ*                                  15000032
002415.20                          165              (2)DD(BU,8,8),01110101      -COLON                               15000033
002415.30                                           (IQS*)DD(BU,8,8),,(///-JKLMNOPQR*                                15000034
002417.20                                           (IQS*)DD(BU,8,8),/*              - SEMICOLON                     15000035
002417.30                                           (IQSY)DD(BU,8,8),$*///+ABCDEFGHI/.)///Y                          15000036
```

```
LINE   LOCATION       BINARY OUTPUT                 NAME     STATEMENT                                           LOCATION

  1*                                                -        ----------------------------------------------------  15000038
  2*                                                -              HOLLERITH TO BCD CONVERSION                     15000039
  3*                                                -        ----------------------------------------------------  15000040
  4* 002422.00 *                                              SLC,$                                               15000041
  5* 002422.00       000011.22 C0                   S CA6     Z,$R                    -SET UP FOR A-6 CONVERSION  15000042
  6* 002422.40       002424.10 C0                             $B,QGO$A                                            15000043
  7*                                                -                                                            15000044
  8* 002423.00       000001.40 80  430024.20 50     S CA8     LI(BU,24),1.32,40       -SETUP FOR A-8 TYPE CONVERSION  15000045
  9*                                                          TAIL,A                                              15000046
 10* 002424.00       000021.00 80  002472.14 A0     Q GO      TI,6,$1,QSAV            -SAVE THE INDICES           15000047
 11* 002425.00       000000.11 BF                             LVE,$4,0($15)                                       15000048
 12* 002425.40       000011.02 30                             LV,$1,$R                                            15000049
 13* 002426.00       000000.50 5F                             LC,$4,.32($15)                                      15000050
 14* 002426.40       002454.70 42                             BXCZ,QFIN                                           15000051
 15* 002427.00       000001.12 3F                             LV,$5,1.0($15)                                      15000052
 16*                                                -                                                            15000053
 17*                                                -              FIND THE CHARACTER IN TABLE                     15000054
 18*                                                -                                                            15000055
 19* 002427.40       000000.03 84  103000.07 70     Q P       CT0011(V+I)(BU,3),.3($4)                            15000056
 20* 002430.40       000007.21 80  007026.60 50               L(BU,7),$LZC,45                                     15000057
 21* 002431.40       000011.04 30                             LV,$2,$R                                            15000058
 22* 002432.00       000007.44 50                             LC,$2,7.32                                          15000059
 23* 002432.40       000000.11 84  111000.06 70               LF(V+I)(BU,9),.9($4)                                15000060
 24* 002433.40       000000.05 00                             C+I,$2,0                                            15000061
 25* 002434.00       002446.70 40                             BZXCZ,QER               -YES                        15000062
 26* 002434.40       002500.04 32                             LV,$2,QTB($2)                                       15000063
 27* 002435.00 *     000007.46 50                             LC,$3,7.32                                          15000064
 28* 002435.40       000007.21 80  007026.46 70               LF(BU,7),$LZC,45                                    15000065
 29* 002436.40       000011.06 30                             LV,$3,$R                                            15000066
 30* 002437.00       002447.70 42                             BXCZ,QCK                -IF NO TRIPLE OR MORE PUNCHES  15000067
 31* 002437.40       102000.00 80  411000.23 10               KFI(BU,9),(2)001000010  -CHECK FOR AN 8-3 COMBO     15000068
 32* 002440.40       002442.36 C0                             BZAE,QNO                -NO                         15000069
 33* 002441.00       000005.07 01                             LVI,$3,5.0                                          15000070
 34* 002441.40       002447.50 00                             B,QCK                                               15000071
 35*                                                -                                                            15000072
 36* 002442.00       042000.00 80  411000.23 10     Q NO      KFI(BU,9),(2)000100010  -CHECK FOR AN 8-4 COMBO     15000073
 37* 002443.00       002444.76 C0                             BZAE,QNOZ               -NO                         15000074
 38* 002443.40       000005.47 01                             LVI,$3,5.32                                         15000075
 39* 002444.00       002447.50 00                             B,QCK                                               15000076
 40*                                                -                                                            15000077
 41* 002444.40       202000.00 80  411000.23 10     Q NOZ     KFI(BU,9),(2)010000010  -CHECK FOR AN 8-I COMBO     15000078
 42* 002445.40       000006.07 01                             LVI,$3,6.0                                          15000079
 43* 002446.00       002447.76 C2                             BAE,QCK                 -OK MUST BE A COLON         15000080
 44* 002446.40       000006.07 01                   Q ER      LVI,$3,6.0                                          15000081
 45* 002447.00       000000.05 01                             LVI,$2,0                                            15000082
 46* 002447.40       002456.15 B3                   Q CK      LVE,$6,QFLD($3)                                     15000083
 47* 002450.00 *     002465.00 86  006600.06 70               LF(BU,6,6),Q($6)                                    15000084
 48* 002451.00       002451.50 01                             B,QST($1)                                           15000085
 49* 002451.40       000000.06 85  106600.20 D0     QST       ST(V+I)(BU,6,6),.6($5)                              15000086
 50* 002452.40       002454.10 00                             B,QCHK                                              15000087
 51* 002453.00       000000.10 85  110000.20 D0               ST(V+I)(BU,8,8),.8($5)                              15000088
 52* 002454.00       002427.50 48                   Q CHK     CB,$4,QP                                            15000089
 53* 002454.40       002472.00 80  000021.14 E0     Q FIN     SWAPI,6, QSAV,$1        -RESTORE INDEXES            15000090
 54* 002455.40       000001.50 0F                             B,1.32($15)             -AND RETURN                 15000091
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION
1*			-	**	15000093
2*			-	THE CHARACTER LOCATOR TABLES	15000094
3*			-	**	15000095
4*	002456.00	000000.00 82	Q FLD	,0($2)	15000096
5*	002456.40	000000.06 82		,.6($2)	15000097
6*	002457.00	000000.14 82		,.12($2)	15000098
7*	002457.40	000000.22 82		,.18($2)	15000099
8*	002460.00	000000.30 82		,.24($2)	15000100
9*	002460.40	000000.36 82		,.30($2)	15000101
10*	002461.00	000000.44 82		,.36($2)	15000102
11*	002461.40	000000.52 82		,.42($2)	15000103
12*	002462.00	000000.60 82		,.48($2)	15000104
13*	002462.40	000000.66 82		,.54($2)	15000105
14*	002463.00	000000.74 82		,.60($2)	15000106
15*	002463.40	000001.02 82		,.66($2)	15000107
16*	002464.00 *	000001.10 82		,0.72($2)	15000108
17*			-	**	15000109
18*			-	THE TABLES	15000110
19*			-	**	15000111
20*	002464.40	000000.30 00		CNOP	15000112
21*	002465.00		Q	(AX)DD(BU,6,6),ABCDEFGHI+.)/X	15000113
22*	002466.16			(AX)DD(BU,6,6),JKLMNOPQR-$*/X	15000114
23*	002467.34			(AA)DD(BU,6,6),/STUVWXYZ0,(A	15000115
24*	002470.44	32		DD(BU,6,6),(8)32 -SPECIAL FOR COLON	15000116
25*	002470.52			(AX)DD(BU,6,6),123456789 =-/X	15000117
26*			-		15000118
27*				CNOP	15000119
28*	002472.00 *	000006.00	Q SAV	DRZ(BU,64),(6)	15000120
29*			-		15000121
30*	002500.00	000000.00+	Q TB	VF,0 -FOR 12 ZONE	15000122
31*	002500.40	000001.16+		VF,78 -FOR THE 11 ZONE	15000123
32*	002501.00	000002.34+		VF,156 -FOR THE ZERO ZONE	15000124
33*	002501.40	000003.52+		VF,234 -FOR THE NO ZONE	15000125
34*			-		15000126
35*				UNTAIL,(1)	15000127

```
LINE  LOCATION        BINARY OUTPUT                  NAME     STATEMENT                                              LOCATION

  1*                                                 -  ------------------------------------------------------------  15000129
  2*                                                 -                  THE BREAKDOWN ROUTINE                         15000130
  3*                                                 -  ------------------------------------------------------------  15000131
  4*                                                 -                                                                15000132
  5* 002501.71 *                                             SLC,$                                                    15000133
  6*                                                           -SBRK8,  6 BIT BCD VERSION,  16 BITS BETWEEN OUTPUT  -  15000134
  7*                                                           -FIELDS.        LARRY LEVY                           -  15000135
  8*                                                           -----------------------------------------------------  15000136
  9*                                                         -                                                        15000137
 10* 002502.00    002547.03 10                        SBRK8  SX,QX INN,Q SAV1        -SAVE INDEX REGISTERS            15000138
 11* 002502.40    002550.05 10                               SX,QX OUT,Q SAV2                                         15000139
 12* 002503.00    002551.07 10                               SX,QX CF9,Q SAV3                                         15000140
 13* 002503.40    000000.02 3F                               LV,QX INN,0.($15)       -INITIALIZE IN                   15000141
 14* 002504.00    000000.42 5F                               LC,QX INN,.32($15)      -INITIALIZE N                    15000142
 15* 002504.40    000001.04 3F                               LV,QX OUT,1.($15)       -INITIALIZE OUT                  15000143
 16* 002505.00    002555.06 10                               LX,QX CF9,QW CF9        -COUNT CHARS IN STORED FIELD     15000144
 17* 002505.40    000001.40 8F  022000.00 F0                 CM0000(BU,18,8),1.32($15) -INITIALIZE FIELD COUNT        15000145
 18* 002506.40    002556.37 80  030040.20 50                 L(BU,18+QKSIZ),QCOUNT,64                                 15000146
 19* 002507.40    000000.06 81  106000.06 70  Q NEXT        LF(V+I)(BU,Q KSIZ), Q KSIZ(QX INN) -LOAD INPUT CHAR. STEP X 15000147
 20* 002510.40    002556.31 80  006600.23 10                 KF,Q CMA                -IS THIS A COMMA                 15000148
 21* 002511.40    002520.76 C2                               BAE,Q IF C                                               15000149
 22* 002512.00    002556.61 80  006600.23 10                 KF,Q BLNK               -IS THIS A BLANK                 15000150
 23* 002513.00    002515.36 C2                               BAE,Q STEP                                               15000151
 24* 002513.40    002530.06 4E                               CBRZ,QX CF9,Q 2BIG      -TEST FOR OVERSIZED FIELD        15000152
 25* 002514.00    000000.06 82  106000.12 F0                 SF(V+I)(BU,Q KSIZ), Q KSIZ(QX OUT) -STORE CHAR. STEP X    15000153
 26* 002515.00 *  002507.42 48                Q STEP        CB,QX INN,Q NEXT        -TEST FOR LAST INPUT CHAR        15000154
 27* 002515.40    000001.40 8F  022000.22 B0                 M+1(BU,18),1.32($15)    -COUNT LAST FIELD                15000155
 28* 002516.40    002526.06 4A                Q BL          CBZ,QX CF9,Q RSTR       -STORE R.H. BLANKS AT END OF LAST FIELD 15000156
 29* 002517.00    000000.06 82  106040.12 F0                 SF(V+I)(BU,Q KSIZ),Q KSIZ(QX OUT),64  -IF NECESSARY      15000157
 30* 002520.00    002516.50 C0                               B,Q BL                                                   15000158
 31*                                                                                 -                                15000159
 32* 002520.40    000001.40 8F  022000.22 B0  Q IF C        M+1(BU,18),1.32($15)    -COUNT THIS FIELD                15000160
 33* 002521.40    002523.46 4E                               CBRZ,QX CF9,Q REDY      -TEST FOR SHORT INPUT FIELD      15000161
 34* 002522.00    000000.06 82  106040.12 F0  Q ZERO        SF(V+I)(BU,Q KSIZ), Q KSIZ(QX OUT),64 -STORE RIGHT-HAND   15000162
 35* 002523.00    002522.06 4C                               CBR,QX CF9,Q ZERO       -       BLANKS AFTER SHORT FIELDS 15000163
 36* 002523.40    002556.04 B0                Q REDY        V+,QX OUT,Q SKIP        -SKIP TO BEG OF NEXT OUTPUT FIELD 15000164
 37* 002524.00    000001.40 8F  022043.23 10                 KF(BU,18),1.32($15),64+QKSIZ                             15000165
 38* 002525.00    002526.37 40                               BZAH,QRSTR                                               15000166
 39* 002525.40    002507.42 48                               CB,QX INN,Q NEXT        -TEST FOR LAST INPUT CHAR        15000167
 40*                                                                                 -                                15000168
 41* 002526.00    002547.02 10                Q RSTR        LX,QX INN,Q SAV1        -RESTORE INDEX REGISTERS         15000169
 42* 002526.40    002550.04 10                               LX,QX OUT,Q SAV2                                         15000170
 43* 002527.00    002551.06 10                               LX,QX CF9,Q SAV3                                         15000171
 44* 002527.40    000002.50 0F                               B,2.32($15)             -NORMAL RETURN                   15000172
 45*                                                                                 -                                15000173
 46* 002530.00 *  000001.40 8F  022000.22 B0  Q 2BIG        M+1(BU,18),1.32($15)    -COUNT THIS FIELD                15000174
 47* 002531.00    000021.00 80  002547.02 E0                 SWAPI,1,QX INN,Q SAV1   -RESTORE INDEXES BUT SAVE THE    15000175
 48* 002532.00    000022.00 80  002550.02 E0                 SWAPI,1,QX OUT,Q SAV2   -       PRESENT VALUES FOR RE-ENTRY 15000176
 49* 002533.00    000023.00 80  002551.02 E0                 SWAPI,1,QX CF9,Q SAV3   -       AT QBRK8                 15000177
 50* 002534.00    000010.00 80  002552.04 A0                 TI,2,$L,Q SAV4          -SAVE $L AND $R                  15000178
 51* 002535.00    002554.37 10                               SX,$15,Q SAV6                                            15000179
 52* 002535.40    000002.10 0F                               B,2.  ($15)             -ERROR RETURN                    15000180
```

IBM

```
LINE  LOCATION           BINARY OUTPUT                 NAME     STATEMENT                                         LOCATION

  1*                                                                                  -RE-ENTRY POINT FOLLOWING ERROR RETURN          15000182
  2* 002536.00      000021.00 80  002547.02 E0      QBRK8   SWAPI,1,QX INN,Q SAV1   -RESET INDEXES                             15000183
  3* 002537.00      000022.00 80  002550.02 E0              SWAPI,1,QX OUT,Q SAV2                                               15000184
  4* 002540.00      000023.00 80  002551.02 E0              SWAPI,1,QX CF9,Q SAV3                                               15000185
  5* 002541.00      002552.00 80  000010.04 A0              TI,2,Q SAV4,$L          -RESET $L AND $R                           15000186
  6* 002542.00      002554.36 10                            LX,$15,Q SAV6                                                       15000187
  7* 002542.40      002556.04 B0                            V+,QX OUT,Q SKIP        -SKIP TO BEG OF NEXT OUTPUT FIELD          15000188
  8* 002543.00      002526.02 4A                    Q SPAC  CBZ,QXINN,QRSTR           -TEST FOR LAST INPUT CHARACTER.          15000189
  9* 002543.40 *    002556.31 80  006600.23 10              KF,Q CMA                -TEST FOR COMMA. FIRST CHAR READ           15000190
 10*                                                                                -      CANNOT BE A COMMA                   15000191
 11* 002544.40      002507.76 C2                            BAE,Q NEXT                                                          15000192
 12* 002545.00      000000.06 81  106000.06 70              LF(V+I)(BU,Q KSIZ), Q KSIZ(QX INN) -LOAD NEXT CHAR. STEP X          15000193
 13* 002546.00      002543.10 00                            B,Q SPAC                                                            15000194
 14*                                                                                -                                          15000195
 15*                                                                                -                                          15000196
 16* 002547.00    000000.00+ 000 000000 000000      Q SAV1  XW,                     -STORE INDEXES                             15000197
 17* 002550.00    000000.00+ 000 000000 000000      Q SAV2  XW,                                                                 15000198
 18* 002551.00    000000.00+ 000 000000 000000      Q SAV3  XW,                                                                 15000199
 19* 002552.00    000000.00+ 000 000000 000000      Q SAV4  XW,                     -STORE $L                                  15000200
 20* 002553.00    000000.00+ 000 000000 000000              XW                        -STORE $R                                15000201
 21* 002554.00    000000.00+ 000 000000 000000      Q SAV6  XW,                     -STORE $15                                 15000202
 22* 000021.00+       +00000000          BU,100,10  QX INN  SYN,$1                                                              15000203
 23* 000022.00+       +00000000          BU,100,10  QX OUT  SYN,$2                                                              15000204
 24* 000023.00+       +00000000          BU,100,10  QX CF9  SYN,$3                                                              15000205
 25*                                                                         -----------------------------------------          15000206
 26*                                                                         -     PROGRAM MODIFICATION CARDS           -          15000207
 27*                                                                         -----------------------------------------          15000208
 28* 002555.00    000000.00+ 000 000011 002555      QW CF9  XW,0.,9,QWCF9             -NO. OF CHARS PER OUTPUT FIELD +1        15000209
 29* 002556.00    000000.20+                        Q SKIP  VF,.16                    -NO. OF BIT BETWEEN STORAGE FIELDS       15000210
 30* 002556.31                                      Q CMA   (A*)DD(BU,QKSIZ,QKSIZ),,* -COMMA                                   15000211
 31* 002556.37                            000014    QCOUNT  DD(BU,18),(8)000014            -MAX. NO. FIELDS IN BREAKOUT        15000212
 32* 002556.61                                      Q BLNK  (A*)DD(BU,QKSIZ,QKSIZ), * -BLANK                                   15000213
 33* 000000.00+       +00000006          NULL       Q KSIZ  SYN, 6                                                              15000214
```

```
LINE  LOCATION        BINARY OUTPUT         NAME       STATEMENT                  LOCATION    002556

  1* 002556.67 *                                     SLC,$                                                    16000002
  2*                                      - ---------------------------------------------------------------  16000003
  3*                                      -                I/O ASSIGNMENT --- DECODE ---                     16000004
  4*                                      - ---------------------------------------------------------------  16000005
  5*                                      -                                                                  16000006
  6*                                      - ---------------------------------------------------------------  16000007
  7*                                      -                THE DECODE PROGRAM LINKAGE FORMAT                 16000008
  8*                                      - ---------------------------------------------------------------  16000009
  9*                                      -                                                                  16000010
 10*                                      -                       LVI,$15,X                                  16000011
 11*                                      -                       B,LDECOD                                   16000012
 12*                                      -                X      VF,A                                       16000013
 13*                                      -                       CF,B                                       16000014
 14*                                      -                       VF,C                                       16000015
 15*                                      -                       BEW,$          ERROR RETURN                16000016
 16*                                      -                       BEW,$          NORMAL RETURN               16000017
 17*                                      -                                                                  16000018
 18*                                      -                       LET A = FWA OF THE BREAK DOWN AREA         16000019
 19*                                      -                       LET B = THE MODE                           16000020
 20*                                      -                           ZERO = OVERLAP MODE                    16000021
 21*                                      -                           NOT ZERO = NOT OVERLAP MODE            16000022
 22*                                      -                       LET C = THE RETURN DISPOSITIONS            16000023
 23*                                      -                           SEE THE DISTRIBUTED WRITE - UP         16000024
```

```
 LINE  LOCATION              BINARY OUTPUT                     NAME    STATEMENT                                       LOCATION

   1*                                                                  PRNS                                            16000026
   2*                                                          - ----------------------------------------------------  16000027
   3*                                                          -       RESERVATIONS, TABLES AND COUNTERS               16000028
   4*                                                          - ----------------------------------------------------  16000029
   5* 000000.64+      +00000000          BU,14 ,10             L IREF  SYN(BU,12),0.52         -P.P. REFERENCE NUMBER  16000030
   6*                                                          - ----------------------------------------------------  16000031
   7*                                                          -       TABLE INDICES FOR REFILL USE                    16000032
   8*                                                          -                                                       16000033
   9* 002557.00   003370.00+ 000 000002 002557  L PPURF  XW,TPURFT,TUPPC,$          -NOT OVERLAP PP REF. TBL.         16000034
  10* 002560.00   003514.00+ 000 000024 002560           XW,TUIORQ,TUIOC,$          -NOT OVERLAP I/O REQ. TBL.       16000035
  11* 002561.00   003623.00+ 000 000024 002561           XW,TUFRE,TUFRC,$           -NOT OVERLAP FIRST REEL TBL.     16000036
  12* 002562.00   003317.00+ 000 000024 002562  LPPREF   XW,TPREFT,TPPC,$                                            16000037
  13* 002563.00   003373.00+ 000 000120 002563  LIOTBX   XW,TIOREQ,TIOC,$                                            16000038
  14* 002564.00   003541.00+ 000 000062 002564  LFSTRX   XW,TFSTRE,TFRC,$                                            16000039
  15* 002565.00   002620.00+ 000 000036 002565  L SYMUX  XW,LSYMU,32-2,$             -SYMBOLIC TAPE INDEX REFILL      16000040
  16* 002566.00   002660.00+ 000 000016 002566  L SYMCX  XW,LSYMC,16-2,$             -SYMBOLIC CHANNEL INDEX REFILL   16000041
  17* 002567.00   002700.00+ 000 000016 002567  L NTPUX  XW,LNTPU,16-2,$             -NON-TAPE INDEX REFILL           16000042
  18* 002570.00   002723.00+ 000 000011 002570  L XTYPE  XW,LDISK,9,$                -THE TYPE CODE INDEX             16000043
  19*                                           - ----------------------------------------------------                    16000044
  20*                                           -        SWAP AREA FOR EIGHT MCP-DECODE INDICES.                          16000045
  21*                                           -                                                                         16000046
  22* 002571.00   000000.00+ 000 000000 000000  L TY     XW                                                          16000047
  23* 002572.00 * 003317.00+ 000 000024 002562           XW,TPREFT,TPPC,LPPREF                                       16000048
  24* 002573.00   003373.00+ 000 000120 002563           XW,TIOREQ,TIOC,LIOTBX                                       16000049
  25* 002574.00   003541.00+ 000 000062 002564           XW,TFSTRE,TFRC,LFSTRX                                       16000050
  26* 002575.00   002620.00+ 000 000036 002565           XW,LSYMU,32-2,LSYMUX                                        16000051
  27* 002576.00   002660.00+ 000 000016 002566           XW,LSYMC,16-2,LSYMCX                                        16000052
  28* 002577.00   002700.00+ 000 000016 002567           XW,LNTPU,16-2,LNTPUX                                        16000053
  29* 002600.00   000000.00+ 000 000000 000000           XW                                                          16000054
  30*                                           - ----------------------------------------------------                    16000055
  31*                                           -        TABLE INDICES                                                    16000056
  32*                                           -                                                                         16000057
  33* 000023.00+      +00000000          BU,100,10  L IODX   SYN,$3              -INDEX FOR GETTING IOD IMAGE             16000058
  34* 000024.00+      +00000000          BU,100,10  L XPP    SYN,$4              -P.P. REFERENCE TABLE INDEX              16000059
  35* 000025.00+      +00000000          BU,100,10  L XIO    SYN,$5              -I.O. REQUEST TABLE INDEX                16000060
  36* 000026.00+      +00000000          BU,100,10  L XFR    SYN,$6              -FIRST REEL NUMBER TABLE INDEX           16000061
  37* 000027.00+      +00000000          BU,100,10  L XSU    SYN,$7              -SYMBOLIC TAPE UNIT TABLE INDEX          16000062
  38* 000030.00+      +00000000          BU,100,10  L XSC    SYN,$8              -SYMBOLIC CHANNEL TABLE INDEX            16000063
  39* 000031.00+      +00000000          BU,100,10  L XNT    SYN,$9              -NON-TAPE TABLE INDEX                    16000064
  40* 000032.00+      +00000000          BU,100,10  L WORKX  SYN,$10             -WORKING INDEX                           16000065
  41*                                           - ----------------------------------------------------                    16000066
  42*                                           -        COUNTERS AND BITS                                                16000067
  43*                                           -                                                                         16000068
  44* 002601.00   000000.06+                    L NO6    VF,.06                 -FOR IX BUMMPING                      16000069
  45* 002601.31 *   000000.07                   L TAPEC  DRZ(BU,7),(1)          -TAPE REEL COUNTER                    16000070
  46* 002601.40     000000.11                   L IOSCR  DRZ(BU,9),(1)        -IODSQ COUNTER                          16000071
  47* 002601.51                               1 L FINB   DD(BU,1),1           -FINAL BIT                              16000072
  48* 002601.52                               0 L NTB    DD(BU,1),0           -NON-TAPE BIT                           16000073
  49* 002601.53     000000.07                   L COUNT  DRZ(BU,7),(1)               -COUNT OF RLSYMS                 16000074
  50* 002601.62                               0 L OVBIT  DD(BU,1),0                    -OVERLAPPED JOB BIT              16000075
  51* 002601.63                                 L BLZOR  (AX)DD(BU,8,8),0X     -BCD -8 ZERO                            16000076
  52* 002601.73                               0 L INFAD  DD(BU,1),0                    -INFINITE-DISK ADDRESS           16000077
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 002602	
1*	002602.CC	CCCCCC.00+ 000 000000 000000	L SAVE	XW	-TC SAVE LXNT INDEX	16000079
2*	002603.00	000000.00+ 000 000000 000000	L SAVEY	XW,0		16000080
3*	002604.CC	000000.00+ 000 000000 000000	L SAVEZ	XW,0		16000081
4*	002605.00	000000.00+ 000 000000 000000	L PUT	XW		16000082
5*	002606.CC	CC2607.00+ 000 000004 002606	L CLEAR	XW,LRLCT,4,$	-XW	16000083
6*	002607.00 *	000004.CC	L RLCT	DRZ(8U,64),(4)	-RLSYM COUNT TABLE	16000084
7*			-			16000085
8*	002613.00	000000.00+ 000 000000 000000	LAST PP	XW,	-ADD. OF LAST PP ENTERED IN TBL	16000086

IBM

LINE LOCATION BINARY OUTPUT NAME STATEMENT LOCATION 002614

```
 1* 002614.00                    001  L CT     DD(BU,8),1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16                16000088
 2* 002614.10                    002                                                                          16000088
 3* 002614.20                    003                                                                          16000088
 4* 002614.30                    004                                                                          16000088
 5* 002614.40                    005                                                                          16000088
 6* 002614.50                    006                                                                          16000088
 7* 002614.60                    007                                                                          16000088
 8* 002614.70                    010                                                                          16000088
 9* 002615.00                    011                                                                          16000088
10* 002615.10                    012                                                                          16000088
11* 002615.20                    013                                                                          16000088
12* 002615.30                    014                                                                          16000088
13* 002615.40                    015                                                                          16000088
14* 002615.50                    016                                                                          16000088
15* 002615.60                    017                                                                          16000088
16* 002615.70                    020                                                                          16000088
17* 002616.00                    021          DD(BU,8),17,18,19,20,21,22,23,24,25,26,27,28,29,30,31           16000089
18* 002616.10                    022                                                                          16000089
19* 002616.20                    023                                                                          16000089
20* 002616.30                    024                                                                          16000089
21* 002616.40                    025                                                                          16000089
22* 002616.50                    026                                                                          16000089
23* 002616.60                    027                                                                          16000089
24* 002616.70                    030                                                                          16000089
25* 002617.00                    031                                                                          16000089
26* 002617.10                    032                                                                          16000089
27* 002617.20                    033                                                                          16000089
28* 002617.30                    034                                                                          16000089
29* 002617.40                    035                                                                          16000089
30* 002617.50                    036                                                                          16000089
31* 002617.60                    037                                                                          16000089
32*                                 -  ------------------------------------------------------------------------ 16000090
33*                                 -        INTERNAL DECODE TABLES                                            16000091
34*                                 -  ------------------------------------------------------------------------ 16000092
35*                                        CNOP                                                               16000093
36* 002620.00 *     000040.00                L SYMU   DRZ(BU),(32)          -SYMBOLIC UNIT TABLE              16000094
37* 000000.61+      +00000000   BU,01 ,10      L RLBIT  SYN(BU,1),0.49        -THE REEL ENTERED BIT             16000095
38* 002660.00       000020.00                L SYMC   DRZ(BU),(16)          -SYMBOLIC CHANNEL TABLE           16000096
39* 002700.00       000020.00                L NTPU   DRZ(BU),(16)          -NON TAPE TABLE                   16000097
40* 000000.00+      +00000077   BU,01 ,10      L ZBIT   SYN(BU,1),63          -INFINITY BIT                     16000098
41*                                 -                                                                          16000099
```

```
LINE  LOCATION      BINARY OUTPUT       NAME      STATEMENT                                   LOCATION

  1*                                    - -----------------------------------------------------------------   16000101
  2*                                    -              SWAP AREAS FOR THE 3 INTERNAL INDEXES FOR NOT OVERLAP USE   16000102
  3*                                    -                                                                     16000103
  4*  002720.00     000003.00           L NOSAV   DRZ(BU,64),(3)                                              16000104
  5*                                    - -----------------------------------------------------------------   16000105
  6*                                    -         TYPE SYMBOLS AND CODES                                      16000106
  7*                                    -                                                                     16000107
  8*  002723.00                         L DISK    (AY)DD(BU,60,6),DISK      Y                                 16000108
  9*  002723.74                 01                (8)DD(BU,4),1                                               16000109
 10*  002724.00                         L TRACK   (AY)DD(BU,60,6),TRACK     Y                                 16000110
 11*  002724.74                 01                (8)DD(BU,4),1                                               16000111
 12*  002725.00                                   (AY)DD(BU,60,6),CONSOLE   Y                                 16000112
 13*  002725.74                 02                (8)DD(BU,4),2                                               16000113
 14*  002726.00                                   (AY)DD(BU,60,6),READER    Y                                 16000114
 15*  002726.74                 03                (8)DD(BU,4),3                                               16000115
 16*  002727.00                                   (AY)DD(BU,60,6),PUNCH     Y                                 16000116
 17*  002727.74                 04                (8)DD(BU,4),4                                               16000117
 18*  002730.00                                   (AY)DD(BU,60,6),PRINTER   Y                                 16000118
 19*  002730.74                 05                (8)DD(BU,4),5                                               16000119
 20*  002731.00                                   (AY)DD(BU,60,6),IQS       Y                                 16000120
 21*  002731.74                 06                (8)DD(BU,4),6                                               16000121
 22*  002732.00                                   (AY)DD(BU,60,6),          Y                                 16000122
 23*  002732.74                 07                (8)DD(BU,4),7                                               16000123
 24*  002733.00                         L TAPE    (AY)DD(BU,60,6),TAPE      Y                                 16000124
 25*  002733.74                 10                (8)DD(BU,4),10                                              16000125
 26*                                    - -----------------------------------------------------------------   16000126
 27*                                    -                                                                     16000127
 28*                                    -         IOD AND REEL COMPARISONS                                    16000128
 29*                                    -                                                                     16000129
 30*  002734.00                         L IOD     (AY)DD(BU,64,6),IOD       Y                                 16000130
 31*                                              CNOP                                                        16000131
 32*  002735.00                         L REEL    (AY)DD(BU,64,6),REEL      Y                                 16000132
 33*                                              CNOP                                                        16000133
 34*  002736.00 *                       L BLANK   (AY)DD(BU,48,6),        Y     -BCD BLANKS                   16000134
```

```
LOCATION      BINARY OUTPUT                     NAME      STATEMENT                                           LOCATION

                                                - ------------------------------------------------------------ 16000136
                                                -               DECODE SECTION OF MCP                          16000137
                                                - ------------------------------------------------------------ 16000138
                                                -               DISPATCHER ENTRY TO DECODE                     16000139
                                                - ------------------------------------------------------------ 16000140
                                                -                                                              16000141
002737.00     002571.00 80  000023.20 E0    L DECOD   SWAPI,8,LTY,LIODX           -SAVE INDEXES              16000142
002740.00     000000.06 3F                            LV,LIODX,0.0($15)             -GET FWA CONTENTS.       16000143
002740.40     000000.46 5F                            LC,LIODX,0.32($15)      -CHECK FOR NOT OVERLAP MODE    16000144
002741.00     002745.70 42                            BXCZ,LOVER              -IF OVERLAP MODE               16000145
002741.40     002601.62 80  002745.74 0E              BB1,LOVBIT,LOVER        -CHECK AND SET FOR NOT OVERLAP CASE 16000146
002742.40     000024.00 80  002720.06 E0              SWAPI,3,LXPP,LNOSAV     -SAVE THE OVERLAP INDEXES      16000147
002743.40     002557.00 80  000024.06 A0              TI,3,LPPURF,LXPP        -AND INITIALIZE FOR NOT OVERLAP 16000148
002744.40     000000.22 04                            Z,0.0(LXPP)                   -ZERO FIRST PPREF ENTRY. 16000149
002745.00     000001.22 04                            Z,1.0(LXPP)                                            16000150
002745.40     000001.00 83  000000.20 50    L OVER    L(BU,64),1.0(LIODX),0.0                                16000151
002746.40     002601.51 80  002755.34 02              BB,LFINB,LINIT          -BRANCH ON FINAL BIT 1         16000152
002747.40     003170.34 C6                            BRZZ,LFINAL             -BRANCH ON ZERO FWA            16000153
002750.00     000001.00 83  030000.20 50    L FWA     L(BU,24),1.0(LIODX),0.0       -FINAL BIT ZERO----TEST FWA. 16000154
002751.00 *   002734.00 80  030000.21 10              K(BU,24),LIOD,0.0                                      16000155
002752.00     003021.76 C6                            BAEZ,LIODRN                   -IOD----BRANCH.          16000156
002752.40     002735.00 80  030000.21 10              K(BU,24),LREEL,0.0                                     16000157
002753.40     003147.76 C6                            BAEZ,LREELR                   -REEL----BRANCH.         16000158
002754.00     000011.37 C2                            LCI,$15,9.0             -NEITHER -- ERROR FLAG OF 9.   16000159
002754.40     003241.10 00                            B,LERROR                      -BRANCH TO ERROR ROUTINE. 16000160
                                                -                                                              16000161
                                                - ------------------------------------------------------------ 16000162
                                                -               INITIALIZATION ROUTINE                         16000163
                                                - ------------------------------------------------------------ 16000164
                                                -                                                              16000165
002755.00     000001.00 83  030000.20 50    L INIT    L(BU,24),1.0(LIODX)                                    16000166
002756.00     002603.13 10                            SX,LXIO,LSAVEY                -SAVE THE IOREQ INDEX    16000167
002756.40     002604.15 10                            SX,LXFR,LSAVEZ          -SAVE THE FREEL TABLE INDEX    16000168
002757.00     002760.74 C2                            BRZ,LINITA+1.           -IF REJ END COMBO              16000169
002757.40     002601.51 80  001000.00 F0    L INITA   CMOCOO(BU,1),LFINB,0.0        -FINAL BIT TO 0.         16000170
002760.40     002601.73 80  001000.00 F0              CMOCOO,LINFAD           -ZERO THE INF DISK             16000171
002761.40     002601.53 80  007000.00 F0              CMOCOO,LCOUNT                 -ZERO RLSYM NO. COUNT.   16000172
002762.40     002606.24 10                            LX,LWORKX,LCLEAR              -CLEAR RLSYM COUNT TABLE 16000173
002763.00     000000.22 CA                            Z,0.0(LWORKX)                                          16000174
002763.40     002763.25 4C                            CBR+,LWORKX,$-.32                                      16000175
002764.00     000027.16 10                            LX,LXSU,LXSU                  -CHECK FOR INDEX ZERO.   16000176
002764.40     002767.71 46                            BXVZZ,LOOPU+1.                                         16000177
002765.00 *   002617.17 0D                            V-I,LXSU,LSYMU-1.             -CLEAR SYMBOLIC UNIT TABLE. 16000178
002765.40     000027.16 50                            LC,LXSU,LXSU                                           16000179
002766.00     002620.22 00                            Z,LSYMU                                                16000180
002766.40     002620.22 07              L OOPU        Z,LSYMU(LXSU)                                          16000181
002767.00     002766.57 C8                            CB-,LXSU,LOOPU                                         16000182
002767.40     000030.20 10                            LX,LXSC,LXSC                  -CHECK FOR INDEX ZERO.   16000183
002770.00     002773.31 46                            BXVZZ,LOOPC+1.                                         16000184
002770.40     002657.21 0D                            V-I,LXSC,LSYMC-1.             -CLEAR SYMBOLIC CHANNEL TABLE. 16000185
002771.00     000030.20 50                            LC,LXSC,LXSC                                           16000186
002771.40     002660.22 C0                            Z,LSYMC                                                16000187
002772.00     002660.22 C8              L OOPC        Z,LSYMC(LXSC)                                          16000188
002772.40     002772.21 C8                            CB-,LXSC,LOOPC                                         16000189
002773.00     000031.22 10                            LX,LXNT,LXNT                  -CHECK FOR INDEX ZERO.   16000190
002773.40     002776.71 46                            BXVZZ,LOOPN+1.                                         16000191
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 002774
1*	002774.00	002677.23 0D			V-I,LXNT,LNTPU-1.	-CLEAR NON-TAPE TABLE.	16000192
2*	002774.40	000031.22 50			LC,LXNT,LXNT		16000193
3*	002775.00	002700.22 00			Z,LNTPU		16000194
4*	002775.40	002700.22 09		L COPN	Z,LNTPU(LXNT)		16000195
5*	002776.00	002775.63 C8			CB-,LXNT,LOOPN		16000196
6*	002776.40	000000.44 84	001000.20 50		L(BU,1),TJBPRO(LXPP)	-IS PP REF TBL AVAILABLE	16000197
7*	002777.40	003003.74 C4			BZRZZ,LINITB	- YES----STEP DOWN.	16000198
8*	003000.00 *	000000.00 84	022000.20 50		L(BU,18),TCRREF(LXPP)	-IS PP REF SLOT AVAILABLE	16000199
9*	003001.00	003003.74 C6			BRZZ,LINITB	- YES----STEP DOWN.	16000200
10*	003001.40	000001.37 02			LCI,$15,1.0	-NO -- ERROR FLAG 1.	16000201
11*	003002.00	002601.51 80	001000.36 F0		CM1111(BU,1),LFINB,0.0	-SET FINAL BIT TO 1.	16000202
12*	003003.00	003262.50 C0			B,LERR4		16000203
13*	003003.40	000000.22 04		L INITB	Z,0.0(LXPP)	-CLEAR SLOT.	16000204
14*	003004.00	777777.C0 83	000001.02 A4		$TI,1,-1.0(LIODX),1.0(LXPP)	-STORE PP ID	16000205
15*	003005.00	000000.47 84	001000.36 F0		CM1111(BU,1),TLPPEN(LXPP)		16000206
16*	003006.00	000001.00 83	030000.20 50		L(BU,24),1.0(LIODX)	-LOOK FOR REJ END COMBO	16000207
17*	003007.00	003170.34 C2			BRZ,LFINAL	-(IF SO	16000208
18*	003007.40	002734.00 80	030000.21 10		K(BU,24),LIOD	-IS THE FIRST CARD AN IOD	16000209
19*	003010.40	003012.36 C2			BAE,LINBB	-YES	16000210
20*	003011.00	000010.37 02			LCI,$15,8.0	-NO SEND ERROR FLAG	16000211
21*	003011.40	003241.10 00			B,LERROR		16000212
22*	003012.00	002601.62 80	003015.34 02	L INBB	BB,LOVBIT,LINITC-.32	-IF NOT OVERLAP MODE	16000213
23*	003013.00	000000.00 85	000000.20 50		L(BU,64),0.0(LXIO),0.0	-IS IOREQ SLOT AVAILABLE.	16000214
24*	003014.00 *	003015.74 C6			BRZZ,LINITC	- YES----STEP DOWN.	16000215
25*	003014.40	003030.50 00			B,LIOFUL	- NO----TO SPECIAL ROUTINE.	16000216
26*	003015.00	000000.22 05			Z,0.0(LXIO)		16000217
27*	003015.40	000000.13 34		LINITC	SV,LXIO,0.0(LXPP)	-PUT CRREF IN PPREF SLOT.	16000218
28*	003016.00	002601.40 80	011000.00 F0		CM0000(BU,9),LIOSCR,0.0	-SET IODSQ COUNTER TO 1.	16000219
29*	003017.00	002601.40 80	011000.22 B0		M+1(BU,9),LIOSCR		16000220
30*	003020.00	002601.31 80	007000.00 F0		CM0000,LTAPEC	-SET REEL COUNT TO ZERO	16000221
31*	003021.00	002750.10 00			B,LFWA	-BRANCH TO TEST FWA.	16000222
32*				-			16000223
33*				-	----------		16000224
34*				-	IOD CARD ROUTINE		16000225
35*				-	----------		16000226
36*				-			16000227
37*	003021.40	000000.64 84	014000.22 B0	L IODRN	M+1,TIODCT(LXPP)	-STEP IOD COUNTER	16000228
38*	003022.40	000000.64 83	014000.20 50		L,LIREF(LIODX),0.0	-COMPARE FOR LARGEST	16000229
39*	003023.40	000000.50 84	014000.21 10		K,TLREFN(LXPP)	- PP REFERENCE NUMBER	16000230
40*	003024.40	003027.36 46			BALZ,LIODA	-THIS NO. IS LOW....STEP DOWN.	16000231
41*	003025.00	000000.50 84	014000.20 D0		ST,TLREFN(LXPP)	-HIGH.... REPLACE BY THIS NUMBER	16000232
42*	003026.00	002601.62 80	003031.74 02		BB,LOVBIT,LIOD1-0.32		16000233
43*	003027.00 *	000000.00 85	000000.20 50	L IODA	L(BU,64),0.0(LXIO),0.0	-IS IOREQ SLOT AVAILABLE.	16000234
44*	003030.00	003032.34 C6			BRZZ,LIOD1	- YES----STEP DOWN.	16000235
45*	003030.40	000002.37 02		L IOFUL	LCI,$15,2.0	-NO -- ERROR FLAG 2.	16000236
46*	003031.00	003262.50 C0			B,LERR4		16000237
47*	003031.40	000000.22 05			Z,0.0(LXIO)		16000238
48*	003032.00	000002.00 83	060000.20 50	L IOD1	L(BU,48),2.0(LIODX),0.0	-IS TYPE TAPE.	16000239
49*	003033.00	002733.00 80	060000.21 10		K(BU,48),LTAPE,0.0		16000240
50*	003034.00	003077.36 C6			BAEZ,LIODTP	- YES----TO TAPE SECTION.	16000241
51*	003034.40	002601.52 80	001000.36 F0		CM1111(BU,1),LNTB,0.0	- NO----SET NON-TAPE BIT TO 1.	16000242
52*	003035.40	002570.24 10			LX,LWORKX,LXTYPE	-DECODE TYPE AND ENTER IN	16000243
53*	003036.00	000002.00 83	060000.20 50	L TYPR	L(BU,48),2.0(LIODX)	-IO REQUEST SLOT	16000244
54*	003037.00	000000.00 8A	060000.21 10		K(BU,48),.0(LWORKX)		16000245
55*	003040.00	003042.36 C2			BAE,LCODE	-TYPE FOUND	16000246
56*	003040.40	003036.25 48			CB+,LWORKX,LTYPR	-NO TRY AGAIN	16000247

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 003041
1*	003041.00	000006.37 02			LCI,$15,6.0	-NO TYPE MATCHED	16000248
2*	003041.40	003241.10 00			B,LERROR	-WITH ERROR FLAG OF 6	16000249
3*	003042.00	002567.22 10		L CODE	LX,LXNT,LNTPUX	-IS THIS CHANNEL IN THE	16000250
4*	003042.40 *	000000.00 89	060000.20 50	L CODPNT	L(BU,48),0.0(LXNT),0.0	- NON-TAPE TABLE.	16000251
5*	003043.40	003050.74 C6			BRZZ,LIOD2	- NO----STEP DOWN.	16000252
6*	003044.00	000004.00 83	060000.21 10		K(BU,48),4.0(LIODX),0.0		16000253
7*	003045.00	003050.36 00			BZAE,LNONCH	-NO EQUAL	16000254
8*	003045.40	000000.60 89	004000.06 70		LF(BU,4),.48(LXNT)	-EQUAL CHAN FOUND CHECK EQUIP TYPE	16000255
9*	003046.40	000000.74 8A	004000.23 10		KF(BU,4),.60(LWORKX)		16000256
10*	003047.40	003062.36 C2			BAE,LNCN	-IF EQUIP IS SAME AND CHAN SAME CONT.	16000257
11*	003050.00	003042.63 48		L NONCH	CB+,LXNT,LOOPNT	-TRY AGAIN	16000258
12*	003050.40	000004.00 83	000000.02 A9	L IOD2	TI,1,4.0(LIODX),0.0(LXNT)	-PUT CHANNEL IN NON-TAPE TABLE.	16000259
13*	003051.40	002601.31 80	007000.22 B0		M+1,LTAPEC	-STEP REEL COUNTER	16000260
14*	003052.40	000000.74 8A	004000.20 50		L(BU,4),.60(LWORKX)	-GET TYPE	16000261
15*	003053.40	000000.60 89	004000.12 F0		SF(BU,4),.48(LXNT)	-AND PLACE IN CHANNEL TABLE	16000262
16*	003054.40	000000.03 85	004000.20 D0		ST(BU,4),TTYPE(LXIO)		16000263
17*	003055.40	000000.34 84	010000.22 B0	L FOUND	M+1,TUNCT(LXPP)	-STEP UNIT COUNT	16000264
18*	003056.40 *	002601.40 80	011000.20 50		L(BU,9),LIOSCR,0.0	-ENTER IOCSQ IN IOREQ. SLOT.	16000265
19*	003057.40	000000.23 85	011000.20 D0		ST(BU,9),TIODSQ(LXIO)		16000266
20*	003060.40	002601.40 80	011000.22 B0		M+1(BU,9),LIOSCR	-STEP IODSQ.	16000267
21*	003061.40	000001.13 07			V+ICR,LXIO,1.0	-STEP IOREQ. INDEX.	16000268
22*				-			16000269
23*				-			16000270
24*				-	DISK - TRACK CHECK ROUTINE		16000271
25*				-			16000272
26*	003062.00	000002.00 83	060000.06 70	L NCN	LF(BU,48),2.0(LIODX)	-IS TYPE DISK OR TRACK.	16000273
27*	003063.00	002723.00 80	060000.23 10		KF(BU,48),LDISK		16000274
28*	003064.00	003066.36 C6			BAEZ,LNEW	- DISK----BRANCH.	16000275
29*	003064.40	002724.00 80	060000.23 10		KF(BU,48),LTRACK		16000276
30*	003065.40	003237.76 C4			BZAEZ,LNORM	- NON DISK OR TRACK	16000277
31*	003066.00	000005.00 83	060000.20 50	L NEW	L(BU,48),5.0(LIODX)	-IS NUMBER FIELD BLANK	16000278
32*	003067.00	002736.00 80	060600.23 10		KF,LBLANK		16000279
33*	003070.00	003075.36 C6			BAEZ,LDSKD	-YES	16000280
34*	003070.40	000023.24 30			LV,LWORKX,LIODX	-IS THE NUMBER FIELD ZERO	16000281
35*	003071.00	000010.25 02			LCI,LWORKX,8		16000282
36*	003071.40 *	002601.65 80	006000.06 70		LF(BU,6),LBLZCR+.2		16000283
37*	003072.40	000005.00 8A	006600.23 10	LDSKC	KF(BU,6,6),5.(LWORKX)		16000284
38*	003073.40	003237.76 C4			BZAEZ,LNORM	-A NON ZERO ENTRY	16000285
39*	003074.00	002601.24 B0			V+,LWORKX,LNO6	-STEP TO NEXT CHAR	16000286
40*	003074.40	003072.64 48			CB,LWORKX,LDSKC		16000287
41*	003075.00	000000.77 89	003237.74 0C	L DSKD	BZB1,LZBIT(LXNT),LNORM	-IF NO OTHER INF REQUESETD	16000288
42*	003076.00	000007.37 02			LCI,$15,7.0	-NO -- ERROR FLAG 7.	16000289
43*	003076.40	003241.10 00			B,LERROR		16000290
44*				-			16000291
45*				-			16000292
46*				-	TAPE IOD ROUTINE		16000293
47*				-			16000294
48*	003077.00	002601.52 80	001000.00 F0	L IODTP	CMOCOC(BU,1),LNTB,0.0	-SET NON-TAPE BIT TO 0.	16000295
49*	003100.00	002565.16 10			LX,LXSU,LSYMUX	-IS THIS UNIT IN THE	16000296
50*	003100.40	000000.00 87	060000.20 50	L OOPSU	L(BU,48),0.0(LXSU),0.0	- TAPE TABLE.	16000297
51*	003101.40	003104.74 C6			BRZZ,LIOD3	- NO----STEP DOWN.	16000298
52*	003102.00	000005.00 83	060000.21 10		K(BU,48),5.0(LIODX),0.0		16000299
53*	003103.00	003137.76 C6			BAEZ,LSET	- YES----STEP DOWN.	16000300
54*	003103.40	003100.57 48		L ETA	CB+,LXSU,LOOPSU	-TRY AGAIN ON A NON-ZERO CT	16000301
55*	003104.00	003104.04 00			BD,$	-INTERNAL UNIT TABLE EXCEEDED	16000302
56*	003104.40	000005.00 83	000000.02 A7	L IOD3	TI,1,5.0(LIODX),0.0(LXSU)	-ENTER UNIT IN TAPE TABLE.	16000303

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT		LOCATION 003105
1*	003105.40 *	002601.31 80 007000.20 50		L,LTAPEC	-ENTER THE TAPE REEL COUNT	16000304
2*	003106.40	000000.62 87 007000.20 D0		ST(BU,7),.50(LXSU)	-IN THE TAPE UNIT TABLE	16000305
3*	003107.40	002601.31 80 007000.22 B0		M+1,LTAPEC	-AND BUMP BY ONE	16000306
4*	003110.40	002733.74 80 004000.20 50		L(BU,4),LTAPE+.60,0.0	-STORE TAPE TYPE IN	16000307
5*	003111.40	000000.03 85 004000.20 D0		ST(BU,4),TTYPE(LXIO)	- IOREQ SLOT	16000308
6*	003112.40	002566.20 10		LX,LXSC,LSYMCX	-IS CHANNEL IN SYMBOLIC	16000309
7*	003113.00	000000.00 88 060000.20 50	L COPSC	L(BU,48),0.0(LXSC),0.0	- CHANNEL TABLE.	16000310
8*	003114.00	003117.34 C6		BRZZ,LIOD4	- NO----STEP DOWN.	16000311
9*	003114.40	000004.00 83 060000.21 10		K(BU,48),4.0(LIODX),0.0		16000312
10*	003115.40	003120.36 C6		BAEZ,LCHAN	- YES----STEP DOWN.	16000313
11*	003116.00	003113.21 48		CB+,LXSC,LOOPSC	-TRY AGAIN ON NON-ZERO COUNT.	16000314
12*	003116.40	003116.44 00		BD,$	-INTERNAL CHANNEL TABLE EXCEEDED	16000315
13*	003117.00	000004.00 83 000000.02 A8	L IOD4	TI,1,4.0(LIODX),0.0(LXSC)	-ENTER CHANNEL IN TABLE.	16000316
14*	003120.00	002660.21 0D	L CHAN	V-I,LXSC,LSYMC	-COMPUTE WHERE IN TABLE	16000317
15*	003120.40	000011.21 30		SV,LXSC,$R	.	16000318
16*	003121.00 *	000000.71 87 007027.20 D0		ST(BU,7),0.57(LXSU),46	-CHAN NAME WITH THE UNIT NAME	16000319
17*	003122.00	000004.00 83 060000.20 50		L(BU,48),4.0(LIODX)	-IS CHANNEL SYMBOL BLANK	16000320
18*	003123.00	002736.00 80 060000.21 10		K(BU,48),LBLANK		16000321
19*	003124.00	003130.76 C4		BZAEZ,LENTER	- NO----STEP DOWN.	16000322
20*	003124.40	000000.13 85 007000.00 F0		CM0000(BU,7),TRLSYM(LXIO)		16000323
21*	003125.40	000000.60 87 001000.36 F0		CM1111(BU,1),0.48(LXSU)	-SET THE UNIT SLOT TO NULL CHAN	16000324
22*	003126.40	002660.21 05		V+I,LXSC,LSYMC	-RESTORE THE CHAN IX	16000325
23*	003127.00	000000.00 88 000000.00 F0		CM0000(BU,64),0.0(LXSC)	-CLEAR A BLANK FROM THE CHAN TBL	16000326
24*	003130.00	003055.50 00		B,LFOUND	-BRANCH	16000327
25*	003130.40	000001.21 05	L ENTER	V+I,LXSC,1.0	-INCREASE BY ONE FOR RLSYM	16000328
26*	003131.00	000030.13 80 007000.20 50		L(BU,7),LXSC+.11,0.0		16000329
27*	003132.00	000000.13 85 007000.20 D0		ST(BU,7),TRLSYM(LXIO)		16000330
28*	003133.00	000032.22 00		Z,LWORKX	-STORE RLSYM SHIFTED 3 BITS	16000331
29*	003133.40	000032.16 80 007000.20 D0		ST(BU,7),LWORKX+.14,0.0	- FOR SUBSEQUENT SORT.	16000332
30*	003134.40 *	002606.70 8A 010000.22 B0		M+1(BU,8),LRLCT-.8(LWORKX)	-ADD ONE TO PROPER COUNT.	16000333
31*	003135.40	002601.53 80 007000.20 D0		ST(BU,7),LCOUNT		16000334
32*	003136.40	002657.21 05		V+I,LXSC,LSYMC-1.	-RESTORE CHANNEL INDEX.	16000335
33*	003137.00	003055.50 00		B,LFOUND	-BRANCH	16000336
34*	003137.40	000004.00 83 060000.06 70	LSET	LF(BU,48),4.0(LIODX)	-IS THE CARD CHANNEL NULL	16000337
35*	003140.40	002736.00 80 060000.23 10		KF(BU,48),LBLANK		16000338
36*	003141.40	003142.76 C0		BZAE,LSETA	-IF NOT NULL CONTINUE LOCKING	16000339
37*	003142.00	003237.74 C0		BZRZ,LNORM	-YES A NULL CHANNEL	16000340
38*	003142.40	002566.20 10	L SETA	LX,LXSC,LSYMCX	-IS CHANNEL IN THE SYMBOLIC	16000341
39*	003143.00	000000.71 87 007027.20 50		L(BU,7),0.57(LXSL),46	-MOVE INDEX DIRECTLY TO THE	16000342
40*	003144.00	000011.20 B0		V+,LXSC,$R	-ASSOCIATED CHAN SLOT	16000343
41*	003144.40	000000.00 88 060000.20 50		L(BU,48),0.0(LXSC),0.0	- CHANNEL TABLE.	16000344
42*	003145.40	000004.00 83 060000.21 10		K(BU,48),4.0(LIODX),0.0		16000345
43*	003146.40	003237.76 C6		BAEZ,LNORM	- YES----NORMAL RETURN.	16000346
44*	003147.00	003103.50 00		B,LETA		16000347

```
LINE  LOCATION        BINARY OUTPUT                NAME      STATEMENT                                          LOCATION

  1*                                               -  ---------------------------------------------------------  16000349
  2*                                               -              THE REEL CARD ROUTINE                         16000350
  3*                                               -  ---------------------------------------------------------  16000351
  4*                                               -                                                            16000352
  5* 003147.40 *   C02601.52 80  003151.74 CC   L REELR  BZB,LNTB,LREEL1          -BRANCH IF NON-TAPE BIT 0.    16000353
  6* 003150.40     C0000C5.37 02                         LCI,$15,5.0           -BIT ONE -- ERROR FLAG 5.         16000354
  7* 003151.C0     C03241.10 00                          B,LERROR                  -BRANCH TO ERROR ROUTINE.     16000355
  8* 003151.40     CCCC00.61 87  003237.74 0E   L REEL1  BB1,LRLBIT(LXSU),LNORM    -BRANCH ON REEL BIT ONE       16000356
  9*                                               -                             IF ZERO MAKE IT A ONE         16000357
 10* 003152.40     000002.C0 83  060000.C6 7C            LF(BU,48),2.0(LIODX)      -TEST FOR BLANK FREEL SYMBOLIC 16000358
 11* 003153.40     C02736.C0 80  060600.21 10            K,LBLANK                                                16000359
 12* 0C3154.40     CC3237.76 C6                          BAEZ,LNORM                -NORMAL RETURN IF BLANK.      16000360
 13* 003155.00     C02601.62 80  003160.74 02            BB,LCVBIT,LREEL2-0.32                                   16000361
 14* 003156.00     CCCCCC.C0 86  000000.20 50            L(BU,64),C.0(LXFR),C.0    -IS FREEL SLOT AVAILABLE.     16000362
 15* 003157.00     C03161.34 C6                          BRZZ,LREEL2               -   YES----STEP DOWN.         16000363
 16* 003157.40     CCCC03.37 02                          LCI,$15,3.0             -NO ERROR FLAG SI 3.            16000364
 17* 00316C.CC     003262.5C 00                          B,LERR4                                                 16000365
 18* 003160.40     CCCCC0.22 06                          Z,0.0(LXFR)                                             16000366
 19* 003161.00     CCCC02.00 83  000000.02 A6   L REEL2  TI,1,2.C( LIODX),0.0(LXFR)  -STORE FREEL SYMBOL IN SLOT. 16000367
 20* 003162.00     C00000.C0 84  000000.20 5C            L(BU,64),0.0(LXPP),C.0    -GET PROPER IOREQ SLOT.       16000368
 21* 003163.CC *   C0CC00.62 87  007027.2C 10            +(BU,7),.50(LXSU),46                                    16000369
 22* 003164.C0     CCCC32.C0 80  000000.2C D0            ST(BU,64),LWORKX,0.C                                    16000370
 23* 003165.C0     CCCC26.C0 80  022000.20 50            L(BU,18),LXFR,0.C         -STORE FREEL ADDRESS          16000371
 24* 003166.C0     CCCC00.34 8A  022000.2C DC            ST(BU,18),TFREEL(LWORKX) -  IN IOREQ SLOT               16000372
 25* 003167.CC     C00001.15 07                          V+ICR,LXFR,1.C            -STEP FREEL INDEX.            16000373
 26* 003167.40     C03237.5C 00                          B,LNORM                   -NORMAL RETURN.               16000374
 27*                                               -                                                            16000375
 28*                                               -  ---------------------------------------------------------  16000376
 29*                                               -                FINAL ROUTINE                               16000377
 30*                                               -  ---------------------------------------------------------  16000378
 31*                                               -                                                            16000379
 32* 00317C.CC     777777.CC 83  000001.02 A4   L FINAL  $TI,1,-1.0(LIODX),1.0(LXPP)   -STORE PP ID              16000380
 33* 003171.CC     002601.51 80  003174.34 0C            BZB1,LFINB,LFIN2-1.       -IS FINAL BIT 1.              16000381
 34*                                               -        IF 1, GO ON....IF C, MAKE IT 1 AND BRANCH.          16000382
 35* 003172.00     C0CC00.13 34                          SV,LXIC,C.0(LXPP)         -STORE CRREF.                 16000383
 36* 003172.40     C0CC00.32 8F  003241.34 C2            BB,C.26($15),LERROR       -BRANCH ON REJECT END COMBO.  16000384
 37* 003173.40     C03232.10 00                          B,LFIN3                   -BRANCH TO STEP PPREF TABLE.  16000385
 38* 003174.C0     C0CC00.32 8F  003241.34 02            BB,0.26($15),LERROR       -BRANCH ON REJECT END COMBO.  16000386
 39* 003175.00     C0CC00.64 84  014000.20 50   L FIN2   L,TIODCT(LXPP)         -IS LARGEST PP REFERENCE NO.     16000387
 40* 003176.C0     000000.5C 84  014000.21 10            K,TLREFN(LXPP)         -     LARGER THAN THE IODCT      16000388
 41* 003177.CC *   003200.76 46                          BALZ,LFINI                -    YES....STEP DOWN.        16000389
 42* 003177.40     C0CCC0.50 84  014000.20 D0            ST,TLREFN(LXPP)         -   NO.... REPLACE BY IODCT     16000390
 43*                                               -                                                            16000391
 44*                                               -            SORT IOREQ TABLE ENTRIES FOR THIS PROBLEM       16000392
 45*                                               -            PROGRAM BY UNIT-PER-CHANNEL SIZE.               16000393
 46*                                               -                                                            16000394
 47* 003200.40     CC2605.23 10                 L FINI   SX,LXNT,LPUT              -ENTER SORT----SAVE LXNT INDEX. 16000395
 48* 003201.CC     000C32.22 00                          Z,LWORKX                  -ZERO 2 INDICES.              16000396
 49* 003201.40     CCCC23.22 00                          Z,LIODX                                                 16000397
 50* 0C3202.00     C0CC0C.24 34                          LV,LWORKX,0.0(LXPP)       -PUT CRREF IN XA VF.          16000398
 51* 003202.40     C02601.53 80  007027.2C 5C            L(BU,7),LCOUNT,46         -LOAD RLSYM NO. COUNT.        16000399
 52* 003203.4C     C03231.74 C6                          BRZZ,LSKIP                -NO RLSYMS----SKIP SORT.      16000400
 53* 003204.C0     C0CC11.24 50                          LC,LWORKX,$R              -PUT COUNT INTO XA CF.        16000401
 54* 003204.40     CC2602.25 50                          SC,LWORKX,LSAVE                                         16000402
 55* 003205.C0     C02602.C6 50                 L SEARA  LC,LIODX,LSAVE            -OUTER LOOP----LOAD XB CF.    16000403
 56* 003205.40     002607.07 01                          LVI,LIODX,LRLCT           -INITIALIZE XB AND XC VF.     16000404
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 003206	
1*	003206.00	002607.23 01		LVI,LXNT,LRLCT		16000405
2*	003206.40	000000.10 83 110027.20 50		L(V+I)(BU,8),0.8(LIODX),46	-ENTER FIRST RLCT.	16000406
3*	003207.40	000000.10 83 110027.23 10	L SEARB	KF(V+I)(BU,8),0.8(LIODX),46	-INNER LOOP----COMPARE.	16000407
4*	003210.40	003212.76 44		BZALZ,LSEARC	-ACC. NOT LOW----STEP DOWN.	16000408
5*	003211.00	777777.70 83 010027.20 50		$L(BU,8),-0.8(LIODX),46	-ACC LOW-- SWITCH RLCT	16000409
6*	003212.00	003211.23 B0		LVE,LXNT,$-1.	-PUT PROPER ADDRESS IN XC VF.	16000410
7*	003212.40 *	003207.46 48	L SEARC	CB,LIODX,LSEARB	-LOOP BACK ON NON ZERO CF.	16000411
8*	003213.00	000011.06 50		LC,LIODX,$R	-LOAD XB CF.	16000412
9*	003213.40	000000.00 89 010000.00 F0		CM0000(BU,8),0.0(LXNT),0.0	-ZERO PROPER RLCT SLOT.	16000413
10*	003214.40	002607.23 0D		V-I,LXNT,LRLCT	-READY XC FOR RLSYM SEARCH.	16000414
11*	003215.00	000032.06 30		LV,LIODX,LWORKX	-LOAD XB VF.	16000415
12*	003215.40	002614.00 89 010000.20 50		L(BU,8),LCT(LXNT),0.0	-LOAD HIGH RLSYM.	16000416
13*	003216.40	000000.22 83 003221.74 00	L SEARD	BZB,TLAST(LIODX),LSEARF	-IS THIS END OF TABLE	16000417
14*	003217.40	003373.07 01		LVI,LIOCX,TIOREQ	- YES ... INITIALIZE	16000418
15*	003220.00	000000.37 05		V+I,$15,0.0	-TO TEST FOR NOT OVERLAP MODE	16000419
16*	003220.40	003221.70 42		BXCZ,LSEARF	-OVERLAP MODE	16000420
17*	003221.00	003514.07 01		LVI,LIODX,TUIORQ	-IF NOT OVERLAP MODE	16000421
18*	003221.40	000000.13 83 007000.23 10	L SEARF	KF(BU,7),.11(LIODX)	- NO....INNER SEARCH LOOP.	16000422
19*	003222.40	003224.36 06		BAEZ,LSEARE	-FOUND----STEP DOWN.	16000423
20*	003223.00	000001.07 05		V+I,LIODX,1.0	-NOT FOUND----STEP XB VF.	16000424
21*	003223.40	003216.50 00		B,LSEARD	-GO BACK AND TRY AGAIN.	16000425
22*	003224.00	000000.00 8A 000000.02 E3	L SEARE	SWAPI,1,0.0(LWORKX),0.0(LIODX)	-SWAP IOREQ SLOTS.	16000426
23*	003225.00	000001.25 05		V+I,LWORKX,1.0	-STEP XA VF.	16000427
24*	003225.40 *	000000.22 8A 003230.74 00		BZP,TLAST(LWORKX),LSEARG	-IS THIS END OF IOREQ TABLE	16000428
25*	003226.40	003373.25 01		LVI,LWORKX,TIOREQ	-YES...INITIALIZE	16000429
26*	003227.00	000000.37 05		V+I,$15,0.0	-CHECK MODE	16000430
27*	003227.40	003230.70 42		BXCZ,LSEARG	-IF OVERLAP	16000431
28*	003230.00	003514.25 01		LVI,LWORKX,TUIORQ	-IF NOT OVERLAP MOAD	16000432
29*	003230.40	003216.47 48	L SEARG	CB+,LIODX,LSEARD	- LOOP BACK ON NON-ZERO CF.	16000433
30*	003231.00	003205.24 48		CB,LWORKX,LSEARA	-END OF SWAP AND SORT.	16000434
31*	003231.40	002605.22 10	L SKIP	LX,LXNT,LPUT	-RESTORE LXNT INDEX.	16000435
32*	003232.00	000000.47 84 001000.00 FC	L FIN3	CM0000(BU,1),TLPPEN(LXPP)		16000436
33*	003233.00	002613.11 10		SX,LXPP,LASTPP	-SAVE ADR. OF LAST PP ENTERED	16000437
34*	003233.40	000002.11 07		V+ICR,LXPP,2.0	-STEP PPREF INDEX.	16000438
35*	003234.00	000000.47 84 001000.36 FC		CM1111(BU,1),TLPPEN(LXPP)	-TURN ON LPPEN BIT	16000439
36*	003235.00	002601.62 80 003237.74 04		BZBZ,LOVBIT,LNORM	-IF OVERLAP MODE	16000440
37*	003236.00	002720.00 80 000024.06 E0		SWAPI,3,LNOSAV,LXPP	-RESET INDEXES TO OVERLAP MODE	16000441
38*	003237.00	003237.50 00		B,LNORM	-NORMAL RETURN.	16000442

```
 LINE  LOCATION              BINARY OUTPUT            NAME     STATEMENT                                      LOCATION

   1*                                                 -  -------------------------------------------------------------  16000444
   2*                                                 -                   NORMAL RETURN ROUTINE                         16000445
   3*                                                 -  -------------------------------------------------------------  16000446
   4*                                                 -                                                                 16000447
   5* 003237.40        002571.00 80  000023.20 EC    L NORM   SWAPI,8,LTY,LIODX             -SWAP 8 INDICES.            16000448
   6* 003240.40        000002.10 0F                           B,2.0($15)                    -DISPATCHER NORMAL RETURN.  16000449
   7*                                                 -                                                                 16000450
   8*                                                 -  -------------------------------------------------------------  16000451
   9*                                                 -                   ERROR RETURN ROUTINE                          16000452
  10*                                                 -  -------------------------------------------------------------  16000453
  11*                                                 -                                                                 16000454
  12* 003241.00 *      002601.51 80  001000.36 F0    L ERROR  CM1111(BU,1),LFINB,0.0        -SET FINAL BIT TO 1.        16000455
  13* 003242.00        002602.23 10                           SX,LXNT,LSAVE                 -SAVE INDEX.                16000456
  14* 003242.40        000000.24 14                           LX,LWORKX,0.0(LXPP)           -SET IOREQ AND FREEL SLOTS FOR  H  16000457
  15* 003243.00        003253.31 46                           BXVZZ,LERR2                   -      THIS PROGRAM TO ZERO.    16000458
  16* 003243.40        000000.34 84  010027.20 50             L,TUNCT(LXPP),46                                          16000459
  17* 003244.40        003253.34 06                           BRZZ,LERR2                                                16000460
  18* 003245.00        000011.24 50                           LC,LWORKX,$R                                              16000461
  19* 003245.40        000000.22 1A                  L ERRA   LX,LXNT,0.0(LWORKX)                                       16000462
  20* 003246.00        000000.22 8A  003247.74 00             BZB,TLAST(LWORKX),LERR3  -END OF IOREQ TABLE              16000463
  21* 003247.00        003373.25 01                           LVI,LWORKX,TIOREQ                                         16000464
  22* 003247.40        003251.30 46                  L ERR3   BXCZZ,LERR1                                               16000465
  23* 003250.00        000031.23 50                           SC,LXNT,LXNT                                              16000466
  24* 003250.40        000000.22 09                           Z,0.0(LXNT)                   -ZERO FREEL SLOT.           16000467
  25* 003251.00        000000.22 0A                  L ERR1   Z,0.0(LWORKX)                 -ZERO IOREQ SLOT.           16000468
  26* 003251.40        003245.65 48                           CB+,LWORKX,LERRA              -BACK ON NON-ZERO COUNT.    16000469
  27* 003252.00        002603.12 10                           LX,LXIO,LSAVEY                -RESET THE IOREQ INDEX      16000470
  28* 003252.40        002604.14 10                           LX,LXFR,LSAVEZ           -RELOAD THE FREEL TABLE INDEX    16000471
  29* 003253.00        000000.22 04                  L ERR2   Z,0.0(LXPP)                   -ZERO PPREF SLOT.           16000472
  30* 003253.40        000000.45 84  001000.36 F0             CM1111(BU,1),TRJECT(LXPP)     -SET THE REJECT BIT         16000473
  31* 003254.40 *      000000.47 84  001000.00 F0             CM0000,TLPPEN(LXPP)      -RESET THIS LPPEN BIT            16000474
  32* 003255.40        000011.37 50                           SC,15,$R                 -ERROR FLAG TO ACC               16000475
  33* 003256.00        002613.11 10                           SX,LXPP,LASTPP                -SAVE ADR. OF LAST PP ENTERED  16000476
  34* 003256.40        000002.11 07                           V+ICR,LXPP,2.0                -STEP PPREF INDEX.          16000477
  35* 003257.00        000000.47 84  001000.36 F0             CM1111,TLPPEN(LXPP)      -SET THE NEXT LPPEN BIT          16000478
  36* 003260.00        002602.22 10                           LX,LXNT,LSAVE                 -RESTORE INDEX.             16000479
  37* 003260.40        002601.62 80  003262.74 04             BZBZ,LOVBIT,LERR4        -IF OVERLAP MODE                 16000480
  38* 003261.40        002720.00 80  000024.06 E0             SWAPI,3,LNOSAV,LXPP      -RESET INDEXES TO OVERLAP MODE   16000481
  39* 003262.40        002571.00 80  000023.20 E0    L ERR4   SWAPI,8,LTY,LIODX        -SWAP 8 INDEXES                  16000482
  40* 003263.40        000001.37 5F                           SC,$15,1.0($15)          -SAVE THE ERROR FLAG             16000483
  41* 003264.00        000001.50 0F                           B,1.32($15)                   -DISPATCHER ERROR RETURN.   16000484
  42*                                                 -                                                                 16000485
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 003264
1*	003264.40 *				SLC,$	17000001
2*					PRND	17000002
3*			-			17000003
4*			-		----------	17000004
5*			-		I/C ASSIGNMENT --- ASSIGN ---	17000005
6*			-		----------	17000006
7*			-			17000007
8*			-			17000008
9*			-		----------	17000009
10*			-		THE ASSIGN PROGRAM LINKAGE FORMAT	17000010
11*			-		----------	17000011
12*			-			17000012
13*			-			17000013
14*			-		LVI,$15,Y	17000014
15*			-		B,TASIGN	17000015
16*			-	Y	XW,A,B,,C	17000016
17*			-		BEW,$ RETURN LOCATION	17000017
18*			-			17000018
19*			-		LET A = STATUS OF MACHINE	17000019
20*			-		ZERO = NO MACHINE CONF. CHANGE	17000020
21*			-		NOT ZERO = MACHINE CONF. CHANGE	17000021
22*			-		LET B = EXIT DISPOSITION	17000022
23*			-		LET C = MODE	17000023
24*			-		ZERO = OVERLAP MODE	17000024
25*			-		NOT ZERO = NOT OVERLAP MODE	17000025
26*			-			17000026

```
LINE  LOCATION          BINARY OUTPUT          NAME      STATEMENT                                    LOCATION
  1*                                           -                                                      17000028
  2*                                           - ------------------------------------------------------------------  17000029
  3*                                           -         SYN CARDS FOR THE LENGTHS OF THE THREE TABLES  17000030
  4*                                           - ------------------------------------------------------------------  17000031
  5*                                           -                                                      17000032
  6* 000000.00+    +00000024      NULL         TPPC      SYN,20                                       17000033
  7* 000000.00+    +00000120      NULL         TICC      SYN,80                                       17000034
  8* 000000.00+    +00000062      NULL         T FRC     SYN,50          -THE FIRST REEL TABLE LENGHT 17000035
  9*                                           -                                                      17000036
 10* 000000.00+    +00000002      NULL         T UPPC    SYN,2           -NOT OVERLAP PP REF TABLE LENGTH  17000037
 11* 000000.00+    +00000024      NULL         T UIOC    SYN,20          -NOT OVERLAP I/O REQ TABLE LENGTH 17000038
 12* 000000.00+    +00000024      NULL         T UFRC    SYN,20          -NOT OVERLAPFIRST REEL TABLE LENGHT 17000039
 13*                                           -                                                      17000040
 14*                                           -     --NOTE--   THE TPPC COUNT MUST BE HALF OF THE ACTUAL TABLE LENGTH  17000041
 15*                                           -         WHICH IS THE ACTUAL NUMBER OF JOBS THE TABLE CAN ACCOMODATE.  17000042
 16*                                           -                                                      17000043
```

```
 LINE  LOCATION           BINARY OUTPUT               NAME      STATEMENT                                           LOCATION

   1*                                                          PRNS                                                 17000045
   2*                                                -                                                              17000046
   3*                                                -  -------------------------------------------------------------17000047
   4*                                                -                 CONSTANTS TO BE USED THRU OUT ASSIGN PROGRAM  17000048
   5*                                                -  -------------------------------------------------------------17000049
   6*                                                -                                                              17000050
   7* 003264.40   000000.00+                          T NEXT   VF,                   -THE ADDR OF THE NEXT PP TO BE RUN  17000051
   8* 003265.00   000000.00+ 000 000000 000000        T CTEMP  XW                    -TEMP SYMBOLIC CHAN WORD           17000052
   9* 003266.00   000000.00+                          T IPL    VF,0.0                -CHAN ADDRESSES FOR IPL            17000053
  10*                                                -                                                              17000054
  11*                                                -            THE FORMAT OF THE TEMP CHAN WORD                   17000055
  12*                                                -                                                              17000056
  13* 003265.00+    +00000000          BU,22 ,10      T CTACH  SYN(BU,18),TCTEMP+0.0    -ABSOLUTE CHANNEL NUMBER        17000057
  14* 003265.31+    +00000000          BU,07 ,10      T CTSCH  SYN(BU,7),TCTEMP+0.25    -SYMBOLIC CHANNEL NUMBER        17000058
  15*                                                -                                                              17000059
  16* 003267.00   000000.00+ 000 000000 000000        T WORK1  XW                    -TEMPORARY WORKING WORD            17000060
  17* 003270.00   000000.00+ 000 000000 000000        T WORK2  XW                    -TEMPORARY WORKING WORD            17000061
  18* 003271.00   000000.00+ 000 000000 000000        T REFIL  XW                    -TEMP STORAGE FOR IX -A-           17000062
  19* 003272.00   003317.00+ 000 000024 003314        TSAV     XW,TPREFT,TPPC,TPPREF                                   17000063
  20* 003273.00                          000000       T LUCT   DD(BU,18),0           -LARGEST UNIT COUNT ON ONE CHANNEL 17000064
  21* 003273.22                               1       T ONE    DD(BU,1),1            -CONSTANT OF ONE                   17000065
  22* 003273.23                               0       T MODE   DD(BU,1),0            -SINGLE OR FULL NOT-OVERLAP MODE   17000066
  23* 003273.24                               0       T INDA   DD(BU,1),0            -SAME CHANNEL ALLOWED INDICATOR    17000067
  24* 003273.25                               0       T INDB   DD(BU,1),0            -THE SPLIT CHANNEL INDICATOR       17000068
  25* 003273.26                               0       T INDC   DD(BU,1),0            -UNIT FOUND -- MULTI-UNIT CHECK    17000069
  26* 003273.27                               0       T INDD   DD(BU,1),0            -BYPASS OPTIMISED REEL MTINGS      17000070
  27* 003273.30                               0       T INDE   DD(BU,1),0            -THE ADVANCE AND SAVE INDEX IND    17000071
  28* 003273.31                               0       T INDZ   DD(BU,1),0            -MORE MULTI-UNITS AVAILABLE        17000072
  29* 003273.32                               0       T LOOP   DD(BU,1),0            -TO PREVENT A LOOP IN SECTION ELEVEN 17000073
  30* 003273.33                               0       T LOOP1  DD(BU,1),0            -LOOP PREVENTER NUMBER 2           17000074
  31* 000032.00+    +00000000          BU,100,10      T CTWDX  SYN,TX1               -ENTRY CONTROL WORD INDEX          17000075
  32* 000032.00+    +00000000          BU,100,10      T X1     SYN,$10               -TEMPORARY INDEX                   17000076
  33* 000031.00+    +00000000          BU,100,10      T X2     SYN,$9                -THE SCAN CONTROL INDEX            17000077
  34* 000021.00+    +00000000          BU,100,10      T X1BR   SYN,$1                -FOR SUB-ROUTINE BRANCHING         17000078
  35* 000022.00+    +00000000          BU,100,10      T X3     SYN,$2                -COUNTER                           17000079
  36* 000024.00+    +00000000          BU,100,10      T IXA    SYN,$4                -I/O REQ. LOCATOR INDEX            17000080
  37* 000025.00+    +00000000          BU,100,10      T IXB    SYN,$5                -MULTI-UNIT STAT TBLE SCAN INDEX   17000081
  38* 000023.00+    +00000000          BU,100,10      T IXE    SYN,$3                -PP REF. WORD LOCATOR INDEX        17000082
  39* 000032.00+    +00000000          BU,100,10      T IXF    SYN,TX1               -MACH CONF CHANGE-- CHAN. SCAN IX  17000083
  40* 000030.00+    +00000000          BU,100,10      T IXG    SYN,$8                -MACH CONF CHANGE -- UNIT SCAN     17000084
  41* 000022.00+    +00000000          BU,100,10      T IXH    SYN,TX3               -MACH CONF CHANGE -- PP REF TBL SCAN 17000085
  42* 000025.00+    +00000000          BU,100,10      T IXI    SYN,TIXB              -MACH CONF CHANGE -- I/O TBLE SCAN IX 17000086
  43* 000026.00+    +00000000          BU,100,10      T IXJ    SYN,$6                -UNIT TBLE ADDR. AND UNIT COUNT    17000087
  44* 000027.00+    +00000000          BU,100,10      T IXD    SYN,$7                -CHANNEL ADDRESS                   17000088
  45* 000032.00+    +00000000          BU,100,10      T IXK    SYN,TX1               -LIKE CHANNEL SEARCH INDEX         17000089
  46* 000032.00+    +00000000          BU,100,10      T IXL    SYN,TX1               -I/O TABLE SCAN INDEX              17000090
  47* 000030.00+    +00000000          BU,100,10      T IXM    SYN,TIXG              -NOT OVERLAP SCANNER INDEX         17000091
  48*                                                -                                                              17000092
  49*                                                -            SAVE AREAS FOR INDEXES                              17000093
  50*                                                -                                                              17000094
  51* 003273.40     000000.30 00                               CNOP                                                 17000095
  52* 003274.00 *   000017.00                         T ASAVE  DRZ(BU,64),(15)       -AREA SET ASIDE FOR INDEX SAVING   17000096
  53*                                                -                                                              17000097
  54*                                                -  -------------------------------------------------------------17000098
  55*                                                -                 SYN CARDS FOR THE PP REFERENCE TABLE           17000099
  56*                                                -  -------------------------------------------------------------17000100
```

```
 TIME CLOCK 00054041    PUNID 11C11IPL      CARD ID 17000101     DIST. OF 3/01           3/01         PAGE NUMBER   62

LINE   LOCATION              BINARY OUTPUT              NAME       STATEMENT                                  LOCATION

   1*                                                  -                                                                  17000101
   2* 003313.00       003370.00+ 000 000002 003313   T PPURF  XW,TPURFT,TUPPC,$         -CONSTANT IX FOR THE NOT OVERLAP TBL    17000102
   3* 003314.00       003317.00+ 000 000024 003314   T PPREF  XW,TPREFT,TPPC,$          -CONSTANT IX FOR THE PP REF TBL         17000103
   4* 003315.00       003317.00+ 000 000024 003314   T PPRUN  XW,TPREFT,TPPC,TPPREF     -THE NEXT JOB TO BE RUN POINTER         17000104
   5* 003316.00       000000.00+ 000 000000 000000            XW                        -A BLANK WORD MUST PRECEED THE PP REF   17000105
   6* 003317.00       003373.00+ 000 001100 000000   T PREFT  XW,TIOREQ,0,(.39)9        -INITIAL ENTRY WITHIN THE PP REF TBL    17000106
   7* 003320.00 *       000024.00                             DRZ(BU,64),(TPPC)         -THE PP REFERENCE TABLE                 17000107
   8* 003344.00         000024.00                             DRZ(BU,64),(TPPC)         -THE PP REFERENCE TABLE SECOND HALF     17000108
   9* 000000.00+        +00000000          BU,22 ,10   T CRREF  SYN(BU,18),0.0          -THE CROSS REFERENCE ADDRESS            17000109
  10* 000000.34+        +00000000          BU,10 ,10   T UNCT   SYN(BU,08),0.28         -I/O REQUEST COUNT                      17000110
  11* 000000.44+        +00000000          BU,01 ,10   T JBPRC  SYN(BU,1),0.36          -JOB PROCESSED BIT                      17000111
  12* 000000.45+        +00000000          BU,01 ,10   T RJECT  SYN(BU,1),0.37          -JOB REJECTED BIT                       17000112
  13* 000000.46+        +00000000          BU,01 ,10   T ASGNP  SYN(BU,1),0.38          -JOB ASSIGNED BIT                       17000113
  14* 000000.47+        +00000000          BU,01 ,10   T LPPEN  SYN(BU,1),0.39          -LAST ENTRY BIT                         17000114
  15* 000000.50+        +00000000          BU,14 ,10   T LREFN  SYN(BU,12),0.40         -IF GO TYPE PP - THE LARGEST REF NO.    17000115
  16* 000000.64+        +00000000          BU,14 ,10   T IODCT  SYN(BU,12),0.52         -THE NUMBER OF IODS PER PP              17000116
  17* 000001.00+        +00000000          BU,60 ,06   T PNAME  SYN(BU,48,6),1.0        -NAME OF PP 8 BCD-6 CHAR                17000117
  18*                                                  -                                                                  17000118
  19* 003370.00       000000.00+ 000 000000 000000   T PURFT  XW,0                      -NOT OVERLAP PP REF WORD NO. 1          17000119
  20* 003371.00       000000.00+ 000 000000 000000            XW,0                      -NOT OVERLAP PP REF WD NO. 2            17000120
  21* 003372.00       000000.00+ 000 000100 000000            XW,0(.39)1                -NECESSARY FOR LAST ENTRY BIT           17000121
  22*                                                  -                                                                  17000122
  23*                                                  - ------------------------------------------------------------------ 17000123
  24*                                                  -                 SYN CARDS FOR THE I/O REQUEST TABLE              17000124
  25*                                                  - ------------------------------------------------------------------ 17000125
  26*                                                  -                                                                  17000126
  27*                                                           CNOP                                                      17000127
  28* 003373.00 *       000120.00                      T IOREQ  DRZ(BU,64),(TIOC)         -I/O REQUEST TABLE                      17000128
  29* 003513.00       000000.40+                              VF,0.32                   -DO NOT REMOVE - MARKS LAST WORD        17000129
  30* 000000.00+        +00000000          BU,01 ,10   T ASGNI  SYN(BU,1),0.00          -I/O ASSIGNED INDICATOR                 17000130
  31* 000000.01+        +00000000          BU,01 ,10   T UNOBT  SYN(BU,1),0.01          -NOT OVERLAP BIT                        17000131
  32* 000000.02+        +00000000          BU,01 ,10   T PRINT  SYN(BU,1),0.02          -I/O REQ PRINTED TO OPERATOR BIT        17000132
  33* 000000.03+        +00000000          BU,04 ,10   T TYPE   SYN(BU,4),0.03          -TYPE OF REQUEST                        17000133
  34* 000000.07+        +00000000          BU,03 ,10   T ABSUN  SYN(BU,3),0.07          -UNIT NUMBER                            17000134
  35* 000000.13+        +00000000          BU,07 ,10   T RLSYM  SYN(BU,7),0.11          -THE SYMBOLIC CHANNEL NUMBER            17000135
  36* 000000.22+        +00000000          BU,01 ,10   T LAST   SYN(BU,1),0.18          -LAST WORD OF THE I/O REQ TABLE         17000136
  37* 000000.23+        +00000000          BU,11 ,10   T IODSQ  SYN(BU,9),0.19          -IOD SEQUENCE NUMBER AS RECEIVED        17000137
  38* 000000.34+        +00000000          BU,22 ,10   T FREEL  SYN(BU,18),0.28         -THE FIRST REEL ADDRESS                 17000138
  39* 000000.56+        +00000000          BU,22 ,10   T ABSCH  SYN(BU,18),0.46         -THE ABSOLUTE CHANNEL ADDRESS           17000139
  40*                                                  -                                                                  17000140
  41* 003514.00       000000.00+ 000 000000 000000   T UIORQ  XW,0                      -THE NOT OVERLAP I/O REQ TBL            17000141
  42* 003515.00 *       000023.00                             DRZ(BU,64),TUIOC-1                                                17000142
  43* 003540.00       000000.40+                              VF,0.32                   -DO NOT REMOVE - MARKS LAST WORD        17000143
  44*                                                  - ------------------------------------------------------------------ 17000144
  45*                                                  -             SYN CARDS FOR THE FIRST REEL NUMBER TABLE            17000145
  46*                                                  - ------------------------------------------------------------------ 17000146
  47* 003540.40         000000.30 00                            CNOP                                                      17000147
  48* 003541.00 *       000062.00                      T FSTRE  DRZ(BU,64),(TFRC)         -THE FIRST REEL TABLE                   17000148
  49* 000000.00+        +00000000          BU,60 ,10   T REELN  SYN(BU,48),0.00         -A REEL NUMBER FOR A GIVEN UNIT         17000149
  50*                                                  -                                                                  17000150
  51* 003623.00         000024.00                      TUFRE    DRZ(BU,64),TUFRC          -THE NOT OVERLAP FIRST REEL TABLE       17000151
  52*                                                  - ------------------------------------------------------------------ 17000152
  53*                                                  -             SYN CARDS FOR THE CHANNEL/UNIT STATUS TABLE          17000153
  54*                                                  - ------------------------------------------------------------------ 17000154
  55*                                                  -                                                                  17000155
  56* 002152.00+        +00000000          BU,100,10   T CHSXW  SYN,SXCHAN                -INDEX WORD FOR CHAN STAT TBL           17000156
```

LINE	LOCATION	BINARY OUTPUT			NAME	STATEMENT		LOCATION 000000
1*	000000.00+	+00000000	BU,22 ,10	T	UNTBA	SYN(BU,18),0.0	-THE UNIT TABLE ADDRESS	17000157
2*	000000.33+	+00000000	BU,01 ,10	T	MULTI	SYN(BU,1),0.27	-THE MULTI -CHANNEL BIT	17000158
3*	000000.31+	+00000000	BU,01 ,10	T	CHAVL	SYN(BU,1),0.25	-THE CHANNEL AVAILABLE BIT	17000159
4*	000000.33+	+00000000	BU,01 ,10	T	FDISP	SYN(BU,1),0.27	-THE KIND OF REEL MOUNTED ON UNIT	17000160
5*	000000.34+	+00000000	BU,01 ,10	T	UNAVL	SYN(BU,1),0.28	-THE UNIT AVAILABLE BIT	17000161
6*	000000.35+	+00000000	BU,01 ,10	T	UNASG	SYN(BU,1),0.29	-THE UNIT ASSIGNED BIT	17000162
7*	000000.40+	+00000000	BU,01 ,10	T	OWNSH	SYN(BU,1),0.32	-THE OWNERSHIP LEVEL INDICATOR	17000163
8*	000000.47+	+00000000	BU,01 ,10	T	SEL	SYN(BU,1),0.39	-THE MULTI UNIT SELECT BIT	17000164
9*	000000.50+	+00000000	BU,01 ,10	T	VER	SYN(BU,1),0.40	-THE VERIFY BIT	17000165
10*	000000.64+	+00000000	BU,04 ,10	T	EQUIP	SYN(BU,4),0.52	-TYPE OF UNIT REQUESTED	17000166
11*	000000.73+	+00000000	BU,04 ,10	T	UNITK	SYN(BU,4),0.59	-NUMBER OF UNITS TO A GIVEN CHANNEL	17000167
12*	000000.76+	+00000000	BU,01 ,10	T	UNRES	SYN(BU,1),0.62	-NOT OVERLAP RESERVED BIT	17000168
13*	000000.77+	+00000000	BU,01 ,10	T	OVRES	SYN(BU,1),0.63	-THE OVERLAP RESERVED BIT	17000169
14*				-				17000170
15*				-				17000171
16*				-				17000172
17*				-		SYN CARDS FOR THE VALID CHECK TABLE		17000173
18*				-				17000174
19*				-				17000175
20*	003647.00	003652.00+ 000 000010 003647		T	TYARA	XW,TDISK,8,TTYARA	-THE TYPE CODE	17000176
21*	003650.00	000000.30+		T	COMBO	VF,TTYBC+TMACBC+TREQBC	-A CONSTANT THAT WILL BY PASS ONE WORD	17000177
22*	003650.40	000000.20+		T	2COMB	VF,TTYBC+TMACBC	-FOR COMPUTING THE NUMBER OF UNITS	17000178
23*	003651.00	000000.00+		T	VALVF	VF,0.0	-TO PREVENT A DOUBLE VALIDITY CHECK	17000179
24*	000000.1C+	+00000000	NULL	T	TYBC	SYN,0.8	-THE TYPE CODE BIT COUNT	17000180
25*	000000.10+	+00000000	NULL	T	MACBC	SYN,0.8	-THE MACHINE CONF COUNT BIT COUNT	17000181
26*	000000.10+	+00000000	NULL	T	REQBC	SYN,0.8	-THE REQUEST COUNT BIT COUNT	17000182
27*	000000.00+	+00000000	BU,10 ,10	T	TYAD	SYN (BU,8),0.0	-ADDRESS OF THE TYPE CODE	17000183
28*	000000.10+	+00000000	BU,10 ,10	T	MCAD	SYN(BU,8),TTYAD+0.8	-MACHINE CONF COUNT ADDRESS	17000184
29*	000000.20+	+00000000	BU,10 ,10	T	RCAD	SYN(BU,8),TMCAD+0.8	-THE REQUEST COUNT ADDRESS	17000185

```
LINE  LOCATION        BINARY OUTPUT                NAME    STATEMENT                               LOCATION

  1*                                             - -----------------------------------------------------------------  17000187
  2*                                             -                 REQUEST VALIDITY CHECK TABLE                        17000188
  3*                                             - -----------------------------------------------------------------  17000189
  4*                                             -                                                                     17000190
  5* 003651.40     CCCCC0.30 C0                           CNOP                                                        17000191
  6* 003652.CC                              001  T DISK   (8)CD(BU,8),1,1,C       -TYPE CCDE, MACH CCNF, REQ CNT- DISK 17000192
  7* 003652.1C                              001                                                                     17000192
  8* 003652.20                              0C0                                                                     17C00192
  9* 003652.30                              002           (8)CD(BU,8),2,0,C          -SAME AS ABOVE - CONSOLE          17000193
 10* 003652.4C                              0C0                                                                     17000193
 11* 003652.5C                              000                                                                     17000193
 12* 003652.60                              003           (8)CD(BU,8),3,0,C          -SAME AS ABOVE - CARD READER      17000194
 13* 003652.70                              000                                                                     17000194
 14* 003653.CC                              0C0                                                                     17000194
 15* 003653.10                              004           (8)CD(BU,8),4,0,C          -SAME AS ABOVE - PUNCH            17000195
 16* 003653.20                              000                                                                     17000195
 17* 003653.30                              CC0                                                                     17000195
 18* 003653.40                              005           (8)CD(BU,8),5,0,C          -SAME AS ABOVE - PRINTER          17000196
 19* 003653.50                              000                                                                     17000196
 20* 003653.60                              000                                                                     17000196
 21* 003653.70                              006           (8)CD(BU,8),6,0,C          -SAME AS ABOVE - IQS              17000197
 22* 003654.CC                              0C0                                                                     17000197
 23* 003654.1C                              000                                                                     17000197
 24* 003654.20                              007           (8)CD(BU,8),7,0,C          -SAME AS ABOVE - EXTRA            17000198
 25* 003654.30                              0C0                                                                     17000198
 26* 003654.40                              0C0                                                                     17000198
 27* 003654.50                              010           (8)CD(BU,8),1C,0,C         -SAME AS ABOVE - TAPE             17000199
 28* 003654.60                              000                                                                     17000199
 29* 003654.7C                              0C0                                                                     17000199
 30*                                             -                                                                     17000200
 31*                                             - -----------------------------------------------------------------  17000201
 32*                                             -              THE MULTI-UNIT COUNT TABLE -- SORTED                   17000202
 33*                                             - -----------------------------------------------------------------  17000203
 34*                                             -                                                                     17000204
 35* 003655.C0    0C3661.0C+ 000 000000 0C0000   T MUCTX  XW,TCHCUC,0,0         -CCNSTANT TC THE BEGINNING CF CNT TBL 17000205
 36* 003656.C0    CC3657.00+ 0C0 000002 0C0000   T YSCAN  XW,TFCHSC,2,0         -LOCATOR FOR THE TWO SCANS            17000206
 37* 003657.CC    CC3661.00+ 0C0 C00000 0CCCCC   T FCHSC  XW,TCHCUC,0,0         -FORWARD SCAN                         17000207
 38* 003660.CC    0C3721.0C- 0C0 000000 0CC000   T RCHSC  XW,-TCFCUC-32.0,C,0   -THE REVERSE SCAN                     17000208
 39* 003661.00 *    C0CC20.C0                    T CHCUC  DRZ(BU,32),(32)       -MULTI CHANNEL UNIT COUNT             17000209
 40*                                             -                                                                     17000210
 41*                                             - -----------------------------------------------------------------  17000211
 42*                                             -           SYN CARDS FOR THE MULTI-UNIT COUNT TABLE                  17000212
 43*                                             - -----------------------------------------------------------------  17000213
 44*                                             -                                                                     17000214
 45* 00C0C0.CC+     +0CCC0C0C          BU,22 ,10 T CHADD  SYN(BU,18),0.C        -MULTI-UNIT CHAN ADDRESS              17000215
 46* 0CCCCC.24+     +0CCC0000          BU,04 ,10 T CHCNT  SYN(BU,4),0.2C        -NUMBER OF UNITS ON CHANNEL           17000216
```

```
 LINE   LOCATICN            BINARY CUTPUT              NAME        STATEMENT                                   LOCATION

   1*                                                 - -------------------------------------------------------------------- 17000218
   2*                                                 -                  THE ENTRY POINT TO THE ASSIGN ROUTINE               17000219
   3*                                                 - -------------------------------------------------------------------- 17000220
   4*                                                 -                                                                      17000221
   5*                                                             CNOP                                                       17000222
   6* 003701.CC          CCCC21.CC 80  003274.3C E0   T ASIGN  SWAPI,12,$1,IASAVE        -SAVE INDEXES                       17000223
   7* 003702.00          000000.24 1F                          LX,TCTWDX,0.0($15)        -OVERLAP AND MACHINE CONF TEST      17000224
   8* 003702.40          003273.23 80  006000.0C FC            CMOCOC(BU,6),TMODE        -RESET INDICATORS                   17000225
   9* 003703.40          004215.31 40                          BZXVZ,TA9                 -IF A MACH ONF CHANGE               17000226
  1C* 003704.CC          CC37C6.63 40                 T B1F    BZXF,TB1C                 -IF OVERLAP MODE                    17000227
  11*                                                 -                                                                      17000228
  12*                                                 -                NOT OVERLAPPED TYPE OF PROBLEM PROGRAM                17000229
  13*                                                 -                                                                      17000230
  14* 003704.40          003313.C6 10                          LX,TIXE,TPPURF            -NOT OVERLAP PP SET UP              17000231
  15* 003705.00          CCCC00.46 80  004416.74 02            BB,TASGNP,TD              -IF THE PP IS ASSINGED              17000232
  16* 003706.CC          003710.1C C0                          B,TA1                                                         17000233
  17*                                                 -                                                                      17000234
  18*                                                 -                                                                      17000235
  19*                                                 -                OVERLAP TYPE CF PP                                    17000236
  2C*                                                 -                                                                      17000237
  21* 003706.4C          C03272.06 10                 T B1C    LX,TIXE,TSAV              -FIND LCC. WITH IN P P REF TBL      17000238
  22* 003707.CC          C03273.30 80  002000.CC F0            CMOCOC(BU,2),TINDE                                            17000239
  23* 00371C.CC          CCCCC0.47 83  0C4417.34 02   T A1     BB,TLPPEN(TIXE),TF        -IF LAST ENTRY WITHIN PP REF TB     17000240
  24* 003711.CC          CCCC00.44 83  004211.74 02            BB,TJBPRC(TIXE),TB8       -IF THE JOB WAS PRCCESSED           17000241
  25* 003712.CC          000000.46 83  004203.74 02            BB,TASGNP(TIXE),TB8Z      -IF PP IS ASSIGNED BYPASS REMAINDER 17000242
  26* 003713.00          CCCC00.10 33                          LV,TIXA,TCRREF(TIXE)      -GET I/C REQ TBL ADDRESS            17000243
  27* 003713.4C *        C0C000.34 83  010027.2C 50            L,TUNCT(TIXE),46          -GET THE UNIT COUNT                 17000244
  28* 003714.40          COCC11.10 50                          LC,TIXA,$R                                                    17000245
  29* 003715.CC          CC4201.7C 42                          BXCZ,TB8C                 -IF NO I/O REQUEST FOR PP           17000246
  3C* 003715.40          CC3271.11 C3                          LRI,TIXA,TREFIL           -REFILL ADDR TC INDEX               17000247
  31* 003716.CC          003271.11 10                          SX,TIXA,TREFIL                                                17000248
  32* 003716.40          C0C000.45 83  004361.34 02            BB,TRJECT(TIXE),TAREJ     -IF PP WAS REJD AND TBLS TO BE CLEARED 17000249
  33* 003717.40          CCCCC0.24 1F                          LX,TCTWCX,0.0($15)         -TO ACTIVATE THE FLAG IND          17000250
  34* 00372C.CC          C03723.23 42                          BXF,TD1+.32                -TC PREVENT WAS A DOUBLE VALIDITY  17000251
  35* 00372C.4C          C03273.33 8C  003722.74 06            BBZ,TLCCP1,TD1            -IF IX-E- WAS REFILLED              17000252
  36* 003721.40          CO3651.C6 90                          KV,TIXE,TVALVF            -CHECK TO PREVENT A DOUBLE VALIDITY CK 17000253
  37* 003722.CC          C03743.73 40                          BZXF,TA2                  -IF A VALIDITY CHECK HAS BEEN MADE  17000254
  38* 003722.40          C03651.C7 30                 T D1     SV,TIXE,TVALVF            -SAVE TC PREVENT DCUBLE VALIDY CHECK 17000255
  39*                                                 -                                                                      17000256
  4C*                                                 -                DC A VALICITY CHECK ON THE REQUEST                    17000257
  41*                                                 -                                                                      17000258
  42*                                                 -                FIRST CLEAR CCUNT AREA                                17000259
  43*                                                 -                                                                      17000260
  44* 003723.CC          003647.24 10                          LX,TX1,TTYARA             -LOAD TO BEGINNING OF TABLE         17000261
  45* 003723.40          CCC011.22 C0                          Z,$R                      -ZERO THE ACC                       17000262
  46* 003724.00          C00000.2C 8A  010000.2C DO   T CLEAR  ST,TRCAC(TX1)             -THEN CLEAR THE COUNT AREA          17000263
  47* 003725.CC          00365C.24 F0                          V+CR,TX1,TCOMBO                                               17000264
  48* 003725.40          C03724.30 40                          BZXCZ,TCLEAR                                                  17000265
  49* 003726.CC          CC0000.22 84  003727.74 00   T SETAC  BZB,TLAST(TIXA),TSETBC                                        17000266
  5C* 003727.CC          003373.11 C1                          LVI,TIXA,TIOREQ           -RELOAD TO BEGINING OF TABLE        17000267
  51* 003727.4C *        CCCC00.03 84  004000.20 50   T SETBC  L,TTYPE(TIXA)             -REQUESTED TYPE TO ACC              17000268
  52* 00373C.40          CCCCCC.C0 8A  010000.21 10   T CCMPA  K,TTYAC(TX1)              -COMPARE FOR EQUALITY               17000269
  53* 003731.40          C03733.76 C2                          BAE,TC1                   -IF EQUAL                           17000270
  54* 003732.CC          C03650.24 DC                          V+C,TX1,TCOMBO            -GET NEXT FEILD                     17000271
  55* 003732.4C          C03730.7C 40                          BZXCZ,TCOMPA                                                  17000272
  56*                                                 -                                                                      17000273
```

```
LINE  LOCATION         BINARY OUTPUT                  NAME     STATEMENT                                           LOCATION   003733

  1* 003733.00        003733.04 00                            BD,$                     -ILLEGAL REQUEST - MCP ERROR          17000274
  2*                                                  -                                                                      17000275
  3* 003733.40        000000.20 8A  010000.22 B0      T C1     M+1,TRCAD(TX1)           -INCREMENT REQUEST COUNT               17000276
  4* 003734.40        000032.02 00                            R,TX1                    -REFILL TO BEGINNING OF TABLE          17000277
  5* 003735.00        003726.11 40                            CBR+,TIXA,TSETAC                                                17000278
  6*                                                  -                                                                      17000279
  7*                                                  -                 CHECK REQUEST COUNT AGAINST THE MACH CONF COUNT       17000280
  8*                                                  -                                                                      17000281
  9* 003735.40        000000.20 8A  010000.06 70      T CHEK   LF,TRCAD(TX1)            -REQUEST COUNT TO ACC                  17000282
 10* 003736.40        003741.74 C2                            BRZ,TCONT                -NO REQUEST                            17000283
 11* 003737.00        000000.10 8A  010000.23 10               KF,TMCAD(TX1)            -COMPARE MACHINE CONF. COUNT           17000284
 12* 003740.00        003741.77 40                            BZAF,TCONT               -IF REQUEST IS OK                      17000285
 13* 003740.40        000000.45 83  001000.36 F0               CM1111,TRJECT(TIXE)      -REJECT PP FOR REQ IS TO HIGH          17000286
 14* 003741.40        003650.24 D0                    T CONT   V+C,TX1,TCOMBO                                                  17000287
 15* 003742.00        003735.70 40                            BZXCZ,TCHEK                                                     17000288
 16* 003742.40 *      000000.45 83  004360.34 02               BB,TRJECT(TIXE),TAREJX   -IF PP WAS REJECTED                    17000289
 17*                                                  -                                                                      17000290
 18*                                                  -                                                                      17000291
 19* 003743.40        003265.22 00                    T A2     Z,TCTEMP                 -CLEAR THE TEMP SYMB CHAN WORD         17000292
 20* 003744.00        003273.24 80  004000.00 F0               CM0000(BU,4),TINDA       -RESET ALL IND                         17000293
 21* 003745.00        000000.12 10                    T A2A    LX,TIXB,$Z               -INITIALIZE TO PREVENT ERROR           17000294
 22* 003745.40        003273.27 80  001000.00 FC               CM0000,TINDD            -RESET THE OPTIMIZE IND                17000295
 23* 003746.40        003273.31 80  003750.34 00               BZB,TINDZ,TA2B           -IF MORE MULTI UNIT CHAN AVAILALBE     17000296
 24* 003747.40        004417.50 00                            B,TC                                                            17000297
 25*                                                  -                                                                      17000298
 26*                                                  -                 GET AN I/O REQUEST AND FOLLOW IT THRU                 17000299
 27*                                                  -                                                                      17000300
 28* 003750.00        000000.00 84  003761.34 00      T A2B    BZB,TASGNI(TIXA),TA2D    -IF REQ IS NOT ASSIGNED                17000301
 29* 003751.00        000000.03 84  003756.74 00               BZB,TTYPE(TIXA),TB2      -IF A SINGLE UNIT TYPE OF REQUEST      17000302
 30* 003752.00        000000.13 84  007020.20 50               L,TRLSYM(TIXA),32        -REL SYMBOLIC CHANNEL TO ACC           17000303
 31* 003753.00        003756.74 C2                            BRZ,TB2                  -IF A ZERO CHANNEL REQEST              17000304
 32* 003753.40        000000.56 84  022027.06 70               C0011,TABSCH(TIXA),46    -ABSOLUTE CHANNEL TO ACC               17000305
 33* 003754.40        000000.07 84  003000.06 70               C0011,TABSUN(TIXA)       -ABSOLUTE UNIT TO ACC                  17000306
 34* 003755.40        003265.00 80  000000.20 D0               ST(BU,64),TCTEMP         -BUILD TEMP CHAN WORD                  17000307
 35* 003756.40 *      000001.22 84  003760.34 00      T B2     BZB,TLAST+1.0(TIXA),TB2Z -CHECK FOR TABLE LOOP AROUND           17000308
 36* 003757.40        003372.51 01                            LVI,TIXA,TIOREQ-1        -RELOAD VF TO BEGINNING OF TABLE       17000309
 37* 003760.00        003745.11 48                    T B2Z    CB+,TIXA,TA2A                                                   17000310
 38* 003760.40        004176.10 C0                            B,TA8                    -IF COUNT GOES TO ZERO                 17000311
 39* 003761.00        003273.23 80  001000.00 F0      T A2D    CM0000,TMODE             -RESET IND                             17000312
 40* 003762.00        003656.22 10                            LX,TX2,TYSCAN            -SET UP FOR FORWARD SCAN               17000313
 41* 003762.40        000000.24 1F                            LX,TCTWDX,0.0($15)       -SET UP FOR OVERLAP MODE TEST          17000314
 42* 003763.00        003764.63 42                            BXF,TA2DB                -IF FULL NOT OVERLAP MODE              17000315
 43* 003763.40        000000.01 84  003765.74 00               BZB,TUNOBT(TIXA),TA2DC   -IF SINGLE OVERLAP MODE                17000316
 44* 003764.40        003273.23 80  001000.36 F0      T A2DB   CM1111,TMODE             -SET IND TO NOT OVERLAP MODE           17000317
 45* 003765.40        000000.03 84  003775.34 02      T A2DC   BB,TTYPE(TIXA),TA2E      -IF A TAPE CHAN REQUEST                17000318
 46*                                                  -                                                                      17000319
 47*                                                  -                 SINGLE UNIT REQUEST, ASSIGN ONLY NEXT PP TO RUN       17000320
 48*                                                  -                                                                      17000321
 49* 003766.40        004020.63 42                            BXF,TA7                  -IF NOT OVERLAP CASE,BYPASS            17000322
 50* 003767.00        003315.24 10                            LX,TX1,TPPRUN            -SET IX TO NEXT JOB TO RUN             17000323
 51* 003767.40        000000.47 8A  004423.34 02               BB,TLPPEN(TX1),TP        -ERROR - SOMETHING IS OUT OF PHASE     17000324
 52* 003770.40        000000.45 8A  003772.74 02      T C2B    BB,TRJECT(TX1),TC2BA     -IF THIS JOB WAS REJECTED              17000325
 53* 003771.40 *      000000.44 8A  003773.74 00               BZB,TJBPRO(TX1),TC2BC    -IF THE JOB WAS NOT PROCESSED          17000326
 54* 003772.40        000002.25 07                    T C2BA   V+ICR,TX1,2.0                                                   17000327
 55* 003773.00        003770.50 00                            B,TC2B                                                          17000328
 56* 003773.40        000032.06 90                    T C2BC   KV,TIXE,TX1              -IS ASSIGNMENT FOR NEXT JOB TO BE RUN  17000329
```

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 003774
1*	003774.00	003756.72 C0			BZXE,TB2	-NO, DO NOT ASSIGN	17000330
2*	003774.40	C04020.50 0C			B,TA7		17000331
3*				-			17000332
4*				-			17000333
5*	003775.00	003273.23 80	003777.34 02	T A2E	BB,TMODE,TA6	-IF NOT OVERLAP MODE	17000334
6*	003776.00	003273.31 80	003756.74 0E		BB1,TINDZ,TB2		17000335
7*				-			17000336
8*				-			17000337
9*				-			17000338
10*				-	CONCLUSION -- TRY TO ASSIGN THIS MULTI-UNIT REQ		17000339
11*				-			17000340
12*	003777.00	003271.24 10		T A6	LX,TX1,TREFIL	-SET FOR CHANNEL SCAN	17000341
13*	003777.40	000000.13 84	007000.06 70		LF,TRLSYM(TIXA)	-SYMBOLIC CHANNEL NUMBER TO ACC	17000342
14*	004000.40	000022.22 00			Z,TX3	-ZERO THE COUNTER INDEX	17000343
15*	004001.00	003267.11 50			SC,TIXA,TWORK1	-SAVE FOR COMPARING	17000344
16*	004001.40	C04046.34 C2			BRZ,TA3	-DO NOT COMPARE IF RLSYM IS ZERO	17000345
17*	004002.00	000000.13 8A	007000.23 10	T A6A	KF,TRLSYM(TX1)	-LOOK FOR LIKE SYMBOLIC CHAN	17000346
18*	004003.00	C04004.76 C2			BAE,TA6C	-IF LIKE SYMBOLIC CHANNEL	17000347
19*	004003.40	004002.25 48		T A6B	CB+,TX1,TA6A		17000348
20*	004004.00	C04005.50 00			B,TA6D		17000349
21*				-			17000350
22*	004004.40	000001.05 00		T A6C	C+I,TX3,1.0	-ADVANCE THE LIKE REQUEST COUNTER	17000351
23*	004005.00	C04003.50 00			B,TA6B		17000352
24*				-			17000353
25*	004005.40 *	003265.31 80	007000.23 10	T A6D	KF,TCTSCH	-COMPARE ACC AGAINST TEMP	17000354
26*	004006.40	003273.05 90			KC,TX3,TLUCT	-IS THERE A CHANNEL WITH ENOUGH UNITS	17000355
27*	004007.00	004016.73 42			BXH,TAQ	-IF THE CHANNEL REQ IS TOO LARGE	17000356
28*	004007.40	C04046.36 C0			BZAE,TA3	-IF UNLIKE ABS CHAN LOC	17000357
29*				-			17000358
30*				-	GET ABSOLUTE CHANNEL NO. AS REQUEST IS PARTIALY ASSIGNED		17000359
31*				-			17000360
32*	004010.00	003265.00 80	022027.20 50		L,TCTACH,46	-GET ABSOLUTE CHAN ADDRESS	17000361
33*	004011.00	000011.04 10			LX,TX3,$R	-PLACE IN INDEX	17000362
34*	004011.40	000000.14 32			LV,TIXJ,TUNTBA(TX3)	-GET UNIT TABLE ADDRESS	17000363
35*	004012.00	000000.73 82	004027.20 50		L,TUNITK(TX3),46		17000364
36*	004013.00	000011.14 50			LC,TIXJ,$R	-UNIT COUNT TO CF	17000365
37*	004013.40	003273.24 80	004065.34 C0		BZB,TINDA,TC3Z	-IF THE SAME CHAN IS NOT ALLOWED	17000366
38*	004014.40	003273.23 80	004016.74 02		BB,TMODE,TAQ	-IF NOT OVERLAP	17000367
39*	004015.40	003315.06 90			KV,TIXE,TPPRUN	-IS THIS THE NEXT JOB TO BE RUN	17000368
40*	004016.00	C04065.32 C0			BZXE,TC3Z	-NO -- BYPASS	17000369
41*	004016.40	C03273.25 80	001000.36 FC	T AC	CM1111,TINDB	-SET THE SPLIT CHANNEL IND	17000370
42*	004017.40	000001.23 05			V+I,TX2,1.0	-STEP TO THE REVERSE SCAN	17000371
43*	004020.00	C04046.10 C0			B,TA3		17000372
44*				-			17000373
45*				-			17000374
46*				-			17000375
47*				-			17000376
48*				-	CONCLUSION --TRY TO ASSIGN THIS SINGLE UNIT REQUEST		17000377
49*				-			17000378
50*	004020.40	002152.04 10		T A7	LX,TX3 ,TCHSXW		17000379
51*	004021.00 *	000000.64 82	004034.34 02	T A7A	BB,TEQUIP(TX3),TB7	-IF A TAPE CHANNEL	17000380
52*	004022.00	000000.31 82	004034.34 02		BB,TCHAVL(TX3),TB7	-IF THE CHANNEL IS NOT AVAILABLE	17000381
53*	004023.00	000000.03 84	004000.06 7C		LF,TTYPE(TIXA)	-IS IT THE CORRECT EQUIP TYPE	17000382
54*	004024.00	000000.64 82	004000.23 10		KF,TEQUIP(TX3)		17000383
55*	004025.00	C04034.36 C0			BZAE,TB7	-NO	17000384
56*	004025.40	000000.33 82	004035.34 02		BB,TMULTI(TX3),TA7D	-IF A MULTI SING UNIT CHANNEL	17000385

LINE LOCATION BINARY OUTPUT NAME STATEMENT LOCATION 004026

```
 1* 004026.40  COCCC0.34 82  004034.34 02        BB,TUNAVL(TX3 ),TB7      -IF UNIT IS NOT AVAILABLE                  17000386
 2* 004027.4C  COCCC0.35 82  004034.34 CO        BZB,TUNASG(TX3 ),TB7     -IF THE UNIT IS ASSIGNED                   17000387
 3* 004030.40  CCCCC0.76 82  002000.07 70        CTOC11(BU,2),TUNRES(TX3) -IS THE UNIT RESERVED                      17000388
 4* 004031.40  C04167.74 C2                      BRZ,TA5S                 -NO                                        17000389
 5* 004032.CC  C03273.23 8C  004034.34 CC        BZB,TMCDE,TB7            -YES, WHAT IS THE MODE                     17000390
 6* 004033.CC  COCCC0.76 82  004167.74 00        BZB,TUNRES(TX3),TA5S     - NOT OVERLAP, GO ONLY IF OVERLAP RES      17000391
 7* 004034.00  C04021.C5 48                  T B7 CB+,TX3 ,TA7A                                                      17000392
 8* 004034.40 *  C03756.50 CO                    B,TB2                    -IF IX -D- RUNS OUT                        17000393
 9*                                            -                                                                    17000394
10*                                            -          MULTI-SINGLE UNIT REQUEST.  EG DISK, CONSOLE              17000395
11*                                            -                                                                    17000396
12* 004035.00  CCCCC0.14 32                  T A7D LV,TIXJ,TUNTBA(TX3)      -ADDRESS OF UNIT TABLE                     17000397
13* 004Q35.40  CCCCC0.73 82  004027.2C 50        L,TUNITK(TX3 ),46        -GET UNIT COUNT                            17000398
14* 004036.4C  CCCC11.14 50                      LC,TIXJ,$R               -PLACE IN CF                               17000399
15* 004037.CC  C04C34.30 42                      BXCZ,TB7                 -IF NO UNITS ARE AVAILABLE                 17000400
16* 004037.40  CCCCC0.34 86  004045.34 02   T A7CA BB,TUNAVL(TIXJ),TC7     -IF THE UNIT IS NOT AVAILABLE              17000401
17* 004040.4C  CCCCC0.35 86  004045.34 00        BZB,TUNASG(TIXJ),TC7     -IF THE UNIT IS ASSIGNED                   17000402
18* 004041.40  CCCCC0.76 86  002000.07 70        CTOC11(BU,2),TUNRES(TIXJ)  -IS UNIT RESERVED                        17000403
19* 004042.40  C04137.34 C2                      BRZ,TA5A                 -NO                                        17000404
20* 004043.00  C03273.23 80  004045.34 CC        BZB,TMCDE,TC7            -YES, WHAT IS THE MODE                     17000405
21* 004044.CC  CCCCC0.76 86  004137.34 CC        BZB,TUNRES(TIXJ),TA5A    -NOT OVERLAP, GO IF OVERLAP RES            17000406
22* 004045.CC  C04C37.55 48                  T C7 CB+,TIXJ,TA7CA                                                     17000407
23* 004045.40  C04C34.1C 00                      B,TP7                                                               17000408
24*                                            -                                                                    17000409
25*                                            -                                                                    17000410
26*                                            -                                                                    17000411
27*                                            -          MULTI-UNIT CHANNEL SCAN                                   17000412
28*                                            -                                                                    17000413
29*                                            -                                                                    17000414
30* 004046.CC  CCCCC0.12 19                  T A3  LX,TIXB,C.0(TX2)         -GET THE PROPER SCAN                       17000415
31* 004046.40  C03756.70 42                      BXCZ,TB2                 -IF THERE ARE NO MULTI UNITS AVAILABLE     17000416
32* 004047.00  CCCC00.14 55                  T A3D LC,TIXJ,0.0(TIXB)        -LOCATE THE CHANNEL WORD INDEX             17000417
33* 004047.4C  CCC022.15 50                      SC,TIXJ,TX3              -TO REMOVE THE INTERGER FROM THE VF        17000418
34* 004050.00 *  CCCC00.14 32                    LV,TIXJ,TUNTBA(TX3)      -ADDRESS OF THE UNIT TABLE TO IX           17000419
35* 004050.40  CCCCC0.73 82  004027.20 50        L,TUNITK(TX3),46         -GET THE NUMBER OF UNITS ON CHANNEL        17000420
36* 004051.4C  CCCCC0.24 85  004007.06 70        LF,TCHCNT(TIXB),14       -GET NO. OF UNITS ON CHAN FOR COMPARE      17000421
37* 004052.4C  CCCC11.14 50                      LC,TIXJ,$R               -PLACE IN CF                               17000422
38* 004053.00  CCCC11.45 90                      KC,TX3,$R+.32            -ARE THERE ENOUGH UNITS TO SATIFY REQ      17000423
39* 004053.40  CCCCC0.13 84  007000.06 70        LF,TRLSYM(TIXA)          -TEST FOR BLANK CHANNEL REQUEST            17000424
40* 004054.40  C04C65.34 C2                      BRZ,TC3Z                 -YES, ASSIGN TO ANY CHANNEL                17000425
41* 004055.CC  C04C56.73 40                      BZXF,TA3C                -IF THERE ARE ENOUGH UNITS ON A CHAN       17000426
42* 004055.40  C03273.25 80  004132.34 00        BZB,TINDB,TA3F1          -IF THE SPLIT CHAN IND IS OFF              17000427
43*                                            -                                                                    17000428
44*                                            -          IS THIS CHAN ASSIGNED TO ANOTHER I/O WITHIN PP            17000429
45*                                            -                                                                    17000430
46* 004056.40  C03273.24 80  004065.34 02   T A3C BB,TINDA,TC3Z             -IF SAME CHAN IS ALLOWED                   17000431
47* 004057.40  C03271.24 10                      LX,TIXK,TREFIL           -SET IX FOR SCANNING I/O REQ TABLE         17000432
48* 004060.CC  CCCC11.05 30                      SV,TX3,$R                -CHANNEL ADDRESS TO ACC                    17000433
49* 004060.40  CCCCC0.56 8A  022027.23 10   T A3CA KF,TABSCH(TIXK),46       -LOOK FOR LIKE CHANNEL ADDRESS             17000434
50* 004061.40  C04C64.76 CO                      BZAE,TA3CB               -IF CHAN IS NOT ASSIGNED TO ANOTHER        17000435
51*                                            -                                                                    17000436
52*                                            -          YES -- DOES THE I/O REQUEST THE SAME CHANNEL              17000437
53*                                            -                                                                    17000438
54* 004062.CC  CCCCCC.13 8A  007000.06 70        LF,TRLSYM(TIXK)          -REL SYMB CHAN NUMBER VS                   17000439
55* 004063.00 *  CCCCC0.13 84  007000.23 1C        KF,TRLSYM(TIXA)          -THE ASSIGNED REL SYMB CHAN NUMBER         17000440
56* 004064.CC  004132.36 CO                      BZAE,TA3F1               -IF THEY ARE UN-LIKE                       17000441
```

```
LINE  LOCATION        BINARY OUTPUT                 NAME    STATEMENT                                          LOCATION

  1*                                                -                                                          17000442
  2* 004064.40        004C60.65 48                  T A3CB  CB+,TIXK,TA3CA                                     17000443
  3*                                                -                  IF IT GETS HERE,  DO A UNIT TABLE SCAN   17000444
  4*                                                -                                                          17000445
  5* 004065.CC        003270.15 10                  T C3Z   SX,TIXJ,TWORK2              -SAVE IX FOR RELOAD    17000446
  6* 004065.40        003270.14 10                  T C3    LX,TIXJ,TWORK2              -RELOAD                17000447
  7* 004066.CC        CCCCC0.34 86  004127.34 02    T C3A   BB,TUNAVL(TIXJ),TB3         -IF THE UNIT IS NOT AVAILABLE  17000448
  8* 004067.CC        CO3273.31 80  001000.CC FC            CMOCOO,TINDZ                -RESET                 17000449
  9*                                                -                                                          17000450
 10*                                                -                                                          17000451
 11*                                                -                                                          17000452
 12* 004070.CC        CCCCC0.35 86  004127.34 CC            BZB,TUNASG(TIXJ),TB3        -IF THE UNIT IS ASSIGNED  17000453
 13* 004071.CC        000C00.76 86  002000.07 70            CT0011(BU,2),TUNRES(TIXJ)  -=TEST THE RESERVE BITS  17000454
 14* 004072.CC        004075.74 C2                          BRZ,TA4A                    -IF NOT RESERVED       17000455
 15* 004072.40        C03273.23 80  004127.34 00            BZB,TMODE,TB3               -IF OVERLAP MODE       17000456
 16* 004073.4C        CCCCC0.76 86  004127.34 02            BB,TUNRES(TIXJ),TB3         -IF NOT OVERLAP RESERVED  17000457
 17* 004074.4C        CCCCCC.C1 84  004107.74 02            BB,TUNOBT(TIXA),TA4C        -IF SINGLE UNIT NOT OVERLAP MODE  17000458
 18* 004075.40        C03273.31 80  0C1000.00 FO    T A4A   CMOCOC,TINDZ                -SET THE MULTI-UNIT AVAIL.BIT  17000459
 19* 004076.40 *      C03273.27 80  004137.34 02            BB,TINDD,TA5A               -IF THE OPT. REEL MOUNT IS BY PASSED  17000460
 20* 004077.4C        CCCCC0.34 84  022000.06 7C            LF,TFREEL(TIXA)             -GET THE REEL NUMBER ADDRESS  17000461
 21* 0041CC.40        004106.34 C2                          BRZ,TA4B                     -IF SCRATCH REQ.      17000462
 22* 0041C1.CC        C0CC00.33 86  004137.34 02            BB,TFDISP(TIXJ),TA5A              -IF NC TAPE MTED, MNT THE LAB TAP  17000463
 23* 004102.00        C03273.22 80  001000.06 7C            LF,TONE                     -IF REEL ADDRESS IS NOT ZERC  17000464
 24* 004103.CC        000C00.32 86  001000.23 1C    T A4BA  KF,STATI(TIXJ)                    -ORIGINAL VS THE NEW  17000465
 25* 004104.C0        C04137.36 C2                          BAE,TA5A                    -IF LIKE MOUNTING      17000466
 26* 0C4104.40        C03273.26 80  0C1000.36 FC    T A4CM  CM1111,TINDC                      -SET THE UNIT FOUND IND.  17000467
 27* 004105.40        C04127.10 CO                          B,TB3                                              17000468
 28* 004106.CC        C00C00.33 86  004104.74 02    TA4B    BB,TFDISP(TIXJ),TA4CM           -SCRATCH. IS A TAPE MTED  17000469
 29* 0C4107.CC        C041C3.1C 00                          B,TA4BA                           -YES             17000470
 30*                                                -                                                          17000471
 31*                                                -                 SINGLE NOT OVERLAP MODE -- BE SURE THE UNIT IS  17000472
 32*                                                -                 RESERVED FOR A PP THAT IS IN QUEUE AFTER THIS PP  17000473
 33*                                                -                                                          17000474
 34* 004107.40        CCCC23.24 10                  T A4C   LX,TIXL,TIXE                -LOAD FCR PP REF TABLE SCAN  17000475
 35* 00411C.CC        CCCC02.25 C7                  T A4CA  V+ICR,TIXL,2.C                -GET THE NEXT PP REF NUMBER  17000476
 36* 00411C.40        000CC0.47 8A  004127.34 02            BB,TLPPEN(TIXL),TB3         -IF LAST ENTRY         17000477
 37* 004111.40        CCCC00.44 8A  004110.34 02            BB,TJBPRO(TIXL),TA4CA       -IF NOT OVERLAP JOB WAS PROCESSED  17000478
 38* C04112.40 *      CCCC00.34 8A  010027.20 50            L,TUNCT(TIXL),46            -GET THE I/O REQ COUNT  17000479
 39* 004113.40        C04110.34 C2                          BRZ,TA4CA                   -IF THERE IS NO I/O REQ FOR PP  17000480
 40* 004114.C0        COCC11.2C 50                          LC,TIXM,$R                  -UNIT COUNT TO CF      17000481
 41* 004114.40        00CC00.20 3A                          LV,TIXM,TCRREF(TIXL)        -GET I/C REQ TBL ADDRESS  17000482
 42*                                                -                                                          17000483
 43* 004115.00        C0OC00.56 88  022027.2C 50    T A4CB  L,TABSCH(TIXM),46           -GET THE CHANNEL ADDRESS  17000484
 44* 004116.CC        000011.C4 90                          KV,TX3,$R                   -COMPARE CHANNEL ADDRESSES  17000485
 45* 004116.40        004126.32 CO                          BZXE,TA4CC                  -IF THEY ARE UNLIKE    17000486
 46* 004117.00        COCC11.24 30                          LV,TX1,$R                                          17000487
 47* 004117.40        CCCC00.73 8A  004027.2C 50            L,TUNITK(TX1),46            -GET THE UNIT COUNT    17000488
 48* 00412C.40        000C00.07 88  003027.3C 10            -,TABSUN(TIXM),46           -COMPUTE THE RELATIVE UNIT NUMBER  17000489
 49* 004121.40        COCC11.15 90                          KC,TIXJ,$R                  -COMPARE UNIT NUMBERS  17000490
 50* 004122.00        C04126.32 CO                          BZXE,TA4CC                  -IF UNLIKE UNITS       17000491
 51* 004122.40        C0CC00.CC 88  001000.CC FO            CMOCOO,TASGNI(TIXM)         -ZERO THE ASIGNED BIT -- UNIT BASIS  17000492
 52* 004123.4C        COCC00.02 88  001000.CC FO            CMOOOO,TPRINT(TIXM)         -RESET THE PRINT BIT   17000493
 53* 004124.40        CCCC00.46 8A  001000.CC FO            CMOCCO,TASGNP(TIXL)         -ZERC THE ASIGNED BIT -- JOB BASIS  17000494
 54* 004125.40        C04142.50 00                          B,TA5MA                     -THE UNIT IS NOW RELEASED  17000495
 55* 004126.CC *      C04115.21 48                  T A4CC  CB+,TIXM,TA4CB              -IF UNLIKE UNIT/CHAN NUMBER  17000496
 56* 004126.4C        004110.10 00                          B,TA4CA                     -COULD NOT FIND RESERVED UNIT  17000497
```

```
LINE  LOCATION          BINARY OUTPUT                NAME     STATEMENT                                    LOCATION

  1*                                                  -                                                     17000498
  2*                                                  -                                                     17000499
  3*                                                  -                                                     17000500
  4*                                                  -                                                     17000501
  5* 004127.00       004066.15 48                   T B3     CB+,TIXJ,TC3A                                 17000502
  6* 004127.40       003273.26 80  004132.34 04              BZBZ,TINDC,TA3F1        -IF IND -C- IS OFF    17000503
  7* 004130.40       003273.27 80  001000.36 F0              CM1111,TINDD            -SET THE OPTIMUM REEL MTNG BYPASS IND  17000504
  8* 004131.40       004065.50 00                            B,TC3                                         17000505
  9*                                                  -                                                     17000506
 10* 004132.00       000025.12 10                   T A3F1   LX,TIXB,TIXB                                  17000507
 11* 004132.40       003756.70 42                            BXCZ,TB2                -IF THERE ARE NO MULTI UNITS AVAILABLE  17000508
 12* 004133.00       004047.12 C8                            CBH,TIXB,TA3D           -GET THE NEXT CHANNEL 17000509
 13*                                                  -                                                     17000510
 14*                                                  -                 IN THE CASE OF AN INDEX RUNOUT      17000511
 15*                                                  -                                                     17000512
 16* 004133.40       003273.23 80  004135.74 C2              BB,TMODE,TABBN          -CONTINUE IF NOT OVERLAP  17000513
 17* 004134.40       003315.06 90                            KV,TIXE,TPPRUN          -OVERLAP, IS IT THE NEXT JOB TO BE RUN  17000514
 18* 004135.00       003756.72 C0                            BZXE,TB2                -NO, SO DO NOT ALLOW THE SAME CHANNEL  17000515
 19* 004135.40       003273.24 80  003756.74 0A     T ABBN   BBN,TINDA,TB2           --SET THE SAME CHANNEL ALLOWED IND.  17000516
 20* 004136.40       004046.10 00                            B,TA3                                         17000517
 21*                                                  -                                                     17000518
 22*                                                  -                                                     17000519
 23*                                                  -                                                     17000520
 24*                                                  -                                                     17000521
 25*                                                  -                 MULTI - UNIT ASSIGNMENT             17000522
 26*                                                  -                 MARK THE I/O UNIT RESERVED          17000523
 27*                                                  -                 MARK THE I/O REQUEST ASSIGNED       17000524
 28* 004137.00       000000.24 1F                   T A5A    LX,TCTWDX,0.0($15)      -CHECK THE MODE       17000525
 29* 004137.40       004141.63 40                            BZXF,TA5M1              -IF OVERLAP           17000526
 30*                                                  -                                                     17000527
 31* 004140.00       000000.76 86  001000.36 F0              CM1111,TUNRES(TIXJ)     -SET NOT OVERLAP RESERVED BIT  17000528
 32* 004141.00       004142.50 00                            B,TA5MA                                       17000529
 33* 004141.40 *     000000.77 86  001000.36 F0     T A5M1   CM1111,TOVRES(TIXJ)     -SET THE OVERLAP RESERVED BIT  17000530
 34* 004142.40       000000.00 84  004420.74 0E     T A5MA   BB1,TASGNI(TIXA),TI     -SET THE ASSIGNED BIT -- I/O REQ TBL  17000531
 35* 004143.40       000011.05 30                            SV,TX3,$R               -THE CHANNEL ADDRESS  17000532
 36* 004144.00       000000.56 84  022027.20 D0              ST,TABSCH(TIXA),46      -ABSOLUTE CHAN TO I/O REQ TABLE  17000533
 37* 004145.00       002152.00 80  022027.30 10              -(BU,18),TCHSXW,46      -COMPUTE THE CHANNEL NUMBER  17000534
 38* 004146.00       005002.14 80  007027.20 DC              ST(BU,7),TCOT+.12,46                          17000535
 39* 004147.00       000000.73 82  004027.20 50              L,TUNITK(TX3),46        -COMPUTE REAL UNIT NUMBER  17000536
 40* 004150.00       000026.52 80  004027.30 10              - (BU,4),TIXJ+0.42,46                         17000537
 41* 004151.00       000000.07 84  003027.20 D0              ST,TABSUN(TIXA),46      -TO THE I/O REQUEST TABLE  17000538
 42* 004152.00       005002.57 80  003027.20 DC              ST(BU,3),TCOT+.47,46                          17000539
 43* 004153.00       000000.03 84  003745.34 0C              BZB,TTYPE(TIXA),TA2A                          17000540
 44* 004154.00       000000.33 86  003745.34 02              BB ,TFDISP(TIXJ),TA2A   -IF THERE IS NOTAPE MOUNTED  17000541
 45* 004155.00 *     000000.32 86  004157.74 02              BB,STATI(TIXJ),TA5LC    -IF THE TAPE MTED IS A SPECIFIC TP  17000542
 46* 004156.00       000000.34 84  022000.07 70              CTOC11,TFREEL(TIXA)                           17000543
 47* 004157.00       003745.34 C2                            BRZ,TA2A                -AND A THE REQUEST IS FOR A SCRATCH  17000544
 48*                                                  -      CONCLUSION IS A SCRATCH IS MOUNTED AND A LABEL TAPE IS TO RE-  17000545
 49*                                                  -      PLACE IT , HENCE WE MUST UNLOAD               17000546
 50* 004157.40       005002.13 C2                   T A5LC   LCI,TIXB,TCOT                                 17000547
 51* 004160.00       000000.13 56                            SC,TIXB,0.0(TIXJ)       -SET UP THE DUMMY UNIT AREA ADDR.  17000548
 52* 004160.40       000000.40 86  001000.36 F0              CM1111,TCHOWN(TIXJ)     -AND SET TO MCP OWNER 17000549
 53* 004161.40       000000.35 86  001000.00 F0              CM0000,TUNASG(TIXJ)     -ALSO SET ASSIGNED    17000550
 54* 004162.40       000000.65 86  001000.00 F0              CM0000,SIMNT(TIXJ)      -RESET THE            17000551
 55* 004163.40       000000.63 86  001000.00 F0              CM0000,SMOUNT(TIXJ)    -MOUNT BITS            17000552
 56* 004164.40       001472.10 00                   T IPL3   B,DMCP                  -THEN UNLOAD WITH  - SFREE -  17000553
```

```
LINE  LOCATION       BINARY OUTPUT               NAME     STATEMENT                                  LOCATION    004165

  1* 004165.00     000000.00 80                          ,DFREE                                                   17000554
  2* 004165.40     000011.00 80                          ,9.                                                      17000555
  3* 004166.00     000000.40 86  001000.00 F0            CM0000,TCHOWN(TIXJ)       -THEN RESET BACK TO PP OWNER   17000556
  4* 004167.00     003745.10 00                          B,TA2A                                                   17000557
  5*                                               -                                                              17000558
  6*                                               -               SINGLE UNIT ASSIGNMENT                         17000559
  7*                                               -               MARK THE I/O CHAN/UNIT RESERVED                17000560
  8*                                               -               MARK THE I/O REQUEST ASSIGNED                  17000561
  9*                                               -                                                              17000562
 10* 004167.40     000000.24 1F                    T A5S  LX,TCTWDX,0.0($15)       -CHECK THE MODE                17000563
 11* 004170.00     004172.23 42                           BXF,TA5Z                 -IF NOT OVERLAP                17000564
 12* 004170.40 *   000000.77 82  001000.36 F0             CM1111,TOVRES(TX3)       -SET THE OVERLAP RESERVED BIT  17000565
 13* 004171.40     004173.10 00                           B,TA5SA                                                 17000566
 14* 004172.00     000000.76 82  001000.36 F0      T A5Z  CM1111,TUNRES(TX3)       -SET THE NOT OVERLAP RESERVED BIT  17000567
 15* 004173.00     000000.00 84  004420.34 0E      T A5SA BB1,TASGNI(TIXA),TH      -SET THE ASSIGNED BIT -- I/O REQ TBL  17000568
 16* 004174.00     000011.05 30                           SV,TX3 ,$R               -THE CHAN/UNIT ADDRESS         17000569
 17* 004174.40     000000.56 84  022027.20 D0             ST,TABSCH(TIXA),46       -PLACE IN THE I/O REQ TBLE     17000570
 18* 004175.40     003756.50 00                           B,TB2                                                   17000571
 19*                                               -                                                              17000572
 20*                                               -                                                              17000573
 21*                                               -                                                              17000574
 22*                                               -               CHECK TO SEE THAT ALL UNITS WERE ASSIGNED TO A GIVEN  17000575
 23*                                               -               PP.  IF SO MARK THE ASSIGNED BIT ON IN THE PP  17000576
 24*                                               -               REFERENCE TABLE                                17000577
 25*                                               -                                                              17000578
 26* 004176.00     000024.02 C0                    T A8   R,TIXA                   -RELOAD -A-                    17000579
 27* 004176.40     000000.22 84  004200.34 00      T A8A  BZB,TLAST(TIXA),TA8BB                                   17000580
 28* 004177.40     003373.11 01                           LVI,TIXA,TIOREQ          -RELOAD IX TO BEGINNING OF TABLE  17000581
 29* 004200.00     000000.00 84  004210.74 0C      T A8BB BZB,TASGNI(TIXA),TA8B    -IF NOT ASSIGNED               17000582
 30* 004201.00     004176.51 48                           CR+,TIXA,TA8A                                           17000583
 31*                                               -                                                              17000584
 32*                                               -                                                              17000585
 33* 004201.40     000000.46 83  001000.36 F0      T B8C  CM1111,TASGNP(TIXE)      -SET PP ASSIGNED BIT           17000586
 34* 004202.40     000000.24 1F                           LX,TCTWDX,0.0($15)       -LOAD FOR OVERLAP TEST         17000587
 35* 004203.00     004421.23 42                           BXF,TK                   -IF NOT OVERLAP MODE           17000588
 36*                                               -                                                              17000589
 37* 004203.40     000002.07 07                    T B8Z  V+ICR,TIXE,2.0           -STEP IX -E-                   17000590
 38* 004204.00 *   004205.70 40                           BZXCZ,TB8A               -COUNT IS OK                   17000591
 39* 004204.40     003273.33 80  001000.22 B0             M+1,TLOOP1               -IX REFILLED INDICATOR         17000592
 40* 004205.40     003273.30 80  003710.34 02      T B8A  BB,TINDE,TA1             -IF SAVING IS TO BE IGNORED    17000593
 41* 004206.40     000000.24 1F                           LX,TCTWDX,0.0($15)       -CHECK MODE BEFORE SAVING      17000594
 42* 004207.00     003710.23 42                           BXF,TA1                  -IF NOT OVERLAP                17000595
 43* 004207.40     003272.07 10                           SX,TIXE,TSAV             -IF NOT SAVE                   17000596
 44* 004210.00     003710.10 00                           B,TA1                                                   17000597
 45*                                               -                                                              17000598
 46* 004210.40     000000.24 1F                    T A8B  LX,TCTWDX,0.0($15)       -LOAD FOR OVERLAP TEST         17000599
 47* 004211.00     004360.23 42                           BXF,TAREJX               -NOT OVERLAP ASSIGNED          17000600
 48* 004211.40     000002.07 07                    T B8   V+ICR,TIXE,2.0                                          17000601
 49* 004212.00     003273.30 80  001000.36 F0             CM1111,TINDE             -DO NOT SAVE INDEX TIXE FROM HERE ON  17000602
 50* 004213.00     003710.30 40                           BZXCZ,TA1                -COUNT STILL OK                17000603
 51* 004213.40     003273.33 80  001000.22 B0             M+1,TLOOP1               -IX REFILLED INDICATOR         17000604
 52* 004214.40     003710.10 00                           B,TA1                    -SO DO NOT SAVE -E-            17000605
 53*                                               -                                                              17000606
 54*                                               -                                                              17000607
 55*                                               -                                                              17000608
 56*                                               -                                                              17000609
```

LINE	LOCATION		BINARY OUTPUT			NAME	STATEMENT		LOCATION
1*						-	MACHINE CONFIGURATION CHANGE		17000610
2*						-	ADJUST THE NECESSARY TABLES		17000611
3*						-			17000612
4*	004215.C0		C02152.24 10			T A9	LX,TIXF,TCHSXW	-BEGINNING OF CHAN STAT TABLE	17000613
5*	004215.40		CCCCC0.C0 8F	030000.C0 FC			CMOCC0(BU,24),0.C($15)	-CLEAR CON FIG CHANGE	17000614
6*	004216.40		002153.20 30				LV,TIXG,SBAMCP	-SET UP THE DUMMY SIOL FOR	17000615
7*	004217.00	*	004767.C0 80	000003.02 A8			TI,1,TDSIC,C3.(TIXG)	-UNLOADING TAPES ON UNITS	17000616
8*	004220.00		C04770.C0 80	000011.02 A8			TI,1,TDSIC+1.,9.(TIXG)	-FOR UNLOADING SCRATCH TAPES	17000617
9*	004221.00		003647.20 10				LX,TIXG,TTYARA	-CLEAR THE MACHINE CONFIGUATION	17000618
10*	004221.4C		000CC0.10 88	010000.CC FC		T CM9	CMOCC0,TMCAD (TIXG)	-CCUNT TABLE	17000619
11*	004222.40		CC3650.20 DC				V+C,TIXG,TCOMBO		17000620
12*	004223.C0		C04221.70 40				BZXCZ,TCM9		17000621
13*						-			17000622
14*	004223.4C		003273.C0 80	022000.CC FC			CMOCC0,TLUCT	-CLEAR LARGEST COUNT AREA	17000623
15*	004224.40		003655.04 10				LX,TIXH,TMUCTX	-BEGINNING OF THE MULTI UNIT CNT TBLE	17000624
16*	004225.CC		CCCCCC.24 82	004000.CC F0		T A9A	CMOCC0,TCHCNT(TIXH)	-CLEAR THE UNIT COUNT AREA	17000625
17*	004226.CC		000C00.64 8A	004024.2C 5C			L,TEQUIP(TIXF),4C	-GET EQUIP FOR MACH CONF	17000626
18*	004227.CC		C04261.74 C2				BRZ,TB9B	-IF NO EQUIP ON THIS CHAN	17000627
19*	004227.40		003650.C0 80	030024.21 90			*(BU,24),TCOMBO,40	-COMPUTE LOC WITHIN TABLE	17000628
20*	004230.40		C03650.40 80	030012.30 10			-(BU,24),T2COMB,2C		17000629
21*	004231.40		C00C11.00 8C	000012.2C 5C			L(BU,64),$R,20	-LEFT SHIFT TO VF	17000630
22*	004232.4C		C00C11.2C 30				LV,TIXG,$R		17000631
23*	004233.C0	*	40CCC0.CC 80	401000.20 5C			LI(BU,1),1	-AT LEAST GIVE A CCUNT OF ONE	17000632
24*	004234.CC		C0CC00.64 8A	004236.34 00			BZB,TEQUIP(TIXF),T9M	-IF A NON TAPE CHAN	17000633
25*	004235.00		C0CC00.73 8A	004000.2C 5C			L,TUNITK(TIXF)	-GET COUNT FOR MULTI CHAN	17000634
26*	004236.00		003652.C0 88	010000.2C 9C		T 9M	M+,TDISK(TIXG)	-ADD CONFIGURATION TO TABLE	17000635
27*	004237.CC		C00CC0.33 8A	004275.74 02			BB,TMULTI(TIXF),TA9D	-IF A MULTI CHANNEL	17000636
28*	004240.CC		C0CC00.31 8A	004243.34 02			BB,TCHAVL(TIXF),TA9B	-IF CHANNEL NOT AVAILABLE	17000637
29*	004241.CC		CCCCC0.4C 8A	004244.34 02			BB,TCHCWN(TIXF),TA9BA	-IF MCP LEVEL IT IS NOT AVAIL TO PP	17000638
30*	004242.CC		CCCCC0.34 8A	004246.34 00			BZB,TUNAVL(TIXF),TB9	-IF UNIT IS AVAILABLE	17000639
31*	004243.00		C0CC00.35 8A	004422.34 00		T A9B	BZB,TUNASG(TIXF),TM	-IF THE UNIT IS ASSIGNED	17000640
32*	004244.00		C04246.03 01			T A9BA	LVI,TX1BR,TB9	-LOAD FOR SUB ROUTINE BRANCH	17000641
33*	004244.40		C0CC00.76 8A	002000.07 7C			CTOC11(BU,2),TUNRES(TIXF)	-IS UNIT RESERVED BY PP	17000642
34*	004245.4C		C04320.34 C0				BZRZ,TA1C	-YES	17000643
35*	004246.CC	*	C0CCC0.64 8A	004000.06 7C		T B9	LF,TEQUIP(TIXF)		17000644
36*	004247.00		10CC00.C0 80	404000.23 1C			KFI(BU,4),2	-LOOK FOR CONSOLE	17000645
37*	004250.00		C04254.76 C0				BZAE,TB9A	-NO	17000646
38*	004250.4C		C0CC32.20 30				LV,TIXG,TIXF		17000647
39*	004251.00		C0CC30.30 80	001000.36 F0			CM1111(BU,1),TIXG+.24	-SET IX NEG SO TO SUB	17000648
40*	004252.00		C02152.2C 80				V+,TIXG,SXCHAN	-COMPUTE CONSOLE CHANNEL	17000649
41*	004252.4C		C0CC11.21 30				SV,TIXG,$R		17000650
42*	004253.CC		C02156.02 80	021027.12 F0			SF(BU,17),SYCOCH+.2,46		17000651
43*	004254.00		C04261.5C 00				B,TB9B		17000652
44*	004254.40		240000.C0 80	404000.23 1C		T B9A	KFI(BU,4),5	-LOOK FOR A PRINTER	17000653
45*	004255.4C		C04261.76 C0				BZAE,TB9B	-NO	17000654
46*	004256.CC		C0CC32.20 30				LV,TIXG,TIXF		17000655
47*	004256.40		C0CC30.30 80	001000.36 FC			CM1111(BU,1),TIXG+.24	-SET IX NEG SO TO SUB	17000656
48*	004257.4C		C02152.2C 80				V+,TIXG,SXCHAN	-COMPUTE THE PRINTER CHANNEL	17000657
49*	004260.CC		000C11.21 30				SV,TIXG,$R		17000658
50*	004260.40		002156.42 80	021027.12 F0			SF(BU,17),SYPRCH+.2,46		17000659
51*	004261.4C		004225.25 48			T B9B	CB+,TIXF,TA9A		17000660
52*						-			17000661
53*						-	SAVE THE VALUES OF THE UNIT CCUNT INDEX		17000662
54*						-			17000663
55*	004262.00	*	C0CC00.45 0D				V-I,TIXH,C.32	-REDUCE BY A HALF	17000664
56*	004262.4C		C03660.C5 10				SX,TIXH,TRCHSC		17000665

```
 LINE   LOCATION        BINARY OUTPUT            NAME    STATEMENT                               LOCATION     004263

  1* 004263.00       003660.30 80  001000.36 FC          CM1111(BU,1),TRCHSC+C.24 -SET THE IX NEG                     17000666
  2* 004264.00       003661.C5 01                        LVI,TIXF,TCHCUC          -MODIFY THE VALUE FIELD             17000667
  3* 004264.40       003657.C5 10                        SX,TIXH,TFCHSC           -SAVE THE FORWARD SCAN INDEX        17000668
  4*                                             -                                                                  17000669
  5*                                             -                SORT THE UNIT COUNT TABLE                         17000670
  6*                                             -                                                                  17000671
  7*                                             -                                                                  17000672
  8* 004265.00       000022.24 10                T D9A   LX,TIXF,TIXH             -LOAD TRANSIT INDEX                 17000673
  9* 004265.40       004274.70 42                        BXCZ,TD9                 -IF NO MULTI UNIT TABLE             17000674
 10* 004266.00       000000.00 82  040020.06 70          LF(BU,32),0.0(TIXH),32   -LOAD ACC WITH THE TOP WORD         17000675
 11* 004267.00       000000.24 8A  004024.23 10  TD9B    KF,TCHCNT(TIXF),40                                           17000676
 12* 004270.00       004272.77 40                        BZAH,TD9C                -IF ACC IS THE SMALLER              17000677
 13* 004270.40       000000.20 3A                        LV,TIXG,0.0(TIXF)        -USE INDEX FOR SWAPPING             17000678
 14* 004271.00       000000.00 8A  040020.20 D0          ST(BU,32),0.0(TIXF),32   -STORE THE GREATER                  17000679
 15* 004272.00       000011.21 30                        SV,TIXG,$R               -RELOAD ACC WITH THE LESSER         17000680
 16* 004272.40       004267.24 C8                T D9C   CBH,TIXF,TD9B                                                17000681
 17* 004273.00       000000.00 82  040020.20 D0          ST(BU,32),0.0(TIXH),32   -REPLACE THE INITIAL WORD WITH FINAL 17000682
 18* 004274.00       004265.04 C8                        CBH,TIXF,TD9A                                                17000683
 19*                                             -                                                                  17000684
 20* 004274.40       000000.24 1F                T D9    LX,TCTWDX,0.0($15)       -RELOAD FOR TEST                    17000685
 21* 004275.00       003704.10 00                        B,TB1F                                                       17000686
 22*                                             -                                                                  17000687
 23*                                             -                MULTI UNIT SCAN                                   17000688
 24*                                             -                                                                  17000689
 25* 004275.40 *     000000.73 8A  004027.20 50  T A9D   L,TUNITK(TIXF),46        -LOAD FOR UNIT TABLE SCAN           17000690
 26* 004276.40       000011.20 50                        LC,TIXG,$R               -UNIT COUNT TO CF                   17000691
 27* 004277.00       004246.30 42                        BXCZ,TB9                 -IF NO UNITS CONNECTED TO CHAN      17000692
 28* 004277.40       000000.20 3A                        LV,TIXG,TUNTBA(TIXF)     -UNIT TABLE ADDRESS TO VF           17000693
 29* 004300.00       000000.31 8A  004303.34 02  T A9E   BB,TCHAVL(TIXF),TA9F     -IF CHAN IS NOT AVAILABLE           17000694
 30* 004301.00       000000.40 88  004304.34 02          BB,TCHOWN(TIXG),TA9FA    -IF MCP LEVEL IT IS NOT AVAIL TO PP 17000695
 31* 004302.00       000000.34 88  004315.74 00          BZB,TUNAVL(TIXG),TC9     -IF THE UNIT IS AVAILABLE           17000696
 32* 004303.00       000000.35 88  004422.74 00  T A9F   BZB,TUNASG(TIXG),TN      -IF THE UNIT IS ASSIGNED            17000697
 33* 004304.00       004306.C3 01                T A9FA  LVI,TX1BR,TA9G           -LOAD FOR SUB ROUTINE BRANCH        17000698
 34* 004304.40       000000.76 88  002000.07 70          CT0011(BU,2),TUNRES(TIXG)                                    17000699
 35* 004305.40       004322.74 C0                        BZRZ,TC1C                -IF THE UNIT IS RESERVED BY PP      17000700
 36* 004306.00       004300.21 48                T A9G   CB+,TIXG,TA9E                                                17000701
 37*                                             -                                                                  17000702
 38*                                             -                ADVANCE THE UNIT COUNT TABLE FOR ANOTHER CHANNEL  17000703
 39*                                             -                                                                  17000704
 40*                                             -                                                                  17000705
 41* 004306.40       000000.24 82  004000.06 70          LF,TCHCNT(TIXH)          -TEST FOR NO ENTRY                  17000706
 42* 004307.40       004246.34 C2                        BRZ,TB9                  -IF NO ENTRY                        17000707
 43* 004310.00       000011.25 30                        SV,TIXF,$R               -SAVE THE CHANNEL ADDRESS           17000708
 44* 004310.40 *     000000.00 82  022027.20 D0          ST,TCHADD(TIXH),46                                           17000709
 45* 004311.40       000000.45 05                        V+I,TIXH,0.32            -ADD A HALF WORD TO VF              17000710
 46* 004312.00       000001.C5 00                        C+I,TIXH,1.0                                                 17000711
 47* 004312.40       003273.00 80  022000.23 10          KF,TLUCT                 -KEEP ONLY THE LARGEST COUNT        17000712
 48* 004313.40       004246.37 40                        BZAH,TB9                 -IF TLUCT IS LARGER                 17000713
 49* 004314.00       003273.00 80  022000.20 D0          ST,TLUCT                 -SAVE THE LARGER                    17000714
 50* 004315.00       004246.10 00                        B,TB9                                                        17000715
 51*                                             -                                                                  17000716
 52*                                             -                ADD TO THE UNIT COUNT IN THE MULTI UNIT TABLE     17000717
 53*                                             -                                                                  17000718
 54* 004315.40       000000.64 8A  004306.34 00  T C9    BZB,TEQLIP(TIXF),TA9G    -NOT A TAPE UNIT                    17000719
 55* 004316.40       000000.24 82  004000.22 BC          M+1,TCHCNT(TIXH)         -ADD TO THE UNIT COUNT              17000720
 56* 004317.40       004306.10 C0                        B,TA9G                                                       17000721
```

```
LINE  LOCATION          BINARY OUTPUT              NAME      STATEMENT                                  LOCATION

  1*                                               -                                                         17000722
  2*                                               -                                                         17000723
  3*                                               -              MACHINE CONFIGURATION CHANGE,  THE RESERVED BIT   17000724
  4*                                               -              IS ON AND THE CHAN AND/OR UNIT IS DOWN    17000725
  5*                                               -                                                         17000726
  6* 004320.00      000000.76 8A  001000.00 F0     T A10     CM0C00,TUNRES(TIXF)       -RESET THE UNIT RESERVED BIT            17000727
  7* 004321.00      000000.77 8A  001000.00 F0               CM0C00,TOVRES(TIXF)       -RESET THE NOT OVER LAP RES BIT         17000728
  8* 004322.00      004324.50 C0                             B,TA10A                                                      17000729
  9*                                               -                                                                     17000730
 10* 004322.40      000000.76 88  001000.00 F0     T C10     CM0C0C,TUNRES(TIXG)       -RESET THE UNIT RESERVED BIT            17000731
 11* 004323.40      000000.77 88  001000.00 F0               CM0C0C,TOVRES(TIXG)       -RESET THE NOT OVERLAP RES BIT          17000732
 12*                                               -                                                                     17000733
 13* 004324.40 *    003315.16 10                   T A10A    LX,TIXD,TPPRUN            -SET FOR LOCATING NEXT JOB TO BE RUN    17000734
 14* 004325.00      003273.32 80  001000.00 F0               CM0C00,TLOOP              -RESET THE LOOP INDICATOR               17000735
 15* 004326.00      000000.47 87  000000.34 03     T B10A    BB,TLPPEN(TIXD),0.0(TX1BR) -IF LAST ENTRY IN PP REF TBL           17000736
 16* 004327.00      000000.44 87  004343.34 02               BB,TJBPRO(TIXD),TB10      -IF THE JOB WAS PROCESSED               17000737
 17* 004330.00      000000.34 87  010027.20 50               L,TUNCT(TIXD),46          -GET THE UNIT COUNT                     17000738
 18* 004331.00      004343.34 C2                             BRZ,TB10                  -IF A NON I/O TYPE JOB                  17000739
 19* 004331.40      000000.12 57                             LC,TIXI,TCRREF(TIXD)      -GET 18 BIT I/O REQ TBL ADD             17000740
 20* 004332.00      000025.13 50                             SC,TIXI,TIXI              -SAVE ONLY 18 BITS                      17000741
 21* 004332.40      000011.12 50                             LC,TIXI,$R                -UNIT COUNT TO CF                       17000742
 22*                                               -                                                                     17000743
 23*                                               -                                                                     17000744
 24*                                               -                                                                     17000745
 25* 004333.00      000000.22 85  004334.74 00     T A11     BZB,TLAST(TIXI),TA11B                                          17000746
 26* 004334.00      003373.13 01                             LVI,TIXI,TIOREQ                                                17000747
 27* 004334.40      000000.56 85  022027.20 50     T A11B    L,TABSCH(TIXI),46         -GET ABSOLUTE CHANNEL ADDRESS           17000748
 28* 004335.40      000011.24 90                             KV,TIXF,$R                -COMPARE CHANNEL ADDRESSES              17000749
 29* 004336.00      004342.72 C0                             BZXE,TB10B                -IF UNLIKE                              17000750
 30* 004336.40      000000.03 85  004345.74 00               BZB,TTYPE(TIXI),TA11A     -IF THE TYPE IS NOT TAPE                17000751
 31* 004337.40 *    000000.73 8A  004027.20 50               L,TUNITK(TIXF),46                                              17000752
 32* 004340.40      000000.07 85  003027.30 10               -,TABSUN(TIXI),46         -COMPUTE THE RELATIVE UNIT NUMBER       17000753
 33* 004341.40      000011.21 90                             KC,TIXG,$R                -COMPARE UNIT LOCATIONS                 17000754
 34* 004342.00      004345.72 C2                             BXE,TA11A                 -IF LIKE                                17000755
 35* 004342.40      004333.13 48                   T B10B    CB+,TIXI,TA11                                                  17000756
 36* 004343.00      000002.17 07                   T B10     V+ICR,TIXD,2.0                                                 17000757
 37* 004343.40      004326.30 40                             BZXCZ,TB10A               -IF THE COUNT IS OK                     17000758
 38* 004344.00      003273.32 80  004326.34 00               BZB1,TLOOP,TB10A          -SET THE LOOP PREVENTER                 17000759
 39* 004345.00      004345.04 C0                             BC,$                       -MCP OR MACHINE ERROR                  17000760
 40*                                               -                                                                     17000761
 41* 004345.40      000000.46 87  001000.00 F0     T A11A    CM0C00,TASGNP(TIXD)       -RESET THE ASSIGNED BIT --- PP REF TBL  17000762
 42* 004346.40      000000.00 85  001000.00 F0               CM0C00,TASGNI(TIXI)       -RESET THE ASSIGNED BIT --I/O REQ TBLE  17000763
 43* 004347.40      000000.56 85  022000.00 F0               CM0C00,TABSCH(TIXI)       -ZERO THE CHANNEL ADDRESS               17000764
 44* 004350.40      000000.07 85  003000.00 F0               CM0C00,TABSUN(TIXI)       -ZERO THE REL UNIT ADDRESS              17000765
 45* 004351.40      000000.02 85  001000.00 F0               CM0C00,TPRINT(TIXI)       -RESET THE PRINT TO OPERATOR BIT        17000766
 46* 004352.40      000000.01 85  001000.36 F0               CM1111,TUNOBT(TIXI)       -RESET TO ONE THE NOT OVERLAP BIT       17000767
 47* 004353.40 *    003273.32 80  004342.74 C2               BB,TLOOP,TB10B            -IF IX WAS REFILLED -- BRANCH           17000768
 48* 004354.40      003651.16 90                             KV,TIXD,TVALVF            -SHALL WE RESET THE VALID CHK PTR       17000769
 49* 004355.00      004356.32 40                             BZXL,TB11C                -NO                                     17000770
 50* 004355.40      003651.17 30                             SV,TIXD,TVALVF            -YES  --                                17000771
 51* 004356.00      003272.16 30                   T B11C    LV,TIXD,TSAV              -RESET TO LAST UNASSIGNED LOCATION      17000772
 52* 004356.40      004342.72 40                             BZXL,TB10B                -DO NOT PLACE IXH IN TSAV IF IX GREATR  17000773
 53* 004357.00      003272.17 10                             SX,TIXD,TSAV              -DO PLACE IX IN TSAV IF LESS            17000774
 54* 004357.40      004342.50 00                             B,TB10B                   -LOOK FOR MORE                          17000775
 55* 004360.00      004451.25 C1                   TAREJX    LVI,TX1,TMESSY           -SET REASON FOR REJECTION                17000776
 56* 004360.40      000000.25 33                             SV,TX1,0.0(TIXE)          -IN THE PP REF TABLE WORD               17000777
```

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT		LOCATION 004361
1*	004361.00		000024.02 00		T AREJ	R,TIXA	-RELOAD IX	17000778
2*	004361.40		000000.45 83	001000.36 F0		CM1111,TRJECT(TIXE)	-SET THE REJECT BIT	17000779
3*	004362.40		000000.56 84	022027.20 50	T AREJ1	L,TABSCH(TIXA),46	-GET THE CHANNEL ASSIGNED	17000780
4*	004363.40		000011.24 30			LV,TX1,$R		17000781
5*	004364.00		004373.74 C2			BRZ,TAREJN		17000782
6*	004364.40		000000.33 8A	004406.74 00		BZB,TMULTI(TX1),TAREJ3	-IF NOT A MULTI CASE	17000783
7*	004365.40		002152.00 80	022027.30 10		-(BU,18),TCHSXW,46	-COMPUTE THE CHANNEL NUMBER	17000784
8*	004366.40	*	004771.14 80	007027.20 D0		ST(BU,7),TCAT+.12,46		17000785
9*	004367.40		000000.00 8A	022027.20 50		L,TUNTBA(TX1),46	-GET UNIT TABLE ADDRESS	17000786
10*	004370.40		000011.24 30			LV,TX1,$R		17000787
11*	004371.00		000000.07 84	003027.20 50		L,TABSUN(TIXA),46	-GET UNIT NUMBER	17000788
12*	004372.00		004771.57 80	003027.20 D0		ST(BU,3),TCAT+.47,46	-ALSO STORE THE UNIT NUMBER	17000789
13*	004373.00		000011.24 80			V+,TX1,$R	-ADD TO VALUE	17000790
14*	004373.40		000000.34 84	022027.20 50	T AREJN	L,TFREEL(TIXA),46	-GET ADDRESS OF REEL	17000791
15*	004374.40		004406.74 C2			BRZ,TAREJ3	-IF NO REEL	17000792
16*	004375.00		000011.04 30			LV,TX3,$R		17000793
17*	004375.40		000000.22 02			Z,0.0(TX3)	-ZERO THE REEL SLOT	17000794
18*	004376.00		000000.00 84	004406.74 00		BZB,TASGNI(TIXA),TAREJ3	-IF REQ WAS NOT ASSIGNED AS UNIT	17000795
19*	004377.00		004771.25 02			LCI,TX1,TCAT	-SET UP THE UNIT AREA TABLE ADDRESS	17000796
20*	004377.40		000000.25 5A			SC,TX1,C.0(TX1)	-IN THE UNIT STATUS TABLE	17000797
21*	004400.00		000000.35 8A	001000.00 F0		CM0000,TUNASG(TX1)	-RESET THE ASSIGNED BIT	17000798
22*	004401.00		000000.40 8A	001000.36 F0		CM1111,TCHOWN(TX1)	-SET UNIT OWNER TO MCP	17000799
23*	004402.00	*	000000.65 8A	001000.00 F0		CM0000,SIMNT(TX1)	-TO RESET THE	17000800
24*	004403.00		000000.63 8A	001000.00 F0		CM0000,SMCUNT(TX1)	-MCUNT BITS	17000801
25*	004404.00		001472.10 00		T IPL4	B,DMCP	-GO TO FREE THE TAPE	17000802
26*	004404.40		000000.00 80			,DFREE		17000803
27*	004405.00		000003.00 80			,3.		17000804
28*	004405.40		000000.40 8A	001000.00 F0		CM0000,TCHOWN(TX1)	-RESET UNIT TO PP OWNER	17000805
29*	004406.40		000000.22 04		T AREJ3	Z,0.0(TIXA)	-ZERO THE I/O REQ SLOT	17000806
30*	004407.00		000000.25 05			V+I,TX1,C.0	-FOR INDEX CHECK	17000807
31*	004407.40		004412.31 42			BXVZ,TAREJ4	-IF REQ WAS NOT ASSIGNED	17000808
32*	004410.00		000000.76 8A	004412.34 06		BBZ,TUNRES(TX1),TAREJ4	-RESET THE NOT OV RES FIRST	17000809
33*	004411.00		000000.77 8A	001000.00 F0		CM0000,TOVRES(TX1)		17000810
34*	004412.00		000001.22 84	004413.74 00	T AREJ4	BZB,TLAST+1.0(TIXA),TAREJ5		17000811
35*	004413.00		003372.51 01			LVI,TIXA,TIOREQ-1	-RELOAD IS END OF TAB	17000812
36*	004413.40		004362.51 48		T AREJ5	CB+,TIXA,TAREJ1		17000813
37*	004414.00		004455.03 80	004622.34 06		BBZ,YSCRBT,TP1BA		17000814
38*	004415.00		000000.24 1F			LX,TCTWDX,0.0($15)	-CHECK THE MODE	17000815
39*	004415.40		004203.63 40			BZXF,TB8Z		17000816
40*	004416.00	*	004421.50 00			B,TL	-IF NOT OVERLAP	17000817
41*					-			17000818
42*					-			17000819
43*					-			17000820
44*	004416.40		004461.10 00		T D	B,TSCRIB	-NOT OVERLAP FULLY ASSIGNED	17000821
45*	004417.00		004461.10 00		T F	B,TSCRIB	-OK -- ALL I/O REQ HAVE BEEN PROCESSED	17000822
46*	004417.40		004461.10 00		T G	B,TSCRIB	-OK -- NO MORE UNITS AVAIL FOR ASSIGN	17000823
47*	004420.00		004420.04 00		T H	BD,$	-ASSIGN BIT ON - SING UNIT CHAN	17000824
48*	004420.40		004420.44 00		T I	BD,$	-ASSIGN BIT ON - MULTI UNIT CHAN	17000825
49*	004421.00		004461.10 00		T K	B,TSCRIB	-OK -- NOT OVERLAP JOB FULLY ASSIGNED	17000826
50*	004421.40		004604.10 00		T L	B,TPICA	-NOT OVERLAP JOB NOT ASSIGNED	17000827
51*	004422.00		004422.04 00		T M	BD,$	-MACH CONF CH. ASSIGN BIT ON - SING	17000828
52*	004422.40		004422.44 00		T N	BD,$	-MACH CONF CH. ASSIGN BIT ON - MULTI	17000829
53*	004423.00		004423.04 00		T P	BD,$	-ERROR MCP IS OUT OF PHASE	17000830

```
LINE   LOCATION              BINARY OUTPUT              NAME       STATEMENT                                              LOCATION

  1*                                                    -                                  .                                     17000832
  2*                                                    - ----------------------------------------------------------------   17000833
  3*                                                    -          A PRINT SUB - ROUTINE THAT WILL PRINT ASSIGNMENTS          17000834
  4*                                                    - ----------------------------------------------------------------   17000835
  5*                                                    -                                                                      17000836
  6*                                                    -                                                                      17000837
  7*                                                    -                                                                      17000838
  8* 004423.40       000C00.30 C0                                 CNOP                                                       17000839
  9* 004424.00                                          T BUF01   (IQSX)DD(BU,64,8),  --- SET UP THE FOLLOWING UNITS ---    X   17000840
 10* 004431.00 *                                         T MBLK   (IQSX)DD(BU,64,8),          X-BLANK MASK                     17000841
 11* 004432.00             000017473332130331C621       T BUFB1   DD(BU),(16)000F9DB68BCD9191   -BYPASS IN RED                  17000842
 12* 004433.00                                                    (IQSX)DD(BU), MOUNT - REEL NUMBER X                          17000843
 13* 004435.50                                          T REELX   (IQSX)DD(BU,64,8),          X                                17000844
 14* 004436.50                                                    (IQSX)DD(BU,64,8), ON CHANNEL X                              17000845
 15* 004440.10                                          T CHANX   (IQSX)DD(BU,24,8),    X                                      17000846
 16* 004440.40                                                    (IQSX)DD(BU,36,8), UNIT X                                    17000847
 17* 004441.20                                          T UNITX   (IQSX)DD(BU),         X                                      17000848
 18* 004442.00             00002707301425001C5617                 DD(BU),(16)00171D8315C08B8F                                  17000849
 19* 004443.00             10462305210623000000000                DD(BU),(16)8993151193C0CCC0                                  17000850
 20* 004444.00                                          T SCRAT   (IQSX)DD(BU,64,8),SCRATCH X                                  17000851
 21* 004445.00 *                                        T SUBHD   (IQSX)DD(BU,8,8), -- PROBLEM PROGRAM --- X                   17000852
 22* 004450.00                                          T PID     (IQSX)DD(BU,64,8),          X                                17000853
 23*                                                              CNOP                                                         17000854
 24* 004451.00                                          T MESSY   (A*)DD(BU), I/O REQ. INCOMP WITH MACH CONF.*                 17000855
 25*                                                    -                                                                      17000856
 26* 000022.00+      +00000000          BU,100,10       T XA      SYN,$2                                                       17000857
 27* 000023.00+      +00000000          BU,100,10       T XB      SYN,$3                                                       17000858
 28* 000024.00+      +00000000          BU,100,10       T XC      SYN,$4                                                       17000859
 29* 000025.00+      +00000000          BU,100,10       T IXZ     SYN,$5                                                       17000860
 30* 000026.00+      +00000000          BU,100,10       T IXY     SYN,$6                       -                               17000861
 31* 004455.00                                  0       T HEAD    DD(BU,1),0                                                   17000862
 32* 004455.01                                  0       T SBHDI   DD(BU,1),0                    -SUB HEADING IND               17000863
 33* 004455.02                                  0       T NGATE   DD(BU,1),0                   -GATE FOR NOT OVERLAP RE-ITERATION  17000864
 34* 004455.03                                  0       YSCRBT    DD(BU,1),(2)0                                                17000865
 35* 004456.00     CC0000.00+ 000 000000 000000         T P5IN    XW                           -CONVERSION BUFFER IN           17000866
 36* 004457.00     CC0000.00+ 000 000000 000000         T P5OUT   XW                           -CONVERSION BUFFER OUT          17000867
 37* 004460.00 *   CC0000.00+ 000 000000 000000         T PSAV    XW                           -CONVERSION BUFFER INDEX SAVE   17000868
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION
1*				-			17000870
2*				-	--		17000871
3*				-	SCAN THE PP REF TABLE FOR NEW ASSIGNMENTS		17000872
4*				-	--		17000873
5*				-			17000874
6*	004461.00	003315.04 10		T SCRIB	LX,TXA,TPPRUN		17000875
7*	004461.40	000000.47 82	004600.34 02	T P6	BB,TLPPEN(TXA),TP1		17000876
8*	004462.40	000000.44 82	004576.34 02		BB,TJBPRO(TXA),TP2		17000877
9*	004463.40	000000.45 82	004576.34 02		BB,TRJECT(TXA),TP2		17000878
10*				-			17000879
11*	004464.40	000000.06 32			LV,TXB,TCRREF(TXA)	-GET CROSS REF ADDRESS	17000880
12*	004465.00	000000.34 82	010027.20 50		L,TUNCT(TXA),46		17000881
13*	004466.00	000011.06 50			LC,TXB,$R		17000882
14*	004466.40	004576.30 42			BXCZ,TP2		17000883
15*	004467.00	000001.00 82	060600.06 70		LF,TPNAME(TXA)	-GET PP NAME	17000884
16*	004470.00	004456.00 80	000000.12 F0		SF(BU,64,8),TP5IN	-SAVE FOR CONVERSION	17000885
17*	004471.00	004460.37 10			SX,$15,TPSAV		17000886
18*	004471.40	004472.77 01			LVI,$15,TP6A	-SET UP FOR CONV ROUTINE	17000887
19*	004472.00	002366.04 00			BD,SA8IGS		17000888
20*	004472.40	004456.00+		T P6A	VF,TP5IN	-FWA IN	17000889
21*	004473.00	00010			CF,8	- N	17000890
22*	004473.40	004457.00+			VF,TP5OUT	-FWA OUT	17000891
23*	004474.00 *	004474.40 00		T IPLB1	BL,$+.32	-MODIFIED BY IPL	17000892
24*	004474.40	004457.00 80	000000.06 70		LF(BU,64,8),TP5OUT	-GET THE CONVERTED WORD	17000893
25*	004475.40	004460.36 10			LX,$15,TPSAV	-RESTORE INDEX	17000894
26*	004476.00	004450.00 80	000000.12 F0		SF,TPID		17000895
27*				-			17000896
28*	004477.00	000000.22 83	004500.74 00	T P5	BZB,TLAST(TXB),TP5Z		17000897
29*	004500.00	003373.07 01			LVI,TXB,TIOREQ		17000898
30*	004500.40	000000.00 83	004575.74 00	T P5Z	BZB,TASGNI(TXB),TP3		17000899
31*	004501.40	000000.03 83	004575.74 00		BZB,TTYPE(TXB),TP3		17000900
32*				-			17000901
33*	004502.40	000000.56 83	022027.20 50		L,TABSCH(TXB),46	-GET THE CHANNEL STATUS WORD	17000902
34*	004503.40	000011.10 30			LV,TXC,$R		17000903
35*	004504.00	000000.10 34			LV,TXC,C.0(TXC)	-GET ADDRESS OF UNIT TABLE	17000904
36*	004504.40	000000.07 83	003027.20 50		L,TABSUN(TXB),46	-GET THE UNIT NUMBER	17000905
37*	004505.40	000011.10 B0			V+,TXC,$R	-ADD TO VF TO GET UNIT STATUS WORD	17000906
38*	004506.00	000000.02 83	004511.34 00		BZB1,TPRINT(TXB),TP5A		17000907
39*				-			17000908
40*	004507.00 *	000000.76 84	004575.74 00		BZB,TUNRES(TXC),TP3	-IF OVERLAP RESERVED -- ONLY --	17000909
41*	004510.00	000000.02 83	004575.74 06		BBZ,TPRINT(TXB),TP3	-RESET THE PRINT BIT AND GO	17000910

```
LINE  LOCATION        BINARY OUTPUT                    NAME     STATEMENT                                       LOCATION

  1*                                                   -  ----------------------------------------------------------------  17000912
  2*                                                   -                 CONVERT THE CHANNEL FIELDS                          17000913
  3*                                                   -  ----------------------------------------------------------------  17000914
  4*                                                   -                                                                    17000915
  5* 004511.00      000000.24 1F                       TP5A     LX,TCTWDX,0.0($15)           -CHECK THE MODE          17000916
  6* 004511.40      004513.23 40                                BZXF,TP5A1                                            17000917
  7* 004512.00      003370.05 04                                KVI,TXA,TPURFT       -PRINT ONLY THE MESSAGES OF THAT MODE   17000918
  8* 004512.40      004575.72 C0                                BZXE,TP3             -                               17000919
  9* 004513.00      000000.56 83  022042.20 50         T P5A1   $L,TABSCH(TXB),-60   -LOAD FOR ABS CHANNEL CONVERSION  17000920
 10* 004514.00      002152.00 80  022042.30 1C                  $-(BU,18),TCHSXW,-60                                  17000921
 11* 004515.00      003266.01 80  022042.12 F0                  $SF(BU,18),TIPL+1,-60  -TO SAVE THE CHAN FOR IPL PRINT 17000922
 12* 004516.00      000000.00 80  022060.21 B0                  $CV(BU,18),C.0,-32                                    17000923
 13* 004517.00      000010.24 80  014400.46 70                  LF(BU,12,4),$L+.20,1 -CONVERT TO 8 BIT BYTE          17000924
 14* 004520.00      600000.00 80  402002.46 70                  LFI(BU,2),3,5        -GET THE IQS LEAD BITS          17000925
 15* 004521.00      600000.00 80  402006.46 70                  LFI(BU,2),3,13       -GET THE IQS LEAD BITS          17000926
 16* 004522.00      004440.10 80  030000.12 F0                  CM0101,TCHANX                                         17000927
 17*                                                   -                                                              17000928
 18* 004523.00 *    000000.07 83  003000.46 70                  C0011,TABSUN(TXB),1  -GET UNIT NUMBER                17000929
 19* 004524.00      600000.00 80  402002.46 70                  LFI(BU,2),3,5        -GET THE IQS LEAD BITS          17000930
 20* 004525.00      004441.20 80  010000.12 F0                  CM0101(BU,8,8),TUNITX                                 17000931
 21*                                                   -                                                              17000932
 22*                                                   -                                                              17000933
 23* 004526.00      000000.50 84  001000.36 F0                  CM1111,TVER(TXC)     -SET THE VERIFY BIT             17000934
 24* 004527.00      000000.34 83  022027.06 70                  LF,TFREEL(TXB),46    -GET THE FIRST REEL ADDRESS     17000935
 25* 004530.00      004551.34 C2                                BRZ,TPSCR            -SCRATCH TAPE REQUEST           17000936
 26* 004530.40      000011.12 30                                LV,TIXZ,$R                                            17000937
 27*                                                   -                                                              17000938
 28* 004531.00      000000.00 85  060600.06 70                  C0011(BU,48,6),TREELN(TIXZ)                           17000939
 29* 004532.00      004630.74 80  006630.23 10                  KF,TLBL,48           -LOOK FOR A NON-LABELED TAPE    17000940
 30* 004533.00      004534.76 C2                                BAE,TP5A2            -IF A LABELED TAPE              17000941
 31* 004533.40      000000.50 84  001000.00 F0                  CM0C00,TVER(TXC)     -RESET THE VERIFY BIT           17000942
 32*                                                   -                                                              17000943
 33* 004534.40      004460.37 10                       T P5A2   SX,$15,TPSAV                                          17000944
 34* 004535.00      004456.00 80  000000.12 F0                  SF(BU,64,8),TP5IN    -SAVE FOR CONVERSION            17000945
 35* 004536.00      004537.37 01                                LVI,$15,TP5A3        -SET UP TO GO TO IQS CONV RTNE  17000946
 36* 004536.40 *    002366.04 00                                BD,SA8IGS                                             17000947
 37* 004537.00    004456.00+                           T P5A3   VF,TP5IN             -FWA IN                         17000948
 38* 004537.40    000010                                        CF,8                 -N                              17000949
 39* 004540.00    004457.00+                                    VF,TP5OUT            -FWA OUT                        17000950
 40* 004540.40      004541.00 00                       T IPLB2  BE,$+.32             -MODIFIED BY IPL                17000951
 41* 004541.00      004457.00 80  000000.06 70                  LF(BU,64,8),TP5OUT   -GET THE CONVERTED WORD         17000952
 42* 004542.00      004435.50 80  050000.12 F0                  SF(BU,40,8),TREELX   -SET UP IQS REEL NUMBER         17000953
 43* 004543.00      004460.36 10                                LX,$15,TPSAV         -RESTORE                        17000954
 44*                                                   -                                                              17000955
 45* 004543.40      004431.00 80  000040.06 70                  C0011,TMBLK,64       -GET ACC FULL OF BLANKS         17000956
 46* 004544.40      004436.20 80  030040.12 F0                  CM0101(BU,24,8),TREELX+.40,64                         17000957
 47* 004545.40      000000.33 84  001000.00 F0                  CM0C00,TFDISP(TXC)          -SET TO TAPE MOUNTED     17000958
 48* 004546.40      000000.32 84  001000.36 F0                  CM1111,STATI(TXC)           -SET TO TAPE MTED- SPECIFIC 17000959
 49* 004547.40      000000.00 85  060600.06 70                  LF(BU,48,6),TREELN(TIXZ) -RESET ACC FOR REEL PROTECT TEST 17000960
 50* 004550.40      004556.50 C0                                B,TP4                                                 17000961
 51*                                                   -                                                              17000962
 52* 004551.00      000000.32 84  002000.07 70         TPSCR    CT0C11(BU,2),STATI(TXC)                               17000963
 53* 004552.00 *    004575.74 C2                                BRZ,TP3                                               17000964
 54* 004552.40      004444.00 80  000000.06 70                  C0011,TSCRAT         -GET THE SCRATCH TAPE WORD      17000965
 55* 004553.40      004435.50 80  000000.12 F0                  CM0101,TREELX        -BUILD WORD                     17000966
 56* 004554.40      004631.02 80  006634.06 70                  C0011(BU,6,6),TNCP,56  -GET NOT FILE PROTECT MASK    17000967
```

```
 LINE   LOCATION          BINARY OUTPUT             NAME       STATEMENT                                         LOCATION     004555

  1* 004555.40       000000.32 84  002000.00 F0               CMOCOC(BU,2),STATI(TXC)       -SET TO TAPE MTED- SCRATCH          17000968
  2*                                                   -                                                                           17000969
  3* 004556.40       000000.63 84  001000.36 F0   TP4         CM1111,SMOUNT(TXC)           -SET MOUNT BIT AND                  17000970
  4* 004557.40       000000.65 84  001000.36 F0               CM1111,SIMNT(TXC)            -THE INITIAL MOUNT BIT              17000971
  5* 004560.40       000000.15 01                             LVI,TIXY,0                   -INITIALIZE TO NON PROTECT          17000972
  6* 004561.00       000001.13 01                             LVI,TIXZ,1.0            -SET UP FOR OVERLAP                      17000973
  7* 004561.40       003273.23 80  004563.74 00               BZB,TMODE,TP7           -IF OVERLAP MODE                         17000974
  8* 004562.40       000000.13 01                             LVI,TIXZ,0.0            -SET UP FOR NOT OVERLAP                  17000975
  9* 004563.00       000001.15 05                             V+I,TIXY,1.0            -GET ALL OF MESSAGE PLUS                 17000976
 10*                                                   -  ------------------------------------------------------------------   17000977
 11*                                                   -                CHECK FOR REEL PROTECTION                                17000978
 12*                                                   -  ------------------------------------------------------------------   17000979
 13* 004563.40       004631.02 80  006634.23 10   T P7        KF,TNOP,56              -LOOK FOR NON - PROTECT                  17000980
 14* 004564.40       004565.76 C2                             BAE,TWRITE              -IF NOT PROTECTED                        17000981
 15* 004565.00       000002.15 05                             V+I,TIXY,2.0                                                     17000982
 16* 004565.40 *     004455.00 80  004570.74 0E   T WRITE     BB1,THEAD,TPENY         -CHECK FOR MAJOR HEADING                 17000983
 17* 004566.40       001472.10 00                             B,DMCP                  -WRITE THE MAJOR HEADING                 17000984
 18* 004567.00       000043.40 80                             ,DCCMM                                                           17000985
 19* 004567.40       004424.00 80                             ,TBUF01                                                          17000986
 20* 004570.00       000005.00 80                             ,5.0                                                             17000987
 21* 004570.40       004455.01 80  004573.74 0E   T PENY      BB1,TSBHDI,TPEN                                                  17000988
 22* 004571.40       001472.10 00                             B,DMCP                  -WRITE THE SUB HEADING                   17000989
 23* 004572.00       000043.40 80                             ,DCCMM                                                           17000990
 24* 004572.40       004445.00 80                             ,TSUBHD                                                          17000991
 25* 004573.00       000004.00 80                             ,4.0                                                             17000992
 26* 004573.40       001472.10 00                 T PEN       B,DMCP                  -WRITE THE MOUNTING PROCEDURES           17000993
 27* 004574.00       000043.40 80                             ,DCCMM                                                           17000994
 28* 004574.40       004432.00 85                             ,TBUFB1(TIXZ)                                                    17000995
 29* 004575.00       000007.00 86                             ,7.(TIXY)                                                        17000996
 30* 004575.40       004477.07 48                 T P3        CB+,TXB,TP5                                                      17000997
 31* 004576.00       000002.05 07                 T P2        V+ICR,TXA,2.0                                                    17000998
 32* 004576.40       004455.01 80  001000.00 F0               CMOC00(BU,1),TSBHDI                                              17000999
 33* 004577.40       004461.50 00                             B,TP6                                                            17001000
 34* 004600.00       004455.00 80  002000.00 F0   T P1        CMOC00(BU,2),THEAD      -ZERO THE IND                            17001001
 35* 004601.00 *     000000.24 1F                             LX,TCTWCX,0.0($15)      -CHECK THE MODE                          17001002
 36* 004601.40       004604.23 40                             BZXF,TPICA              -IF OVERLAP PROCEED ONWARD               17001003
 37* 004602.00       004455.02 80  004604.34 0A               BBN,TNGATE,TPICA        -IF SECOND PASS                          17001004
 38* 004603.00       003313.04 10                             LX,TXA,TPPURF           -SET UP FOR THE NOT OVERLAP              17001005
 39* 004603.40       004461.50 00                             B,TP6                   -FOR NOT OVERLAP RE-ITERATION            17001006
```

```
LINE  LOCATION       BINARY OUTPUT             NAME     STATEMENT                                                      LOCATION

  1*                                           -   ---------------------------------------------------------------   17001008
  2*                                           -            LOOK AHEAD -N- JOBS AND DETERMINE THE STATUS             17001009
  3*                                           -   ---------------------------------------------------------------   17001010
  4* 004604.00    003315.20 10                 T PICA   LX,TIXG,TPPRUN              -GET NEXT JOB TO BE RUN          17001011
  5* 004604.40    000000.24 1F                          LX,TCTWDX,0.0($15)          -CHECK MODE                      17001012
  6* 004605.00    004606.23 40                          BZXF,TPIC                   -IF OVERLAP                      17001013
  7* 004605.40    003313.20 10                          LX,TIXG,TPPURF              -IF NOT OVERLAP                  17001014
  8* 004606.00    000000.34 8F  002000.00 F0   T PIC    CM0000(BU,2),0.28($15)      -CLEAR RETURN DISPOSITION FIELD  17001015
  9* 004607.00    003264.61 30                          SV,TIXG,TNEXT               -SAVE THE ADDR OF THE NEXT PP TO FUN  17001016
 10* 004607.40    000000.47 88  004612.34 00            BZB,TLPPEN(TIXG),TP1B       -IF MORE JOBS                    17001017
 11* 004610.40    000000.55 8F  001000.36 F0            CM1111(BU,1),0.45($15)                                       17001018
 12* 004611.40    004626.10 00                          B,TP1A                                                       17001019
 13* 004612.00    000000.45 88  001000.07 70   T P1B    CT0011,TRJECT(TIXG)         -LOOK FOR A REJECT               17001020
 14* 004613.00    004622.34 00                          BZRZ,TP1BA                  -IF PP IS REJECTED               17001021
 15* 004613.40    000000.46 88  004626.34 02            BB,TASGNP(TIXG),TP1A        -IF PP ASSIGNED                  17001022
 16* 004614.40 *  000000.10 38                          LV,TIXA,TCRREF(TIXG)        -COMPUTE THE IO REQ TBL ADDR     17001023
 17* 004615.00    000000.34 88  010027.20 50            L,TUNCT(TIXG),46            -AND THE NUMBER OF I/O UNITS REQUESTED  17001024
 18* 004616.00    000011.10 50                          LC,TIXA,$R                  -AS TO ENABLE ASSIGN TO          17001025
 19* 004616.40    000000.45 88  001000.36 F0            CM1111,TRJECT(TIXG)         -IF NOT ST REJECT BIT TO ONE     17001026
 20* 004617.40    004455.03 80  001000.36 F0            CM1111,YSCRBT                                                17001027
 21* 004620.40    003271.11 03                          LRI,TIXA,TREFIL                                              17001028
 22* 004621.00    003271.11 10                          SX ,TIXA,TREFIL                                              17001029
 23* 004621.40    004360.10 00                          B,TAREJX                                                     17001030
 24* 004622.00    000000.44 88  001000.36 F0   T P1BA   CM1111,TJBPRO(TIXG)         -IF SO SET JOB PROCESSED BIT TO ONE  17001031
 25* 004623.00    000000.34 8F  001000.36 F0            CM1111(BU,1),0.28($15)      -SET THE DISPOSITION BIT         17001032
 26* 004624.00    000000.24 1F                          LX,TCTWDX,0.0($15)          -ACTIVATE THE MODE               17001033
 27* 004624.40    004626.23 42                          BXF,TP1A                    -AS TO CHECK MODE-- IF NOT OVERLAP  17001034
 28* 004625.00    000002.21 07                          V+ICR,TIXG,2.0              -UP DATE THE POINTER             17001035
 29* 004625.40    003315.21 10                          SX,TIXG,TPPRUN              -AND SAVE                        17001036
 30* 004626.00    000021.00 80  003274.30 E0   T P1A    SWAPI,12,$1,TASAVE          -RESTORE INDEXES                 17001037
 31* 004627.00    000001.10 0F                          B,1.00($15)                 -RETURN                          17001038
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT		LOCATION 004627	
1*	004627.40 *			SLC,$			18000001
2*				PRNC			18000002
3*		-		----------			18000003
4*		-		I/C ASSIGNMENT --- MOVE ---			18000004
5*		-		----------			18000005
6*		-					18000006
7*		-		----------			18000007
8*		-		THE MOVE PROGRAM LINKAGE FORMAT			18000008
9*		-		----------			18000009
10*		-			LVI,$15,Z		18000010
11*		-			B,TMOVE		18000011
12*		-		Z	XW,A,B,C,D		18000012
13*		-			BEW,$	RETURN LOCATION	18000013
14*		-					18000014
15*		-		LET A = FWA OF THE IOD BREAKDOWN			18000015
16*		-		+ = STANDARD ENTRY			18000016
17*		-		- = INITIAL ENTRY			18000017
18*		-		LET B = RETURN DISPOSITION			18000018
19*		-		LET C = STATUS OF NEXT JOB			18000019
20*		-		ZERO = ACCEPT NEXT JOB			18000020
21*		-		ONE = REJECT NEXT JOB			18000021
22*		-		LET D = MODE			18000022
23*		-		ZERO = OVERLAP MODE			18000023
24*		-		NOT ZERO = NOT OVERLAP MODE			18000024
25*		-		LET BIT .26 = OWNERSHIP			18000025
26*		-		ZERO = PP OWNER			18000026
27*		-		NOT ZERO = MCP OWNER			18000027

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION
1*			-		----------	18000029
2*			-		HOW THE UTILITY TABLES ARE COMPUTED AND PLACED	18000030
3*			-		----------	18000031
4*			-			18000032
5*			-		WHEREAS,- B=S	18000033
6*			-		S+R=F	18000034
7*			-		F+(I*7)=U	18000035
8*			-		U+(R*9)=P	18000036
9*			-		P+N=TMARK	18000037
10*			-			18000038
11*			-		LET,- B = THE -B- LIMIT FROM THE LIM CARD	18000039
12*			-		S = THE FIRST WORD OF THE SYMBOLIC I/O LOC TABLE	18000040
13*			-		R = THE LARGEST REFERENCE NUMBER PER PP	18000041
14*			-		F = THE FIRST LOC OF THE FILE AREA TABLE	18000042
15*			-		I = THE NUMBER OF IOD CARDS SUBMITTED BY PP	18000043
16*			-		U = THE FIRST LOC OF THE UNIT AREA TABLE	18000044
17*			-		R = THE NUMBER OF DIFFERENT I/O UNITS REQUESTED BY PP	18000045
18*			-		P = THE FIRST ADDRESS OF THE REEL POOL TABLE	18000046
19*			-		N = THE NUMBER OF INDIVIDUAL REEL REQUEST	18000047
20*			-		TMARK = THE NEXT SLOT AVAILABLE FOR USE	18000048
21*			-			18000049

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION	
1*					PRNS		18000051
2*				-			18000052
3*				-	----------		18000053
4*				-	EXTRA CONSTANTS FOR THE PROGRAM - MOVE -		18000054
5*				-	----------		18000055
6*				-			18000056
7*	004627.40	000000.30 00			CNOP		18000057
8*	004630.00		7777	T MMAX	DD(BU,12),4095	-THE VERY MAX DISK REQ POSSIBLE	18000058
9*	004630.14			T MIOD	(AX)DD(BU,24,6),IOD X	- BCD CODE FOR IOD	18000059
10*	004630.44			T MREEL	(AX)DD(BU,24,6),REELX	-BCD CODE FOR A REEL CARD	18000060
11*	004630.74			T LBL	(AX)DD(BU,6,6),LX	-LABELED CHARACTER	18000061
12*	004631.02			T NCP	(AX)DD(BU,6,6),NX	-NOT PROTECT CHARACTER	18000062
13*	004631.10			T M6BL	(AX)DD(BU,48,6),	X	18000063
14*	004632.00	000000.00+		T ERFLG	VF,0	-IOD CARD ERROR INDICATOR	18000064
15*	002155.00+	+0000000	B ,31 ,01	T LIMB	SYN,SBAPP	-UPPER BOUNDARY OF A PP	18000065
16*	002157.40+	+0000000	B ,31 ,01	T SYRFT	SYN,SSYRFT	-THE ADDRESS OF THE TRACK AVAIL TO PP	18000066
17*	002153.00+	+0000000	B ,31 ,01	T BAMCP	SYN,SMAXUB	-FOR CHECKING THE UPPER LIMIT OF A PP	18000067
18*	002155.40+	+0000000	B ,31 ,01	T MAXRF	SYN,SMAXRN	-THE MAX REF NO. PER PP	18000068
19*	002162.40+	+0000000	B ,31 ,01	T MARK	SYN,SMARK	-THE NEXT VACANT REEL SLOT FOR PP	18000069
20*				-			18000070
21*	000021.00+	+0000000	BU,100,10	T MX1	SYN,$1		18000071
22*	000022.00+	+0000000	BU,100,10	T MXA	SYN,$2	-PP REF WORD LOCATOR	18000072
23*	000023.00+	+0000000	BU,100,10	T MXB	SYN,$3	-I/O REQ TABLE PICK UP IX	18000073
24*	000024.00+	+0000000	BU,100,10	T MXC	SYN,$4	-SYMB I/O TABLE INDEX	18000074
25*	000025.00+	+0000000	BU,100,10	T MXD	SYN,$5	-FILE AREA TABLE INDEX	18000075
26*	000026.00+	+0000000	BU,100,10	T MXE	SYN,$6	-UNIT AREA TABLE INDEX	18000076
27*	000027.00+	+0000000	BU,100,10	T MXF	SYN,$7	-REEL POOL INDEX	18000077
28*	000030.00+	+0000000	BU,100,10	T MXG	SYN,$8	-TEMPORARY INDEX	18000078
29*	000031.00+	+0000000	BU,100,10	T MXEE	SYN,$9	-TEMPORARY INDEX	18000079
30*	000032.00+	+0000000	BU,100,10	T MXI	SYN,$10	-CONTROL WORD INDEX	18000080
31*	000033.00+	+0000000	BU,100,10	T MXGA	SYN,$11	-TEMPORARY INDEX	18000081
32*	000021.00+	+0000000	BU,100,10	T MXH	SYN,TMX1		18000082
33*	000034.00+	+0000000	BU,100,10	T MLXA	SYN,$12	-CONVERSION ROUTINE INDEX	18000083
34*				-			18000084
35*				-	----------		18000085
36*				-	SAVE AND RESTORE AREA FOR INDEXES		18000086
37*				-	----------		18000087
38*				-			18000088
39*	004632.40	000000.30 00			CNOP		18000089
40*	004633.00 *	000017.00		T SIOXW	DRZ(BU,64),(15)		18000090
41*				-			18000091
42*	004652.00	000000.00+		T DKSAV	VF,0	-ADDRESS OF THE UNIT TABLE	18000092

```
LINE  LOCATION               BINARY OUTPUT               NAME    STATEMENT                               LOCATION

  1*                                                  -  ---------------------------------------------------------------------  18000094
  2*                                                  -                 THE UNIT NAME TABLE                                    18000095
  3*                                                  -  ---------------------------------------------------------------------  18000096
  4* 004653.00      004654.00+ 000 000000 000020   T UNXW    XW,TUNATB,0,$0             -RESET INDEX                          18000097
  5* 004654.00 *      000062.00                     T UNATB   DRZ(BU,64),(50)            -THE CHAN/UNIT NAME TABLE             18000098
  6* 000000.00+       +00000000           BU,60 ,10 T CHNM    SYN(BU,48),0.0             -SYMBOLIC CHAN NAME                   18000099
  7* 000000.74+       +00000000           BU,04 ,10 T UNTYP   SYN(BU,4),0.60             -THE EQUIP TYPE REQUESTED             18000100
  8* 000000.60+       +00000000           BU,14 ,10 T UNREF   SYN(BU,12),0.48            -REF NO IN THE UNIT NAME TABLE        18000101
  9* 000031.00+       +00000000           BU,60 ,10 T UNME    SYN(BU,48),25.0            -2ND TABLE -- UNIT NAME               18000102
 10* 000031.60+       +00000000           BU,14 ,10 T DSKRF   SYN(BU,12),25.48           -REF NUMBER OF NULL DISK OR TRACK     18000103
 11* 000031.74+       +00000000           BU,01 ,10 T DTRK    SYN(BU,1),25.60            -ONE IF TRACK - ZERO IF DISK          18000104
 12* 000031.75+       +00000000           BU,03 ,10 T DKCT    SYN(BU,3),25.61            -RELATIVE ADDRESS OF ALLOCATION COUNT 18000105
 13*                                                  -                                                                        18000106
 14*                                                  -                 THE DISK ALLOCATION TABLE                              18000107
 15*                                                  -                                                                        18000108
 16* 004736.00      004737.05+ 000 000004 004736   T DCLRX   XW,TSBDFT,4,$              -INDEX WORD FOR CLEARING              18000109
 17* 004737.00 *      000004.00                     T SBDTB   DRZ(BU,32),(8)                                                   18000110
 18* 004737.05+       +00000000           BU,14 ,10 T SBDFT   SYN(BU,12),TSBDTB+.05      -DISK ALLOCATION TABLE                18000111
 19*                                                  -  ---------------------------------------------------------------------  18000112
 20*                                                  -                 THE FORMAT OF THE IOD CARD BREAKDOWN TABLE             18000113
 21*                                                  -  ---------------------------------------------------------------------  18000114
 22*                                                  -                                                                        18000115
 23* 000001.00-       +00000000           BU,60 ,06 T JCNME   SYN(BU,48,6),-1.0          -JOB NAME FORMAT FOR BREAKDOWN TBL    18000116
 24* 000000.00+       +00000000           BU,22 ,10 T IABEX   SYN(BU,18),0.0             -THE ABSOLUTE EXIT ADDRESS            18000117
 25* 000000.64+       +00000000           BU,14 ,10 T IREF    SYN(BU,12),0.52            -THE REF NUMBER                       18000118
 26* 000001.00+       +00000000           BU,30 ,10 T IOP     SYN(BU,24),1.0             -OP CODE FIELD                        18000119
 27* 000002.00+       +00000000           BU,52 ,10 T ITY     SYN(BU,42),2.0             - THE TYPE FIELD                      18000120
 28* 000002.00+       +00000000           BU,60 ,10 T IREEL   SYN(BU,48),2.0             -FORMAT AND POSITION OF REEL NAME     18000121
 29* 000002.73+       +00000000           BU,01 ,10 T ITRK    SYN(BU,1),2.59             -TRACK CODE BIT                       18000122
 30* 000002.74+       +00000000           BU,04 ,10 T ITYCD   SYN(BU,4),2.60             -THE TYPE FIELD CONVERTED             18000123
 31* 000004.00+       +00000000           BU,60 ,10 T ICH     SYN(BU,48),4.0             -CHANNEL FIELD                        18000124
 32* 000005.00+       +00000000           BU,60 ,10 T IUN     SYN(BU,48),5.0             -THE UNIT FIELD                       18000125
 33* 000005.00+       +00000000           BU,60 ,10 T INO     SYN(BU,48),5.0             -THE NUMBER FOR DISK                  18000126
 34* 000006.00+       +00000000           BU,36 ,10 T IMO     SYN(BU,30),6.0             -THE MODE FIELD                       18000127
 35* 000006.76+       +00000000           BU,02 ,10 T IMOCD   SYN(BU,2),6.62             -THE MODE FIELD CONVERTED             18000128
 36* 000007.00+       +00000000           BU,14 ,10 T IDN     SYN(BU,12),7.0             -THE DENSITY FIELD                    18000129
 37* 000007.76+       +00000000           BU,02 ,10 T IDNCD   SYN(BU,2),7.62             -THE DENSITY FIELD CONVERTED          18000130
 38* 000010.00+       +00000000           BU,36 ,10 T IDS     SYN(BU,30),8.0             -THE DISP FIELD                       18000131
 39* 000010.76+       +00000000           BU,02 ,10 T IDSCD   SYN(BU,2),8.62             -THE DISP FIELD CONVERTED             18000132
 40*                                                  -                                                                        18000133
 41*                                                  -  ---------------------------------------------------------------------  18000134
 42*                                                  -                 SYN CARDS FOR THE UNIT AREA TABLE                      18000135
 43*                                                  -  ---------------------------------------------------------------------  18000136
 44*                                                  -                                                                        18000137
 45* 000000.00+       +00000011           BU,06 ,10 T UNLGN   SYN(BU,6),9                -THE UNIT AREA TABLE LENGHT           18000138
 46* 000000.14+       +00000000           BU,07 ,10 T CHANN   SYN(BU,7),0.12             -THE CHANNEL NUMBER                   18000139
 47* 000000.57+       +00000000           BU,03 ,10 T UNITN   SYN(BU,3),0.47             -THE UNIT NUMBER                      18000140
 48* 000001.06+       +00000000           BU,14 ,10 T ICDK    SYN(BU,12),1.6             -THE IOD COUNT                        18000141
 49* 000003.00+       +00000000           BU,22 ,10 T FIAAC   SYN(BU,18),3.0             -THE FILE AREA TABLE ACTIVATED        18000142
 50* 000007.31+       +00000000           BU,01 ,10 T SYSTM   SYN(BU,1),7.25             -SYSTEM TAPE IF A ONE                 18000143
 51* 000010.00+       +00000000           BU,22 ,10 T FRLAD   SYN(BU,18),8.0             -FIRST FEEL ADDRESS                   18000144
 52* 000010.40+       +00000000           BU,22 ,10 T CREEL   SYN(BU,18),8.32            -CURRENT REEL ADDRESS                 18000145
 53* 000010.71+       +00000000           BU,07 ,10 T REELK   SYN(BU,7),8.57             -CURRENT REEL COUNT                   18000146
```

```
LOCATION        BINARY OUTPUT                  NAME     STATEMENT                               LOCATION

                                           -                                                    18000148
                                           - ------------------------------------------------  18000149
                                           -        SYN CARDS FOR FILE AREA TABLE               18000150
                                           - ------------------------------------------------  18000151
                                           -                                                    18000152
000000.00+   +00000007        BU,06 ,10    T FLLGN  SYN(BU,6),7        -THE FILE AREA TABLE LENGHT        18000153
000000.00+   +00000000        BU,22 ,10    T IODRN  SYN(BU,18),0.0     -IOD REF NUMBER                    18000154
000002.00+   +00000000        BU,22 ,10    T TOELO  SYN(BU,18),2.0     -TABLE OF EXITS LOC                18000155
000002.33+   +00000000        BU,02 ,10    T DENMD  SYN(BU,2),2.27     -THE FILE AREA DENSITY MODIFIER    18000156
000002.35+   +00000000        BU,03 ,10    T REELD  SYN(BU,3),2.29     -REEL DISPOSITION                  18000157
000002.60+   +00000000        BU,02 ,10    T FMODE  SYN(BU,2),2.48     -FILE MODE                         18000158
000005.06+   +00000000        BU,14 ,10    T ORARC  SYN(BU,12),5.06    -ORIGINAL ARC                      18000159
000005.46+   +00000000        BU,14 ,10    T MXARC  SYN(BU,12),5.38    -MAXIMUM ARC                       18000160
000006.06+   +00000000        BU,14 ,10    T CUARC  SYN(BU,12),6.06    -CURRENT ARC                       18000161
                                           -                                                    18000162
                                           - ------------------------------------------------  18000163
                                           -        THE FORMAT OF THE REEL POOL                 18000164
                                           - ------------------------------------------------  18000165
                                           -                                                    18000166
000000.31+   +00000000        BU,01 ,10    T RENTY  SYN(BU,1),0.25     -A ONE IF A REEL WAS ENTERED HERE  18000167
000000.32+   +00000000        BU,01 ,10    T REPR   SYN(BU,1),0.26     -REEL PROTECT BIT IF ONE           18000168
000000.33+   +00000000        BU,01 ,10    T RELB   SYN(BU,1),0.27     -REEL LABELED IF ONE               18000169
000000.42+   +00000000        BU,36 ,10    T RENME  SYN(BU,30),0.34    -REEL NAME FORMAT                  18000170
                                           -                                                    18000171
                                           - ------------------------------------------------  18000172
                                           -        THE TYPE SCAN TABLES                        18000173
                                           - ------------------------------------------------  18000174
                                           -                                                    18000175
004743.00    004744.31+ 000 000010 000000  T SCIX1  XW,TSCAN1,8,0      -INDEX FOR TYPE SCAN               18000176
004744.00    000000.05-                    T SCBKI  VF,-5              -THE BACKUP CONSTANT TO GET THE CODE 18000177
                                           -                                                    18000178
004744.31                                  T SCAN1  (AX)DD(BU,42,6),CONSOLEX                    18000179
004745.03                           02              DD(BU,5),2                                  18000180
004745.10                                           (AX)DD(BU,42,6),DISK    X                   18000181
004745.62                           01              DD(BU,5),1                                  18000182
004745.67                                           (AX)DD(BU,42,6),READER X                    18000183
004746.41                           03              DD(BU,5),3                                  18000184
004746.46                                           (AX)DD(BU,42,6),PUNCH  X                    18000185
004747.20                           04              DD(BU,5),4                                  18000186
004747.25                                           (AX)DD(BU,42,6),PRINTERX                    18000187
004747.77                           05              DD(BU,5),5                                  18000188
004750.04                                           (AX)DD(BU,42,6),IQS     X                   18000189
004750.56                           06              DD(BU,5),6                                  18000190
004750.63                                           (AX)DD(BU,42,6),TRACK  X                    18000191
004751.35                           21              DD(BU,5),(2)10001  -SPECIAL TRACK IND       18000192
004751.42                                           (AX)DD(BU,42,6),TAPE   X                    18000193
004752.14                           10              DD(BU,5),8                                  18000194
```

```
TIME CLOCK 00054041    PUNID 11011IPL      CARD ID 18000196    DIST. OF 3/01          3/01         PAGE NUMBER   86

LINE   LOCATION                BINARY OUTPUT              NAME         STATEMENT                             LOCATION

  1*                                                    -  ---------------------------------------------------------------------------  18000196
  2*                                                    -                THE MODE SCAN TABLES                                           18000197
  3*                                                    -  ---------------------------------------------------------------------------  18000198
  4*                                                    -                                                                               18000199
  5* 004753.00    004754.31+ 000 000005 000000      T SCIX2  XW,TSCAN2,5,0                -INDEX FOR MODE SCAN TABLES          18000200
  6* 004754.00    000000.02-                        T SCBK2  VF,-2                        -BACKUP CONSTANT TO GET CODE         18000201
  7*                                                    -                                                                               18000202
  8* 004754.31                                      T SCAN2  (AX)DD(BU,30,6),      X                                            18000203
  9* 004754.67                               0               DD(BU,2),0                                                         18000204
 10* 004754.71                                               (AX)DD(BU,30,6),ECC   X                                            18000205
 11* 004755.27                               1               DD(BU,2),1                                                         18000206
 12* 004755.31                                               (AX)DD(BU,30,6),ODD   X                                            18000207
 13* 004755.67                               3               DD(BU,2),3                                                         18000208
 14* 004755.71                                               (AX)DD(BU,30,6),EVEN X                                             18000209
 15* 004756.27                               2               DD(BU,2),2                                                         18000210
 16* 004756.31 *                                             (AX)DD(BU,30,6),NOECCX                                             18000211
 17* 004756.67                               3               DD(BU,2),3                                                         18000212
 18* 004756.71                               3               DD(BU,2),3                   -AN ERROR WILL BE NULL               18000213
 19*                                                    -                                                                               18000214
 20*                                                    -  ---------------------------------------------------------------------------  18000215
 21*                                                    -                THE DENSITY SCAN TABLE                                         18000216
 22*                                                    -  ---------------------------------------------------------------------------  18000217
 23*                                                    -                                                                               18000218
 24* 004757.00    004760.31+ 000 000003 000000      T SCIX3  XW,TSCAN3,3,0                -IX FOR DENSITY SCAN TABLE           18000219
 25* 004760.00    000000.02-                        T SCBK3  VF,-2                        -BACKUP CONSTANT TO GET CODE         18000220
 26* 004760.31                                      T SCAN3  (AX)DD(BU,12,6),HDX                                                18000221
 27* 004760.45                               1               DD(BU,2),1                                                         18000222
 28* 004760.47                                               (AX)DD(BU,12,6),LDX                                                18000223
 29* 004760.63                               3               DD(BU,2),3                                                         18000224
 30* 004760.65                                               (AX)DD(BU,12,6),   X                                               18000225
 31* 004761.01                               0               DD(BU,2),0                                                         18000226
 32* 004761.03                               0               DD(BU,2),0                    -ERROR WILL BE NULL                 18000227
 33*                                                    -                                                                               18000228
 34*                                                    -                                                                               18000229
 35*                                                    -  ---------------------------------------------------------------------------  18000230
 36*                                                    -                THE DISPOSITION SCAN TABLE                                     18000231
 37*                                                    -  ---------------------------------------------------------------------------  18000232
 38*                                                    -                                                                               18000233
 39* 004762.00    004763.31+ 000 000005 000000      T SCIX4  XW,TSCAN4,5,0                -IX FOR THE DISPOSITION SCAN TABLE   18000234
 40* 004763.00    000000.03-                        T SCBK4  VF,-3                        -BACKUP CONSTANT TO GET CODE         18000235
 41*                                                    -                                                                               18000236
 42* 004763.31                                      T SCAN4  (AX)DD(BU,30,6),NSAVEX                                             18000237
 43* 004763.67                               0               DD(BU,3),0                                                         18000238
 44* 004763.72                                               (AX)DD(BU,30,6),      X                                            18000239
 45* 004764.30                               0               DD(BU,3),0                                                         18000240
 46* 004764.33                                               (AX)DD(BU,30,6),CSAVEX                                             18000241
 47* 004764.71                               1               DD(BU,3),1                                                         18000242
 48* 004764.74                                               (AX)DD(BU,30,6),ISAVEX                                             18000243
 49* 004765.32                               2               DD(BU,3),2                                                         18000244
 50* 004765.35                                               (AX)DD(BU,30,6),SAVE X                                             18000245
 51* 004765.73                               3               DD(BU,3),3                                                         18000246
 52* 004765.76                               0               DD(BU,03),0                  -AN ERROR WILL BE A NULL             18000247
```

```
 LINE   LOCATION             BINARY OUTPUT              NAME      STATEMENT                                          LOCATION

   1*                                                     - ---------------------------------------------------------------------  18000249
   2*                                                     -         THE DUMMY TABLES FOR THE UN-ASSIGNMENT OF THE REJECTED JOB     18000250
   3*                                                     - ---------------------------------------------------------------------  18000251
   4*                                                     -                                                                      18000252
   5* 004766.40      000000.30 00                                   CNOP                                                         18000253
   6* 004767.00   004771.00+                              T DSIO    VF,TCAT                                                      18000254
   7* 004767.40   004773.00+                                         VF,TBIRD          -SAVE TAPES                               18000254
   8* 004770.00   005002.00+                                        VF,TCOT                                                      18000255
   9* 004770.40   005004.00+                                         VF,TBOID                                                    18000255
  10*                                                     -                                                                      18000256
  11* 004771.00 *    000002.00                            TCAT      DRZ(N),2                   -DUMMY UNIT AREA                  18000257
  12*                                                     -                                                                      18000258
  13* 004773.00      000002.00                            T BIRD    DRZ(N),2                   -DUMMY FILE AREA                  18000259
  14* 004775.00   000000.00+ 000 140000 000000                      XW,(.31)3                  -SET TO SAVE                      18000260
  15* 004776.00 *    000003.00                                      DRZ(N),3                       -MORE FOR THE UNIT AREA TBL   18000261
  16* 005001.00   005013.00+                                        VF,TWORM                                                     18000262
  17* 005001.40   005013.00+                                          VF,TWORM                                                   18000262
  18* 005001.71                               001                     DC(BU,7),(16)01                                            18000262
  19*                                                     -                                                                      18000263
  20* 005002.00 *    000002.00                            T COT     DRZ(N),2                                                     18000264
  21* 005004.00      000006.00                            T BOID    DRZ(N),6                                                     18000265
  22* 005012.00   005013.00+                                        VF,TWORM                                                     18000266
  23* 005012.40   005013.00+                                          VF,TWORM                                                   18000266
  24* 005012.71                               001                     DC(BU,7),(16)01                                            18000266
  25*                                                               -                                                            18000267
  26* 005013.00   000000.00+ 110 000000 000000            T WORM    XW,(.26)3                  -THE DUMMY REEL POOL --PROTECT    18000268
  27*                                                     -                                                                      18000269
```

```
LINE  LOCATION          BINARY OUTPUT                NAME       STATEMENT                                  LOCATION

  1*                                                 -                                                          18000271
  2*                                                 -  -------------------------------------------------------------------  18000272
  3*                                                 -            THE - MOVE - SUB-ROUTINE                      18000273
  4*                                                 -  -------------------------------------------------------------------  18000274
  5*                                                 -                                                          18000275
  6* 005014.00      000021.00 80  004633.30 EC     T MOVE    SWAPI,12,$1,TSICXW            -SAVE INDEXES        18000276
  7*                                                 -                                                          18000277
  8* 005015.00      004632.00 80  022000.00 F0               CMOC00(BU,18),TERFLG      -RESET THE IOD CARD ERROR IND   18000278
  9* 005016.00      000000.24 1F                             LX,TMXI,0.0($15)          -GET CONTROL WORD FOR ENTRY CK  18000279
 10* 005016.40      000000.56 8F  022000.C7 7C               CTOC11(BU,18),0.46($15)                            18000280
 11* 005017.40      005402.34 C0                             BZRZ,TMREJ                -IF A DISPATCHER REJECT         18000281
 12* 005020.00      000032.30 80  001000.00 F0               CMOC00(BU,1),TMXI+24      -SET THE SIGN PLUS              18000282
 13* 005021.00      005313.30 C2                             BXVLZ,TM2                 -IF INITIAL ENTRY               18000283
 14*                                                 -                                                          18000284
 15* 005021.40      000001.00 8A  030000.06 70     T M1      C0011,TICP(TMXI)          -LOAD OP CODE FOR TEST          18000285
 16* 005022.40      004630.14 80  030600.23 10               KF,TMIOD                  -TEST FOR IOD                   18000286
 17* 005023.40      005264.76 C0                             BZAE,TM6                  -NOT AN IOD CARD                18000287
 18*                                                 -  -------------------------------------------------------------------  18000288
 19*                                                 -       CONVERT THE NECESSARY FIELDS OF THE IOD CARD         18000289
 20*                                                 -  -------------------------------------------------------------------  18000290
 21* 005024.00      000000.27 C1                             LVI,TMXGA,0.0             -RESET THE ERROR FLAG INDEX     18000291
 22* 005024.40      004743.20 10                             LX,TMXG,TSCIX1            -GET THE NUMBER OF SCAN         18000292
 23* 005025.00 *    000002.00 8A  052000.06 70               C0011,TITY(TMXI)          -GET TYPE FIELD                 18000293
 24* 005026.00      000000.57 88  252600.23 10     T MLOK1   KF(V+IC)(BU,42,6),.47(TMXG)                        18000294
 25* 005027.00      005031.36 C2                             BAE,TMOK1                                          18000295
 26* 005027.40      005026.30 40                             BZXCZ,TMLOK1                                       18000296
 27* 005030.00      000020.27 05                             V+I,TMXGA,16.0            -A TYPE FIELD ERROR             18000297
 28* 005030.40      005031.50 C0                             B,TGET1                                            18000298
 29* 005031.00      004744.20 B0                   T MOK1    V+,TMXG,TSCBK1                                     18000299
 30* 005031.40      000000.00 88  005000.06 70     T GET1    LF(BU,5),C.0(TMXG)                                 18000300
 31* 005032.40      000002.73 8A  005000.12 F0               SF(BU,5),TITYCD-1(TMXI)   -STORE THE TYPE CODE            18000301
 32*                                                 -                                                          18000302
 33* 005033.40      000002.74 8A  005045.74 02               BB,TITYCD(TMXI),TMNGA     -GO IF TAPE                     18000303
 34* 005034.40      040000.00 80  404000.23 10               KFI(BU,4),001             -LOOK FOR A DISK                18000304
 35* 005035.40      005072.76 C2                             BAE,TMNG                  -YES                            18000305
 36* 005036.00      004753.20 10                             LX,TMXG,TSCIX2            -LOAD FOR MODE SCAN FOR CARD MACHINES  18000306
 37* 005036.40      000005.00 8A  036000.06 70               LF,TIMO-1.0(TMXI)         -GET CARD MACHINE MODE          18000307
 38* 005037.40      000000.40 88  236600.23 10     T MLOK2   KF(V+IC)(BU,30,6),0.32(TMXG)                       18000308
 39* 005040.40 *    005042.76 C2                             BAE,TMOK2                                          18000309
 40* 005041.00      005037.70 40                             BZXCZ,TMLOK2                                       18000310
 41* 005041.40      000004.27 05                             V+I,TMXGA,04.0            -A MODE FIELD ERROR             18000311
 42* 005042.00      005043.10 C0                             B,TGET2                                            18000312
 43* 005042.40      004754.20 B0                   T MOK2    V+,TMXG,TSCBK2                                     18000313
 44* 005043.00      000000.00 88  002000.06 70     T GET2    C0011(BU,2),0.0(TMXG)                              18000314
 45* 005044.00      000005.76 8A  002000.12 F0               CM0101,TIMOCD-1.0(TMXI)                            18000315
 46* 005045.00      005072.50 C0                             B,TMNG                    -NON TAPE FINISHED              18000316
 47*                                                 -                                                          18000317
 48* 005045.40      004753.20 10                   T MNGA    LX,TMXG,TSCIX2            -LOAD TO TAPE MODE SCAN         18000318
 49* 005046.00      000006.00 8A  036000.06 70               LF,TIMO(TMXI)                                      18000319
 50* 005047.00      000000.40 88  236600.23 10     T MLOK5   KF(V+IC)(BU,30,6),.32(TMXG)                        18000320
 51* 005050.00      005052.36 C2                             BAE,TMOK5                                          18000321
 52* 005050.40      005047.30 40                             BZXCZ,TMLOK5                                       18000322
 53* 005051.00      000004.27 05                             V+I,TMXGA,04.0            -MODE FIELD ERROR               18000323
 54* 005051.40      005052.50 C0                             B,TGET5                                            18000324
 55* 005052.00      004754.20 B0                   T MOK5    V+,TMXG,TSCBK2                                     18000325
 56* 005052.40      000000.00 88  002000.06 70     T GET5    LF(BU,2),0.0(TMXG)                                 18000326
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 005053
1*	005053.40 *	000006.76 8A	002000.12 F0		CMO101,TIMOCD(TMXI)		18000327
2*				-			18000328
3*	005054.40	004757.20 10			LX,TMXG,TSCIX3	-LOAD FOR DENSITY SCAN	18000329
4*	005055.00	000007.00 8A	014000.06 70		C0011,TIDN(TMXI)		18000330
5*	005056.00	000000.16 88	214600.23 10	T MLOK3	KF(V+IC)(BU,12,6),0.14(TMXG)		18000331
6*	005057.00	005061.36 C2			BAE,TMOK3		18000332
7*	005057.40	005056.30 40			BZXCZ,TMLOK3		18000333
8*	005060.00	000002.27 05			V+I,TMXGA,02.0	- A DENSITY FIELD ERROR	18000334
9*	005060.40	005061.50 C0			B,TGET3		18000335
10*	005061.00	004760.20 B0		T MOK3	V+,TMXG,TSCBK3		18000336
11*	005061.40	000000.00 88	002000.06 70	T GET3	C0011(BU,2),0.0(TMXG)		18000337
12*	005062.40	000007.76 8A	002000.12 F0		CMO101,TIDNCD(TMXI)		18000338
13*				-			18000339
14*	005063.40	004762.20 10			LX,TMXG,TSCIX4	-LOAD FOR DISP SCAN	18000340
15*	005064.00	000010.00 8A	036000.06 70		C0011,TIDS(TMXI)		18000341
16*	005065.00	000000.41 88	236600.23 10	T MLOK4	KF(V+IC)(BU,30,6),0.33(TMXG)		18000342
17*	005066.00	005070.36 C2			BAE,TMOK4		18000343
18*	005066.40	005065.30 40			BZXCZ,TMLOK4		18000344
19*	005067.00	000001.27 05			V+I,TMXGA,01.0	- A DISPOSITION FIELD ERROR	18000345
20*	005067.40 *	005070.50 00			B,TGET4		18000346
21*	005070.00	004763.20 B0		T MOK4	V+,TMXG,TSCBK4		18000347
22*	005070.40	000000.00 88	003000.06 70	T GET4	C0011(BU,3),0.0(TMXG)		18000348
23*	005071.40	000010.76 8A	002000.12 F0		CMO101,TIDSCD(TMXI)		18000349
24*	005072.40	004632.27 30		T MNG	SV,TMXGA,TERFLG	-SAVE ERROR FLAG IF ANY	18000350
25*	005073.00	005075.71 42			BXVZ,TM1AA	-IF THE CARD IS OK	18000351
26*				-			18000352
27*	005073.40	000002.74 8A	004000.20 50		L,TITYCD(TMXI)	-CHECK FOR INVALID TYPE CODE	18000353
28*	005074.40	005075.74 C0			BZRZ,TM1AA	-TYPE CODE OK	18000354
29*	005075.00	005075.04 00			BD,$	-MCP ERROR, INVALID TYPE CODE	18000355
30*				-			18000356
31*				-			18000357
32*				-	----------		18000358
33*				-	IS THIS IOD IN THE UNIT NAME TABLE		18000359
34*				-	----------		18000360
35*				-			18000361
36*	005075.40	004653.20 10		T M1AA	LX,TMXG,TUNXW	-LOAD TO BEGINNING OF UNIT NAME TABLE	18000362
37*	005076.00	000000.64 8A	014027.20 50		L,TIREF(TMXI),46	-GET THE REFERENCE NUMBER	18000363
38*	005077.00	005100.74 C0			BZRZ,TMEAT	-NO	18000364
39*	005077.40	000010.03 01		T MDOG	LVI,TMX1,8.0	-ILLEGAL REF NO. ON AN IOD CARD	18000365
40*	005100.00	005377.10 C0			B,TMREJB		18000366
41*	005100.40	002155.00 80	022027.20 10	T MEAT	+(BU,18),TLIMB,46	-COMPUTE THE SIOL ADDRESS	18000367
42*	005101.40	000011.10 30			LV,TMXC,$R	-ADDRESS OF SIOL TO IX	18000368
43*	005102.00	000000.00 84	000000.06 70		LF(BU),0.0(TMXC)	-IS SIOL SLCT ALREADY USED	18000369
44*	005103.00 *	005077.74 C0			BZRZ,TMDOG	-YES - REPORT ILLEGAL IOD CARD TO JC	18000370
45*	005103.40	000004.00 8A	060010.20 50		L,TICH(TMXI),16	-GET CHAN FIELD OF IOD CARD	18000371
46*	005104.40	000005.00 8A	060050.06 70		LF,TIUN(TMXI),80	-GET THE UNIT NAME - TAPE ONLY	18000372
47*	005105.40	000002.74 8A	004000.06 70		LF,TITYCD(TMXI)	-GET THE TYPE FIELD CODED	18000373
48*	005106.40	000000.21 05			V+I,TMXG,0.0	-TO RE-ACTIVATE INDEX IND. FOR TMXG	18000374
49*	005107.00	005116.30 42			BXCZ,TM1E	-IF ZERO ENTRY	18000375
50*	005107.40	000000.00 88	060010.23 10	T M1A	KF,TCHNM(TMXG),16	-COMPARE AGAINST TABLE	18000376
51*	005110.40	005115.76 C0			BZAE,TM1B	-IF UNLIKE ENTRY	18000377
52*	005111.00	000000.74 88	004000.23 10		KF,TUNTYP(TMXG)	-COMPARE EQUIP FEILD	18000378
53*	005112.00	005115.76 C0			BZAE,TM1B	-IF NOT ALIKE	18000379
54*	005112.40	004652.21 30			SV,TMXG,TDKSAV		18000380
55*	005113.00	000002.74 8A	005162.34 00		BZB,TITYCD(TMXI),TM1D	-IF NOT TAPE	18000381
56*	005114.00	000031.00 88	060050.23 10		KF,TUNME(TMXG),80	-TAPE COMPARE UNIT NAME	18000382

```
LINE   LOCATICN            BINARY CUTPUT              NAME         STATEMENT                                     LOCATICN     C05115

  1* 005115.CC        005162.36 C2                              BAE,TM1C                -UNIT AREA TABLE GENERATED                       18000383
  2* 005115.40        C05107.61 48                  T M1B       CB+,TMXG,TM1A                                                            18000384
  3*                                                -                                                                                    18000385
  4* 005116.CC *      CCCC00.64 8A  014002.C6 7C    T M1E       LF,TIREF(TMXI),04       -GET THE REF. NUMBER                             18000386
  5* 005117.CO        C0CC31.CO 88  0C0040.12 FO                SF(BU,64),TUNME(TMXG),64                                                 18000387
  6* 00512C.00        CCCCC0.CC 88  0C0000.12 FO                CM0101(BU,64),0.0(TMXG) -STORE NEW ENTRY IN TABLE                        18000388
  7* 005121.00        C04653.34 80  022000.22 BC                M+1(BU,18),TUNXW+28     -STEP TABLE COUNTER                              18000389
  8* 005122.CC        C04652.21 30                              SV,TMXG,TDKSAV                                                           18000390
  9*                                                -                                                                                    18000391
 10*                                                -                                                                                    18000392
 11*                                                -                                                                                    18000393
 12*                                                - -----------------------------------------------------------------------           18000394
 13*                                                -              GENERATE THE UNIT AREA TABLES                                         18000395
 14*                                                - -----------------------------------------------------------------------           18000396
 15*                                                -                                                                                    18000397
 16* 005122.40        C00003.13 36                              SV,TMXD,TFIAAC(TMXE)    -FILE AREA ACT. ADDRESS                          18000398
 17* 005123.00        C0CCC0.56 83  022027.2C 50                L,TABSCH(TMXB),46       -GET THE ADDR CF THE ASSIGNEC CHAN               18000399
 18* 005124.CO        CCCC11.20 10                              LX,TMXG,$R              -CHAN TABLE ADDR TO IX                           18000400
 19* 005124.40        002152.CC 80  022027.30 10                -(BU,18),TCHSXW,46      -COMPUTE THE CHANNEL NUMBER                      18000401
 20* 005125.40        000C00.14 86  007027.20 DO                ST,TCHANN(TMXE),46                                                       18000402
 21* 005126.40        CCCCC0.33 88  005146.34 00                BZB,TMULTI(TMXG),TM1DA  -IF NOT A MULTI UNIT CHAN                        18000403
 22* 005127.40        CCCCC0.07 83  003027.20 50                L,TABSUN(TMXB),46       -GET THE UNIT NUMBER                             18000404
 23* 005130.40        C0C000.57 86  003027.20 DO                ST,TUNITN(TMXE),46      -AND PLACE IN UNIT AREA TBL                      18000405
 24* 005131.40 *      C0CC00.03 83  005143.74 0C                BZB,TTYPE(TMXB),TM1CAA  -IF THE TYPE IS NOT TAPE                         18000406
 25* 005132.40        000C07.31 86  001000.36 FO                CM1111,TSYSTM(TMXE)     -SET THE SYSTEM TAPE BIT FOR INITIAL             18000407
 26* 005133.40        C0C027.00 80  022000.06 70                C0011(BU,18),TMXF       -GET REEL POOL ADDRESS                           18000408
 27* 005134.40        C0C010.CC 86  022000.12 FC                CM0101,TFRLAD(TMXE)     -AND STORE IN UNIT AREA                          18000409
 28* 005135.40        000010.40 86  022000.12 FO                CM0101,TCREEL(TMXE)                                                      18000410
 29* 005136.40        C0CC10.71 86  0C7000.22 BC                M+1,TREELK(TMXE)        -SET THE REEL COUNT TO ONE                       18000411
 30* 005137.40        C0CCC0.22 07                              Z,0.0(TMXF)             -ZERO THE FIRST REEL SLOT                        18000412
 31* 005140.CC        C0CC00.33 87  001000.36 FC                CM1111(BU,1),TRELB(TMXF)                                                 18000413
 32* 005141.CC        000001.17 05                              V+I,TMXF,1.C            -STEP REEL POOL INDEX                            18000414
 33* 005141.40        002153.16 90                              KV,TMXF,TBAMCP          -IS THE REEL PCOL EXCEEDING BOUNDS               18000415
 34* 005142.00        C05143.72 42                              BXL,TM1CAA              -NO                                              18000416
 35* 005142.40        CCCC04.C3 C1                              LVI,TMX1,4.0            -YES SO NOTE IT JC                               18000417
 36* 005143.CC        C05377.1C 00                              B,TMREJB                -AND REJECT JCB                                  18000418
 37*                                                -                                                                                    18000419
 38*                                                - -----------------------------------------------------------------------           18000420
 39*                                                -              MODIFY THE CHAN/UNIT STATUS TABLES                                    18000421
 40*                                                - -----------------------------------------------------------------------           18000422
 41*                                                -                                                                                    18000423
 42* 005143.40        CCCCC0.CC 88  022027.2C 10    T M1DAA     +,TUNTBA(TMXG),46       -COMPUTE UNIT TABLE ADDR. IN MULTI CAS           18000424
 43* 005144.40        000011.20 30                              LV,TMXG,$R              -GET POINTER FOR UNIT TABLE                      18000425
 44* 005145.CO *      000C00.47 88  001000.36 FO                CM1111,TSEL(TMXG)       -SET THE SEL BIT TC 1 FOR ALL MULTI CH           18000426
 45*                                                -                                                                                    18000427
 46* 005146.CO        CCCCC0.15 38                  T M1DA      SV,TMXE,C.0(TMXG)       -STORE UNIT AREA TBL ACDRESS                     18000428
 47*                                                -                                                                                    18000429
 48* 005146.40        C0CC00.32 8F  001000.C6 70                LF(BU,1),.26($15)       -GET THE CWNERSHIP BIT                           18000430
 49* 005147.40        C00000.40 88  C01000.12 FC                SF,TCHCWN(TMXG)                                                          18000431
 50*                                                -                                                                                    18000432
 51* 005150.40        00CCC0.35 88  001000.CC FC                CM0C00,TUNASG(TMXG)     -SET THE UNIT ASSIGNED BIT                       18000433
 52* 005151.40        C0CCC0.76 88  005153.74 06                BBZ,TUNRES(TMXG),TM1DX  -RESET THE NCT CV RES FIRST                      18000434
 53* 005152.40        CCCC00.77 88  001000.CC FC                CMOCCC,TCVRES(TMXG)     -                                                18000435
 54*                                                -                                                                                    18000436
 55* 005153.40        000026.22 30                  T M1DX      LV,TMXEE,TMXE           -KEEP ONE IX TC BEGINNING OF TBL                 18000437
 56* 005154.00        0CC011.15 05                              V+I,TMXE,9.0            -ADVANCE THE OTHER TO END + 1                    18000438
```

IBM

```
LINE  LOCATION          BINARY OUTPUT                NAME       STATEMENT                              LOCATION

  1*                                                  -                                                           18000439
  2*                                                  -          ZERO THE I/O REQUEST TBL AND REEL SLOT          18000440
  3*                                                  -                                                           18000441
  4* 005154.40          000C00.34 33  022027.2C 50             L,TFREEL(TMXB),46       -GET THE FIRST REEL ADDRESS     18000442
  5* 005155.40          CC5157.34 C2                           BRZ,TM2AC               -NO REEL                        18000443
  6* 0C5156.00          CCCC11.26 30                           LV,TMXGA,$R                                             18000444
  7* 005156.40          C0C000.22 CB                           Z,0.0(TMXGA)            -ZERO THE REEL SLOT             18000445
  8* 005157.00          COCC00.22 03                T M2AC     Z,0.0(TMXB)             -ZERO THE I/O REQ TBL SLOT      18000446
  9*                                                  -                                                           18000447
 10* 005157.40          CCCC01.22 83  005161.34 00             BZB,TLAST+1.0(TMXB),TM1CB-IF NOT LAST ENTRY IN THE I/O REQ TBL  18000448
 11* 005160.40          C03372.07 C1                           LVI,TMXB,TIOREQ-1.                                      18000449
 12* 005161.CC *        COCCC1.C7 C6                T M1CB     V+IC,TMXB,1.0                                           18000450
 13* 005161.40          C05165.1C C0                           B,TN5                                                   18000451
 14*                                                  -                                                           18000452
 15*                                                  -          THE UNIT AREA TABLE IS ALREADY GENERATED FOR THIS IOD CARD  18000453
 16*                                                  -                                                           18000454
 17* 005162.00          CCCC00.6C 88  014027.2C 50    T M1D      L,TUNREF(TMXG),46       -GET THE REF NO.                18000455
 18* 005163.00          C02155.00 8C  022027.2C 10             +(BU,18),TLIMB,46       -COMPUTE SYMB. I/O LOC ADDRESS  18000456
 19* 005164.CC          000C11.20 30                           LV,TMXG,$R                                              18000457
 20*                                                  -                                                           18000458
 21* 005164.40          COCCC0.22 38                           LV,TMXEE,0.0(TMXG)      -GET UNIT AREA ADDRESS          18000459
 22*                                                  -                                                           18000460
 23* 005165.CC          COOCC1.C6 89  014000.22 P0    T N5       M+1,TIODK(TMXEE)        -ADD TO IOD COUNT               18000461
 24*                                                  -                                                           18000462
 25*                                                  - ------------------------------------------------------------ 18000463
 26*                                                  -          GENERATE THE FILE AREA TABLES                    18000464
 27*                                                  - ------------------------------------------------------------ 18000465
 28*                                                  -                                                           18000466
 29* 005166.CC          COCC00.64 8A  014027.2C 50             L,TIREF(TMXI),46        -GENERATE LOC OF SYMB I/O LOC WORD  18000467
 30* 005167.CC          00CCC0.CC 85  022027.12 FC             CM0101,TIODRN(TMXD),46  -STORE REF NO. IN FILE AREA TABLE   18000468
 31*                                                  -                                                           18000469
 32* 005170.00          C0C000.23 34                           SV,TMXEE,0.0(TMXC)      -STORE UNIT AREA ADD IN SYMB I/O TB 18000470
 33* 005170.40          COCC00.53 34                           SV,TMXD,0.32(TMXC)      -STORE FILE AREA ADD IN SYMB I/O TB 18000471
 34*                                                  -                                                           18000472
 35* 005171.00          0CCC00.C0 8A  022000.06 70             C0011,TIABEX(TMXI)      -GET TABLE OF EXITS ADDRESS     18000473
 36* 005172.00          CCCC02.C0 85  022000.12 F0             CM0101,TICELC(TMXD)     -PLACE IN FILE AREA TABLE       18000474
 37* 005173.00          COC002.74 8A  0C5176.74 02             BB,TITYCD(TMXI),TM1FUZ  -IF TAPE                        18000475
 38*                                                  -                                                           18000476
 39* 005174.00 *        000005.76 8A  002000.06 70             LF,TIMOCD-1.C(TMXI)     -GET CARD MACHINE MODE          18000477
 40* 005175.00          C0CC02.60 85  002000.12 F0             CM0101,TFMODE(TMXD)                                     18000478
 41* 005176.CC          C05206.1C C0                           B,TM1FAZ                                                18000479
 42*                                                  -                                                           18000480
 43* 005176.40          COCC06.76 8A  002000.06 70    T M1FUZ    LF,TIMOCD(TMXI)         -GET THE TAPE MODE              18000481
 44* 005177.40          C0CC02.60 85  002000.12 FC             SF,TFMODE(TMXD)                                         18000482
 45*                                                  -                                                           18000483
 46* 005200.40          C00C02.74 8A  005206.34 00             BZB,TITYCD(TMXI),TM1FAZ -IF THE EQUIP IS NOT TAPE       18000484
 47* 005201.40          COCC10.76 8A  002000.06 70             C0011,TIDSCD(TMXI)      -GET THE REEL DISP              18000485
 48* 005202.40          CCCC02.35 85  003000.12 FC             CM0101,TREELD(TMXD)                                     18000486
 49*                                                  -                                                           18000487
 50* 005203.40          0CC007.76 8A  002000.06 70             C0011,TIDNCD(TMXI)      -GET GIVEN DENSITY              18000488
 51* 005204.40          000C02.33 85  002000.12 F0             CM0101,TDENMD(TMXD)                                     18000489
 52* 005205.4C          C05262.1C C0                           B,TM1FA                                                 18000490
 53*                                                  -                                                           18000491
 54* 005206.CC          0CCC02.74 8A  004000.20 50    T M1FAZ    L,TITYCD(TMXI)                                          18000492
 55* 005207.00          C4CC00.00 80  404000.23 10             KFI(BU,4),1             -LOOK FOR DISK                  18000493
 56* 00521C.00 *        C05262.36 C0                           BZAE,TM1FA              -IF NOT DISK                    18000494
```

```
LINE  LOCATION       BINARY OUTPUT                    NAME     STATEMENT                      LOCATION

  1*                                                  -                                                                         18000495
  2*                                                  -                                                                         18000496
  3*                                                  -  -----------------------------------------------------------------     18000497
  4*                                                  -        DISK ANALYSER                                                    18000498
  5*                                                  -  -----------------------------------------------------------------     18000499
  6*                                                  -                                                                         18000500
  7* 005210.40      004652.20 30                               LV,TMXG,TDKSAV             -GET UNIT TABLE ADDRESS                   18000501
  8* 005211.00      000031.75 88  003026.60 50                 L,TDKCT(TMXG),45           -GET RELATIVE ADDRESS OF DISK COUNTER     18000502
  9* 005212.00      000011.26 30                               LV,TMXGA,$R                                                          18000503
 10* 005212.40      004737.05 8B  014040.20 50                 L,TSBDFT(TMXGA),64         -GET COUNTER                              18000504
 11* 005213.40      000002.73 8A  005255.34 02                 BB,TITRK(TMXI),TMTRK       -IF TRACK                                 18000505
 12* 005214.40      000006.06 85  014040.20 D0       T MDK     ST,TCUARC(TMXD),64         -SET CURRENT ARC                          18000506
 13* 005215.40      000005.06 85  014040.20 D0                 ST,TORARC(TMXD),64         -SET ORIGINAL ARC                         18000507
 14* 005216.40      004737.05 8B  014040.20 D0                 ST,TSBDFT(TMXGA),64        -SAVE AS TRACK ROUNDS OFF                 18000508
 15* 005217.40      000005.00 8A  060000.20 50                 L,TINO(TMXI)               -GET THE DISK NUMBER                      18000509
 16* 005220.40      004631.10 80  060600.23 10                 KF,TM6BL                   -LOOK FOR DISK NULL-- BLANK               18000510
 17* 005221.40      005250.76 C2                               BAE,TMNULD                 -IF NULL                                  18000511
 18* 005222.00      005223.03 01                               LVI,TMXI,TMDK1                                                       18000512
 19* 005222.40      005450.50 00                               B,TMCONV                   -GO TO THE CONVERSION ROUTINE             18000513
 20* 005223.00      005250.74 C2                     T MDK1    BRZ,TMNULD                 -IF NULL -- ZERO                          18000514
 21* 005223.40 *    004737.05 8B  014040.06 70                 LF,TSBDFT(TMXGA),64        -RELOAD ACC                               18000515
 22* 005224.40      000002.73 8A  005227.34 02                 BB,TITRK(TMXI),TMDK3       -IF TRACK                                 18000516
 23* 005225.40      000011.64 80  014040.20 10                 +(BU,12),$R+.52,64         -ADD THE CONVERTED NUMBER                 18000517
 24* 005226.40      005230.10 00                               B,TMDK4                                                              18000518
 25* 005227.00      000011.64 80  014041.60 10       T MDK3    +(BU,12),$R+.52,67         -ADD THE CONVERTED NUMBER -- TRACK        18000519
 26* 005230.00      004737.05 8B  014040.20 D0       T MDK4    ST,TSBDFT(TMXGA),64        -UP DATE THE COUNTER                      18000520
 27* 005231.00      000010.64 80  014000.32 B0                 M-1(BU,12),$L+.52                                                    18000521
 28* 005232.00      004630.00 80  014040.23 10                 KF,TMMAX,64                -LOOK FOR ILLEGAL DISK REQUEST            18000522
 29* 005233.00      005263.77 42                               BAH,TMDSK3                 -YES                                      18000523
 30* 005233.40      000005.46 85  014040.20 D0                 ST,TMXARC(TMXD),64         -STORE THE MAXIMUM ARC                    18000524
 31* 005234.40      000031.60 88  014027.20 50                 L,TDSKRF(TMXG),46          -GET THE REF NO.OF NULL IOD               18000525
 32* 005235.40      005262.34 C2                               BRZ,TM1FA                  -IF NONE                                  18000526
 33* 005236.00      002155.00 80  022027.20 10                 +(BU,18),TLIMB,46          -ADD THE BASE ADDRESS OF THE SIOL TBL     18000527
 34* 005237.00 *    000011.12 30                               LV,TMXD,$R                                                           18000528
 35* 005237.40      000000.52 35                               LV,TMXC,0.32(TMXD)         -GET FILE AREA OF NULL IOD                18000529
 36* 005240.00      004737.05 8B  014000.06 70                 LF,TSBDFT(TMXGA)           -GET LAST COUNTER                         18000530
 37* 005241.00      000031.74 88  005244.74 02                 BB,TDTRK(TMXG),TMDK2       -IF TRACK                                 18000531
 38* 005242.00      000006.06 85  014000.20 D0       T MDK1A   ST,TCUARC(TMXD)            -UPDATE CURRENT ARC                       18000532
 39* 005243.00      000005.06 85  014000.20 D0                 ST,TORARC(TMXD)            -UPDATE ORIGINAL ARC                      18000533
 40* 005244.00      005262.10 00                               B,TM1FA                                                              18000534
```

```
LINE  LOCATION         BINARY OUTPUT              NAME     STATEMENT                         LOCATION

  1*                                               - ------------------------------------------------------------  18000536
  2*                                               -        TRACK ANALYSER                                         18000537
  3*                                               - ------------------------------------------------------------  18000538
  4* 005244.40         000011.75 80  003000.07 70  T MDK2   CTOC11(BU,3),$R+.61    -CHECK FOR MULTIPLE OF 8         18000539
  5* 005245.40         005242.34 C2                         BRZ,TMDK1A             -YES                             18000540
  6* 005246.00         000011.75 80  003000.00 F0           CM0C00(BU,3),$R+.61    -ZERO THE TRIVIAL BITS           18000541
  7* 005247.00         000011.64 80  011000.22 B0           M+1(BU,9),$R+.52       -ADD NEXT BEGINNING TRACK LOC    18000542
  8* 005250.00         005242.10 00                         B,TMDK1A                                                18000543
  9*                                               -                                                                18000544
 10* 005250.40         000000.64 8A  014000.06 70  T MNULD  LF,TIREF(TMXI)         -IF NULL DISK OR TRACK ,GET REF NO.  18000545
 11* 005251.40         000031.60 88  014000.20 DC           ST,TDSKRF(TMXG)                                         18000546
 12* 005252.40 *       004630.00 80  014000.06 70           LF,TMMAX               -GET THE MAX DISK NUMBER POSSIBLE  18000547
 13* 005253.40         000005.46 85  014000.20 DC           ST,TMXARC(TMXD)                                         18000548
 14* 005254.40         005262.10 00                         B,TM1FA                                                 18000549
 15*                                               -                                                                18000550
 16* 005255.00         000010.75 80  003000.07 70  T MTRK   CTOC11(BU,3),$L+.61    -CHECK FOR MULTIPLE OF 8         18000551
 17* 005256.00         005214.74 C2                         BRZ,TMDK               -YES - RETURN                    18000552
 18* 005256.40         000010.75 80  003000.00 F0           CM0C00(BU,3),$L+.61    -NO ZERO THE TRIVIAL BITS        18000553
 19* 005257.40         000010.64 80  011000.22 B0           M+1(BU,9),$L+.52       -ADD ON TO GET NEXT BEGINNING TRACK L  18000554
 20* 005260.40         005214.50 00                         B,TMDK                                                  18000555
 21*                                               -                                                                18000556
 22* 005261.00         000002.61 85  001000.36 F0           CM1111(BU,1),TFMODE+.1(TMXD)   -A DUMMY ONE FOR ALL BUT TAPE  18000557
 23* 005262.00         000007.13 05                T M1FA   V+I,TMXD,7.0           -STEP THE VF BY A FILE TABLE     18000558
 24*                                               -                                                                18000559
 25* 005262.40         000000.03 01                T OK     LVI,TMX1,0.0           -OK RETURN                       18000560
 26* 005263.00         005444.10 00                         B,TN2                                                   18000561
 27*                                               -                                                                18000562
 28*                                               -                                                                18000563
 29* 005263.40         000001.03 01                T MDSK3  LVI,TMX1,1.0           -ILLEGAL DISK REQ                18000564
 30* 005264.00         005402.10 00                         B,TMREJ                -GO TO REJECT JOB                18000565
 31*                                               - ------------------------------------------------------------  18000566
 32*                                               -             LOCATE THE PROPER REEL SLOT FOR ENTRY             18000567
 33*                                               - ------------------------------------------------------------  18000568
 34* 005264.40         004630.44 80  030600.23 10  T M6     KF,TMREEL              -CHECK FOR A REEL CARD           18000569
 35* 005265.40         005266.76 C2                         BAE,TM6C               -OK                              18000570
 36* 005266.00 *       005266.04 00                         BD,$                    -MCP ERROR, INVALID OP CODE ON CD.  18000571
 37*                                               -                                                                18000572
 38* 005266.40         000010.20 39                T M6D    LV,TMXG,TFRLAD(TMXEE)  -GET INITIAL REEL ENTRY          18000573
 39* 005267.00         000000.26 1A                         LX,TMXGA,0.0(TMXI)     -TO GET THE REEL COUNT           18000574
 40* 005267.40         005262.66 4A                         CBZ,TMXGA,TOK          -GET 1ST REEL LOC IF ANY         18000575
 41* 005270.00         000032.26 30                         LV,TMXGA,TMXI          -GET FIRST REEL ADDRESS          18000576
 42* 005270.40         000030.02 30                T M6A    LV,TMXH,TMXG           -SAVE FOR LAST ENTRY             18000577
 43* 005271.00         000000.20 18                         LX,TMXG,0.0(TMXG)      -LOOK AHEAD ONE SLOT             18000578
 44* 005271.40         005270.71 40                         BZXVZ,TM6A             -IF THERE IS AN ENTRY            18000579
 45*                                               -                                                                18000580
 46* 005272.00         005307.23 42                         BXF,TM6C               -IF A REEL NUMBER IS ENTERED     18000581
 47*                                               -                                                                18000582
 48* 005272.40         000002.00 8B  060000.06 7C  T N6     C0011,TIREEL(TMXGA)    -GET A REEL NAME FROM BREAKDOWN  18000583
 49* 005273.40         000000.22 01                         Z,0.0(TMXH)            -CLEAR THE REEL SLOT FIRST       18000584
```

IBM

```
LINE  LOCATION      BINARY OUTPUT                 NAME     STATEMENT                                  LOCATION

  1*                                            -  ---------------------------------------------------------------  18000586
  2*                                            -             DETERMINE THE REEL STATUS - EG. FILE PROTECT, SYSTEM  18000587
  3*                                            -  ---------------------------------------------------------------  18000588
  4* 005274.00     004631.10 80  036600.23 10            KF(BU,30,6),TM6BL       -BYPASS PROTECTION IF SCRATCH   18000589
  5* 005275.00     005302.76 C2                          BAE,TM8AB                                               18000590
  6* 005275.40     000000.42 81  036000.12 F0            CM0101,TRENME(TMXH)     -INSERT THE NAME                18000591
  7* 005276.40     004631.02 80  006625.23 10            KF,TNOP,42              -LOOK FOR A NON-PROTECT         18000592
  8* 005277.40     005301.36 C2                          BAE,TM8                                                 18000593
  9* 005300.00     000000.32 81  001000.36 F0            CM1111,TREPR(TMXH)      -SET THE REEL PROTECT BIT ON    18000594
 10* 005301.00 *   004630.74 80  006622.23 10   T M8     KF,TLBL,36              -LOOK FOR A LABELED TAPE        18000595
 11* 005302.00     005304.36 C0                          BZAE,TM8AZ              -IF NOT A LABELED TAPE          18000596
 12* 005302.40     000000.33 81  001000.36 F0   T M8AB   CM1111,TRELB(TMXH)      -SET THE LABEL BIT TO ONE       18000597
 13* 005303.40     005306.10 00                          B,TM8A                                                  18000598
 14*                                            -                                                                18000599
 15* 005304.00     000010.02 99                 T M8AZ   KV,TMXH,TFRLAD(TMXEE)   -CHECK TO SEE IF FIRST REEL ENTRY  18000600
 16* 005304.40     005306.32 C0                          BZXE,TM8A               -NO                             18000601
 17* 005305.00     000007.31 89  001000.00 F0            CM0000,TSYSTM(TMXEE)    -RESET SYSTEM BIT               18000602
 18*                                            -                                                                18000603
 19* 005306.00     000000.31 81  001000.36 F0   T M8A    CM1111,TRENTY(TMXH)     -SET THE ENTRY BIT TO ONE       18000604
 20* 005307.00     005262.67 4A                 T M6C    CBZ+,TMXGA,TOK          -STEP BREAKDOWN INDEX           18000605
 21* 005307.40     000000.17 31                          SV,TMXF,0.0(TMXH)       -STORE THE SLOT ADDRESS         18000606
 22* 005310.00     000027.02 30                          LV,TMXH,TMXF            -GET NEW SLOT                   18000607
 23* 005310.40     000001.17 05                          V+I,TMXF,1.0                                            18000608
 24* 005311.00     002153.16 90                          KV,TMXF,TBAMCP         -IS THE REEL POOL EXCEEDING BOUNDS  18000609
 25* 005311.40     005272.72 42                          BXL,TN6                 -NO                             18000610
 26* 005312.00     000004.03 01                          LVI,TMX1,4.0            -NOTE ERROR - PP EXCEEDING LIMITS  18000611
 27* 005312.40     005377.10 00                          B,TMREJB                                                18000612
 28*                                            -                                                                18000613
 29*                                            -  ---------------------------------------------------------------  18000614
 30*                                            -             INITIAL ENTRY PER PROBLEM PROGRAM                  18000615
 31*                                            -  ---------------------------------------------------------------  18000616
 32*                                            -                                                                18000617
 33* 005313.00     004653.34 80  022000.00 F0   T M2     CM0000(BU,18),TUNXW+0.28 -CLEAR UNIT NAME TABLE COUNTER  18000618
 34* 005314.00     000000.25 1F                          SX,TMXI,0.0($15)        -SET CONTROL WORD PLUS          18000619
 35*                                            -                                                                18000620
 36*                                            -              RESET THE DISK PARAMETERS                         18000621
 37*                                            -                                                                18000622
 38* 005314.40     004736.20 10                          LX,TMXG,TDCLRX          -LOAD FOR TABLE CLEARING        18000623
 39* 005315.00 *   000000.22 08                 T MCLR   Z,0.0(TMXG)             -CLEAR THE ACCUMULATING AREA    18000624
 40* 005315.40     005315.21 48                          CB+,TMXG,TMCLR                                          18000625
 41*                                            -                                                                18000626
 42* 005316.00     002157.46 80  014000.06 70            LF(BU,12),TSYRFT+.6     -RESTORE THE MCP USER AREA      18000627
 43* 005317.00     004737.05 80  014000.20 D0            ST,TSBDFT                                               18000628
 44* 005320.00     002155.40 80  022000.00 F0            CM0000(BU,18),TMAXRF    -RESET THE MAX REF TO ZERO      18000629
 45*                                            -                                                                18000630
 46* 005321.00     000000.31 8F  005323.34 02            BB,.25($15),TM2A        -IF NOT OVERLAP                 18000631
 47* 005322.00     003315.04 10                          LX,TMXA,TPPRUN          -LOAD FOR NEXT JOB TO BE RUN    18000632
 48* 005322.40     005323.50 00                          B,TM3D                                                  18000633
 49* 005323.00     003313.04 10                 T M2A    LX,TMXA,TPPURF          -SET UP FOR NOT OVERLAP JOB     18000634
 50* 005323.40     000000.47 82  005325.34 00   T M3D    BZB,TLPPEN(TMXA),TM3E   -IF MORE JOBS TO BE RUN         18000635
 51* 005324.40     005324.44 C0                          BD,$                     -MCP ERROR , NO MORE JOBS TO BE RUN  18000636
 52*                                            -                                                                18000637
 53*                                            -              TEST FOR JOB SYNCHRONIZATION                      18000638
 54*                                            -                                                                18000639
 55* 005325.00     000001.00 82  060000.06 70   T M3E    LF(BU,48,8),TPNAME(TMXA) -GET JOB NAME FROM PP REF TBL  18000640
 56* 005326.00     777777.00 8A  060600.23 10            $KF,TJCNME(TMXI)        -COMPARE AGAINST JC-4 JOB CARD  18000641
```

```
LOCATION              BINARY OUTPUT                NAME      STATEMENT                                              LOCATION     005327

005327.00        005330.76 C2                                BAE,TM3EZ                     -OK IF ALIKE                                18000642
005327.40        000002.03 01                                LVI,TMX1,2.0                  -ERROR --JOBS ARE OUT OF SYNC               18000643
005330.00        005444.10 00                                B,TN2                         -RETURN WITHOUT REJECT                      18000644
005330.40 *      000022.20 10                      T M3EZ    LX,TMXG,TMXA                  -SET UP FOR NEXT JOB - MOVE POINTER         18000645
005331.00        000000.31 8F   005333.34 02                 BB,.25($15),TM2AM              -IF NOT OVERLAP DONT SAVE PTR.             18000646
005332.00        000002.21 07                                V+ICR,TMXG,2.0                                                            18000647
005332.40        003315.21 10                                SX,TMXG,TPPRUN                                                            18000648
                                                   -                                                                               18000649
005333.00        000000.45 82   005334.74 00       T M2AM    BZB,TRJECT(TMXA),TM3A          -IF PP WAS NOT REJECTED                    18000650
005334.00        005334.04 00                                BD,$                           -MCP ERROR, PP WAS PREVIOUSLY REJ          18000651
005334.40        000000.44 82   005336.34 00       T M3A     BZB,TJBPRO(TMXA),TM3C         -IF THE JOB WAS NOT PROCESSED               18000652
005335.40        005335.44 00                                BD,$                           -MCP ERROR, PP WAS PREVIOUSLY RUN          18000653
                                                   -                                                                               18000654
005336.00        000000.00 82   022027.20 50       T M3C     L,TCRREF(TMXA),46             -GET LOC OF I/O REQ TBL                     18000655
005337.00        000000.44 82   001000.36 F0                 CM1111,TJBPRO(TMXA)           -SET THE JOB PROCESSED BIT ON               18000656
005340.00        000000.34 82   010011.06 70                 C0011,TUNCT(TMXA),18          -GET NUMBER OF I/O REQ                      18000657
                                                   -                                                                               18000658
005341.00        000011.06 10                                LX,TMXB,$R                                                                18000659
005341.40        005342.70 40                                BZXCZ,TM3B                                                                18000660
005342.00        005262.50 00                                B,TOK                         -IF NO I/O REQ                              18000661
                                                   -                                                                               18000662
005342.40        000000.46 82   005344.34 02       T M3B     BB,TASGNP(TMXA),TSORT         -IF JOB WAS ASSIGNED                        18000663
005343.40        005343.44 00                                BD,$                           -MCP ERROR, JOB NOT ASSIGNED               18000664
                                                   -                                                                               18000665
                                                   -                                                                               18000666
                                                   -                   SORT THE I/O REQUEST WITHIN THE I/O REQUEST TABLE            18000667
                                                   -                   BY THE IOD SEQUENCE NUMBER AS PER PP                         18000668
                                                   -                                                                               18000669
005344.00 *      000011.16 10                      T SCRT    LX,TMXF,$R                    -LOAD TO GET I/O REQUEST TABLE              18000670
005344.40        000000.22 88   005346.34 00       T SCRT1   BZB,TLAST(TMXG),TSORT4                                                    18000671
005345.40        003373.21 01                                LVI,TMXG,TIOREQ                                                           18000672
005346.00        000027.20 10                      T SORT4   LX,TMXG,TMXF                                                              18000673
005346.40        000000.00 87   000000.20 50                 L(BU,64),0.0(TMXF)            -GET A WORD FROM REQ TABLE FOR COMPARE      18000674
005347.40        000000.22 88   005351.34 00       T SORT2   BZB,TLAST(TMXG),TSORT5                                                    18000675
005350.40        003373.21 01                                LVI,TMXG,TIOREQ                                                           18000676
005351.00        000000.23 88   011022.23 10       T SORT5   KF,TIODSQ(TMXG),36            -COMPARE THE NEXT SEQ NO AND SO FORTH       18000677
005352.00        005354.77 40                                BZAH,TSORT3                   -SWAP ONLY ON HIGH                          18000678
005352.40        000000.26 18                                LX,TMXGA,0.0(TMXG)            -LOAD SWAP INDEX                            18000679
005353.00        000000.00 88   000000.20 D0                 ST(BU,64),0.0(TMXG)           -STORE THE GREATER                          18000680
005354.00        000011.27 10                                SX,TMXGA,$R                   -REPLACE THE ACC WITH THE LESSER            18000681
005354.40        005347.61 48                      T SORT3   CB+,TMXG,TSORT2                                                           18000682
005355.00        000000.00 87   000000.20 D0                 ST(BU,64),0.0(TMXF)           -REPLACE THE INITIAL WORD                   18000683
005356.00        005344.57 48                                CB+,TMXF,TSORT1                                                           18000684
                                                   -                                                                               18000685
                                                   - ----------------------------------------------------------------------------  18000686
                                                   -                 COMPUTE THE TABLE LOCATIONS AND ZERO THEM                     18000687
                                                   - ----------------------------------------------------------------------------  18000688
                                                   -                                                                               18000689
005356.40        000000.64 82   014000.20 B0                 LFT,TIODCT(TMXA)              -NUMBER OF IODS TO FACTOR REG               18000690
005357.40 *      000000.50 82   014027.20 50                 L,TLREFN(TMXA),46             -GET LARGEST REF NO FOR TBL LENGTH          18000691
005360.40        002155.40 80   022027.12 F0                 CM0101(BU,18),TMAXRF,46       -SAVE THE LARGEST REFERENCE NUMBER          18000692
005361.40        002155.00 80   022027.20 10                 +(BU,18),TLIMB,46             -ADD TO IT THE UPPER LIMIT OF PP            18000693
005362.40        000011.00 80   022000.22 B0                 M+1(BU,18),$R                 -ADD ONE FOR PROPER TABLE SIZE              18000694
005363.40        000011.12 30                                LV,TMXD,$R                    -FIRST CELL AVAIL FOR FILE AREA             18000695
005364.00        070000.00 80   406027.23 90                 *I+,TFLLGN,46                 -ADD FILE AREA TABLE LENGHT                 18000696
005365.00        000011.14 30                                LV,TMXE,$R                    -FIRST CELL AVAILABLE FOR UNIT AREA TB      18000697
```

```
TIME CLOCK 0CC54C41    PUNID 11C11IPL     CARD ID 18000698    DIST. OF 3/C1          3/01        PAGE NUMBER   96

 LINE   LOCATION            BINARY OUTPUT            NAME        STATEMENT                                       LOCATION    0C5365

  1* 005365.40       000000.34 82  010000.20 BC              LFT,TUNCT(TMXA)          -THE NO. OF UNITS REQ TO FACTOR REG        18000698
  2* 005366.40       11C000.CC 80  406027.23 90              *I+,TUNLGN,46            -ADD UNIT AREA TBL LENGHT                  18000699
  3* 005367.40       000011.16 30                            LV,TMXF,$R               -FIRST CELL AVAIL FOR REEL NUMBER          18000700
  4* 005370.00       002155.C0 80  022027.3C 10              -(BU,18),TLIMB,46        -REMOVE THE BASE ADDRESS                   18000701
  5* 005371.00       002155.10 30                            LV,TMXC,TLIMB            -FIRST LOC AVAL FOR SYM I/O LOC TBL        18000702
  6*                                            -                                                                            18000703
  7* 005371.40       002155.20 30                            LV,TMXG,TLIMB            -PREPARE FOR TABLE ZEROING                 18000704
  8* 005372.00       000011.20 50                            LC,TMXG,$R                                                          18000705
  9* 005372.40       002153.16 90                            KV,TMXF,TBAMCP           -IS THE REEL POOL EXCEEDING BOUNDS         18000706
 10* 005373.00 *     005375.72 42                            BXL,TM1F                 -IF WITHIN PP ALLOWED LIMMITS              18000707
 11* 005373.40       000004.03 01                            LVI,TMX1,4.0             -NOTE THE ERROR- OUTSIDE LIMITS            18000708
 12* 005374.00       002155.40 80  022000.CC FC              CM0C00(BU,18),TMAXRF                                                18000709
 13* 005375.00       005377.10 00                            B,TMREJB                 -AND REJECT JOB                            18000710
 14* 005375.40       000000.22 08               T M1F        Z,0.0(TMXG)              -ZERO THE SLOTS                            18000711
 15* 005376.00       005375.61 48                            CB+,TMXG,TM1F                                                       18000712
 16*                                            -                                                                            18000713
 17* 005376.40       005021.50 00                            B,TM1                    -GET THE FIRST CARD                        18000714
 18*                                            -                                                                            18000715
 19*                                            -  -------------------------------------------------------------------------    18000716
 20*                                            -                  THE DISPATCHER TOLD MOVE TO REJECT NEXT JOB                 18000717
 21*                                            -  -------------------------------------------------------------------------    18000718
 22*                                            -                                                                            18000719
 23*                                            -                                                                            18000720
 24*                                            -                  A SPECIAL REJECT WHENTHE PPRUN INDEX HAS BEEN STEPPED       18000721
 25*                                            -                                                                            18000722
 26* 005377.00       000000.45 82  001000.36 F0  T MREJB     CM1111,TRJECT(TMXA)                                                 18000723
 27* 005400.00       000000.44 82  001000.36 F0              CM1111,TJBPRO(TMXA)      -SET THE JOB PROCESSED BIT ON              18000724
 28* 005401.00       000000.07 05                            V+I,TMXB,0.0             -TO ACTIVATE IX FOR COUNT CHECK            18000725
 29* 005401.40       005414.1C C0                            B,TMREJS                                                            18000726
 30*                                            -                                                                            18000727
 31*                                            -                                                                            18000728
 32* 005402.00       000000.23 01               T MREJ       LVI,TMXEE,0.0                                                       18000729
 33* 005402.40       000000.31 8F  005404.74 02              BB,C.25($15),TMREJ8      -IF NOT OVERLAP                            18000730
 34* 005403.40       003315.04 10                            LX,TMXA,TPPRUN           -GET THE NEXT JOB TO BE RUN                18000731
 35* 005404.00       005405.1C C0                            B,TMREJ7                                                            18000732
 36* 005404.40       003313.04 10               T MREJ8      LX,TMXA,TPPURF           -SET UP FOR NOT OVERLAP                    18000733
 37* 005405.00       000000.C0 82  022027.20 50  T MREJ7     L,TCRREF(TMXA),46        -I/O REQ TABLE ADDRESS                     18000734
 38* 005406.00 *     000000.34 82  010011.C6 70              LF,TUNCT(TMXA),18        -THE NUMBER OF UNITS TO CF                 18000735
 39* 005407.00       000000.44 82  001000.36 F0              CM1111,TJBPRO(TMXA)      -SET THE JOB PROCESSED BIT                 18000736
 40* 005410.00       000000.45 82  005412.74 0C              BZB1,TRJECT(TMXA),TMREJ6 -TEST AND SET THE REJECT BIT               18000737
 41* 005411.00       000011.22 00                            Z,$R                     -CLEAR ACC IF ALREADY REJECTED             18000738
 42* 005411.40       000000.31 8F  005413.74 02              BB,.25($15),TMREJS-.32      -IF BYPASS                              18000739
 43* 005412.40       000002.C5 07               T MREJ6      V+ICR,TMXA,2.0                                                      18000740
 44* 005413.00       003315.05 10                            SX,TMXA,TPPRUN           -ADVANCE AND SAVE FOR NEXT JOB             18000741
 45* 005413.40       000011.06 10                            LX,TMXB,$R                                                          18000742
 46* 005414.00       005444.30 42               T MREJS      BXCZ,TN2                 -IF NO REQ TO ZERO                         18000743
 47* 005414.40       000000.56 83  022027.20 50  T MREJ1     L,TABSCH(TMXB),46        -GET ADDRESS OF CHANNEL                    18000744
 48* 005415.40       005442.34 C2                            BRZ,TMREJ3                                                          18000745
 49* 005416.00       000011.20 30                            LV,TMXG,$R                                                          18000746
 50* 005416.40       000000.33 88  005437.74 0C              BZB,TMULTI(TMXG),TMREJ5  -IF A NON-MULTI CHANNEL                    18000747
 51* 005417.40       002152.C0 80  022027.30 10              -(BU,18),TCHSXW,46       -COMPUTE THE CHANNEL NUMBER                18000748
 52* 005420.40       004771.14 80  007027.20 DC              ST(BU,7),TCAT+.12,46                                                18000749
 53* 005421.40 *     000000.CC 88  022027.20 5C              L,TUNTBA(TMXG),46        -GET UNIT TABLE ADDRESS                    18000750
 54* 005422.40       000011.20 30                            LV,TMXG,$R                                                          18000751
 55* 005423.00       000000.C7 83  003027.20 50              L,TABSUN(TMXB),46        -GET THE UNIT NUMBER                       18000752
 56* 005424.00       000011.2C 80                            V+,TMXG,$R               -ADD TO INITIAL UNIT ADDRESS               18000753
```

IBM

```
LOCATICN          BINARY CUTPUT              NAME       STATEMENT                                          LOCATION    CC5424

005424.40     C04771.57 80  003027.2C DC              ST(BU,3),TCAT+.47,46         -STORE THE UNIT NUMBER ALSO          18000754
005425.4C     000000.34 83  022027.2C 50              L,TFREEL(TMXB),46            -GET THE FIRST REEL ADDRESS          18000755
005426.40     C05437.74 C2                            BRZ,TMREJ5                   -IF NONE                             18000756
005427.00     COCC11.26 30                            LV,TMXGA,$R                                                       18000757
005427.4C     COCCC0.22 C8                            Z,0.C(TMXGA)                 -ZERO THE REEL SLOT                  18000758
005430.CC     C04771.21 02                            LCI,TMXG,TCAT                -SET UP THE UNIT STATUS TABLE        18000759
005430.40     COCCC0.21 58                            SC,TMXG,C.O(TMXG)            -WITH THE DUMMY UNIT AREA TBL ADCR.  18000760
C05431.00     000000.35 88  001000.CC FO              CMOCOO,TUNASG(TMXG)          -AND SET THE UNIT ASSIGNED           18000761
005432.00     COCCC0.40 88  001000.36 FC              CM1111,TCHOWN(TMXG)               -SET UNIT OWNER TO MCP          18000762
005433.CC     COCCC0.65 88  001000.CC FO              CM0000,SIMNT(TMXG)           -TO RESET THE                        18000763
005434.00     COCCC0.63 88  001000.00 FO              CMOCOC,SMCUNT(TMXG)          -MOUNT BITS                          18000764
CC5435.00     C01472.10 00               T IPL5       B,DMCP                       -GO TO THE D FREE ROUTINE            18000765
005435.40 *   000000.CO 80                            ,CFREE                       -AS TO REMOVE THE MCUNTEC TAPES      18000766
005436.CC     00CC03.CC 80                            ,3.                                                               18000767
005436.4C     000000.40 88  001000.CC FO              CM0000,TCHOWN(TMXG)               -RESET UNIT OWNER TO PP         18000768
005437.40     COCCC0.22 03               T MREJ5      Z,0.0(TMXB)                  -ZERO THE I/C REQ SLOT               18000769
00544C.00     COCCC0.76 88  005442.34 06              BBZ,TUNRES(TMXG),TMREJ3                                           18000770
CC5441.00     COCCC0.77 88  001000.CC FO              CMOCOO,TOVRES(TMXG)                                               18000771
005442.00     C000C1.22 83  005443.74 00 T MREJ3      BZB,TLAST+1.0(TMXB),TMREJ4 - TO PREVENT A LOOP                    18000772
005443.00     003372.47 01                            LVI,TMXB,TIOREQ-1                                                 18000773
005443.4C     C05414.47 48               T MREJ4      CB+,TMXB,TMREJ1                                                   18000774
                                         -                                                                              18000775
                                         - ---------------------------------------------------------------------------- 18000776
                                         -                    PREPARE FOR RETURN                                        18000777
                                         - ---------------------------------------------------------------------------- 18000778
                                         -                                                                              18000779
005444.00     C02162.57 30               T N2         SV,TMXF,TMARK                -SAVE THE REEL POOL INDEX            18000780
CC5444.4C     CCC011.C3 30                            SV,TMX1,$R                   -SAVE DISPOSITION                    18000781
005445.CO     C04632.17 80  003036.46 70              LF(BU,3),TERFLG+.15,61       -GET THE IOD CARD ERROR IF ANY       18000782
005446.CC     COCCC0.34 8F  022027.2C DO              ST(BU,18),0.28($15),46                                            18000783
CC5447.CC     COCC21.C0 80  004633.30 EO              SWAPI,12,$1,TSIOXW           -RESTORE INDEXES                     18000784
005450.CC     C000C1.1C CF                            B,1.0C($15)                                                       18000785
```

```
LINE  LOCATION          BINARY OUTPUT                      NAME      STATEMENT                                       LOCATION

  1*                                                       - ------------------------------------------------------------ 18000787
  2*                                                       -        CONVERSION SUBROUTINE                                  18000788
  3*                                                       - ------------------------------------------------------------ 18000789
  4*                                                       -                                                               18000790
  5* 005450.40      000000.30 C0                           T MCONV   NOP                                                   18000791
  6* 005451.00 *    000011.20 80  060600.06 70                       LF(BU,48,6),$R+.16          -EXPAND TO 8 BIT BYTES.   18000792
  7* 005452.00      000011.40 80  040400.12 F0                       SF(BU,32,4),$R+.32          -CONTRACT TO 4-BIT BYTES. 18000793
  8* 005453.00      000011.71 01                                     LVI,LXA,$R+.32                                        18000794
  9* 005453.40      002601.63 80  010020.06 70                       LF(BU,8,8),LBLZCR,32                                  18000795
 10* 005454.40      000000.04 8C  104420.23 10           L CONVA   KF(BU,4,4)(V+I),.4(LXA),32    -IS 4-BIT BYTE 1010.    18000796
 11* 005455.40      005457.37 42                                     BAH,LCONVB                    -   NO----BRANCH        18000797
 12* 005456.00      777777.74 8C  004400.00 F0                       $CMC000(BU,4,4),-.4(LXA)   - YES --- REPLACE BY 0000. 18000798
 13* 005457.00      000000.00 8C  004422.23 10           L CONVB   KF(BU,4,4),0.0(LXA),36        -IS NEXT BYTE 0000.     18000799
 14* 005460.00      005454.76 C4                                     BZAEZ,LCONVA                  -   NO----GO BACK.      18000800
 15* 005460.40      000011.71 0D                                     V-I,LXA,$R+.32                -COMPUTE FIELD LENGTH.  18000801
 16* 005461.00      000034.22 80  006673.46 70                       LF(BU,6,6),LXA+.18,119                                18000802
 17* 005462.00      000010.30 30                                     LV,LXA,$L                                             18000803
 18* 005462.40      000011.40 80  000400.24 30                       LCV(DU,C,4),$R+.32,0.0(LXA)   -CONVERT.               18000804
 19* 005463.40      000000.10 01                                     B,0.0(TMX1)                   -OUT OF ROUTINE.        18000805
 20* 000034.00+     +00000000           BU,100,10        L XA      SYN,TMLXA                                             18000806
 21*                                                                 CNOP                                                  18000807
 22*                                                       -  ADDITIONS MADE TO MAKE ASSIGNMT. COMPATIBLE                   18000808
 23* 005464.00      005464.04 00                           Y BCRD    BD,$        -UNCODE PATH NOT TO BE TAKEN              18000809
 24* 000000.32+     +00000000           BU,01 ,10          STATI     SYN(BU,1),.26                                         18000810
 25* 000000.65+     +00000000           BU,01 ,10          SIMNT     SYN(BU,1),.53                                         18000811
 26* 000000.63+     +00000000           BU,01 ,10          S MCUNT   SYN(BU,1),.51                                         18000812
 27* 000000.00+     +00000000           NULL               C FREE    SYN,0                                                 18000813
 28* 005464.40    000000.00+                               YLCL2     VF                                                    18000814
 29* 005465.00 *  000000.00+                               YLCL1     VF                                                    18000815
 30* 002151.10+     +00000000           BU,02 ,10          SYSMCD    SYN(BU,2),SCOMRG+.8       -TWO BIT OPERATIONG MODE    18000816
 31* 005465.40    017777.00+                               STERMI    VF,ZFINIS                 -THE LAST LOC USED BY MCP   18000817
 32* 017777.00+     +00000000           NULL               Z FINIS   SYN,(8)17777.0                                        18000818
 33* 002153.00+     +00000000           B ,31 ,01          S MAXUB   SYN,S BA MCP             -MAX UB+1 THAT CAN BE USED   18000819
 34* 002151.03+     +00000000           BU,01 ,10          SCCRG     SYN(BU,1),SCOMRG+.3       -TH+ COMPILE GC BITS        18000820
 35*                                                                 CNOP                                                  18000821
 36* 005466.00+     +00000000           NULL               X IN END  SYN,$                                                 18000822
 37*                                                                 UNTAIL,(2)                                            18000823
```

```
LINE  LOCATION          BINARY OUTPUT              NAME      STATEMENT                                                     LOCATION

  1*                                                         IBM 7030 MASTER CONTROL PROGRAM
  2*                                               -         INTERNATIONAL BUSINESS MACHINES CORP.                          AA000002
  3*                                               -         DEPT. 271, BLDG. 705                                           AA000003
  4*                                               -         POUGHKEEPSIE,N.Y.                                              AA000004
  5*                                               -         MARCH 15, 1963                                                 AA000005
  6*                                               -                                                                        AA000006
  7*                                                         PRNS                                                           AA000007
  8*              *                                          PUNFUL                                                         BA000001
  9* 005466.00                                               (CC*)DD(BU,,12),B          HED, REP, 11D11MCP, LOAD,,        *   BA000002
 10* 005476.34 *                                             (CC*)DD(BU,,12),                               11D11MCP*      BA000003
 11* 215000.00                                               SLC,(8)215000. -         80K                                   BA000004
 12*                                                         PUNCRG                                                         BA000005
 13*                                                         PUNID,11D11MCP                                                 BA000006
 14*                                                         RESEQ                                                          BA000007
 15*                                               - ****************************************************************      BA000008
 16*                                                         -*****  CHANNEL-UNIT STATUS TABLE DEFINITIONS  *****-          BA000009
 17*                                               - ****************************************************************      BA000010
 18*                                               -                                                                        BA000011
 19* 000000.00+      +00000000         BU,31 ,10   S UN A A SYN(BU,25), 0.0         -UNIT AREA TABLE FIELD                  BA000012
 20* 000000.00+      +00000000         BU,31 ,10   S UN A   SYN, S UN A A           -UNIT AREA TABLE FIELD                  BA000013
 21* 000000.31+      +00000000         BU,01 ,10   S CH AVL SYN(BU,1),0.25          -CHANNEL AVAILABILITY, CHANNEL STATUS   BA000014
 22* 000000.32+      +00000000         BU,01 ,10   S CH OP  SYN(BU,1), 0.26        -CHAN OPERATING, CHAN STATUS             BA000015
 23* 000000.32+      +00000000         BU,01 ,10   STATI    SYN(BU,1),.26          -TYPE OF TAPE MTED. 0 SCRATCH 1 SPECIF   BA000016
 24* 000000.33+      +00000000         BU,01 ,10   S MULTI  SYN(BU,1), 0.27        -MULTI-UNIT CHAN, CHAN STATUS            BA000017
 25* 000000.33+      +00000000         BU,01 ,10   S DISP O SYN(BU,1),.27          -UST REEL TUPE                           BA000018
 26* 000000.34+      +00000000         BU,01 ,10   S UN AVL SYN(BU,1), 0.28        -UNIT AVAILIBILITY, UNIT STATUS          BA000019
 27* 000000.35+      +00000000         BU,01 ,10   S UN ASG SYN(BU,1), 0.29        -UNIT ASSIGNMENT, UNIT STATUS            BA000020
 28* 000000.36+      +00000000         BU,01 ,10   S UN SUP SYN(BU,1), 0.30        -UNIT SUPPRESSION, UNIT STATUS           BA000021
 29* 000000.37+      +00000000         BU,01 ,10   S SET UP SYN(BU,1), 0.31        -PSEUDO-CP SET-UP, UNIT STATUS           BA000022
 30* 000000.40+      +00000000         BU,01 ,10   S OWNER  SYN(BU,1), 0.32            -PRIORITY LEVEL,  OWNERSHIP          BA000023
 31* 000000.41+      +00000000         BU,01 ,10   S SETDN  SYN(BU,1),0.33              -ORIGINAL DENSITY SET INDICATOR     BA000024
 32* 000000.47+      +00000000         BU,01 ,10   S SEL    SYN(BU,1), 0.39        -SELECT FILE STATUS                      BA000025
 33* 000000.50+      +00000000         BU,01 ,10   S VER    SYN(BU,1), 0.40        -VERIFY FILE STATUS                      BA000026
 34* 000000.56+      +00000000         BU,01 ,10   S SEOP   SYN(BU,1), 0.46         -SUPP END OF CP STATUS                  BA000027
 35* 000000.57+      +00000000         BU,01 ,10   S CNS SG SYN(BU,1), 0.47        -CONSOLE SIGNAL, FILE STATUS             BA000028
 36* 000000.61+      +00000000         BU,01 ,10   S U DENS SYN(BU,1),.49               -CURRENT DENSITY OF UNIT            BA000029
 37* 000000.62+      +00000000         BU,02 ,10   S C MODE SYN(BU,2), 0.50        -CHANNEL MODE                            BA000030
 38* 000000.64+      +00000000         BU,04 ,10   S EQUIP  SYN(BU,4), 0.52        -EQUIPMENT                               BA000031
 39* 000000.70+      +00000000         BU,03 ,10   S UNIT   SYN(BU,3), 0.56        -UNIT (MULTI UNIT CHANNEL ONLY)          BA000032
 40* 000000.73+      +00000000         BU,04 ,10   S UNIT K SYN(BU,4),0.59         -UNIT COUNT(MULTI UNIT CHANNEL ONLY)     BA000033
 41* 000000.62+      +00000000         BU,01 ,10   S ELG    SYN(BU,1), 0.50        -ERASE LONG GAP                          BA000034
 42* 000000.63+      +00000000         BU,01 ,10   S MOUNT  SYN(BU,1), 0.51        -MOUNT TAPE                              BA000035
 43* 000000.64+      +00000000         BU,01 ,10   S REW    SYN(BU,1), 0.52        -REWIND TAPE                             BA000036
 44* 000000.65+      +00000000         BU,01 ,10   S I MNT  SYN(BU,1),.53              -INITIAL MOUNTING OF REEL            BA000037
 45* 000000.71+      +00000000         BU,01 ,10   S RD     SYN(BU,1), 0.57        -READ, OPERATION STATUS                  BA000038
 46* 000000.72+      +00000000         BU,01 ,10   S WR     SYN(BU,1), 0.58        -WRITE, OPERATION STATUS                 BA000039
 47* 000000.73+      +00000000         BU,01 ,10   S SPACE  SYN(BU,1), 0.59         -SPACE FILE STATUS                      BA000040
 48* 000000.74+      +00000000         BU,01 ,10   S CTL    SYN(BU,1),.60               -CONTROL - OPERATION STATUS         BA000041
 49* 000000.75+      +00000000         BU,01 ,10   S REL    SYN(BU,1),.61               -RELEASE - OPERATION STATUS         BA000042
 50* 000000.76+      +00000000         BU,01 ,10   SUNRES   SYN(BU,1),.62      -NOT OVERLAP RESERVED BIT                    BA000043
 51* 000000.77+      +00000000         BU,01 ,10   S OVRES  SYN(BU,1),0.63               -OVERLAPPED RESERVE INDICATOR      BA000044
 52* 000000.40+      +00000000         BU,22 ,10   S ARC AD SYN(BU,18), 0.32        -ARC ADDRESS (DISK)                     BA000045
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION
1*			-	----------	BD000001
2*			-	********** MCP IOD CARDS *********	BD000002
3*			-	----------	BD000003
4*			-		BD000004
5*			- PRCSA SYN, 1.C	-DISK FETCH PRCSA	BD000005
6*			- U NUSE1SYN,2.0	-NCT USED	BD000006
7*			- UNAGN3 SYN,3.0	-RESERVED FOR UNASSIGN	BD000007
8*			- VRTP SYN,4.	-INPUT ROUTINE READ TAPE	BD000008
9*			- VCRD SYN,5.	-INPUT ROUTINE READ CARD	BD000009
10*			- VWTP SYN,6.	-INPUT ROUTINE WRITE TAPE	BD000010
11*			- UNUSE2SYN,7.0	-NCT USED	BD000011
12*			- JCICD SYN,8.0	-COMMAND CONSOLE IOD	BD000012
13*			- UNAGN9SYN,9.0	-RESERVED FOR UNASSIGN	BD000013
14*			- PCDEF2 SYN,10.0	-DEBUGGER CONSOLE IOD	BD000014
15*			- CT11 SYN,11.C	- OUTPUT SPOOL TAPE 1	BD000015
16*			- C T21 SYN,12.C	-OUTPUT SPOOL TAPE 2	BD000016

```
LINE  LOCATION              BINARY OUTPUT           NAME      STATEMENT                                                     LOCATION

  1*                                                 - ***************************************************************  BF000001
  2*                                                          -*****  UNIT AREA TABLE DEFINITIONS  *****-              BF000002
  3*                                                 - ***************************************************************  BF000003
  4*                                                 -                                                                 BF000004
  5* 000000.14+       +00000000       BU,07 ,10   S CHAN N SYN(BU,7),0.12          -CHANNEL NUMBER                     BF000005
  6* 000000.57+       +00000000       BU,03 ,10   S UNIT N SYN(BU,3),0.47          -UNIT NUMBER                        BF000006
  7* 000001.06+       +00000000       BU,14 ,10   S IODK   SYN(BU,12),1.06              -NUMBER OF IOD CARDS FOR UNIT    BF000007
  8* 000001.40+       +00000000       BU,32 ,10   S RMTC   SYN(BU,26),1.32              -REMINDER MESSAGE TIME CONSTANT  BF000008
  9* 000001.76+       +00000000       BU,01 ,10   SUUNAS   SYN(BU,1),1.62          -UNIT ALREADY UNASSIGNED IF EQ 1      BF000009
 10* 000001.77+       +00000000       BU,01 ,10   SRMIND   SYN(BU,1),1.63          -REMINDER MESSAGE INDICATOR           BF000010
 11* 000002.00+       +00000000       BU,23 ,10   S EVL TB SYN(BU,19),2.0 - EVALUATION TABLE BASE ADDRESS                BF000011
 12* 000002.40+       +00000000       BU,23 ,10   S EVL MK SYN(BU,19),2.32 - EVALUATION MASK ADDRESS                     BF000012
 13* 000003.00+       +00000000       BU,22 ,10   S FI AAC SYN(BU,18),3.0          -FILE AREA ACTIVATED ADDRESS          BF000013
 14* 000003.40+       +00000000       BU,22 ,10   S CW ADR SYN(BU,18),3.32         -CONTROL WORD ADDRESS                 BF000014
 15* 000003.74+       +00000000       BU,01 ,10   S RETRY  SYN(BU,1),3.60             -I/O RETRY INDICATOR               BF000015
 16* 000003.75+       +00000000       BU,01 ,10   S REMNT  SYN(BU,1),3.61             -AWAITING CORRECT REEL             BF000016
 17* 000004.00+       +00000000       BU,100,10   S IO INS SYN(BU,64),4.0          -IO INSTR. LAST EXECUTED              BF000017
 18* 000005.00+       +00000000       BU,23 ,10   S RET AD SYN(BU,19),5.0          -RETURN ADDRESS IN MCP                BF000018
 19* 000005.52+       +00000000       BU,10 ,10   S CTL OP SYN(BU,8),5.42              -OCTAL CONTROL OP CODE            BF000019
 20* 000006.00+       +00000000       BU,100,10   S SCR PM SYN(BU,64),6.0          -SCRATCH PAD MEMORY                   BF000020
 21*                                                                           -ENTRIES FOR TAPE ONLY                BF000021
 22* 000007.20+       +00000000       BU,02 ,10   S LAB M  SYN(BU,2),7.16             -MODE SPECIFIED IN LABEL           BF000022
 23* 000007.31+       +00000000       BU,01 ,10   S SYSTM  SYN(BU,1),7.25          -SYSTEM TAPE FLAG                     BF000023
 24* 000007.35+       +00000000       BU,01 ,10   S LAB D  SYN(BU,1),7.29             -DENSITY SPECIFIED IN LABEL        BF000024
 25* 000007.46+       +00000000       BU,14 ,10   S FILE K SYN(BU,12),7.38         -FILE COUNT                           BF000025
 26* 000010.00+       +00000000       BU,22 ,10   SFREEL   SYN(BU,18), 8.0         -FIRST REEL ADDRESS                   BF000026
 27* 000010.71+       +00000000       BU,07 ,10   S REEL K SYN(BU,7), 8.57         -CURRENT REEL COUNT                   BF000027
 28* 000010.40+       +00000000       BU,22 ,10   S C REEL SYN(BU,18),8.32         -CURRENT REEL ADDRESS                 BF000028
```

```
LINE  LOCATION          BINARY OUTPUT             NAME    STATEMENT                          LOCATION

  1*                                             - ************************************************************  BH000001
  2*                                                      -***** FILE AREA TABLE DEFINITIONS *****-              BH000002
  3*                                             - ************************************************************  BH000003
  4*                                             -                                                                BH000004
  5* 000000.40+     +00000000      BU,23 ,10   S ACT AD SYN (BU,19), 0.32      -ACTUATED ADDRESS               BH000005
  6* 000000.00+     +00000000      BU,22 ,10   S IOD RN SYN(BU,18), 0.0        -IOD REFERENCE NUMBER           BH000006
  7* 000001.11+     +00000000      BU,05 ,10   S IO IND SYN (BU,5), 1.09       -IO INDICATORS                  BH000007
  8* 000001.40+     +00000000      BU,23 ,10   S INT AD SYN(BU,19), 1.32       -INTERRUPTED ADDRESS            BH000008
  9* 000001.71+     +00000000      BU,01 ,10   SLWAIL   SYN(BU,1),1.57         -LOOP BIT FOR $WAIT             BH000009
 10*                                           - S REELDSYN(BU,3),2.29         -REEL DISPOSITION               BH000010
 11* 000002.00+     +00000000      BU,22 ,10   S TOE LO SYN (BU,18),2.0        -TABLE OF EXITS LOCATION        BH000011
 12* 000002.33+     +00000000      BU,02 ,10   S F DEN  SYN(BU,2),2.27             -IOD DENSITY*01-HI,11-LO,00-NULL  BH000012
 13* 000002.60+     +00000000      BU,02 ,10   S F MODE SYN(BU,2), 2.48        -FILE MODE                      BH000013
 14* 000003.00+     +00000000      BU,100,10   S CW     SYN(BU,64), 3.0        -CONTROL WORD                   BH000014
 15* 000004.00+     +00000000      BU,100,10   S CCW    SYN (BU,64), 4.0       -COPIED CONTROL WORD            BH000015
 16*                                                    -ENTRIES FOR DISK ONLY                                 BH000016
 17* 000005.00+     +00000000      BU,22 ,10   S OR ARC SYN(BU,18),5.00 - ORIGINAL ARC                         BH000017
 18* 000005.40+     +00000000      BU,22 ,10   S MX ARC SYN(BU,18),5.32 - MAXIMUM ARC                          BH000018
 19* 000006.00+     +00000000      BU,22 ,10   S CU ARC SYN(BU,18),6.00 -CURRENT ARC                           BH000019
```

```
LINE  LOCATION         BINARY OUTPUT                    NAME      STATEMENT                                             LOCATION

  1*                                                    -   *************************************************************   CA000001
  2*                                                    -         ******** THE COMMUNICATION REGION FOR MCP ********        CA000002
  3*                                                    -   *************************************************************   CA000003
  4*                                                    -         THE FOLLOWING UP TO SIPL + 1.0 SHALL NOT BE MODIFIED UNDER ANY   CA000004
  5*                                                    -         CIRCUMSTANCE WITHOUT THE CONSENT OF THE IPL MAINTAINER.........  CA000005
  6* 215000.00   215000.00+                             SMCP      VF,SMCP                        -BASE ADDRESS OF MCP          CA000006
  7**215000.40   000016.00+                             S COMSZ   VF,SENDCM-SMCP           -SIZE OF COMMUNICATION REGION       CA000007
  8* 215001.00   520000.00+ 000 000000 000000           SCOMRG    XW,(8)520000.                                               CA000008
  9*                                                    -         19 BITS DEFINED FOR SCOMRG ARE BELOW.                       CA000009
 10* 215001.00+     +00000000           BU,01 ,10       S E       SYN(BU,1), S COM RG                                         CA000010
 11* 215001.01+     +00000000           BU,01 ,10       S HS ECH  SYN(BU,1),S COM RG+.1   -HS ECH OPERATION BIT               CA000011
 12* 215001.02+     +00000000           BU,01 ,10       S CNF CG  SYN(BU,1),S COMRG+.2           -CONFIGURATION CHANGE FLAG    CA000012
 13* 215001.03+     +00000000           BU,01 ,10       S CORG    SYN(BU,1), S COM RG + 0.03 -COMPILE OR GO BIT               CA000013
 14* 215001.04+     +00000000           BU,01 ,10       S L       SYN(BU,1), S COM RG + 0.04 -LEVEL OF INSTRUCTION COUNTER    CA000014
 15* 215001.05+     +00000000           BU,01 ,10       S M       SYN(BU,1),S COM RG+0.05        -LEVEL OF INTERRUPT          CA000015
 16* 215001.06+     +00000000           BU,01 ,10       S P INCL  SYN(BU,1),S COMRG+.6                                        CA000016
 17* 215001.07+     +00000000           BU,01 ,10       S CS INT  SYN(BU,1),S COM RG.7                                        CA000017
 18* 215001.10+     +00000000           BU,02 ,10       SYSMOD    SYN(BU,2),SCOMRG+.8      -TWO-BIT OPERATING MODE            CA000018
 19* 215001.12+     +00000000           BU,01 ,10       S TRAN B  SYN(BU,1),S COM RG+.10                                      CA000019
 20* 215001.13+     +00000000           BU,01 ,10       SSPFIX    SYN(BU,1),SCOMRG+.11         -ON IF PP IN SPECIAL FIXUP     CA000020
 21* 215001.14+     +00000000           BU,01 ,10       STSBIT    SYN(BU,1),SCOMRG+.12         -ON IF TS STACKED FOR PP       CA000021
 22* 215001.15+     +00000000           BU,01 ,10       SPPBT1    SYN(BU,1),SCOMRG+.13     -3BITS FOR TRANSITION COMMANDS     CA000022
 23* 215001.16+     +00000000           BU,01 ,10       SPPBT2    SYN(BU,1),SCOMRG+.14                                        CA000023
 24* 215001.17+     +00000000           BU,01 ,10       SPPBT3    SYN(BU,1),SCOMRG+.15                                        CA000024
 25* 215001.20+     +00000000           BU,01 ,10       SJ1FUL    SYN(BU,1),SCOMRG.16      -EQUALS ONE WHEN JC1 TABLES ARE FULL CA000025
 26* 215001.21+     +00000000           BU,01 ,10       SLOCSU    SYN(BU,1),SCOMRG.17      -ON WHEN DISK IN SETUP             CA000026
 27* 215001.22+     +00000000           BU,01 ,10       S JBUSY   SYN(BU,1),SCOMRG.18                                         CA000027
 28* 215002.00   000000.00+ 000 000000 000000            SXCHAN   XW,C                     -BASE ADDRESS OF CHANNEL STATUS TBLE. CA000028
 29* 215002.34+     +00000000           BU,22 ,10       S CHAN K  SYN(BU,18),S X CHAN+.28        -NUMBER OF CHANNELS CONNECTED CA000029
 30* 215002.00+     +00000000           BU,100,10       S CHANS   SYN,SXCHAN                                                  CA000030
 31* 215003.00   215000.00+                             SBAMCP    VF,SMCP                                                     CA000031
 32* 215003.40   000004.00+                             SRTAPE    VF,VRTP                                                     CA000032
 33* 215004.00   000006.00+                             SWTAPE    VF,VWTP                                                     CA000033
 34* 215004.40   000005.00+                             S READR   VF,VCRD                     -INPUT SPOOL READER REF NO.     CA000034
 35* 215005.00   000000.00+                             S BAPP    VF,C                     -BASE ADDRESS OF THE PP I/O LOC TBL CA000035
 36* 215005.40   000000.00+                             S MAXRN   VF,C                     -THE MAX. REF. NUMBER FOR A PP     CA000036
 37* 215006.00   000023.40+                             S YCOCH   VF,(8)23.40              -CONSOLE CHANNEL NUMBER            CA000037
 38* 215006.40   000022.40+                             S YPRCH   VF,(8)22.40              -PRINTER CHANNEL NUMBER            CA000038
 39* 215007.00   000000.00+                             S DKMCP   VF,0                     -MCP RESET TRACK FOR DISK          CA000039
 40* 215007.40   000000.00+                             S SYRFT   VF,0                     -VARIABLE POINTER FOR PP DISK ASSIGN CA000040
 41* 215010.00   215570.00+                             S PR IN   VF,SPRIME                -ENTRY TO THE PRIME ROUTINE        CA000041
 42* 215010.40   215571.00+                             S PROUT   VF,SPRIMR                -SAVED ADDRESS OF JOES PRIME ROUTINE CA000042
 43* 215011.00     217452.04 00                         SIFDMP    BD,SDISIC+.32                                               CA000043
 44* 215011.40   000000.00+                             S REJJB   VF,C                     -THE NUMBER OF JOBS TO REJECT      CA000044
 45* 215012.00   000000.00+                             S ROOF    VF,0                                                        CA000045
 46* 215012.40   000000.00+                             S MARK    VF                       -THE NEXT VACANT REEL SLOT FOR PP  CA000046
 47* 215013.00   215023.00+                             S IA      VF,SIT                   -INTERRUPT TABLE ADDRESS           CA000047
 48* 215013.40 *   000000.30 00                                   CNOP                                                        CA000048
 49* 215014.00                                          S DATE    (AX)DD(BU),03/15/63X   - FOR DATE OF IPL TAPE TO SPOOL      CA000049
 50* 215015.00                                          STODAY    (AX)DD(BU),  /  /63X   -FOR DATE OF JOBS ON SPOOL TAPE      CA000050
 51* 215016.00+     +00000000           NULL            S ENDCM   SYN,$                    -END OF COMMUNICATION REGION       CA000051
 52*                                                              -IPL TENTACLE TABLE                                         CA000052
 53* 215016.00     020000.00 00  000000.00 00           S IPL IN  INDMK,4               -USERBIT MCP                          CA000053
 54* 215017.00             0000000000000000000000                 DD(BU),C                                                    CA000054
 55* 215020.00   000042.00+                             SJCTWS    VF,(8)42.C               - TWS FOR JC                       CA000055
 56* 215020.40   236464.00+                             STERMI    VF,ZFINIS                -LAST MCP SLOT                     CA000056
```

```
LINE  LOCATION          BINARY OUTPUT            NAME     STATEMENT                                                     LOCATION

  1*                                           -                                                                          CB000001
  2*                                           - ******************************************************************     CB000002
  3*                                           -            ******** MCP PSEUDO OPS ********                               CB000003
  4*                                           - ******************************************************************     CB000004
  5*                                           -                                                                          CB000005
  6* 215020.71 *                                          SLC,$                                                           CB000006
  7* 000001.00+     +00000000       NULL       D RD       SYN,1.0                                                         CB000007
  8* 000001.01+     +00000000       NULL       D RD S     SYN,1.01                                                        CB000008
  9* 000001.40+     +00000000       NULL       D W        SYN,1.32                                                        CB000009
 10* 000001.41+     +00000000       NULL       D W S      SYN,1.33                                                        CB000010
 11* 000002.00+     +00000000       NULL       D CCW      SYN,2.0                                                         CB000011
 12* 000002.40+     +00000000       NULL       D REL      SYN,2.32                                                        CB000012
 13*                                           - D RELS   SYN,2.33                                                        CB000013
 14* 000003.00+     +00000000       NULL       D LOC      SYN,3.0                                                         CB000014
 15* 000003.01+     +00000000       NULL       D LOC S    SYN,3.01                                                        CB000015
 16*                                           - D FC     SYN,3.32                                                        CB000016
 17*                                           - D FCS    SYN,3.33                                                        CB000017
 18*                                           - D TIF    SYN,4.0                                                         CB000018
 19*                                           - D TIFS   SYN,4.01                                                        CB000019
 20*                                           - D TIN    SYN,4.32                                                        CB000020
 21*                                           - D TINS   SYN,4.33                                                        CB000021
 22*                                           - D ERG    SYN,5.0                                                         CB000022
 23* 000005.01+     +00000000       NULL       D ERG S    SYN,5.01                                                        CB000023
 24* 000005.40+     +00000000       NULL       D SP       SYN,5.32                                                        CB000024
 25*                                           - D SPS    SYN,5.33                                                        CB000025
 26* 000006.00+     +00000000       NULL       D BSP      SYN,6.0                                                         CB000026
 27*                                           - D BSPS   SYN,6.01                                                        CB000027
 28* 000006.40+     +00000000       NULL       D SPFL     SYN,6.32                                                        CB000028
 29*                                           - DSPFLS   SYN,6.33                                                        CB000029
 30* 000007.00+     +00000000       NULL       D BSFL     SYN,7.0                                                         CB000030
 31*                                           - D BSFLSSYN,7.01                                                          CB000031
 32* 000007.40+     +00000000       NULL       D WEF      SYN,7.32                                                        CB000032
 33*                                           - DWEFS    SYN,7.33                                                        CB000033
 34* 000010.00+     +00000000       NULL       D REW      SYN,8.0                                                         CB000034
 35*                                           - D REWS   SYN,8.01                                                        CB000035
 36* 000010.40+     +00000000       NULL       D UNLD     SYN,8.32                                                        CB000036
 37*                                           - DUNLDS   SYN,8.33                                                        CB000037
 38*                                           - D RLF    SYN,9.0                                                         CB000038
 39* 000011.01+     +00000000       NULL       D RLF S    SYN,9.01                                                        CB000039
 40*                                           - D RLN    SYN,9.32                                                        CB000040
 41* 000011.41+     +00000000       NULL       D RLN S    SYN,9.33                                                        CB000041
 42* 000012.00+     +00000000       NULL       D KLN      SYN,10.0                                                        CB000042
 43* 000012.01+     +00000000       NULL       D KLN S    SYN,10.01                                                       CB000043
 44* 000012.40+     +00000000       NULL       D FREE     SYN,10.32                                                       CB000044
 45*                                           - D GONG   SYN,11.0                                                        CB000045
 46*                                           - D GONGSSYN,11.01                                                         CB000046
 47* 000013.40+     +00000000       NULL       D WAIT     SYN,11.32                                                       CB000047
 48* 000014.00+     +00000000       NULL       D CHEX     SYN,12.0                                                        CB000048
```

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 000014	
1*	000014.40+	+00000000	NULL	S FREE	SYN,12.32		CB000050
2*	000015.00+	+00000000	NULL	DIODEF	SYN,13.0		CB000051
3*				-DHD	SYN,14.0		CB000052
4*				-DHDS	SYN,14.01		CB000053
5*				-DLD	SYN,14.32		CB000054
6*				-DLDS	SYN,14.33		CB000055
7*				-DEVEN	SYN,15.0		CB000056
8*				-DEVENS	SYN,15.01		CB000057
9*				-DODD	SYN,15.32		CB000058
10*				-DODDS	SYN,15.33		CB000059
11*				-DECC	SYN,16.0		CB000060
12*				-DECCS	SYN,16.01		CB000061
13*				-DNOECC	SYN,16.32		CB000062
14*				-DNOECCS	SYN,16.33		CB000063
15*	000040.00+	+00000000	NULL	D SIO	SYN,32.0		CB000064
16*	000040.40+	+00000000	NULL	D RIO	SYN,32.32		CB000065
17*	000041.00+	+00000000	NULL	D RET	SYN,33.0		CB000066
18*	000041.00+	+00000000	NULL	S D RET	SYN,D RET		CB000067
19*				- D RAM	SYN,33.32		CB000068
20*				- DSTRG	SYN,34.0		CB000069
21*				- D FECRG	SYN,34.32		CB000070
22*	000043.00+	+00000000	NULL	D TIME	SYN,35.0		CB000071
23*	000043.40+	+00000000	NULL	D CCMM	SYN,35.32		CB000072
24*	000044.00+	+00000000	NULL	DSIT	SYN,36.0		CB000073
25*				-DFIXUP	SYN,36.32		CB000074
26*				-DSTLR	SYN,37.0		CB000075
27*				-DFELR	SYN,37.32		CB000076
28*				-			CB000077
29*				-	******** PSEUDO-OPS WITH TENTACLES *******		CB000078
30*				-			CB000079
31*	000100.00+	+00000000	NULL	D DUMP	SYN,64.0		CB000080
32*				- D EDUMP	SYN,64.32		CB000081
33*	000101.00+	+00000000	NULL	D EOJ	SYN,65.0		CB000082
34*	000101.40+	+00000000	NULL	D HOLD	SYN,65.32		CB000083
35*	000102.00+	+00000000	NULL	DRESLD	SYN,66.0		CB000084
36*	000102.40+	+00000000	NULL	D FETCH	SYN,66.32		CB000085
37*				- D SPU	SYN,67.0		CB000086
38*	000103.40+	+00000000	NULL	D SPR	SYN,67.32		CB000087
39*	000104.00+	+00000000	NULL	D ABEOJ	SYN,68.0		CB000088
40*	000104.40+	+00000000	NULL	D SCR	SYN,68.32		CB000089
41*				-			CB000090
42*				-	******** RESERVED FOR FUTURE MCP USE ********		CB000091
43*				-			CB000092
44*					$SYN,69.0		CB000093
45*					$SYN,69.32		CB000094
46*					$SYN,70.0		CB000095
47*					$SYN,70.32		CB000096
48*					$SYN,71.0		CB000097
49*					$SYN,71.32		CB000098
50*					$SYN,72.0		CB000099
51*					$SYN,72.32		CB000100
52*					$SYN,73.0		CB000101
53*					$SYN,73.32		CB000102
54*				-			CB000103
55*				-	******** RESERVED FOR INSTALLATION PSEUDO OPS ********		CB000104
56*				-			CB000105

```
LINE  LOCATION          BINARY OUTPUT            NAME       STATEMENT                                   LOCATION

  1*                                                        $SYN,74.0                                   CB000106
  2*                                                        $SYN,74.32      -UNCONDITIONA $SCR RESLD - TEMPORARY  CB000107
  3*                                                        $SYN,75.0                                   CB000108
  4*                                                        $SYN,75.32                                  CB000109
  5*                                                        $SYN,76.0                                   CB000110
  6*                                               -        ******** SPECIAL MCP PSEUDO OPS ********    CB000111
  7*                                               -                                                    CB000112
  8*  000114.40+   +00000000      NULL             SJC1     SYN,76.32            -JOB CONTROL PHASE ONE CB000113
  9*  000115.00+   +00000000      NULL             SOUTPT   SYN,77.0             -OUTPUT TAPE SWITCH    CB000114
 10*  000115.40+   +00000000      NULL             SSPECJ   SYN,77.32            -OUTPUT EOJ            CB000115
 11*  000116.00+   +00000000      NULL             SDDT     SYN,78.0             -DEBUGGER              CB000116
 12*  000116.40+   +00000000      NULL             SJC4     SYN,78.32            -IPL ENTRY TO JC4      CB000117
 13*  000117.00+   +00000000      NULL             SSCR4    SYN,79.0             -$SCR+N.32,N=10.0 1ST CARD REQ.  CB000118
 14*  000117.40+   +00000000      NULL             SKCM     SYN,79.32            -INPUT COMMANDS        CB000119
 15*  000120.00+   +00000000      NULL             SCCMD    SYN,80.0             -SYSTEM COMMANDS       CB000120
 16*  000120.40+   +00000000      NULL             SLOG4    SYN,80.32            -LOGGER 4              CB000121
 17*  000121.00+   +00000000      NULL             SLOG2    SYN,81.0             -LOGGER 2              CB000122
 18*  000121.40+   +00000000      NULL             SLOG1    SYN,81.32            -LOGGER 1              CB000123
 19*                                               -                                                    CB000124
 20*                                               -        ******** INPUT COMMAND PARAMETERS********   CB000125
 21*                                               -                                                    CB000126
 22*                                               - S ONL  SYN,0            -ON-LINE                   CB000127
 23*                                               - S OFF  SYN,.32          -OFFLINE                   CB000128
 24*                                               - S EOF  SYN,1.0          -END OF FILES              CB000129
 25*                                               - S EJSCNSYN,1.32         -EOJ SCAN                  CB000130
 26*                                               - S BYP  SYN,2.0          -BYPASS                    CB000131
 27*                                               - S REW  SYN,2.32         -REWIND                    CB000132
 28*                                               - S CR1  SYN,3.0          -JC1 CARD REQUEST          CB000133
 29*                                               - S CAN  SYN,3.32         -PHASE ONE SCAN            CB000134
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION
1*			-	**********	CC000001
2*				-***** EXIT CODES TO ERROR ROUTINE *****	CC000002
3*			-	**********	CC000003
4*	01CCC1.CC+	+0CCCCCCC	NULL	SIFERR SYN,(16)1C01.C - 1 ILLEGAL IF INTERRUPT	CC000004
5*	01CCC2.CC+	+0CCCCCCC	NULL	SCPCI SYN,(16)1C02.C - 2 PSEUDO CP CODE INVALID	CC000005
6*	01CCC3.CC+	+0CCCCCCC	NULL	SCHNAV SYN,(16)1C03.C - 3 CHANNEL NOT AVAILABLE	CC000006
7*	01CCC3.CC+	+0CCCCCCC	NULL	SUNNAV SYN,SCHNAV - 3 UNIT NOT AVAILABLE	CC000007
8*	01CCC4.CC+	+0CCCCCCC	NULL	SICCI SYN,(16)1C04.C - 4 PHONY ICD	CC000008
9*	01CCC4.CC+	+0CCCCCCC	NULL	SUNNAS SYN,SICCI - 4 UNIT NOT ASSIGNED	CC000009
10*	01CCC5.CC+	+0CCCCCCC	NULL	SPPTNG SYN,(16)1C05.C - 5 ILLEGAL PP T.O.E. ON ICC CARD	CC000010
11*	01CCC6.CC+	+0CCCCCCC	NULL	S2BIG SYN,(16)1C06.C - 6 REQUEST FOR TOO MANY SCRATCH TAPES	CC000011
12*	01CCC7.CC+	+0CCCCCCC	NULL	SCWINV SYN,(16)1C07.C - 7 CW INVALID	CC000012
13*	01C01C.CC+	+0CCCCCCC	NULL	SCCWAD SYN,(16)1C08.C - 8 CW ADDRESS INVALID	CC000013
14*	01C011.CC+	+0CCCCCCC	NULL	SFCRBD SYN,(16)1C09.C - 9 COMMUNICATION WITH PROTECTED AREA	CC000014
15*	00C412.CC+	+0CCCCCCC	NULL	SFORMT SYN,(16)C10A.C -10 DUMP FORMAT INVALID	CC000015
16*	00C401.CC+	+0CCCCCCC	NULL	SNXOUT SYN,(16)C101.C -11 GOOF IN CHEX	CC000016
17*	00C402.CC+	+0CCCCCCC	NULL	SUSUPP SYN,(16)C102.C -12 UNIT SUPPRESSED	CC000017
18*	00C403.CC+	+0CCCCCCC	NULL	STMMI SYN,(16)C103.C -13 50 MASKABLE INTERRUPTS	CC000018
19*	00C404.CC+	+0CCCCCCC	NULL	SCAUD SYN,(16)C104.C -14 OP,AD,USA OR DS	CC000019
20*	00C405.CC+	+0CCCCCCC	NULL	SLABNG SYN,(16)C105.C -15 BAD LABEL	CC000020
21*	00C406.CC+	+0CCCCCCC	NULL	SBR40 SYN,(16)C106.C -16 SUCCESSFUL B,$MCP	CC000021
22*	00C407.CC+	+0CCCCCCC	NULL	SPTOEX SYN,(16)C107.C -17 BAD PTOE ADDRESS	CC000022
23*	00C410.CC+	+0CCCCCCC	NULL	SCCMER SYN,(16)C108.C -18 ILLEGAL $CCMM FWA	CC000023
24*	00C411.CC+	+0CCCCCCC	NULL	S FIXP SYN,(16)C109.C -19 ILLEGAL FIXUP WD FOR $FIXUP	CC000024
25*	001012.CC+	+0CCCCCCC	NULL	SERCOD SYN,(16)020A.C -2C PP BUFFER OUT OF BOUNDS FOR $STLR/$FHLR	CC000025
26*			-		CC000026
27*			-	***** ERRORS IN MCP CNLY *****	CC000027
28*			-		CC000028
29*	003405.CC+	+0CCCCCCC	NULL	SICERR SYN,(16)C705.C -75 MCP SETUP I/C ERROR	CC000029
30*	003406.CC+	+0CCCCCCC	NULL	SREJ SYN,(16)C706.C -76 I/O OPERATION REJECTED	CC000030
31*	003407.CC+	+0CCCCCCC	NULL	SQERR SYN,(16)C707.C -77 FILE NOT STACKED IN INT. QUE	CC000031
32*	00341C.CC+	+0CCCCCCC	NULL	SQ2BIG SYN,(16)C708.C -78 INTERRUPT QUE TOO SMALL	CC000032
33*	003411.CC+	+0CCCCCCC	NULL	SPQFUL SYN,(16)C709.C -79 PRIME QUE TOO SMALL	CC000033
34*	004012.CC+	+0CCCCCCC	NULL	SIFAS SYN,(16)C80A.C -8C MCP ERROR WHILE AUTO STACKED	CC000034
35*	004C01.CC+	+0CCCCCCC	NULL	SEPGK SYN,(16)C801.C -81 MCP EPGK	CC000035
36*	004C02.CC+	+0CCCCCCC	NULL	S ASNER SYN,(16)C802.C -82 SPECIAL ASSIGNMENT ERROR	CC000036

```
LINE  LOCATION       BINARY OUTPUT            NAME       STATEMENT                                 LOCATION

  1*                                          - ********************************************************  CD000001
  2*                                                - *** MISCELLANEOUS SYSTEM SYMBOLS ***               CD000002
  3*                                          - ********************************************************  CD000003
  4*                                          -                                                          CD000004
  5* 000040.00+    +00000000      NULL        D MCP    SYN,32.0                                          CD000005
  6* 000000.00+    +00000000      BU,30 ,10   S INST D SYN(BU,24),0.0        -INSTALLATION DENSITY - HIGH  CD000006
  7* 000002.00+    +00000000      BU,30 ,10   S INSTM  SYN(BU,24),2.0     -INSTALLATION MODE-NECC EVEN     CD000007
  8* 000000.00+    +00000000      BU,01 ,10   S TD DEN SYN(BU,1),0          -STANDARD DENSITY * 1-LOW, 0-HIGH CD000008
  9* 000003.00+    +00000000      BU,30 ,10   STDMOD   SYN(BU,24),3.0         -STANDARD MODE  NECC,ODD     CD000009
 10* 000000.00+    +00000000      BU,07 ,10   S DD     SYN(BU,7),0            -DISK DENSITY * 0-LOW, 1-HIGH CD000010
 11* 000000.33+    +00000000      BU,01 ,10   SYSTAP   SYN(BU,1),.27       -SYSTEM TAPE                     CD000011
 12* 000000.32+    +00000000      BU,01 ,10   S FP     SYN(BU,1),.26       -FILE PROTECT                    CD000012
```

IBM

```
LINE  LOCATION       BINARY OUTPUT              NAME     STATEMENT                                    LOCATION

  1*                                         -  ***********************************************************************  DA000001
  2*                                         -  *********PROGRAM STATUS TABLE**********                                  DA000002
  3*                                         -  ***********************************************************************  DA000003
  4*                                         -                                                                           DA000004
  5*  215020.71                                             SLC,$                                                       DA000005
  6*                                                        CNOP                                                        DA000006
  7*  215021.00     000002.00                   S PROG S  DRZ(BU,64), 2        -PROGRAM STATUS TABLE                  DA000007
  8*  000000.31+    +00000000      BU,01 ,10    S A S     SYN(BU,1),.25        -AUTO STACK STATUS INDICATOR           DA000008
  9*  000000.40+    +00000000      BU,22 ,10    S Q K     SYN(BU,18),.32                                              DA000009
 10*  000000.75+    +00000000      BU,01 ,10    S SIO     SYN(BU,1),.61      -SUPPRESSED MODE STATUS INDICATOR        DA000010
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION
1*			-	**********	DB000001
2*			-	*********INTERRUPT TABLE**********	DB000002
3*			-	**********	DB000003
4*			-		DB000004
5*	215023.C0 *			SLC,$	DB000005
6*				CNOP	DB000006
7*	215023.00	216411.40 80	SIT	SIC,YMFIC	DB000007
8*	215023.40	216374.04 C0		BD,YFXMK	DB000008
9*	215024.00	216411.40 80		SIC,YMFIC	DB000009
10*	215024.40	216376.04 C0		BD,YFXIK	DB000010
11*	215025.00	216411.40 80		SIC,YMFIC	DB000011
12*	215025.40	216400.04 C0		BD,YFXIJ	DB000012
13*	215026.00	216411.40 80		SIC,YMFIC	DB000013
14*	215026.40	216402.04 00		BD,YFXEK	DB000014
15*	215027.00	215265.C0 80		SIC,STIC	DB000015
16*	215027.40	215107.04 C0		BD,SIPT+4.0 - TIME SIGNAL INTERRUPT	DB000015
17*	215030.00	216411.40 80		SIC,YMFIC	DB000016
18*	215030.40	216404.04 C0		BD,YFXCPU	DB000017
19*	215031.00	216604.C0 80		SIC,YSFIC	DB000018
20*	215031.40	216430.04 C0		BD,YFXEKJ	DB000019
21*	215032.00	216604.C0 80		SIC,YSFIC	DB000020
22*	215032.40	216432.04 C0		BD,YFXUNR	DB000021
23*	215033.00	216604.C0 80		SIC,YSFIC	DB000022
24*	215033.40	216434.04 C0		BD,YFXCBJ	DB000023
25*	215034.00	215265.C0 80		SIC,S T IC	DB000024
26*	215034.40	215114.04 00		BD,S IPT+9.0 -EPGK INTERRUPT	DB000024
27*	215035.00	215265.C0 80		SIC,S T IC	DB000025
28*	215035.40	215115.04 00		BD,S IPT+10.0 -UK INTERRUPT	DB000025
29*	215036.C0 *	215265.C0 80		SIC,S T IC	DB000026
30*	215036.40	215116.04 C0		BD,S IPT+11.0 -EE INTERRUPT	DB000026
31*	215037.00	215265.C0 80		SIC,S T IC	DB000027
32*	215037.40	215117.04 00		BD,S IPT+12.0 -ECP INTERRUPT	DB000027
33*	215040.00	215265.00 80		SIC,S T IC	DB000028
34*	215040.40	215120.04 C0		BD,S IPT+13.0 -CS INTERRUPT	DB000028
35*	215041.00	000000.30 C0		NOP	DB000029
36*	215041.40	000000.30 C0		NOP	DB000029
37*	215042.00	216604.C0 80		SIC,YSFIC	DB000030
38*	215042.40	216436.04 C0		BD,YFXCP	DB000031
39*	215043.00	216604.C0 80		SIC,YSFIC	DB000032
40*	215043.40	216440.04 C0		BD,YFXAD	DB000033
41*	215044.00	216604.C0 80		SIC,YSFIC	DB000034
42*	215044.40	216442.04 C0		BD,YFXUSA	DB000035
43*	215045.00	215265.C0 80		SIC,ST IC	DB000036
44*	215045.40	215125.04 00		BD,SIPT+18.	DB000036
45*	215046.00	216604.C0 80		SIC,YSFIC	DB000037
46*	215046.40	216444.04 C0		BD,YFXDS	DB000038
47*	215047.00	215265.C0 80		SIC,ST IC	DB000039
48*	215047.40	215127.04 00		BD,SIPT+20.	DB000039

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 215050	
1*	215050.00 *			SLC,S IT+21.0	-TO PLACE IF INTERRUPT INSTRUCTION IN	DB000041
2*	215050.00	215265.00 80		SIC,S TIC		DB000042
3*	215050.40	215471.04 00		BD,S IFA E	-IFA INTERRUPT INSTRUCTION	DB000042
4*	215051.00 *			SLC, S IT+22.		DB000043
5*	215051.00	215265.00 80		SIC,ST IC		DB000044
6*	215051.40	215131.04 00		BD,SIPT+22.		DB000044
7*	215052.00	215265.00 80		SIC,ST IC		DB000045
8*	215052.40	215132.04 00		BD,SIPT+23.		DB000045
9*	215053.00	215265.00 80		SIC,ST IC		DB000046
10*	215053.40	215133.04 00		BD,SIPT+24.		DB000046
11*	215054.00	215265.00 80		SIC,ST IC		DB000047
12*	215054.40	215134.04 00		BD,SIPT+25.		DB000047
13*	215055.00	215265.00 80		SIC,ST IC		DB000048
14*	215055.40	215135.04 00		BD,SIPT+26.		DB000048
15*	215056.00	215265.00 80		SIC,ST IC		DB000049
16*	215056.40	215136.04 00		BD,SIPT+27.		DB000049
17*	215057.00	215265.00 80		SIC,ST IC		DB000050
18*	215057.40	215137.04 00		BD,SIPT+28.		DB000050
19*	215060.00	215265.00 80		SIC,STIC		DB000051
20*	215060.40	215140.04 00		BD,SIPT+29.0		DB000051
21*	215061.00	215265.00 80		SIC,STIC		DB000052
22*	215061.40	215141.04 00		BD,SIPT+30.0		DB000052
23*	215062.00	215265.00 80		SIC,STIC		DB000053
24*	215062.40	215142.04 00		BD,SIPT+31.0		DB000053
25*	215063.00	215265.00 80		SIC,STIC		DB000054
26*	215063.40	215143.04 00		BD,SIPT+32.0		DB000054
27*	215064.00 *	215265.00 80		SIC,ST IC		DB000055
28*	215064.40	215144.04 00		BD,SIPT+33.		DB000055
29*	215065.00	215265.00 80		SIC,ST IC		DB000056
30*	215065.40	215145.04 00		BD,SIPT+34.		DB000056
31*	215066.00	215265.00 80		SIC,ST IC		DB000057
32*	215066.40	215146.04 00		BD,SIPT+35.		DB000057
33*	215067.00	215265.00 80		SIC,ST IC		DB000058
34*	215067.40	215147.04 00		BD,SIPT+36.		DB000058
35*	215070.00	215265.00 80		SIC,ST IC		DB000059
36*	215070.40	215150.04 00		BD,SIPT+37.		DB000059
37*	215071.00	215265.00 80		SIC,ST IC		DB000060
38*	215071.40	215151.04 00		BD,SIPT+38.		DB000060
39*	215072.00	215265.00 80		SIC,ST IC		DB000061
40*	215072.40	215152.04 00		BD,SIPT+39.		DB000061
41*	215073.00	215265.00 80		SIC,ST IC		DB000062
42*	215073.40	215153.04 00		BD,SIPT+40.		DB000062
43*	215074.00	215265.00 80		SIC,ST IC		DB000063
44*	215074.40	215154.04 00		BD,SIPT+41.		DB000063
45*	215075.00	215265.00 80		SIC,ST IC		DB000064
46*	215075.40	215155.04 00		BD,SIPT+42.		DB000064
47*	215076.00	215265.00 80		SIC,ST IC		DB000065
48*	215076.40	215156.04 00		BD,SIPT+43.		DB000065
49*	215077.00	215265.00 80		SIC,ST IC		DB000066
50*	215077.40 *	215157.04 00		BD,SIPT+44.		DB000066

```
 LINE   LOCATION            BINARY OUTPUT                NAME     STATEMENT                                  LOCATION    215100

   1* 215100.00       215265.00 80                            SIC,ST IC                                                          DB000068
   2* 215100.40       215160.04 00                             BD,SIPT+45.                                                       DB000068
   3* 215101.00       215265.00 80                            SIC,ST IC                                                          DB000069
   4* 215101.40       215161.04 00                             BD,SIPT+46.                                                       DB000069
   5* 215102.00       215265.00 80                            SIC,ST IC                                                          DB000070
   6* 215102.40       215162.04 00                             BD,SIPT+47.                                                       DB000070
   7* 215103.00       215103.20 00                   S IPT    BEW,$                   -BASE ADDRESS OF PARALLEL INTERRUPT T      DB000071
   8* 215107.00 *                                             SLC,SIPT+4.0                                                       DB000072
   9* 215107.00       216371.40 80                            SIC,SINTC                                                          DB000073
  10* 215107.40       216604.50 00                              B,JWLODE    -SPECIAL ROUTINE FOR TS                              DB000073
  11* 215114.00 *                                             SLC,S IPT+9.0            -PARALLEL IO INTERRUPT SLOTS              DB000074
  12* 215114.00       215226.11 80  215710.34 00              BZB1,S PS IOI+.9 ,K STORE -EPGK PARALLEL INTERRUPT                 DB000075
  13* 215115.00       215226.12 80  215710.34 00              BZB1,S PS IOI+.10,K STORE -UK PARALLEL INTERRUPT                   DB000076
  14* 215116.00       215226.13 80  215710.34 00              BZB1,S PS IOI+.11,K STORE -EE PARALLEL INTERRUPT                   DB000077
  15* 215117.00       215226.14 80  215710.34 00              BZB1,S PS IOI+.12,K STORE -EOP PARALLEL INTERRUPT                  DB000078
  16* 215120.00       215226.15 80  215710.34 00              BZB1,S PS IOI+.13,K STORE - CS PARALLEL INTERRUPT                  DB000079
  17* 215125.00 *                                             SLC,S IPT+18.0                                                     DB000080
  18* 215125.00       216371.40 80                            SIC,WINTOR                                                         DB000081
  19* 215125.40       216333.10 00                              B,W LODE     -                                                   DB000081
  20* 215127.00 *                                             SLC,S IPT+20.0                                                     DB000082
  21* 215127.00       216371.40 80                            SIC,WINTOR                                                         DB000083
  22* 215127.40       216333.10 00                              B,W LODE     -                                                   DB000083
  23* 215131.00 *                                             SLC,S IPT+22.0                                                     DB000084
  24* 215131.00       216371.40 80                            SIC,WINTOR                                                         DB000085
  25* 215131.40       216333.10 00                              B,W LODE     -                                                   DB000085
  26* 215132.00       216371.40 80                            SIC,WINTOR                                                         DB000086
  27* 215132.40       216333.10 00                              B,W LODE     -                                                   DB000086
  28* 215133.00       216371.40 80                            SIC,WINTOR                                                         DB000087
  29* 215133.40       216333.10 00                              B,W LODE     -                                                   DB000087
  30* 215134.00       216371.40 80                            SIC,WINTOR                                                         DB000088
  31* 215134.40       216333.10 00                              B,W LODE     -                                                   DB000088
  32* 215135.00       216371.40 80                            SIC,WINTOR                                                         DB000089
  33* 215135.40       216333.10 00                              B,W LODE     -                                                   DB000089
  34* 215136.00       216371.40 80                            SIC,WINTOR                                                         DB000090
  35* 215136.40       216333.10 00                              B,W LODE     -                                                   DB000090
  36* 215137.00       216371.40 80                            SIC,WINTOR                                                         DB000091
  37* 215137.40       216333.10 00                              B,W LODE     -                                                   DB000091
  38* 215140.00       216371.40 80                            SIC,WINTOR                                                         DB000092
  39* 215140.40       216333.10 00                              B,W LODE     -                                                   DB000092
  40* 215141.00       216371.40 80                            SIC,WINTOR                                                         DB000093
  41* 215141.40       216333.10 00                              B,W LODE     -                                                   DB000093
  42* 215142.00       216371.40 80                            SIC,WINTOR                                                         DB000094
  43* 215142.40       216333.10 00                              B,W LODE     -                                                   DB000094
  44* 215143.00       216371.40 80                            SIC,WINTOR                                                         DB000095
  45* 215143.40       216333.10 00                              B,W LODE     -                                                   DB000095
  46* 215144.00 *     216371.40 80                            SIC,WINTOR                                                         DB000096
  47* 215144.40       216333.10 00                              B,W LODE     -                                                   DB000096
  48* 215145.00       216371.40 80                            SIC,WINTOR                                                         DB000097
  49* 215145.40       216333.10 00                              B,W LODE     -                                                   DB000097
  50* 215146.00       216371.40 80                            SIC,WINTOR                                                         DB000098
  51* 215146.40       216333.10 00                              B,W LODE     -                                                   DB000098
```

LINE	LOCATION		BINARY OUTPUT	NAME	STATEMENT		LOCATION 215147	
1*	215147.00		216371.40 80		SIC,WINTOR			DB000100
2*	215147.40		216333.10 00		B,W LODE	-		DB000100
3*	215150.00		216371.40 80		SIC,WINTOR			DB000101
4*	215150.40		216333.10 00		B,W LODE	-		DB000101
5*	215151.00		216371.40 80		SIC,WINTOR			DB000102
6*	215151.40		216333.10 00		B,W LODE	-		DB000102
7*	215152.00		216371.40 80		SIC,WINTOR			DB000103
8*	215152.40		216333.10 00		B,W LODE	-		DB000103
9*	215153.00		216371.40 80		SIC,WINTOR			DB000104
10*	215153.40		216333.10 00		B,W LODE	-		DB000104
11*	215154.00		216371.40 80		SIC,WINTOR			DB000105
12*	215154.40		216333.10 00		B,W LODE	-		DB000105
13*	215155.00		216371.40 80		SIC,WINTOR			DB000106
14*	215155.40		216333.10 00		B,W LODE	-		DB000106
15*	215156.00		216371.40 80		SIC,WINTOR			DB000107
16*	215156.40		216333.10 00		B,W LODE	-		DB000107
17*	215157.00		216371.40 80		SIC,WINTOR			DB000108
18*	215157.40	*	216333.10 00		B,W LODE	-		DB000108
19*	215160.00		216371.40 80		SIC,WINTOR			DB000109
20*	215160.40		216333.10 00		B,W LODE	-		DB000109
21*	215161.00		216371.40 80		SIC,WINTOR			DB000110
22*	215161.40		216333.10 00		B,W LODE	-		DB000110
23*	215162.00		216371.40 80		SIC,WINTOR			DB000111
24*	215162.40		216333.10 00		B,W LODE	-		DB000111
25*					CNOP			DB000112

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION
1*			-	**********	DC000001
2*			-	******* MCP FURNISHED PTOE - CONTAINS ENTRIES TO STANDARD FIXUPS	DC000002
3*			-	**********	DC000003
4*	215163.C0 *			SLC,$	DC000004
5*	215163.C0	C0CCC3.C0	SFPTE	DRZ(N),(3) -MCP TCE	DC000005
6*	215166.C0	0040001277777777600000		DD(80,64),(8)40CC1277777777600000 -PATTERN	DC000006
7*	215167.C0	216530.10 C0	ST FIX	B,YFXTS	DC000007
8*	215167.40	C00CC0.30 00		NOP	DC000008
9*	215170.C0	216530.50 C0		B,YEXEFX	DC000009
10*	215170.40	C0CC00.30 C0		NOP	DC000010
11*	215171.CC	216566.C3 C1		LVI,$1,YINDF	DC000011
12*	215171.4C	216531.10 C0		B,YMSF	DC000012
13*	215172.C0	216566.43 01		LVI,$1,YINLC	DC000013
14*	215172.40	216531.1C C0		B,YMSF	DC000014
15*	215173.CC	216567.C3 01		LVI,$1,YINPF	DC000015
16*	215173.40	216531.10 00		B,YMSF	DC000016
17*	215174.C0	216567.43 01		LVI,$1,YINZD	DC000017
18*	215174.40	216531.1C C0		B,YMSF	DC000018
19*	215175.CC	216570.C3 01		LVI,$1,YINIR	DC000019
20*	215175.40	216531.1C 00		B,YMSF	DC000020
21*	215176.C0	216570.43 01		LVI,$1,YINLS	DC000021
22*	215176.40	216531.1C C0		B,YMSF	DC000022
23*	215177.CC	216571.C3 01		LVI,$1,YINPSH	DC000023
24*	215177.40	216531.10 C0		B,YMSF	DC000024
25*	21520C.00	216571.43 01		LVI,$1,YINXPF	DC000025
26*	215200.4C	216531.1C C0		B,YMSF	DC000026
27*	215201.CC *	216572.C3 01		LVI,$1,YINXPO	DC000027
28*	215201.40	216531.10 C0		B,YMSF	DC000028
29*	215202.C0	216572.43 01		LVI,$1,YINXPH	DC000029
30*	215202.4C	216531.1C C0		B,YMSF	DC000030
31*	215203.CC	216573.C3 01		LVI,$1 ,YINXPL	DC000031
32*	215203.40	216531.10 00		B,YMSF	DC000032
33*	215204.00	216603.C3 01		LVI,$1,YINXPU	DC000033
34*	215204.4C	216531.1C C0		B,YMSF	DC000034
35*	215205.CC	216573.43 01		LVI,$1,YINZM	DC000035
36*	215205.40	216531.10 00		B,YMSF	DC000036
37*	215206.00	216574.C3 01		LVI,$1,YINRU	DC000037
38*	215206.4C	216531.1C C0		B,YMSF	DC000038
39*	215207.00	216574.43 01		LVI,$1,YINTF	DC000039
40*	215207.4C	216531.1C 00		B,YMSF	DC000040
41*	215210.00	216575.C3 01		LVI,$1,YINUF	DC000041
42*	215210.4C	216531.1C C0		B,YMSF	DC000042
43*	215211.00	216575.43 01		LVI,$1,YINVF	DC000043
44*	215211.4C	216531.10 00		B,YMSF	DC000044
45*	215212.00	216576.C3 01		LVI,$1,YINXF	DC000045
46*	215212.4C	216531.1C C0		B,YMSF	DC000046
47*	215213.00	216576.43 01		LVI,$1,YINBTR	DC000047
48*	215213.4C	216531.1C 00		B,YMSF	DC000048

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 215214
1*	215214.00	216577.03 01		LVI,$1,YINDTR	DC000050
2*	215214.40 *	216531.10 00		B,YMSF	DC000051
3*	215215.00	216577.43 01		LVI,$1,YINPG0	DC000052
4*	215215.40	216531.10 00		B,YMSF	DC000053
5*	215216.00	216600.03 01		LVI,$1,YINPG1	DC000054
6*	215216.40	216531.10 00		B,YMSF	DC000055
7*	215217.00	216600.43 01		LVI,$1,YINPG2	DC000056
8*	215217.40	216531.10 00		B,YMSF	DC000057
9*	215220.00	216601.03 01		LVI,$1,YINPG3	DC000058
10*	215220.40	216531.10 00		B,YMSF	DC000059
11*	215221.00	216601.43 01		LVI,$1,YINPG4	DC000060
12*	215221.40	216531.10 00		B,YMSF	DC000061
13*	215222.00	216602.03 01		LVI,$1,YINPG5	DC000062
14*	215222.40	216531.10 00		B,YMSF	DC000063
15*	215223.00	216602.43 01		LVI,$1,YINPG6	DC000064
16*	215223.40	216531.10 00		B,YMSF	DC000065

```
LINE   LOCATION          BINARY OUTPUT                       NAME      STATEMENT                                  LOCATION

  1*                                                         - ********************************************************************  DD000001
  2*                                                         -                        PARAMETER POOL                                 DD000002
  3*                                                         - ********************************************************************  DD000003
  4*                                                         -                                                                       DD000004
  5* 215224.00 *                                                       SLC,$                                                         DD000005
  6*                                                                   CNOP                                                          DD000006
  7* 215224.00     000041.00+                                S BNDRS   VF,33.0                                                       DD000007
  8* 215224.40     000040.00+                                          VF,32.0                -MCP BOUNDS                            DD000007
  9* 215225.00     000000.00+                                S MAXUB   VF,0.0                    -MAXIMUM UPPER BOUNDS FOR PP          DD000008
 10* 215226.00     000000.00+ 000 000000 000000             SPSIOI    XW,0                       -I/O INTERRUPT PRESERVATION WORD     DD000009
 11* 215227.00     215023.00+                                S IT BAS  VF,S IT               -BASE ADDRESS OF INTERRUPT TABLE         DD000010
 12* 215227.40       000000.30 00                                      CNOP                                                          DD000011
 13* 215230.00 *     000035.00                               S T LR    DRZ(BU,64), 29                                                DD000012
 14* 215230.00+      +00000000              BU,100,10        S UPPER   SYN,S TLR                 -PP UPPER BOUNDRY                   DD000013
 15* 215230.40+      +00000000              BU,100,10        S LOWER   SYN,S TLR+0.32                                                DD000014
 16* 215265.00     000000.00+                                S T IC    VF, 0                                                         DD000015
 17* 215265.40       000000.30 00                                      NOP                                                           DD000015
 18* 215266.00 *     000035.00                               S LR PP   DRZ(BU,64), 29                                                DD000016
 19* 215323.00     000000.00+                                S IC PP   VF, 0                                                         DD000017
 20* 215323.40       000000.30 00                                      NOP                                                           DD000017
 21* 215324.00 *     000035.00                               S LR BU   DRZ(BU,64), 29                                                DD000018
 22* 215324.00+      +00000000              BU,100,10        S PP UB   SYN,S LR BU                                                   DD000019
 23* 215324.40+      +00000000              BU,100,10        S PP LB   SYN,S LR BU+.32        -SAVED UPPER AND LOWER BOUNDARIES      DD000020
 24* 215361.00     000000.00+                                S IC BU   VF, 0                                                         DD000021
 25* 215361.40       000000.30 00                                      NOP                                                           DD000021
 26* 215362.00 *     000035.00                               S LR MCP  DRZ(BU,64), 29                                                DD000022
 27* 215373.00                                                         SLC,SLRMCP+9.0                                                DD000023
 28* 215373.00       000000.04 00  000000.00 00                        INDMK,$IF                                                     DD000024
 29* 215417.00 *                                                       SLC,SLRMCP+29.0                                               DD000025
 30* 215417.00     000000.00+                                S IC MCP  VF, 0                                                         DD000026
 31* 215417.40       000000.30 00                                      NOP                                                           DD000026
 32*                                                                   CNOP                                                          DD000027
 33* 215420.00 *     000046.00                               S QUE     DRZ(BU,19),(128)          -INTERRUPT QUEUE                    DD000028
 34* 215466.00     215420.00+                                S CUM Q   VF,S QUE                                                      DD000029
 35* 215466.40     000062                                    YMISCO     CF,50                    -MASKABLE INTERRUPT COUNTER         DD000030
 36* 215467.00     000000.00+ 000 000000 000000             SREADS    XW,0                       -READ SOURCE WORD.                  DD000031
 37* 215470.00       233150.10 00                            S COMM    B,MCOMD                -EMERGENCY ENTRY TO COMMENTATOR        DD000032
 38* 215470.40     000000.00+                                S COMIC   VF,0                                                          DD000033
```

```
LINE  LOCATION         BINARY OUTPUT                  NAME      STATEMENT                                          LOCATION

  1*                                                  - *****************************************************************  EA000001
  2*                                                           -****************** IF ANALYZER ******************-        EA000002
  3*                                                  - *****************************************************************  EA000003
  4* 215470.71 *                                                SLC,$                                                  EA000004
  5* 215471.00      000003.00 80  215230.34 A0      S IF AE   TI,14,3.0,S TLR              -SAVE LOWER REGISTERS     EA000005
  6* 215472.00      000021.00 80  215246.36 A0                TI,15,17.0,S TLR+14.0                                  EA000006
  7* 215473.00      215231.47 A0                              BE,STLR+1.32(.26,2)111101    -STM(U),STLR+1.0 - SAVE $MR.  EA000007
  8* 215473.40      215474.07 C6                              BOPZ,$.32                    -FOR LASL LRL             EA000008
  9* 215474.00      215265.04 30                              LV,2,S TIC                                             EA000009
 10* 215474.40      000000.07 B2                              LVE,3,0.0($2)                                          EA000010
 11* 215475.00      777777.40 52                              LC,0,-.32($2)                                          EA000011
 12* 215475.40      215566.41 90                              KC,0,MKMCPA                                            EA000012
 13* 215476.00      215627.32 C0                              BZXE,M NO MCP                                          EA000013
 14* 215476.40      000023.23 80  004000.07 70                CTOC11(BU,4),$3.19                                     EA000014
 15* 215477.40      215630.74 C0                              BZRZ,M OP CI                                           EA000015
 16* 215500.00      000001.07 04                              KVI,3,1.0                                              EA000016
 17* 215500.40      215630.72 42                              BXL,M OP C I                                           EA000017
 18* 215501.00      000100.07 04                              KVI,3,64.0                                             EA000018
 19* 215501.40      220700.32 42                              BXL,K FRONT                  -BRANCH IF ACTUATOR OP    EA000019
 20* 215502.00      215001.04 80  215514.74 02                BB,S L,M IF 6+.32                                      EA000020
 21* 215503.00      215224.00 10                              LX,0,SBNDRS           -GET MCP BOUNDS                  EA000021
 22* 215503.40      000003.01 10                              SX,0,3.0              -SET MCP BOUNDS                  EA000022
 23* 215504.00 *    215373.42 60                              LWF(U),SLRMCP+9.0                                      EA000023
 24* 215504.40      000014.40 E0                              ST(U),$MASK                                            EA000024
 25* 215505.00      000114.47 04                              KVI,3,MMAXOP                                           EA000025
 26* 215505.40      215630.72 40                              BZXL,M OPCI                                            EA000026
 27* 215506.00      000036.37 02                              LCI,15,30                                              EA000027
 28* 215506.40      215230.00 80  215324.36 20                T,15,STLR,SLRBU                                        EA000028
 29* 215507.40      215514.50 00                              B,M IF 6+.32                                           EA000029
 30* 215510.00      000003.00 80  215230.34 A0      S IF AD   TI,14,3.0,S TLR                                        EA000030
 31* 215511.00      000021.00 80  215246.36 A0                TI,15,17.0,S TLR+14.0 -SAVE LR TEMP.                   EA000031
 32* 215512.00      215001.00 80  001000.36 F0                CM1111(BU,1),S E             -DISABLED IF ENTRY        EA000032
 33* 215513.00      215265.04 30                              LV,2,S TIC                                             EA000033
 34* 215513.40      000000.45 0D                              V-I,2,.32                                              EA000034
 35* 215514.00      000000.46 32                    M IF 6    LV,3,.32($2)                                           EA000035
 36* 215514.40      000023.27 80  002000.00 F0                CMOC00(BU,2),$3.23                                     EA000036
 37* 215515.40      215633.00 80  000040.06 70                LF(BU,64),M MK 1,-64                                   EA000037
 38* 215516.40      000000.45 0D                              V-I, 2,.32                                             EA000038
 39* 215517.00 *    215001.04 80  001065.06 70                LF(BU,1),S L,-22                                       EA000039
 40* 215520.00      215566.02 33                              LV,1,MIFTTT-64.0($3)     -GET TENTACLE TABLE ADDRESS   EA000040
 41* 215520.40      000000.11 81  217177.34 02                BB,.9($1),K SUPP2+.32        -PSEUDO OP IS BUSY        EA000041
 42* 215521.40      215546.03 30                              SV,$1,MR3 AD                                           EA000042
 43* 215522.00      215636.06 30                              LV,$3,M CR                -OLD TENT. ADR. IN $3        EA000043
 44* 215522.40      000000.04 81  001065.20 D0                ST(BU,1),.4($1),-22   -SET USER BIT IN TENT.TABLE      EA000044
 45* 215523.40      215001.04 80  001000.36 F0                CM1111(BU,1),S L    -SET S L TO MCP                    EA000045
 46* 215524.40      215022.31 80  215634.34 02                BB,S PROG S+1.25,M IF AS -MCP BUG-AS REQ.              EA000046
 47* 215525.40      215636.03 30                              SV,$1,M CR                                             EA000047
 48* 215526.00      000001.07 31                              SV,3,1.0($1)                                           EA000048
```

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 215526	
1*	215526.40	0CCC02.C5 31			SV,$2,2.C($1)	-**LINK FWA IN TENT**	EA000050
2*	215527.00	CCCC00.C0 81	004066.6C 5C		L(BU,4),C.0($1),-19		EA000051
3*	215530.00	215265.C4 30			LV,2,S TIC	-ADDRESS OF LINKAGE CP	EA000052
4*	215530.40	0CCC22.10 30			LV,4,$2		EA000053
5*	215531.00	CCCC10.04 B0			V+,$2,$L	-RETURN ADDRESS IN $2	EA000054
6*	215531.40	CCCC01.45 31			SV,$2,1.32($1)	-**NORM. RET. ADR. IN TENT**	EA000055
7*	215532.00	215265.C5 30			SV,2,S TIC		EA000056
8*	215532.40 *	0CCC21.34 80	022066.6C DC		ST(BU,18),$1+.28,-19	-N IN CF OF $1	EA000057
9*	215533.40	0CCC21.06 30			LV,$3,$1		EA000058
10*	215534.00	215566.C6 BC			V+,$3,M 9		EA000059
11*	215534.40	CCCC02.43 05			V+I,$1,2.32		EA000060
12*	215535.00	CCCCC0.40 84	140000.20 5C	M ED 1	L(V+I)(BU,32),.32($4)		EA000061
13*	215536.00	000000.40 81	240000.20 DC		ST(V+IC)(BU,32),.32($1)	-***PARAM IN TENT.	EA000062
14*	215537.00	215546.7C 46		M ED 1A	BXCZZ,M TC 1		EA000063
15*	215537.40	215637.C6 B0			V+,$3,M C 1	-ADD. 2 FOR NEXT PARAM.	EA000064
16*	215540.00	C0CC00.C0 83	215535.34 00		BZB,0.0($3),M ED 1	-NO FORM EFF.	EA000065
17*	215541.00	215543.11 DC			SVA,4,M ED 2A	-PARAM ADDR	EA000066
18*	215541.40	0CCCC0.51 05			V+I,4,.32		EA000067
19*	215542.00	000021.C0 80	215246.1C EC		SWAPI,4,$1,S TLR+14.0		EA000068
20*	215543.00	215543.01 B0		M ED 2A	LVE,$0,$		EA000069
21*	215543.40	000021.00 80	215246.10 EC		SWAPI,4,$1,S TLR+14.C		EA000070
22*	215544.40	0CC000.01 31			SV,C,0($1)		EA000071
23*	215545.00	CCCCC0.43 06			V+IC,1,.32		EA000072
24*	215545.40	215537.10 00			B,M ED 1A		EA000073
25*	215546.00	CCCCCC.00+		MR 3AD	VF,C.0	-CURRENT TENTACLE TABLE ADDRESS	EA000074
26*	215546.40 *	215547.10 C6		MTC1	BUSAZ,$+.32		EA000075
27*	215547.00	215547.50 46			BADZ,$+.32		EA000075
28*	215547.40	215546.02 30			LV,$1,MR3AD	-TRANSFER ROUTINES	EA000076
29*	215550.00	CCCC00.55 81	023000.20 5C		L(BU,19),.45($1)		EA000077
30*	215551.00	215562.4C 80	023000.2C DC		ST(BU,19),M TC 3A	-SET ENTRY ADR.	EA000078
31*	215552.00	000000.05 81	215563.34 02	M TC 2A	BB,.5($1),M TC 3B		EA000079
32*	215553.00	215C01.00 80	001000.C0 F0		CMOCO0(BU,1),S E		EA000080
33*	215554.00	C00000.06 81	215560.74 02		BB,.6($1),M TC 3A-2.0	-ENTRY DISABLED	EA000081
34*	215555.00	C00000.07 81	215564.74 02		BB,.7($1),M TC 4A	-ENTRY SIO	EA000082
35*	215556.00	215022.75 80	001000.CC F0		CMOCO0(BU,1),SPROGS+1.61	-TURN OFF SIO BIT FOR NEXT M PACK	EA000083
36*	215557.00	215562.65 80	001000.00 F0	M TC 3	CMOCO0(BU,1),M TC 3A+.21		EA000084
37*	215560.00	215561.5C C0			B,M TC 3 A-1.0	-TO ENABLED	EA000085
38*	215560.40	215562.65 80	001000.36 F0		CM1111(BU,1),M TC 3A+.21		EA000086
39*	215561.40 *	215245.C0 80	000020.C0 A0		TI,C,STLR+13.C,$C		EA000087
40*	215562.40	215562.44 00		M TC 3A	BD,$	- *****ENTER PSEUDO OP******	EA000088
41*	215563.00	215001.C0 80	215560.74 06	M TC 3B	BBZ,S E,M TC 3A-2.0	-SAME DISABLED	EA000089
42*	215564.C0	215557.10 C0			B,M TC 3	-SAME ENABLDD	EA000090
43*	215564.40	215022.75 80	215565.74 CE	M TC 4A	BB1,S PROG S+1.61,$+1.0	-TURN ON SIC BIT	EA000091
44*	215565.40	215557.10 00			B,M TC 3	-SIO TO ENABLED	EA000092
45*	215566.00	CC0000.11+		M 9	VF,.9		EA000093
46*	215566.40	C0C040.10 00		M KMCPA	B,D MCP		EA000094
47*	215567.00	CCCC00.04 7F	000000.01 15	M MK 2	INDMK,.21,.25,.26,.27,.28,.29,.30,.31,.55(.63)21		EA000095
48*	215570.00	C0C020.C0 80	215622.12 A0	S PRIME	TI,5,$C,MPR8	-SAVE X REGS. TO BE USED	EA000096
49*	215571.00	000C00.C3 01		S PRIMR	LVI,$1,C	-PICK UP LOC. OF $ CP	EA000097
50*	215571.40	000C00.04 31			LV,$2,C.0($1)	-OP CODE IN $2	EA000098

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 215572
1*	215572.00	000022.30 80	001000.00 F0		CMOC00(BU,1),$2+.24		EA000100
2*	215573.00	215566.04 32			LV,2,MIFTTT-64.0($2)	-GET ADDRESS OF TT	EA000101
3*	215573.40	000C00.00 82	004066.60 5C		L(BU,4),0.0($2),-19	-N IN ACC	EA000102
4*	215574.40	000010.00 30			LV,$0,$L		EA000103
5*	215575.00	000020.00 B0			V+,$0,$0	-19 BIT VALUE =18 BIT COUNT	EA000104
6*	215575.40 *	000020.10 50			LC,$4,$0		EA000105
7*	215576.00	215640.00 30			LV,$0,M PRM QK		EA000106
8*	215576.40	215617.71 46		M PR 2	BXVZZ,M PR 7	-PRIME Q EMPTY	EA000107
9*	215577.00	000021.06 30			LV,$3,$1		EA000108
10*	215577.40	000010.06 B0			V+,$3,$L		EA000109
11*	215600.00	215617.07 D0			SVA,3,MPR6B	-SET RETURN ADDRESS	EA000110
12*	215600.40	000010.00 B0			V+,0,$L		EA000111
13*	215601.00	000017.01 04			KVI,$0,15.0		EA000112
14*	215601.40	215641.33 46			BXHZ,M PRM ER	-PRIME Q FULL	EA000113
15*	215602.00	215640.01 30			SV,$0,M PRM QK	- NEW Q COUNT	EA000114
16*	215602.40	215644.06 10			LX,$3,M R 4		EA000115
17*	215603.00	000000.11 80	430064.20 50		LI(BU,24),.9,-24		EA000116
18*	215604.00	000010.04 B0			V+,$2,$L	-FORM EFF. BIT	EA000117
19*	215604.40	000000.40 81	140000.20 50	M PR 4A	L(V+I)(BU,32),.32($1)		EA000118
20*	215605.40	000000.40 83	340000.20 D0		ST(V+ICR)(BU,32),.32($3)	-PARAM IN PRIME Q.	EA000119
21*	215606.40	215615.50 4A		M PR 4B	CBZ,$4,M PR 6A		EA000120
22*	215607.00	215637.04 B0			V+,$2,M C 1	-ADD. 2 FOR NEXT FORM EFF	EA000121
23*	215607.40	000000.00 82	215604.74 00		BZB,0.0($2),M PR 4A	-NO FORM EFF	EA000122
24*	215610.40	215612.43 D0			SVA,$1,M PR 5A		EA000123
25*	215611.00 *	000000.43 05			V+I,1,.32		EA000124
26*	215611.40	000021.00 80	215623.10 EC		SWAPI,4,$1,MPR8+1.0		EA000125
27*	215612.40	215612.41 B0		M PR 5A	LVE,$0,$	-FORM EFF	EA000126
28*	215613.00	000021.00 80	215623.10 EC		SWAPI,4,$1,MPR8+1.0		EA000127
29*	215614.00	000000.01 33			SV,0,0($3)		EA000128
30*	215614.40	000000.47 07			V+ICR,3,.32		EA000129
31*	215615.00	215606.50 C0			B,M PR 4B		EA000130
32*	215615.40	215644.07 10		M PR 6A	SX,3,M R 4	-SAVE PRIME CONTROL	EA000131
33*	215616.00	215622.00 80	000020.12 A0		TI,5,MPR8,$0	-RESTORE USED X REGSZ	EA000132
34*	215617.00	215617.10 C0		M PR 6B	B,$	-RETURN DISABLED	EA000133
35*	215617.40	215643.06 10		M PR 7	LX,$3,M P Q R		EA000134
36*	215620.00	215644.07 10			SX,$3,M R 4	-REFILL PRIME CONTROL	EA000135
37*	215620.40	215645.07 10			SX,$3,M R 5	-REFILL UNPRIME CONTROL	EA000136
38*	215621.00	215577.10 C0			B,M PR 2+.32		EA000137
39*	215621.40	000000.30 00			CNOP		EA000138
40*	215622.00 *	000005.C0		M PR 8	DRZ(BU,0),(5)		EA000139
41*	215627.00	C10001.35 01		M NC MCP	LVI,$14,S IF ERR	- ILLEGAL IF INTERRUPT	EA000140
42*	215627.40	217451.40 80			SIC,S DISIC		EA000141
43*	215630.00	217372.10 00			B,S DISP		EA000141
44*	215630.40	010002.35 01		M CP CI	LVI,14,S CP C I	- ILLEGAL CP CODE	EA000142
45*	215631.00	217451.40 80			SIC,S DISIC		EA000143
46*	215631.40	217372.10 00			B,S DISP		EA000143
47*					CNOP		EA000144
48*	215632.00 *	000001.00			DRZ(BU,64),(1)		EA000145
49*	215633.00	000000.00 00	000000.05 15	M MK 1	INDMK,.53,.55(.63)21		EA000146
50*	215634.00	004012.35 01		M IF AS	LVI,$14,S IF AS		EA000147

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		
1*	215634.40	217451.40 80			SIC,S DISIC	LOCATION 215634	EA000149
2*	215635.00	217372.10 00			B,S DISP		EA000149
3*	215636.00	215016.00+ 000 000000 000000		M CR	XW,S IPL IN	-CURRENT TENTACLE TABLE ADDRESS	EA000150
4*	215637.00	00CC0002		M C 1	DD(BU,24),2		EA000151
5*	215637.40	000000.30 00			CNOP		EA000152
6*	21564C.00 *	000001.00		M PRM QK	DRZ(BU,64),(1)		EA000153
7*	215641.00	003411.35 01		M PRM ER	LVI,$14,S PQ FUL		EA000154
8*	215641.40	217451.40 80			SIC,S DISIC		EA000155
9*	215642.00	217372.10 00			B,S DISP		EA000155
10*	215643.00	215647.00+ 000 000036 215643		M P Q R	XW,MPRIMQ,30,MPQR		EA000156
11*	215644.00 *	000001.00		M R 4	DRZ(BU,64),(1)		EA000157
12*	215645.00	000001.00		M R 5	DRZ(BU,64),(1)		EA000158
13*	215646.00	000000.04 00	000000.01 15	M MK 3	INDMK,.21,.55(.63)21		EA000159
14*	215647.00 *	000017.00		M PRIM Q	DRZ(BU,32),(30)		EA000160
15*	000114.40+	+00000000	NULL	M MAXOP	SYN,SJC1	-MAX PP OP CODE	EA000161

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT		LOCATION
1*			-			EA000163
2*			-	***** IF ANALYZER TABLE OF TENTACLE ADDRESSES *****		EA000164
3*			-			EA000165
4*				CNOP		EA000166
5*	215666.00	234417.00+	MIFTTT	VF,PDUMPT		EA000167
6*	215666.40	217460.00+		VF,AEDMPT	-ERROR DUMP	EA000168
7*	215667.00	231136.00+		VF,YJC4TT	-65.0 END OF JOB	EA000169
8*	215667.40	232677.00+		VF,POLDTT	-65.32 HOLD	EA000170
9*	215670.00	232555.00+		VF,YRLTT	-RESUME LOAD.	EA000171
10*	215670.40	233667.00+		VF,XTENTB	-DISK FETCH	EA000172
11*	215671.00	222111.00+		VF,S ASPUT	-67.0 SPOOL PUNCH	EA000173
12*	215671.40	222105.00+		VF,S OSPRT	-67.32 SPOOL PRINT	EA000174
13*	215672.00	231136.00+		VF,YJC4TT	-68.0 ABNORMAL END OF JOB	EA000175
14*	215672.40	224105.00+		VF,VVSCR	-68.32 SPOOL CARD RESD	EA000176
15*			-			EA000177
16*			-	***** RESERVED FOR FUTURE MCP USE *****		EA000178
17*			-			EA000179
18*	215673.00	231136.00+		VF,YJC4TT	-69.0	EA000180
19*	215673.40	231136.00+		VF,YJC4TT	-69.32	EA000181
20*	215674.00	231136.00+		VF,YJC4TT	-70.0	EA000182
21*	215674.40	231136.00+		VF,YJC4TT	-70.32	EA000183
22*	215675.00	231136.00+		VF,YJC4TT	-71.0	EA000184
23*	215675.40	231136.00+		VF,YJC4TT	-71.32	EA000185
24*	215676.00	231136.00+		VF,YJC4TT	-72.0	EA000186
25*	215676.40	231136.00+		VF,YJC4TT	-72.32	EA000187
26*	215677.00	231136.00+		VF,YJC4TT	-73.0	EA000188
27*	215677.40	231136.00+		VF,YJC4TT	-73.32	EA000189
28*			-			EA000190
29*			-	****** RESERVED FOR INSTALLATION PSEUDO OPS ******		EA000191
30*			-			EA000192
31*	215700.00	231136.00+		VF,YJC4TT	-74.0	EA000193
32*	215700.40	232555.00+		VF,YRLTT	-74.32 $SCRESLD - TEMPORARY	EA000194
33*	215701.00	231136.00+		VF,YJC4TT	-75.0	EA000195
34*	215701.40 *	231136.00+		VF,YJC4TT	-75.32	EA000196
35*	215702.00	231136.00+		VF,YJC4TT	-76.0	EA000197
36*			-			EA000198
37*			-	****** SPECIAL MCP PSEUDO OPS ******		EA000199
38*			-			EA000200
39*	215702.40	230747.00+		VF,YJC1TT	-76.32 JC1	EA000201
40*	215703.00	222120.00+		VF,SCDRYT	-77.0 OUTPUT TAPE SWITCH	EA000202
41*	215703.40	222115.00+		VF,SAEOJT	-77.32 OUTPUT EOJ	EA000203
42*	215704.00	232566.00+		VF,PDBTT	-78.0 DEBUGGER	EA000204
43*	215704.40	231136.00+		VF,YJC4TT	-78.32 IPL ENTRY TO JC4	EA000205
44*	215705.00	224105.00+		VF,VVSCR	-79.0 1ST CARD REQUEST	EA000206
45*	215705.40	224111.00+		VF,VVSKM	-79.32 INPUT COMMANDS	EA000207
46*	215706.00	232715.00+		VF,JTENT	-80.0 SYSTEM COMMANDS	EA000208
47*	215706.40	233144.00+		VF,UNDEF	-80.32 LOGGER 4	EA000209
48*	215707.00	233144.00+		VF,UNDEF	-81.0 LOGGER 2	EA000210
49*	215707.40	233144.00+		VF,UNDEF	-81.32 LOGGER 1	EA000211

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION	
1*					- **********		EB000001
2*					-****************** R E C E P T O R ******************-		EB000002
3*					- **********		EB000003
4*	215707.71 *				SLC,$		EB000004
5*	215710.00	000003.00 80	215230.32 A0	K STORE	TI,13,$UB,S TLR	-SAVE LOWER REGISTERS	EB000005
6*	215711.00	000020.00 80	215245.00 A0		TI,0,$0,S TLR+13.0		EB000006
7*	215712.00	215231.47 A0			BE,STLR+1.32(.26,2)111101	-STM(0),STLR+1.0 - SAVE $MR.	EB000007
8*	215712.40	215713.07 C6			BOPZ,$.32	-FOR LASL LRL	EB000008
9*	215713.00	215226.11 80	005000.20 50		L(BU,5),SPSICI+.9		EB000009
10*	215714.00	215240.11 80	005000.16 F0		CMO111(BU,5),STLR+8.9		EB000010
11*	215715.00	215226.22 C0			Z,SPSICI		EB000011
12*	215715.40	215716.05 46			BUKZ,$+.32		EB000012
13*	215716.00	215716.45 C6			BEEZ,$+.32		EB000013
14*	215716.40	215717.06 44			BZECPZ,$+.32		EB000014
15*	215717.00	215717.46 C6			BCSZ,$.32		EB000015
16*	215717.40	000005.34 30			LV,14,$CA		EB000016
17*	215720.00	000005.24 30			LV,10,$CA		EB000017
18*	215720.40	000032.24 B0			V+,10,$10		EB000018
19*	215721.00	215002.24 B0			V+,10,S CHAN S		EB000019
20*	215721.40	000000.64 8A	004066.60 50	S FAKE I	L(BU,4),S EQUIP($10),-19		EB000020
21*	215722.40	000010.10 30			LV,4,$L	-EQUIP CODE IN VF($4)	EB000021
22*	215723.00 *	000000.33 8A	216050.34 00		BZB,S MULTI($10),K SINGL		EB000022
23*	215724.00	215240.11 80	004071.60 50		L(BU,4),S TLR+8.9,-13		EB000023
24*	215725.00	216054.34 C2			BRZ,K SIGNL		EB000024
25*	215725.40	000010.16 50			LC,7,$L		EB000025
26*	215726.00	215240.15 80	215730.34 00		BZB,S TLR+8.13,$+2.		EB000026
27*	215727.00	216272.40 80			SIC,K ST CS		EB000027
28*	215727.40	216267.10 C0			B,K CS IN		EB000027
29*	215730.00	000000.70 8A	003067.20 50	K KK	L(BU,3),S UNIT($10),-18		EB000028
30*	215731.00	000000.26 3A			LV,11,S UN A($10)		EB000029
31*	215731.40	000010.26 B0			V+,11,$L	-COMPUTE UNIT TABLE ENTRY ADDR	EB000030
32*	215732.00	000000.30 3B		K DDCL	LV,12,S UN A($11)	-OBTAIN UNIT AREA TABLE	EB000031
33*	215732.40	000003.32 3C			LV,13,S FI A AC($12)	-OBTAIN ACTUATED FILE AREA	EB000032
34*	215733.00	000000.37 8B	216314.74 06		BBZ,S SET UP($11),K RELAY		EB000033
35*	215734.00	215776.03 01			LVI,1,K NORM		EB000034
36*	215734.40	000004.11 04			KVI,4,4.0	-IS EQUIP TAPE	EB000035
37*	215735.00	215742.32 C0			BZXE,K STACK		EB000036
38*	215735.40	000027.45 80	002000.06 70		C0011(BU,2),$7.37	-TEST IF EPGK OR UK ON	EB000037
39*	215736.40 *	215742.34 C0			BZRZ,K STACK		EB000038
40*	215737.00	000004.52 8C	010000.20 50		L(BU,8),S IO INS+.42($12)		EB000039
41*	215740.00	000027.47 80	216204.34 02		BB,$7.39,K SPACE	-IS EE ON	EB000040
42*	215741.00	000000.74 8B	216213.34 02		BB,S CTL($11),K WEF	-IF NOT, CHECK IF WEF OP	EB000041
43*	215742.00	000000.71 8B	215744.34 02	K STACK	BB,S RD($11),K COPY		EB000042
44*	215743.00	000000.72 8B	215746.74 00		BZB,S WR($11),K GATE		EB000043
45*	215744.00	000000.00 8E	000004.21 0D	K COPY	CCW,0.0($14),S CCW($13)		EB000044
46*	215745.00	215744.03 46			BEKJZ,$-1.0		EB000045
47*	215745.40	000000.51 04			KVI,4,.32	-IS EQUIP DISK	EB000046
48*	215746.00	216316.32 C2			BXE,C ARC AD		EB000047

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION 215746	
1*	215746.40		000000.36 8B	215752.34 00	KGATE	BZB,SUNSUP($11),JKGATE		EB000049
2*	215747.40		000001.11 8D	005071.60 50		L(BU,5),SIOIND($13),-13		EB000050
3*	215750.40		000027.45 80	005071.56 70		C0111(BU,5),$7.37,-13		EB000051
4*	215751.40		000010.16 50			LC,7,$L		EB000052
5*	215752.00	*	000001.17 5D		JKGATE	SC,7,1.0($13)		EB000053
6*	215752.40		000000.32 8A	001000.00 F0		CM0000(BU,1),S CH OP($10)		EB000054
7*	215753.40		000000.33 8A	215756.34 02		BB,S MULTI($10),$+2.32		EB000055
8*	215754.40		000000.71 8B	004000.00 F0		CM0000(BU,4),S RD($11)	-RESET UNIT STA BITS - SINGLE U C	EB000056
9*	215755.40		215760.10 00			B,K K REL		EB000057
10*	215756.00		000000.65 8B	215760.34 02		BB,S I MNT($11),K K REL		EB000058
11*	215757.00		000000.63 8B	012000.00 F0		CM0000(BU,10),S MOUNT($11)	-RESET UNIT ST BITS - MULTI U C	EB000059
12*	215760.00		000000.75 8B	220017.74 06	K K REL	BBZ,S REL($11),W 23K	-CHECK IF RELEASED	EB000060
13*	215761.00		000000.56 8B	216235.74 06		BBZ,S SECP($11),K FREE		EB000061
14*	215762.00		215021.23 01		K Q IN	LVI,9,S PROG S		EB000062
15*	215762.40		000000.54 39	.		LV,6,S Q K($9)		EB000063
16*	215763.00		000010.17 50			SC,7,$L	-STATUS BITS TO CCW IN FILE A	EB000064
17*	215763.40		000004.23 8D	005071.12 F0		CM0101(BU,5),S CCW+.19($13),-14		EB000065
18*	215764.40		000001.54 89			V+,6,S Q K+1.0($9)		EB000066
19*	215765.00		000177.15 04			KVI,6,127.		EB000067
20*	215765.40	*	216313.33 42			BXH,C Q2BIG		EB000068
21*	215766.00		215466.20 30			LV,8,S CUM Q		EB000069
22*	215766.40		000000.36 8B	001000.36 F0		CM1111(BU,1),S UN SUP($11)		EB000070
23*	215767.40		000010.33 30			SV,13,$L		EB000071
24*	215770.00		000000.40 8B	001066.46 70		C0011(BU,1),S OWNER($11),-19		EB000072
25*	215771.00		215772.34 C2			BRZ,K LEVEL		EB000073
26*	215771.40		000001.23 05			V+I,9,1.0		EB000074
27*	215772.00		215001.05 80	001066.60 D0	K LEVEL	ST(BU,1),S M,-19		EB000075
28*	215773.00		000000.23 88	123066.60 D0		ST(V+I)(BU,19),.19($8),-19		EB000076
29*	215774.00		215466.21 30			SV,8,S CUM Q		EB000077
30*	215774.40		000000.40 89	022000.22 B0		M+1(BU,18),S Q K($9)		EB000078
31*	215775.40		000000.10 01			B,0.0($1)		EB000079
32*	215776.00		000036.37 02		K NORM	LCI,15,30		EB000080
33*	215776.40		215001.04 80	001066.63 10		KF(BU,1),SL,-19	-IS SM = SL	EB000081
34*	215777.40		216223.76 42			BAL,K SUPRS		EB000082
35*	216000.00		215265.00 30			LV,C,S TIC		EB000083
36*	216000.40		000001.41 3D			SV,C,S INT AD($13)		EB000084
37*	216001.00	*	216215.37 42			BAH,C MINTP	-MCP INTERRUPTING PP	EB000085
38*	216001.40		000000.20 39			LV,8, 0.0($9)		EB000086
39*	216002.00		216226.71 40			BZXVZ, C WAIT	-BRANCH IF WAITING	EB000087
40*	216002.40		000000.31 89	216242.34 02		BB,S AS($9),K SUPP		EB000088
41*	216003.40		000000.75 89	216242.34 02		BB,S SIO($9),K SUPP		EB000089
42*	216004.40		215001.05 80	216007.34 02	K COMM	BB,S M,$+2.32	-BRANCH IF SM IS MCP	EB000090
43*	216005.40		215230.00 80	215266.36 20		T,15,STLR,S LR PP		EB000091
44*	216006.40		222037.10 00			B,K UNSTC		EB000092
45*	216007.00		215230.00 80	215362.36 20		T,15,S TLR,S LR MCP		EB000093
46*	216010.00		222037.10 C0		K NINTY	B,K UNSTC	-NOT FOUND RETURN	EB000094
47*	216010.40		000002.02 3D		K INT TY	LV,1,S TOE LO($13)		EB000095
48*	216011.00		000000.31 89	001000.36 F0		CM1111(BU,1),S AS($9)		EB000096
49*	216012.00		000000.04 3D			LV,2,S IOD RN($13)		EB000097
50*	216012.40		215021.23 0D			V-I,9,S PROG S		EB000098

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 216013	
1*	216013.C0	216015.71 42			BXVZ,K PP INT		EB000100
2*	216013.40	215C03.04 B0			V+,2,S BA MCP		EB000101
3*	216014.00 *	215224.00 80	000003.C2 A0		TI,1,S BNDRS,3.0	-SET MCP BOUNDARY	EB000102
4*	216015.C0	216C22.10 C0			B,RSKBND		EB000103
5*	216015.40	215C05.C4 B0		K PP INT	V+,2,S BA PP		EB000104
6*	216016.C0	215324.00 80	000003.02 A0		TI,1,S LR BU,3.0	-SET PP BOUNDARY	EB000105
7*	216017.00	215324.42 90			KV,$1,SLRBU.32		EB000106
8*	216017.40	216044.32 42			BXL,RNGTOE		EB000106
9*	216020.C0	000021.30 30			LV,$12,$1		EB000107
10*	216020.40	0CCC05.31 05			V+I,$12,5.0		EB000107
11*	216021.00	215324.30 90			KV,$12,SLRBU		EB000108
12*	216021.40	216044.32 40			BZXL,RNGTOE		EB000108
13*	216022.00	000C00.30 32		RSKBND	LV,$12,($2)		EB000109
14*	216022.40	C0C000.24 3C			LV,10,S CHAN N($12)		EB000110
15*	216023.00	C0CC04.23 8D	005000.C0 F0		CMOC00(BU,5),S CCW+.19($13)		EB000111
16*	216024.CC	C00032.24 B0			V+,10,$10		EB000112
17*	216024.40	215C02.24 B0			V+,10,S CHAN S		EB000113
18*	216025.C0	C0CC00.33 8A	216047.34 00		BZB,S MULTI($10),K DODO		EB000114
19*	216026.00	C0CC00.26 3A			LV,11,0.0($10)		EB000115
20*	216026.40	000000.66 BC			V+,11,.32($12)		EB000116
21*	216027.00	000000.36 8B	001000.C0 F0	K CANCL	CMOC00(BU,1),S UN SUP($11)		EB000117
22*	216030.00 *	C0CC00.00 8D	000000.04 A1		TI,2,0.0($13),0.0($1)		EB000118
23*	216031.00	215373.42 60			LWF(U),S LR MCP+9.0		EB000119
24*	216031.40	000014.40 E0			ST(U),$MASK		EB000120
25*	216032.C0	000013.17 80	005000.06 70		LF(BU,5),$IND+.15	-IF AD,CP,USA OR DS	EB000121
26*	216033.C0	720C00.00 80	405000.03 70		CTIC001(BU,5),(2)111C1		EB000122
27*	216034.00	216242.34 C0			BZRZ,KSUPP	-LET IT HAPPEN	EB000123
28*	216034.40	000013.22 C0			Z,$IND		EB000124
29*	216035.C0	000037.22 C0			Z,$15		EB000124
30*	216035.40	216036.11 46			BEXEZ,$+.32		EB000125
31*	216036.00	C00001.11 8D	216042.74 02		BB,S IO IND($13),C ERROR	-TEST INTERRUPT TYPE - EPGK	EB000126
32*	216037.CC	000001.12 8D	216042.74 02		BB,S IO IND+.1($13),C ERROR	- UK	EB000127
33*	216040.00	CCCC01.13 8D	216043.34 02		BB,S IO IND+.2($13),K END E	- EE	EB000128
34*	216041.CC	C00001.14 8D	216043.74 0C		BZB,S IC IND+.3($13),K C SIGL	-CS	EB000129
35*	216042.CC	C0CC05.C0 C1			BE,5.C($1)		EB000130
36*	216042.4C	000C02.CC C1		C ERROR	BE,2.0($1)		EB000131
37*	216043.00	CCCC03.C0 C1		K END E	BE,3.0($1)		EB000132
38*	216043.40 *	000004.00 01		K C SIGL	BE,4.0($1)		EB000133
39*	216044.CC	CCC036.31 C2		RNGTOE	LCI,$12,30.C		EB000134
40*	216044.4C	215266.00 80	215230.30 20		T,$12,SLRPP,STLR		EB000135
41*	216045.40	C1CCC5.35 01			LVI,$14,SPPTNG		EB000136
42*	216046.C0	217451.40 80			SIC,SCISIC		EB000137
43*	216046.4C	217372.1C C0			B,SCISP		EB000137
44*	216047.CC	000032.26 30		K DODO	LV,11,$10		EB000138
45*	216047.40	216027.10 00			B,K CANCL		EB000139
46*	216050.00	000032.26 30		K SINGL	LV,11,$10		EB000140
47*	216050.4C	C0CC00.35 8B	216242.34 02		BB,SUNASG($11),KSUPP		EB000141
48*	216051.4C	215240.16 50			LC,7,S TLR+8.C		EB000142
49*	216052.00	215732.10 00			B,K DOCL		EB000143
50*	216052.40	C0CC01.11 04		K MAL	KVI,4,1.0	-IS EQUIP CONSOLE	EB000144
51*	216053.CC	216620.72 C2			BXE,P CON E1		EB000145
52*	216053.40	215730.10 00			B,K KK		EB000146
53*	216054.CC	C0CC20.17 02		K SIGNL	LCI,7,16	-CS IND TO CF($7)	EB000147
54*	216054.40	C00004.11 C4			KVI,4,4.0		EB000148
55*	216055.CC	216052.72 C0			BZXE,K MAL		EB000149
56*	216055.40	C00000.73 8A	004067.2C 50		L(BU,4),SUNITK($10),-18		EB000150

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 216056
1*	216056.40	000010.26 50			LC,11,$L		EB000151
2*	216057.00 *	000000.26 3A			LV,11,S UN A($10)		EB000152
3*	216057.40	000010.26 B0			V+,11,$L		EB000153
4*	216060.00	000001.27 0D			V-I,11,1.0		EB000154
5*	216060.40	000000.64 8B	216110.74 02	K HUNT	BB,S REW($11),K STAB		EB000155
6*	216061.40	000000.63 8B	216110.74 02		BB,S MOUNT($11),K STAB		EB000156
7*	216062.40	216060.67 C8		K HEX	CB-,11,K HUNT		EB000157
8*	216063.00	000000.70 8A	003067.20 50		L(BU,3),S UNIT($10),-18		EB000158
9*	216064.00	000036.27 02			LCI,$11,KREP		EB000159
10*	216064.40	000010.14 30			LV,6,$L		EB000160
11*	216065.00	000036.03 C2		K PUNT	LCI,1,K REP		EB000161
12*	216065.40	000000.00 8E	000000.17 06		LOC(SEOP),0.0($14),0.0($6)		EB000162
13*	216066.40	216070.03 44			BZEKJZ,$+1.32		EB000163
14*	216067.00	216065.42 48			CB,1,$-1.32		EB000164
15*	216067.40	221300.10 00			B,K REJT		EB000164
16*	216070.00	216072.04 44			BZCBJZ,K NET		EB000165
17*	216070.40	221313.40 80		RCLRUK	SIC,KCBJR		EB000166
18*	216071.00	221302.50 00			B,KCLEAR		EB000166
19*	216071.40	216065.10 00			B,K PUNT		EB000167
20*	216072.00	000036.03 02		K NET	LCI,1,K REP	-WAIT FOR END OP	EB000168
21*	216072.40 *	000000.00 8E	216332.21 00		CCW,0.0($14),K RECEP		EB000169
22*	216073.40	216075.03 44			BZEKJZ,$+1.32		EB000170
23*	216074.00	216072.42 48			CB,1,$-1.32		EB000171
24*	216074.40	221300.10 00			B,K REJT		EB000171
25*	216075.00	216332.23 80	006000.20 50		L(BU,6),K RECEP.19		EB000172
26*	216076.00	216104.74 C2			BRZ,K K SET		EB000173
27*	216076.40	216332.30 80	216072.34 02		BB,K RECEP.24,K NET	-IF SEOP BIT ON, LOOP	EB000174
28*	216077.40	610000.00 80	406000.C2 70		CIOOO1(BU,6),(.5,2)11C001		EB000175
29*	216100.40	216102.34 C2			BRZ,RINTCK		EB000176
30*	216101.00	216070.66 48			CB,$11,RCLRUK		EB000177
31*	216101.40	221274.10 00			B,KSOS		EB000177
32*	216102.00	216332.25 80	216104.74 00	RINTCK	BZB,KRECEP.21,KKSET		EB000178
33*	216103.00	000001.27 02			LCI,$11,1.0		EB000179
34*	216103.40	000001.27 C5			V+I,$11,1.0		EB000179
35*	216104.00	216134.10 00			B,RNTMCP+1.0		EB000180
36*	216104.40	215001.07 80	216242.34 04	K K SET	BZBZ,S CS INT,K SUPP	-RETURN IF STRAY CS	EB000181
37*	216105.40 *	216171.37 80	001000.00 F0		CMOC00(BU,1),KCSQ.31		EB000182
38*	216106.40	216171.26 30			LV,11,K CS Q		EB000183
39*	216107.00	000000.40 8B	001066.46 70		C0011(BU,1),S OWNER($11),-19		EB000184
40*	216110.00	215776.10 00			B,K NORM		EB000185
41*	216110.40	000022.27 50		K STAB	SC,11,$2	-TEST IF UNIT IS READY	EB000186
42*	216111.00	000001.05 CD			V-I,2,1.0		EB000187
43*	216111.40	000036.03 02			LCI,1,K REP		EB000188
44*	216112.00	000000.00 8E	000000.17 02		LOC(SEOP),0.0($14),0.($2)		EB000189
45*	216113.00	216114.43 44			BZEKJZ,$+1.32		EB000190
46*	216113.40	216112.02 48			CB,1,K STAB+1.32		EB000191
47*	216114.00	221300.10 00			B,K REJT		EB000191
48*	216114.40	216116.44 44			BZCBJZ,KSTAG		EB000192
49*	216115.00	221313.40 80			SIC,KCBJR		EB000193
50*	216115.40	221302.50 00			B,KCLEAR		EB000193
51*	216116.00	216111.50 00			B,KSTAB+1.0		EB000194
52*	216116.40	000036.03 02		KSTAG	LCI,1,KREP		EB000195
53*	216117.00	000000.00 8E	216332.21 00		CCW,0.0($14),K RECEP		EB000196
54*	216120.00	216121.43 44			BZEKJZ,$+1.32		EB000197
55*	216120.40	216117.02 48			CB,1,$-1.32		EB000198
56*	216121.00	221300.10 00			B,K REJT		EB000198

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION 216121	
1*	216121.40 *		216332.30 80	216116.74 02		BB,K RECEP.24,K STAG	-IF SEOP BIT ON, LOOP	EB000199
2*	216122.40		216332.22 80	216062.74 CC		BZB,K RECEP.18,K HEX	-IF UNIT IS NOT READY, SKIP	EB000200
3*	216123.4C		0CCC00.65 8B	216153.74 04		BZBZ,SIMNT($11),ZRCPFC		EB000201
4*	216124.40		CCCCC0.64 8B	216062.74 06		BBZ,SREW($11),KHEX		EB000202
5*	216125.40		CCCCC0.63 8B	216153.74 04		BZBZ,SMCUNT($11),ZRCPFC		EB000203
6*	216126.40		CCCCC0.40 8B	216133.34 0C		BZB,SCWNER($11),RNTMCP		EB000204
7*	216127.4C		216146.C2 10			LX,1,RSRC		EB000205
8*	216130.CC		CCCCC0.30 3B			LV,12,SUNA($11)		EB000206
9*	216130.40		CCCC03.32 3C			LV,13,SF1AAC($12)		EB000207
10*	216131.0C		CCCCC0.C4 3D			LV,2,SICORN($13)		EB000208
11*	216131.4C		0CCCC0.C4 91		RKMP	KV,2,($1)		EB000209
12*	216132.CC		216152.72 C2			BXE,RMCPCS		EB000209
13*	216132.40		216131.42 C8			CBH,1,RKMP		EB000210
14*	216133.00		216332.25 80	216062.74 0C	RNTMCP	BZB,KRECEP.21,KHEX		EB000211
15*	216134.CC		221313.40 80			SIC,KCBJR		EB000212
16*	216134.40		221302.50 CC			B,KCLEAR		EB000212
17*	216135.00 *		CCCC16.01 01			LVI,$0,14.0		EB000213
18*	216135.4C		220231.41 D0			SVA,$0,ZCTLRW.32		EB000213
19*	216136.CC		215C01.C4 80	216140.34 0C		BZB1,SL,$+2.0		EB000214
20*	216137.00		216146.76 80	001000.36 F0		CM1111(BU,1),RSRC.62		EB000214
21*	216140.CC		220234.00 80			SIC,ZCCMRT-.32		EB000215
22*	216140.4C		220230.10 00			B,ZCTLRW-1.C		EB000215
23*	216141.CC		216146.76 80	216143.34 06		BBZ,RSRC.62,$+2.C		EB000216
24*	216142.CC		215CC1.C4 80	001000.CC F0		CMOCC0(BU,1),SL		EB000216
25*	216143.00		CCC136.01 C1			LVI,$0,94.0		EB000217
26*	216143.4C		220231.41 D0			SVA,$0,ZCTLRW.32		EB000217
27*	216144.00		216242.C1 01			LVI,$0,KSUPP		EB000218
28*	216144.40		220234.01 D0			SVA,$0,ZCCMRT-.32		EB000218
29*	216145.CC		216C62.5C C0			B,KHEX		EB000219
30*	216146.CC		216147.00+ CC0	000007 CCCCCC	RSRC	XW,RTABLE,7		EB000220
31*	216147.00		CCC004.00+		RTABLE	VF,VRTP		EB000221
32*	216147.40		CCC006.00+			VF,VWTP		EB000221
33*	216150.00		CCC013.00+			VF,CT11		EB000222
34*	216150.4C *		CC0014.00+			VF,CT21		EB000222
35*	216150.71		CCCCC0.07			DRZ(BU,7),1		EB000223
36*	216151.CC		CCCC01.40			DRZ(BU,32),3		EB000224
37*	216152.4C		C00020.17 02		RMCPCS	LCI,7,16.		EB000225
38*	216153.CC		216161.1C C0			B,KFAKE+1.C		EB000226
39*	216153.40		CCCCC0.01 09		ZRCPFC	LVNI,$0,C		EB000227
40*	216154.CC		CCCCC0.30 3B			LV,12,S UN A($11)		EB000228
41*	216154.4C		CCCCC7.41 3C			SV,C,S FILEK($12)		EB000229
42*	216155.CC		0CCC20.17 02			LCI,7,16		EB000230
43*	216155.4C		CCCC03.32 3C			LV,13,S FI A AC($12)		EB000231
44*	216156.00		C00004.22 8D	001000.36 F0		CM1111(BU,1),S CCW.18($13)	-TURN ON UNR STATUS BIT IN CW	EB000232
45*	216157.00		C00000.63 8B	216171.74 06		BBZ,S MCUNT($11),K MCUNT		EB000233
46*	216160.CC		CCCCC0.64 8B	001000.CC F0	K FAKE	CMOCC0(BU,1),S REW($11)		EB000234
47*	216161.CC		CCCC01.17 5D			SC,7,1.C($13)		EB000235
48*	216161.40		000000.75 8B	216202.34 06		BBZ,S REL($11),K RELES	-BR. IF RELEASE	EB000236
49*	216162.40		CCCCC0.56 8B	216062.74 C6		BBZ,S SEOP($11),K HEX		EB000237
50*	216163.4C		216171.37 80	216170.34 02		BB,KCSQ.31,ZKCSQ		EB000238
51*	216164.40		CCCC00.40 8B	216166.74 0C		BZB,SCWNER($11),$+2.C		EB000239
52*	216165.40 *		216171.37 80	001000.36 F0		CM1111(BU,1),KCSQ.31		EB000240
53*	216166.4C		215001.C7 80	001000.36 FC		CM1111(BU,1),S CS INT		EB000241
54*	216167.40		216171.27 30			SV,11,K CS Q		EB000242
55*	216170.CC		216C62.43 01		ZKCSQ	LVI,$1,KHEX		EB000243
56*	216170.40		215762.1C C0			B,K Q IN		EB000244

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 216171	
1*	216171.00	CCCOCC.00+		K CS Q	VF,C		EB000245
2*	216171.40	COOC10.46 3C		K MOUNT	LV,3,S C REEL($12)		EB000246
3*	216172.00	COOC10.71 8C	007000.22 BO		M+1,S REEL K($12)		EB000247
4*	216173.00	COCCC0.C6 33			LV,3,0.C($3)	-UPDATE CURRENT REEL FIELD	EB000248
5*	216173.40	COOC10.47 3C			SV,3,S C REEL($12)		EB000249
6*	216174.00	COOC00.33 83	216177.74 CC		BZB,SYSTAP($3),KNONS	-TEST THIS LABEL	EB000250
7*	216175.00	000000.50 8B	001000.36 FO		CM1111(BU,1),S VER($11)	-IF SO,MUST BE VERIFIED	EB000251
8*	216176.00	COOC07.31 8C	001000.36 FO		CM1111,SSYSTM($12)		EB000252
9*	216177.00	216161.10 CO			B,K FAKE+1.0		EB000253
10*	216177.40	COOC00.5C 8B	001000.36 FC	K NONS	CM1111(BU,1),S VER($11)	-SET VER IN FOR REMCUNT	EB000254
11*	216200.40 *	COCCC7.31 8C	001000.CO FO		CMOCOO(BU,1),S SYSTM($12)		EB000255
12*	216201.40	216161.10 CO			B,K FAKE+1.0		EB000256
13*	216202.00	000000.37 8B	001000.CC FC	K RELES	CMOCOO(BU,1),S SET UP($11)		EB000257
14*	216203.00	000040.17 02			LCI,7,(8)40		EB000258
15*	216203.40	216160.10 00			B,K FAKE		EB000259
16*	216204.00	COCCOO.72 8B	215744.34 02	K SPACE	BB,S WR($11),K COPY		EB000260
17*	216205.00	COOCOO.71 8B	216207.74 02		BB,SRD($11),KFORWD		EB000261
18*	216206.00	374000.00 80	410000.21 1C		KI(BU,8),(8)176		EB000262
19*	216207.00	216211.36 40			BZAL,$+2.0		EB000263
20*	216207.40	COC007.46 8C	014000.22 BO	K FORWD	M+1,S FILE K($12)		EB000264
21*	216210.40	215742.10 CO			B,K STACK		EB000265
22*	216211.00	COCC07.46 8C	014000.32 BO		M-1,SFILEK($12)		EB000266
23*	216212.00	215746.74 CO			BZRZ,KGATE		EB000267
24*	216212.40	220064.10 00			B,KILEGL		EB000268
25*	216213.00	236000.00 80	410000.21 1C	K WEF	KI(BU,8),79		EB000269
26*	216214.00	216207.76 C2			BAE,K FORWD		EB000270
27*	216214.40 *	215742.10 00			B,K STACK		EB000271
28*	216215.00	000013.17 80	005000.07 7C	CMINTP	CTOC11(BU,5),$IND+.15	-CHECK FOR OP,AD,USA OR DS	EB000272
29*	216216.00	216220.74 C2			BRZ,CMINTZ	-EXE SHOULD BE OFF AT THIS POINT	EB000273
30*	216216.40	216217.07 C6			BOPZ,$+.32		EB000274
31*	216217.00	216217.50 46			BADZ,$+.32		EB000275
32*	216217.40	216220.10 C6			BUSAZ,$+.32		EB000276
33*	216220.00	216220.51 C6			BDSZ,$+.32		EB000277
34*	216220.40	000036.37 02		CMINTZ	LCI,$15,3C.0		EB000278
35*	216221.00	215230.00 80	215324.36 20		T,15,S TLR,S LR BU		EB000279
36*	216222.00	215001.04 80	001000.36 FC		CM1111(BU,1),S L		EB000280
37*	216223.00	222037.10 00			B,K UNSTC		EB000281
38*	216223.40	215361.00 30		K SUPRS	LV,C,S IC BU		EB000282
39*	216224.00	COOC01.41 3D			SV,C,S INT AD($13)		EB000283
40*	216224.40	216242.10 CO			B,K SUPP		EB000284
41*	216225.00	000000.75 89	216242.34 02	C NOWAT	BB, S SIO($9),K SUPP		EB000285
42*	216226.00	216004.5C 00			B,K COMM		EB000286
43*	216226.40	000000.31 89	216242.34 02	C WAIT	BB, S AS($9), K SUPP		EB000287
44*	216227.40	C00030.32 90			KV,13,$8		EB000288
45*	216230.00 *	216225.32 CO			BZXE,C NOWAT		EB000289
46*	216230.40	000036.37 02			LCI,15,30		EB000290
47*	216231.00	216010.03 01			LVI,1,K NINTY		EB000291
48*	216231.40	215001.05 80	216234.34 02		BB,S M,C JUMP		EB000292
49*	216232.40	215230.00 80	215266.36 20		T,15,S TLR,S LR PP		EB000293
50*	216233.40	222020.10 00			B,K SERCH		EB000294
51*	216234.00	215230.00 80	215362.36 20	C JUMP	T,15,S TLR,S LR MCP		EB000295
52*	216235.00	222020.10 00			B,K SERCH		EB000296
53*	216235.40	COCCC4.30 8D	001000.CC FO	KFREE	CMOCOO(BU,1),SCCW+.24($13)		EB000297
54*	216236.40	COOC27.45 80	003000.20 50		L(BU,3),$7.37 -EPGK,LK, OR EE ON		EB000298
55*	216237.40	215265.00 30			LV,$0,STIC		EB000299
56*	216240.00	COOC01.41 3D			SV,$0,SINTAD($13)		EB000299

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 216240
1*	216240.40	215762.34 C0			BZRZ,K C IN		EB000300
2*	216241.00	000004.26 8D	001000.00 F0		CMOC00(BU,1),S CCW+.22($13)	-IF NOT, TURN OFF EOP IN CCW	EB000301
3*	216242.00	216246.70 00		K SUPP	NOP,K CCMM R		EB000302
4*	216242.40	216273.30 00		K SUP CS	NOP,K MT CSQ	-BRANCH IF CS QUEUE NOT EMTY	EB000303
5*	216243.00	215265.C0 30			LV,C,S TIC		EB000304
6*	216243.40 *	216246.01 30			SV,0,$+2.32		EB000305
7*	216244.00	000035.37 02			LCI,15,29		EB000306
8*	216244.40	215231.44 A0			LFT(U),STLR+1.0	-RESTORE $MR	EB000307
9*	216245.00	215230.00 80	000003.36 20		T,15,S TLR,3.0		EB000308
10*	216246.00	216246.00 00			BE,$	-RETURN CONTROL	EB000309
11*	216246.40	000000.31 01		K CCMM R	LVI,12,C.0		EB000310
12*	216247.00	216242.23 80	001000.36 F0		CM1111(BU,1),K SUPP.19		EB000311
13*	216250.00	216260.10 00		K CONCP	B,KCOMCW+1.0	- IF CONCEPTOR,EOP	EB000312
14*	216250.40	215006.34 30			LV,$14,JCNAD	- CA	EB000313
15*	216251.00	215006.24 30			LV,$10,JCNAD		EB000314
16*	216251.40	000032.24 B0			V+,$10,$10		EB000315
17*	216252.00	215002.24 B0			V+,$10,SCHANS	-CST	EB000316
18*	216252.40	000000.26 3A			LV,$11,SUNA($10)	-UST	EB000317
19*	216253.00	216257.23 80	004000.60 50		L(BU,4),KCOMCW.19,1		EB000318
20*	216254.00	215240.11 80	005000.20 D0		ST(BU,5),STLR+8.9	-INDICATORS	EB000319
21*	216255.00	216250.23 80	001000.00 F0		CM0000(BU,1),KCONCP.19	-RESET RRANCH	EB000320
22*	216256.00	216644.10 00			B,PCONE2		EB000321
23*	216257.00 *	000000.00+ 000	000000 000000	K CCMCW	XW,	-CONCEPTOR INTERRUPTS	EB000322
24*	216260.00	000000.66 3C			LV,11,S UNIT N($12)		EB000323
25*	216260.40	000000.24 3C			LV,10,S CHAN N($12)		EB000324
26*	216261.00	000032.24 B0			V+,10,$10		EB000325
27*	216261.40	215002.24 B0			V+,10,S CHAN S		EB000326
28*	216262.00	000000.26 BA			V+,11,S UN A($10)		EB000327
29*	216262.40	000003.32 3C			LV,13,S FI AAC($12)	-OBTAIN ACTIVATED FILE AREA ADD	EB000328
30*	216263.00	215021.23 01			LVI,9,S PROG S		EB000329
31*	216263.40	000000.40 8B	001066.46 70		C0011(BU,1),S OWNER($11),-19	-LEVEL OF INTERRUPT	EB000330
32*	216264.40	215001.05 80	001066.60 D0		ST(BU,1),SM,-19		EB000331
33*	216265.40	215776.34 C2			BRZ,K NORM	-BRANCH IF PP INTERRUPT	EB000332
34*	216266.00	000001.23 05			V+I,9,1.0	-MCP INTERRUPT	EB000333
35*	216266.40	215776.10 00			B,K NORM		EB000334
36*	216267.00	000036.00 80	023064.20 50	K CS IN	L(BU,19),$14,-24	-CONVERT CHAN NO TO BIT ADDR	EB000335
37*	216270.00	000010.36 30			LV,15,$L		EB000336
38*	216270.40	216312.00 8F	001000.36 F0		CM1111(BU,1),K CS REG($15)	-STACK CHAN SIGNAL	EB000337
39*	216271.40	216242.63 80	001000.00 F0		CMOC00(BU,1),K SUP CS.19	-SWITCH GATE OPEN	EB000338
40*	216272.40 *	216272.50 C0		K ST CS	B,$		EB000339
41*	216273.00	216312.00 80	000040.06 70	K MT CSQ	C0011(BU,64),K CS REG,64		EB000340
42*	216274.00	000007.26 30			LV,11,$LZC		EB000341
43*	216274.40	000007.74 50			LC,14,$ACC		EB000342
44*	216275.00	000011.22 00			Z,$R		EB000343
45*	216275.40	000007.21 80	007026.46 70		LF(BU,7),$LZC,45	-FIND CHAN NO	EB000344
46*	216276.40	000011.24 30			LV,10,$R		EB000345
47*	216277.00	000032.34 30			LV,14,$10		EB000346
48*	216277.40	000032.24 B0			V+,10,$10		EB000347
49*	216300.00	215002.24 B0			V+,10,S CHAN S	-COMPUTE CHAN STATUS T ADDR	EB000348
50*	216300.40	000000.35 10			SX,14,0		EB000349
51*	216301.00	000000.32 8A	216305.34 00		BZB,S CH OP($10),K Z CS	-CHECK IF CHAN BUSY	EB000350
52*	216302.00	216243.30 42			BXCZ,K SUP CS.32	-IF SO, SEE IF ANY OTHER CS IN Q	EB000351
53*	216302.40	000010.00 8B	001000.00 F0		CMOC00(BU,1),$L($11)		EB000352
54*	216303.40	216312.00 80	000040.03 70		CTOC01(BU,64),K CS REG,64		EB000353
55*	216304.40	216274.10 C0			B,K MT CSQ+1.0	-IF SO, LOOP	EB000354
56*	216305.00	216306.70 40		K Z CS	BZXCZ,$+1.32	-TEST IF ANY OTHER CS IN QUEUE	EB000355

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 216305	
1*	216305.40 *	216242.63 80 001000.36 F0		CM1111(BU,1),K SUP CS.19	-IF SO, NOP ENTRY	EB000356
2*	216306.40	216312.00 8B 001000.00 F0		CM0000(BU,1),K CS REG($11)	-RESET CS QUEUE	EB000357
3*	216307.40	000020.17 02		LCI,7,16	-FAKE CS	EB000358
4*	216310.00	000010.17 50		SC,7,$L		EB000359
5*	216310.40	215240.11 80 005071.52 F0		CM0101(BU,5),S TLR+8.9,-13		EB000360
6*	216311.40	215721.50 00		B,S FAKE I		EB000361
7*	216312.00 *	000001.00	K CS REG	DRZ(BU,64),1		EB000362
8*	216313.00	003410.35 01	C Q2BIG	LVI,$14,SQ2BIG	-LOAD ERROR CODE AND	EB000363
9*	216313.40	217451.40 80		SIC,S DISIC		EB000364
10*	216314.00	217372.10 00		B,S DISP		EB000364
11*	216314.40	000005.20 3C	K RELAY	LV,8,S RET AD($12)		EB000365
12*	216315.00	000001.17 5D		SC,7,1.0($13)		EB000366
13*	216315.40	000000.10 08		B,0.0($8)		EB000367
14*	216316.00	000003.34 8D 022033.60 50	C ARC AD	L(BU,18),SCW.28($13),55-SDD	-ORIGINAL COUNT TO ACC	EB000368
15*	216317.00	215001.01 80 001000.00 F0		CM0000(BU,1),S HS ECH		EB000369
16*	216320.00	000004.00 1D		LX,C,S CCW($13)	-TEST IF FINAL CW COUNT IS ZERO	EB000370
17*	216320.40	216327.30 40		BZXCZ,K DISK E		EB000371
18*					-$L HOLDS NO OF ARCS WHICH EQUALS	EB000372
19*	216321.00	000000.00 80 000000.23 10		KF(BU,64),$Z	-IS NO OF ARCS AN INTEGER	EB000373
20*	216322.00	216323.76 C2		BAE, $+1.32	-IF YES, BRANCH	EB000374
21*	216322.40	000010.00 80 000000.22 B0		M+1(BU,64), 8.0	-IF NOT, ROUND UP BY ONE	EB000375
22*	216323.40	000000.40 8A 022040.20 10		+, S ARC AD($10),64	-ADD THIS TO S ARC AD AND RETURN THE	EB000376
23*	216324.40	000000.40 8A 022040.20 D0		ST(BU,18),SARC AD($1C),64-SUM TO STORAGE IN		EB000377
24*	216325.40 *	000006.00 8D 022040.20 D0		ST(BU,18), SCUARC($13),64 - S ARC AD AND S CU ARC		EB000378
25*	216326.40	215746.50 00		B,K GATE		EB000379
26*	216327.00	000000.40 8A 022000.36 F0	KDISKL	CM1111(BU,18),SARCAD($10)-FORCE LOCATE ON NEXT I/O		EB000380
27*	216330.00	000003.00 1D		LX,C,S CW($13)		EB000381
28*	216330.40	000004.01 1D		SX,C,S CCW($13)		EB000381
29*	216331.00	215746.50 00		B,K GATE		EB000382
30*	216332.00	000000.00+ 000 000000 000000	K RECEP	XW,C		EB000383

```
 LINE  LOCATICN            BINARY CUTPUT            NAME     STATEMENT                                             LOCATION

   1*                                              -  ******************************************************************   EC000001
   2*                                              -           ***** MASKABLE INTERRUPTS *****                           EC000002
   3*                                              -  ******************************************************************   EC000003
   4* 216333.00 *                                           SLC,$                                                        EC000004
   5* 216333.CC      CCCC03.CC 80  215230.CC AC   W LCDE   TI,C,3.C,STLR        -SAVE LR$BC THRU $2                    EC000005
   6* 216334.CC      000023.CC 80  215250.32 A0            TI,13,19.C,STLR+16.0  -SAVE LR $3 THRU $15                  EC000006
   7* 216335.CC      215231.47 A0                          BE,STLR+1.32(.26,2)1111C1    -STM(U),STLR+1.0 - SAVE $MR.    EC000007
   8* 216335.40      216336.07 C6                          BOPZ,$.32                    -FOR LASL LRL                   EC000008
   9* 216336.00      000021.37 70                          SR,15,$1                                                     EC000009
  10* 216336.4C      000000.C3 30                          SV,1,0.C             -SETS XVZ INDICATCR ON IF NC PTOE       EC000010
  11* 216337.CC      216341.71 40                          BZXVZ,WJTST                                                  EC000011
  12* 216337.40      215163.03 01                 WCCNA    LVI,$1,SFPTE                                                 EC000012
  13* 216340.00      216371.25 80  001000.36 FC            CM1111(BU,1),WCONY.21          -SELECT MCP TCE              EC000013
  14* 216341.CC      216344.50 00                          B,WCON+1.0                                                   EC000014
  15* 216341.40      215230.42 90                 WJTST    KV,$1,SLOWER                                                 EC000015
  16* 216342.00      216372.32 42                           BXL,WJERR                                                   EC000015
  17* 216342.40      215230.C2 90                          KV,$1,SUPPER                                                 EC000016
  18* 216343.CC      216372.32 40                           BZXL,WJERR                                                  EC000016
  19* 216343.40      216371.25 80  001000.CC F0   WCCN     CMOCOO(BU,1),WCONY.21          -SELECT PP TCE               EC000017
  20* 216344.40      216371.44 30                          LV,$2,WINTOR                                                 EC000018
  21* 216345.CC      215104.05 0D                          V-I,2,SIPT+1.0       -TYPE OF INTERRUPT AS FULL WORD         EC000019
  22* 216345.40 *    000022.14 80  006064.20 50            L(BU,6),$2+.12,-24   -SHIFT INT TYPE TC BIT FIELD            EC000020
  23* 216346.40      CCC010.CC 10                          LX,C,$L              -INT TYPE IN BIT FIELC OF $0            EC000021
  24* 216347.CC      CCC022.C3 30                          SV,1,$2              -AUDRESS CF TCE                         EC000022
  25* 216347.40      600000.C7 0B                          LVS,3,$C,$1          -PREPARE TC CHECK PATTERN BIT           EC000023
  26* 216350.C0      000003.C0 83  216337.74 00            BZB,3.0($3),WCONA    -STANDARD FIXUP IF PATTERN BIT IS 0     EC000024
  27* 216351.00      CCCC01.00 80  422064.2C 10   W CCNE   +I(BU,18),1.0,-24    -DEVELCP FIELD LENGTH                   EC000025
  28* 216352.00      216356.43 80  006064.12 FC            SF(BU,6),WCONV+.35,-24-SET FIELD LENGTH                      EC000026
  29* 216353.CC      000100.CC 80  422064.3C 1C            -I(BU,18),64.C,-24   -DEVELCP OFFSET                         EC000027
  30* 216354.00      216356.54 80  007064.12 FC            SF(BU,7),WCCNV+.44,-24 -SET CFFSET                           EC000028
  31* 216355.00      215166.04 80  054010.2C 50            L(BU,44),WPATT+.4,16     -MASK FCR PATTERN                   EC000029
  32* 216356.00      000003.00 81  000000.03 70   W CONV   CTOC01(BU,0),3.0($1) -SET ALL ONES COUNT                     EC000030
  33* 216357.CC      000007.40 30                          LV,C,7.32                                                    EC000031
  34* 216357.40      CCCC20.00 B0                          V+,C,$C              -DEVELCP EXIT ADDRESS                   EC000032
  35* 216360.00      500000.01 0B                          LVS,0,$C,$2          -DEVELOP EXIT ADDRESS                   EC000033
  36* 216360.4C      000003.C1 C5                          V+I,0,3.C            -EXIT ADDRESS IN $C                     EC000034
  37* 216361.0C      216371.C1 C0                          SVA,0,WCONY          -SET EXIT ADDRESS                       EC000035
  38* 216361.40 *    216371.25 80  216363.74 02            BB,WCONY.21,$+2.0           -IF MCP FIXUP                    EC000036
  39* 216362.40      215001.13 80  001000.36 FC            CM1111(BU,1),SSPFIX         -PUT PP IN SPECIAL FIXUP         EC000037
  40* 216363.40      215265.CC 30                          LV,$0,STIC                                                   EC000038
  41* 216364.CC      000000.C1 C1                          SVA,0,0.0($1)                                                EC000039
  42* 216364.4C      215231.44 A0                          LFT(U),STLR+1.C                 -RESTORE $MR                 EC000040
  43* 216365.00      215240.00 80  000001.04 A1            TI,2,STLR+8.0,1.C($1)                                        EC000041
  44* 216366.CC      215234.00 80  000007.32 AC            TI,13,STLR+4.C,7.C   -RESTORE USED LR                        EC000042
  45* 216367.CC      215373.CC 80  000014.02 AC            TI,1,SLRMCP+9.0,$MASK                                        EC000043
  46* 216370.00      CCCC13.22 00                          Z,$IND                                                       EC000044
  47* 216370.40      216371.11 46                          BEXEZ,$+.32                                                  EC000045
  48* 216371.00      216371.CC C0                 W CCNY   BE,$       -TC FIXUP  ENABLED IF SPECIAL,DISABLED IF STANDARD EC000046
  49* 215166.0C+     +0000000C         N ,10C,04  WPATT    SYN,SFPTE+3.0                                                EC000047
  50* 216371.40     CCCCCC.00+                    WINTCR   VF,C                        - INTERRUPT PRESERVATION WORC    EC000048
  51* 216372.00      CC0407.35 01                 WJERR    LVI,$14,SPTOEX                                               EC000049
  52* 216372.4C      217451.40 80                          SIC,SDISIC                                                   EC000050
  53* 216373.00      217372.10 C0                           B,SDISP                                                     EC000050
  54* 216371.40+     +CCCCOCCC         B ,31 ,01  SINTC    SYN,WINTCR                                                   EC000051
```

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION
1*				-	**********	ED000001
2*				-	********** STANDARD FIXUPS **********	ED000002
3*				-	**********	ED000003
4*	216373.4C *				SLC,$	ED000004
5*	216373.4C	0CCCCC.3C CC			CNOP	ED000005
6*	216374.CC	216406.CC 8C		YFXMK	SIC,YMFL	ED000006
7*	216374.4C	216406.1C CC			B,YMFL	ED000007
8*	216375.CC				(IQSX)DC(BU), MK X	ED000008
9*	216376.CC	216406.CC 8C		YFXIK	SIC,YMFL	ED000009
10*	216376.4C	216406.1C CC			B,YMFL	ED000010
11*	216377.CC				(IQSX)DC(BU), IK X	ED000011
12*	216400.CC	216406.CC 8C		YFXIJ	SIC,YMFL	ED000012
13*	216400.4C	216406.10 00			B,YMFL	ED000013
14*	216401.CC				(IQSX)DC(BU), IJ X	ED000014
15*	216402.CC	216406.CC 8C		YFXEK	SIC,YMFL	ED000015
16*	216402.4C	216406.10 00			B,YMFL	ED000016
17*	216403.CC				(IQSX)DC(BU), EK X	ED000017
18*	216404.CC	216406.CC 8C		YFXCPU	SIC,YMFL	ED000018
19*	216404.4C	216406.1C CC			B,YMFL	ED000019
20*	216405.00				(IQSX)DC(BU), CPUS X	ED000020
21*	216406.00 *	216406.00 8C	216412.02 A0	YMFL	TI,1,$,YMFCM	ED000021
22*	216407.CC	215470.4C 8C			SIC,SCOMIC	ED000022
23*	216407.4C	215470.1C CC			B,SCOMM	ED000023
24*	216410.CC	216412.CC 8C			,YMFCM	ED000024
25*	216410.40	0CCC12.00 8C			,10.	ED000025
26*	216411.CC	216411.04 CC			BD,$	ED000026
27*	216411.4C	216411.40 00		YMFIC	BE,$	ED000027
28*					CNOP	ED000028
29*	216412.00			YMFCM	(IQS$)DC(BU), INTERRUPT. THE NEXT INSTRUCTION IS A BE$	ED000029
30*	216417.7C *				(IQS$)DC(BU), TO THE INTERRUPTED ADDRESS. $	ED000030
31*	216425.CC *	000003.CC		YMFCF	DR(N),(3)	ED000031
32*	216430.00	216457.40 8C		YFXEKJ	SIC,YPREL	ED000032
33*	216430.40	216446.1C CC			B,YPREFX	ED000033
34*	216431.CC				(AX)DD(BU,32), EKJX	ED000034
35*	216431.40				(IQSX)DC(BU,32), EKJX	ED000035
36*	216432.00	216457.40 8C		YFXUNR	SIC,YPREL	ED000036
37*	216432.40	216446.1C CC			B,YPREFX	ED000037
38*	216433.CC				(AX)DD(BU,32),UNRJX	ED000038
39*	216433.40				(IQSX)DC(BU,32),UNRJX	ED000039
40*	216434.00	216457.40 8C		YFXCBJ	SIC,YPREL	ED000040
41*	216434.4C	216446.1C CC			B,YPREFX	ED000041
42*	216435.CC				(AX)DD(BU,32),CBJ X	ED000042
43*	216435.40				(IQSX)DC(BU,32), CBJX	ED000043
44*	216436.00	216457.40 8C		YFXOP	SIC,YPREL	ED000044
45*	216436.4C	216446.1C CC			B,YPREFX	ED000045
46*	216437.CC				(AX)DD(BU,32), OP X	ED000046
47*	216437.4C				(IQSX)DC(BU,32), OP X	ED000047
48*	216440.00	216457.40 8C		YFXAD	SIC,YPREL	ED000048

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 216440	
1*	216440.40	216446.10 C0			B,YPREFX		ED000050
2*	216441.00				(AX)DD(BU,32), AD X		ED000051
3*	216441.40				(IQSX)DD(BU,32), AD X		ED000052
4*	216442.00	216457.40 80		YFXUSA	SIC,YPREL		ED000053
5*	216442.40	216446.10 C0			B,YPREFX		ED000054
6*	216443.00 *				(AX)DD(BU,32), USAX		ED000055
7*	216443.40				(IQSX)DD(BU,32), USAX		ED000056
8*	216444.00	216457.40 80		YFXDS	SIC,YPREL		ED000057
9*	216444.40	216446.10 C0			B,YPREFX		ED000058
10*	216445.00				(AX)DD(BU,32), DS X		ED000059
11*	216445.40				(IQSX)DD(BU,32), DS X		ED000060
12*	216446.00	215001.04 80	216453.34 02	YPREFX	BB,SL,$+5.0		ED000061
13*	216447.00	000003.00 80	215324.00 AC		TI,16,3.0,SLRBU		ED000062
14*	216450.00	000023.00 80	215344.32 AC		TI,13,19.0,SLRBU+16.		ED000063
15*	216451.00	215373.00 80	000014.02 A0		TI,1,SLRMCP+9.0,$MASK		ED000064
16*	216452.00	216604.02 30			LV,$1,YSFIC		ED000065
17*	216452.40	215361.03 30			SV,$1,SICBU		ED000066
18*	216453.00	216425.03 10			SX,$1,YMFCF		ED000067
19*	216453.40	216454.03 C6			BUNRJZ,$.32		ED000068
20*	216454.00	216454.44 46			BCBJ Z,$.32		ED000069
21*	216454.40	216455.07 C6			BCP Z,$.32		ED000070
22*	216455.00	216455.50 46			BAD Z,$.32		ED000071
23*	216455.40	216456.11 46			BEXE Z,$.32		ED000072
24*	216456.00	216456.50 C6			BUSAZ ,$.32		ED000073
25*	216456.40 *	216457.11 C6			BDS Z ,$.32		ED000074
26*	216457.00	216457.52 C6			BIF Z ,$.32		ED000075
27*	216457.40	216457.40 80	000000.20 50	YPREL	L(BU),$ -LOAD IDENTIFYING INITIALS.		ED000076
28*	216460.40	216513.10 80	040020.20 D0		ST(BU,32),YPPEM+.8,32		ED000077
29*	216461.40	216523.00 80	040000.20 D0		ST(BU,32),YMCPIN		ED000078
30*	216462.40	000000.03 01			LVI,$1,0 -CONVERT IC TO BCD		ED000079
31*	216463.00	000010.03 02			LCI,$1,8		ED000080
32*	216463.40	216604.22 80	001001.20 50		L(BU,1),YSFIC+.18,2		ED000081
33*	216464.40	166000.00 80	410004.06 70		LFI(BU,8),(2)00111011,8		ED000082
34*	216465.40	216604.00 80	022310.06 70		LF(BU,18,3),YSFIC,16		ED000083
35*	216466.40	000000.00 80	010000.13 71	YSFCL2	CTO101(BU,8),0,0($1)		ED000084
36*	216467.40	216471.34 C0			BZRZ,$+1.32		ED000085
37*	216470.00	024000.00 80	410000.06 71		LFI(BU,8),(2)0000101O,0($1)		ED000086
38*	216471.00	000004.03 05			V+I,$1,4.0		ED000087
39*	216471.40	216466.42 48			CB,$1,YSFCL2		ED000088
40*	216472.00 *	216516.40 80	000000.20 D0		ST(BU),YPEIC		ED000089
41*	216473.00	215001.04 80	216500.74 0E		BB1,SL,YMCPPE		ED000090
42*	216474.00	215571.00 80			SIC,SPRIMR		ED000091
43*	216474.40	215570.10 00			B,SPRIME		ED000092
44*	216475.00	000104.00 80			,DABECJ		ED000093
45*	216475.40	215224.06 10			LX,$3,YSFBCR -RESET BOUNDARY CONTROL.		ED000094
46*	216476.00	000003.07 10			SX,$3,3.0		ED000095
47*	216476.40	224052.00 80			SIC,ZSPLP9 -WRITE MESSAGE ON SPOOL TAPE.		ED000096
48*	216477.00	224046.50 C0			B,ZSPLPR		ED000097
49*	216477.40	216513.00 80			,YPPEM		ED000098
50*	216500.00	000005.00 80			,5.0		ED000099

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT		LOCATION 216500	
1*	216500.40		215006.02 30		YMCPPE	LV,$1,SYCOCH		-GET ABSOLUTE ADDRESSES FOR	ED000101
2*	216501.00		000000.00 81	000000.33 00		REL(SEOP),0($1)		-CLEAR BOTH CHANNELS.	ED000102
3*	216502.00		216426.00 80	000000.36 F0		CM1111(BU,64),YMFCF+1.0			ED000103
4*	216503.00		216604.00 80	025300.06 70		LF(BU,21,3),YSFIC		-SET UP INT. ADDRESS FOR	ED000104
5*	216504.00		216426.00 80	034400.12 F0		SF(BU,28,4),YMFCF+1.0		-CONSOLE LIGHTS.	ED000105
6*	216505.00	*	000000.00 81	231363.21 00		CCW,0($1),YUXSAV			ED000106
7*	216506.00		231363.30 80	216505.34 02		BB,YUXSAV+.24,$-1.0			ED000107
8*	216507.00		000000.00 81	216512.13 00		W(SEOP),0($1),YMCPCW			ED000108
9*	216510.00		216510.04 00		YMCPHP	BD,YMCPHP			ED000109
10*	216511.00		216521.00+ 000	000007 000000	YMCPC2	CW,YMCPCM,7,0			ED000110
11*	216512.00		216425.00+ 100	000003 216511	YMCPCW	CW(CCR),YMFCF,3,YMCPC2			ED000111
12*	216513.00				YPPEM	(AX)DD(BU),-	INTERRUPT AT LOCATION X		ED000112
13*	216516.40				YPEIC	(AX)DD(BU),	X		ED000113
14*	216520.40		000000.30 00			CNOP			ED000114
15*	216521.00			375	YMCPCM	DD(BU,8),(2)11111101			ED000115
16*	216521.10	*				(IQSX)DD(BU),MCP ERROR-... X			ED000116
17*	216523.00				YMCPIN	(IQSX)DC(BU),	INTERRUPT AT ABOVE LOCATION. X		ED000117
18*	216530.00		217343.10 00		YFXTS	B,WRAM			ED000118
19*	216530.40		217343.10 00		YEXEFX	B,WRAM			ED000119
20*	216531.00		215230.00 80	215324.00 A0	YMSF	TI,16,STLR,SLRBU			ED000120
21*	216532.00		215250.00 80	215344.34 A0		TI,14,STLR+16.,SLRBU+16.			ED000121
22*	216533.00		000000.00 81	040000.20 50		L(BU,32),0($1)		-LOAD IDENTIFYING INITIALS-...	ED000122
23*	216534.00	*	216555.20 80	040000.20 D0		ST(BU,32),YMIMIN+.16		-STORE IN SPOOL MESSAGE.	ED000123
24*	216535.00		215224.02 10			LX,$1,YSFBCR		-SET NEW BOUNDARY CONTROL	ED000124
25*	216535.40		000003.03 10			SX,$1,3.0			ED000125
26*	216536.00		215265.22 80	001001.20 50		L (BU,1),STIC+.18,2		-CONVERT IC TO BCD.	ED000126
27*	216537.00		166000.00 80	410004.06 70		LFI(BU,8),(2)00111011,8			ED000127
28*	216540.00		215265.00 80	022310.06 70		LF(BU,18,3),STIC,16			ED000128
29*	216541.00		000000.03 01			LVI,$1,0			ED000129
30*	216541.40		000010.03 02			LCI,$1,8			ED000130
31*	216542.00		000000.00 80	010000.13 71	YSFCL1	CTO101(BU,8),0,0($1)			ED000131
32*	216543.00		216544.74 00			BZRZ,$+1.32			ED000132
33*	216543.40		024000.00 80	410000.06 71		LFI(BU,8),(2)00001010,0($1)			ED000133
34*	216544.40		000004.03 05			V+I,$1,4.0			ED000134
35*	216545.00		216542.02 48			CB,$1,YSFCL1			ED000135
36*	216545.40		216563.70 80	000000.20 D0		ST(BU),YMIMIC			ED000136
37*	216546.40		215466.42 50			LC,$1,YMISCO		-GET CURRENT MASKABLE INTERRUPT	ED000137
38*	216547.00		000001.03 08			C-I,$1,1.0		-COUNT. IF COUNT REACHES ZERO, P.P. IS	ED000138
39*	216547.40		215466.43 50			SC,$1,YMISCO		-TO BE KICKED OFF THE MACHINE	ED000139
40*	216550.00	*	216553.70 42			BXCZ,YTMMI			ED000140
41*	216550.40		215001.04 80	001000.36 F0		CM1111(BU,1),SL			ED000141
42*	216551.40		224052.00 80			SIC,ZSPLP9			ED000142
43*	216552.00		224046.50 00			B,ZSPLPR			ED000143
44*	216552.40		216555.00 80			,YMIMIN			ED000144
45*	216553.00		000010.00 80			,8.0			ED000145
46*	216553.40		000403.35 01		YTMMI	LVI,$14,STMMI			ED000146
47*	216554.00		217372.10 00			B,SDISP			ED000147
48*	216554.40		000000.30 00			CNOP			ED000148
49*	216555.00				YMIMIN	(AX)DD(BU),-	INTERRUPT-... INSTRUCTION COUNTER X		ED000149
50*	216562.20					(AX)DD(BU),CONTENTS - X			ED000150
51*	216563.70	*			YMIMIC	(AX)DD(BU),	X		ED000151

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 216565	
1*	216565.40	000000.30 00			CNOP		ED000153
2*	216566.00			YINDF	(AA)DD(BU,32),DF A		ED000154
3*	216566.40			YINLC	(AA)DD(BU,32),LC A		ED000155
4*	216567.00			YINPF	(AA)DD(BU,32), PF A		ED000156
5*	216567.40			YINZD	(AA)DD(BU,32), ZD A		ED000157
6*	216570.00			YINIR	(AA)DD(BU,32), IR A		ED000158
7*	216570.40			YINLS	(AA)DD(BU,32), LS A		ED000159
8*	216571.00			YINPSH	(AA)DD(BU,32), PSHA		ED000160
9*	216571.40			YINXPF	(AA)DD(BU,32),XPFPA		ED000161
10*	216572.00			YINXPO	(AA)DD(BU,32), XPOA		ED000162
11*	216572.40			YINXPH	(AA)DD(BU,32), XPHA		ED000163
12*	216573.00			YINXPL	(AA)DD(BU,32), XPLA		ED000164
13*	216573.40			YINZM	(AA)DD(BU,32), ZM A		ED000165
14*	216574.00			YINRU	(AA)DD(BU,32), RU A		ED000166
15*	216574.40			YINTF	(AA)DD(BU,32), TF A		ED000167
16*	216575.00			YINUF	(AA)DD(BU,32), UF A		ED000168
17*	216575.40			YINVF	(AA)DD(BU,32), VF A		ED000169
18*	216576.00			YINXF	(AA)DD(BU,32), XF A		ED000170
19*	216576.40			YINBTR	(AA)DD(BU,32), BTRA		ED000171
20*	216577.00 *			YINDTR	(AA)DD(BU,32), DTRA		ED000172
21*	216577.40			YINPG0	(AA)DD(BU,32), PG0A		ED000173
22*	216600.00			YINPG1	(AA)DD(BU,32), PG1A		ED000174
23*	216600.40			YINPG2	(AA)DD(BU,32), PG2A		ED000175
24*	216601.00			YINPG3	(AA)DD(BU,32), PG3A		ED000176
25*	216601.40			YINPG4	(AA)DD(BU,32), PG4A		ED000177
26*	216602.00			YINPG5	(AA)DD(BU,32), PG5A		ED000178
27*	216602.40			YINPG6	(AA)DD(BU,32), PG6A		ED000179
28*	216603.00			YINXPU	(AA)DD(BU,32), XPUA		ED000180
29*	216603.40	000000.30 00			CNOP		ED000181
30*	216604.00	000000.00+		YSFIC	VF,C		ED000182
31*	215224.00+	+00000000	B ,31 ,01	YSFBCR	SYN,SBNDRS		ED000183
32*	231363.00+	+00000000	BU,100,10	YSFLCR	SYN,YUXSAV		ED000184
33*				-	***** SPECIAL INTERRUPT ROUTINE FOR TS *****		ED000185
34*				-			ED000186
35*	216604.40	000003.00 80	215230.00 A0	JWLODE	TI,16,3.0,STLR		ED000187
36*	216605.40	000023.00 80	215250.32 A0		TI,13,19.0,STLR+16.0		ED000188
37*	216606.40	215231.47 A0			BE,STLR+1.32(.26,2)111101 -STM(U),STLR+1.0 SAVE $MR		ED000189
38*	216607.00	216607.47 C6			BOPZ,$+.32 -FCR LASL LRL		ED000190
39*	216607.40	215001.04 80	216617.34 02		BB,SL,JWLOD3 -BR. IF MCP LEVEL		ED000191
40*	216610.40	215001.13 80	216615.74 02		BB,SSPFIX,JWLOD4 -IF NOW IN SPECIAL FIXUP		ED000192
41*	216611.40	215021.31 80	216335.34 00		BZB,SPROGS+SAS,WLODE+2.0-IF NOT AUTOSTACKED		ED000193
42*	216612.40 *	000021.37 70			SR,$15,$1		ED000194
43*	216613.00	000000.03 30			SV,$1,0		ED000195
44*	216613.40	216335.31 40			BZXVZ,WLODE+2.0 -LET HIM HAVE IT		ED000196
45*	216614.00	215276.04 80	001000.36 F0	JWLOD2	CM1111(BU,1),SLRPP+8.4 -PUT TS IN PP BUFFER		ED000197
46*	216615.00	216242.10 00			B,KSUPP		ED000198
47*	216615.40	215001.14 80	001000.36 F0	JWLOD4	CM1111(BU,1),STSBIT -SAVE TS WHILE IN SPECIAL		ED000199
48*	216616.40	216242.10 00			B,KSUPP		ED000200
49*	216617.00	215334.04 80	001000.36 F0	JWLOD3	CM1111(BU,1),SLRBU+8.4 -PUT TS IN BACKUP BUFFER		ED000201
50*	216620.00	216242.10 00			B,KSUPP		ED000202

```
 LINE  LOCATION            BINARY OUTPUT              NAME        STATEMENT                                                  LOCATION

   1*                                                 -  ***********************************************************************  EE000001
   2*                                                 -          ******************** THE CONCEPTOR *********************          EE000002
   3*                                                 -  ***********************************************************************  EE000003
   4*                                                 -          -PCONE1 IS THE ENTRY PT FROM RECEPTOR IF CS INTERRUPT ON          EE000004
   5*                                                 -          -ALONE.                                                           EE000005
   6*                                                 -          -P CON E2 IS THE ENTRY PT IF CS INTERRUPT IS NOT ON ALONE AND     EE000006
   7*                                                 -          -THE SETUP BIT IS ON.                                             EE000007
   8* 216620.40 *                                                SLC,$                                                             EE000008
   9* 216620.40      000000.70 8A  003000.00 F0   P CON E1  CM0000(BU,3), S UNIT($10)  - SET UNIT NO EQUAL TO MCP IN CST          EE000009
  10* 216621.40      000000.04 3A                           LV,$2,0($10)                -GET ADDR OF UST                            EE000010
  11* 216622.00      000001.47 82  001000.00 F0             CM0000(BU,1),S SEL($2)      -SELECT MCP UNIT                            EE000011
  12* 216623.00      000001.47 82  001000.36 F0             CM1111(BU,1),S SEL+1.($2)   -UNSELECT PP UNIT                           EE000012
  13* 216624.00      000000.26 3A                 P RENT    LV,$11,S UN A($10)          -SELECT MCP UST                             EE000013
  14* 216624.40      000000.30 3B                           LV,$12,S UN A($11)          -OBTAIN MCP UAT                             EE000014
  15* 216625.00      216633.35 D0                           SVA,$14,WRESL1                                                          EE000015
  16* 216625.40      216633.00 80  000004.02 AC             TI,1,WRESL1,SIOINS($12)     -PLACE RD INSTR IN UAT                      EE000016
  17* 216626.40      000000.32 8A  001000.36 F0             CM1111(BU,1),SCHOP($10),0   -CHAN OP ON                                 EE000017
  18* 216627.40      000000.37 8B  001000.36 F0             CM1111(BU,1),SSETUP($11),0  -SET UP ON                                  EE000018
  19* 216630.40      000000.71 8B  001000.36 F0             CM1111(BU,1),SRD($11),0     -READ ON                                    EE000019
  20* 216631.40      216644.37 01                           LVI,$15,PCONE2                                                          EE000020
  21* 216632.00      000005.37 3C                           SV,$15,SRETAD($12)                                                      EE000021
  22* 216632.40      000000.30 00                           CNOP                                                                    EE000022
  23* 216633.00 *    000000.00 80  216635.01 00   WRESL1    RD,0,WPCW                                                               EE000023
  24* 216634.00      216242.03 01                           LVI,$1,KSUPP                                                            EE000024
  25* 216634.40      221261.10 00                           B,MIOREJ                                                                EE000025
  26* 216635.00    216743.00+ 000 000015 216635   WPCW      CW,PTEMBF,13,WPCW                                                       EE000026
  27* 216636.00      217024.03 01                 P EPGK E  LVI,$1, P EPGK                                                          EE000027
  28* 216636.40      000004.05 01                           LVI,$2, 4.0                                                             EE000028
  29* 216637.00      216640.50 00                           B, P ERR EX                                                             EE000029
  30* 216637.40      217030.03 01                           LVI,$1,PUK                                                              EE000030
  31* 216640.00      000004.05 01                           LVI,$2,4.0                                                              EE000031
  32* 216640.40      215470.40 80                 P ERR EX  SIC, S COM IC                                                           EE000032
  33* 216641.00      215470.10 00                            B , S COMM                                                             EE000032
  34* 216641.40      000000.00 81                            ,0($1)                                                                 EE000033
  35* 216642.00      000000.00 82                            ,0($2)                                                                 EE000034
  36* 216642.40      216242.10 00                            B, K SUPP                                                              EE000035
  37* 216643.00      216624.06 C6                           BCSZ,PRENT                                                              EE000036
  38* 216643.40      216624.10 00                           B,PRENT                     -SAFETY FACTOR                              EE000037
  39* 216644.00      000000.37 8B  001000.00 F0   P CON E2  CM0000(BU,1),SSETUP($11)    -SET UP OFF                                 EE000038
  40* 216645.00      000000.71 8B  001000.00 F0             CM0000(BU,1),SRD($11)       -RD OFF                                     EE000039
  41* 216646.00      000000.32 8A  001000.00 F0             CM0000(BU,1),SCHOP($10)     -CHAN OP OFF                                EE000040
  42* 216647.00 *    215240.11 80  216636.34 06             BBZ, STLR +8.9, P EPGK E  -EPGK INTERRUPT IS ON                         EE000041
  43* 216650.00      215240.12 80  216637.74 06             BBZ,STLR+8.10,PERREX-1.0  -IF UK                                        EE000042
  44* 216651.00      215240.15 80  216643.34 06             BBZ,STLR+8.13,PCONE2-1.0  -IF CS                                        EE000043
  45*                                                       -PRET-WHOSE MESSAGE WAS IT                                              EE000044
  46* 216652.00      215240.11 80  005031.20 50             L(BU,5),STLR+8.9,50       -LOAD I/O INDICATORS                          EE000045
  47* 216653.00      404000.00 80  404031.63 10             KFI(BU,4),(2)0001,51        -COMPARE IF ONLY*ECP*INDIC. IS ON           EE000046
  48* 216654.00      216735.36 C0                           BZAE,G CDBOC                -BRANCH IF *ECP*INDIC. IS NOT               EE000047
  49*                                                                                   -ON ALONE                                   EE000048
  50* 216654.40      216745.77 80  216722.34 00             BZB,P TEMBF+2.63,P PPRET    -IF *END*CODE IN 3RD WORD GO TO             EE000049
  51*                                             -                                     -*PP*                                       EE000050
  52* 216655.40      216746.00 80  010000.06 70             C0011(BU,8),P TEMBF+3.0     -LEADING 8BITS OF THE 4TH WORD              EE000051
  53* 216656.40      774000.00 80  410000.23 10             KFI(BU,8),(2)1111 1110      -IS IT *END*CODE                            EE000052
  54* 216657.40      216736.76 C2                           BAE,P DBRET                 -IF YES GO TO *DB*                          EE000053
  55* 216660.00      000000.26 3A                           LV,$11,S UNA($10)           -SELECT*MCP*UNIT ST.TAB.ADDR.               EE000054
  56* 216660.40      000000.30 3B                           LV,$12,S UNA($11)           -OBTAIN*MCP*UNIT AREA TAB.ADDR.             EE000055
```

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION 216661	
1*	216661.00		217C63.C0 80			SIC, G KONEC		EE000056
2*	216661.40		217C45.10 00			B, G EDIT -EDIT MESSAGE		EE000056
3*	216662.00	*	CCCC24.53 80	003000.07 7C		CTOC11(BU,3), $4 + .43 - IS NO. OF CHARS. DIVISIBLE BY 8		EE000057
4*	216663.00		216664.34 C2			BRZ, $+1.0		EE000058
5*	216663.40		CCCC10.11 00			C+I,$4,8.0		EE000059
6*	216664.00		CCCC24.34 80	017043.60 50		L(BU,15),$4+.28,71 -PUT NO. OF FULL WDS. (TO BE TRANSFERRED)		EE000060
7*						-INTO P OUT FOR G TRANF		EE000061
8*	216665.00		217106.40 80	031040.12 F0		CMO101(BU,25), P OUT, 64		EE000062
9*	216666.00		217012.13 01			LVI,$5,GMISTO		EE000063
10*	216666.40		CCCC00.11 0A		G ZPET	KCI, $4,0		EE000064
11*	216667.00		216703.32 C2			BXE,PMCRET		EE000065
12*	216667.40		CCCC00.1C 85	110000.20 50		L(V+I)(BU,8),.8($5) -LOAD CHARACTER AT TYPED MESSAGE-		EE000066
13*	216670.40		772C00.00 80	410000.23 10		KFI(BU,8),(2)1111 1101 -IS IT CARRIAGE RETURN CODE		EE000067
14*	216671.40		216666.76 C2			BAE,GZPET		EE000068
15*	216672.00		766000.00 80	410000.23 10		KFI(BU,8), (2)1111 1011 -IS IT A TAB CODE		EE000069
16*	216673.00		216666.76 C2			BAE,GZPET		EE000070
17*	216673.40		CCCCC0.00 80	410000.23 10		KFI(BU,8),(2)C -IS IT A BLANK CODE		EE000071
18*	216674.40		216666.76 C2			BAE,GZPET		EE000072
19*	216675.00		CCCCC0.C0 80	001000.36 7C		C1111(BU,1) -FORCE UPPER CASE CHARACTER		EE000073
20*	216676.00	*	226C00.00 80	410000.23 10		KFI(BU,8),(2)C10C 1011 -IS IT A P CHARACTER		EE000074
21*	216677.00		216703.36 C0			BZAE,PMCRET		EE000075
22*	216677.40		CCCCC0.00 85	010000.20 50		L(BU,8),0($5) -LOAD NEXT CHARACTER		EE000076
23*	216700.40		CCCCC0.C0 80	001000.36 7C		C1111(BU,1) -FORCE UPPER CASE		EE000077
24*	216701.40		226C00.C0 80	410000.23 10		KFI(BU,8),(2)C10C 1011 -IS IT A P CHARACTER		EE000078
25*	216702.40		216722.36 C2			BAE,P PP RET -YES-GO TO PP		EE000079
26*	216703.00		CCCC10.C3 01		P MC RET	LVI,$1, JC IOD		EE000080
27*	216703.40		215C03.C2 B0			V+,$1,SBAMCP		EE000081
28*	216704.C0		CCCCC0.72 31			LV,$13,.32($1)		EE000082
29*	216704.40		CCCC03.33 3C			SV,13,S FI AAC($12) -ACTIVATED FILE AREA ADDR TO UA		EE000083
30*	216705.00		217106.50 5C			LC,$4,P OUT		EE000084
31*	216705.40		217012.C0 80	217000.1C 20		T,$4,G MISTO,P MCP BF+3.0		EE000085
32*	216706.40		215265.00 30		P MAIN	LV,$0,STIC		EE000086
33*	216707.00		CCCC01.41 3D		P MAIN1	SV,$0,S INT AD($13)		EE000087
34*	216707.40		216743.C0 80	216775.C6 AC		TI,3,P TEM BF,P MCP BF		EE000088
35*	216710.40		CCCCC0.70 8A	003000.C0 FC		CMOCC0(BU,3), S UNIT($1C) -SET MCP UNIT(=0) IN CST		EE000089
36*	216711.40	*	CCCC01.47 8B	001000.36 F0		CM1111(BU,1),S SEL+1.0($11) -UNSELECT PP UNIT		EE000090
37*	216712.40		CCCCC0.47 8B	001000.00 F0	P EX1	CMOC00(BU,1),S SEL($11) -SELECT PREPARE UNIT		EE000091
38*	216713.40		CCCCC0.57 8B	001000.36 F0		CM1111(BU,1),S CNS SG($11) -TURN ON PROPER S CNS SG BIT		EE000092
39*	216714.4C		CCCC20.17 02			LCI,$7,(8)20.C0		EE000093
40*	216715.C0		CCCCC0.36 8B	216720.74 00		BZB,SUNSLP($11),JPEX2		EE000094
41*	216716.00		CCCCC1.11 8D	005071.60 5C		L(BU,5),SIOIND($13),-13		EE000095
42*	216717.CC		CCCC27.45 8C	005071.56 7C		C0111(BU,5),$7.37,-13		EE000096
43*	216720.00		CCCC10.16 50			LC,7,$L		EE000097
44*	216720.40		CCCCC1.17 5D		JPEX2	SC,7,1.C($13)		EE000098
45*	216721.00		215776.03 01			LVI,$1,KNORM -FAT		EE000099
46*	216721.4C		215762.10 C0			B,KGIN		EE000100
47*	216722.CC		CCCCC1.35 8B	216733.74 02	P PP RET	BB,S UN ASG+1.0($11),G ERROR -IS CNSL ASSIGNED TO PP		EE000101
48*	216723.C0		CCCCC0.26 3A			LV,$11,S UN A($1C)		EE000102
49*	216723.40		CCCCC1.27 05			V+I,$11,1.0		EE000103
50*	216724.00		CCCCC0.30 3B			LV,$12,S UN A($11) -SELECT PPS UATA		EE000104
51*	216724.4C		CCCC03.32 3C			LV,13,S FI AAC($12) -GET FILE AREA ACTIVATED ADDR		EE000105
52*	216725.C0	*	216743.C0 80	216760.32 A0		TI,13,P TEM BF,P PP BF		EE000106
53*	216726.00		215C01.04 80	216732.74 02		BB,SL,P MP LEV		EE000107
54*	216727.CC		215265.CC 30			LV,$C,STIC -INTERRUPT AT PP LEVEL PUT		EE000108
55*	216727.40		CCCC01.41 3D		P COM	SV,$0,S INT AD($13) -CONTENTS OF STIC		EE000109
56*	216730.00		CCCCC0.72 8A	001000.36 F0		CM1111(BU,1),SUNIT+.2($1C) -INTO INTER ADDR SLOT OF PPSFAT		EE000110

```
 LINE   LOCATICN            BINARY CUTPUT               NAME      STATEMENT                                          LCCATICN    216731

  1* 216731.00       777777.47 8B  001000.36 F0                  CM1111(BU,1),S SEL-1.C($11)     -UNSELECT MOP UNIT                  EE000111
  2* 216732.00       216712.50 00                                B,PEX1                                                              EE000112
  3* 216732.40       215361.CC 30                      P MP LEV  LV,$0,S IC BU                   -INTERRUPT AT MCP LEVEL CCNT OF     EE000113
  4*                                                   -                                         -S IC BU                            EE000114
  5* 216733.00       216727.50 00                                B,P CCM                                                             EE000115
  6* 216733.40       217034.C3 01                      G ERROR   LVI,$1, P UN NOT                                                    EE000116
  7* 216734.00       000006.C5 01                                LVI,$2, 6.0                                                         EE000117
  8* 216734.40       216640.50 00                                B, P ERR EX                                                         EE000118
  9* 216735.00       217042.C3 01                      G CDBCC   LVI,$1, P MSG ER                                                    EE000119
 10* 216735.40       000003.C5 C1                                LVI,$2, 3.0                                                         EE000120
 11* 216736.CC       216640.5C C0                                B, P ERR EX                                                         EE000121
 12* 216736.40       00C012.C3 01                      PCBRET    LVI,$1,PCDEF2                                                       EE000122
 13* 216737.00       215003.02 80                                V+,$1,SBAMCP                                                        EE000123
 14* 216737.40       000000.72 31                                LV,$13,.32($1)                                                      EE000124
 15* 216740.CC       000003.33 3C                                SV,13,S FI AAC($12)          -ACTIVATED FILE AREA ADDR TC UA        EE000125
 16* 21674C.40 *     215001.04 80  216706.74 00                  BZB,SL,P MAIN                                                       EE000126
 17* 216741.40       215361.CC 30                                LV,$0,SICBU          -ENTER AT MCP LEVEL CONTENTS CF SICBU      EE000127
 18* 216742.00       216707.1C C0                                B,PMAIN1                                                            EE000128
 19* 216742.4C       000000.30 C0                                CNOP                                                                EE000129
 20* 216743.CC *     C00015.C0                         P TEM BF  DR(BU,64),(13)                                                      EE000130
 21* 216760.00       C00015.00                         P PP  BF  DR(BU,64),(13)                                                      EE000131
 22* 216775.CC       000015.CC                         P MCP BF  DR(BU,64),(13)                                                      EE000132
 23* 217012.CC       C0C012.CC                         G MISTC   DR(BU,64),(1C)                                                      EE000133
 24* 217C24.CC                                         PEPGK     (IQS*)DC(BU), MESSAGE NCT ACCEPTED EPGK ERROR*                      EE000134
 25* 217030.00                                         PUK       (IQS*)DC(BU), MESSAGE NCT ACCEPTED UK ERRCR  *                      EE000135
 26* 217C34.00 *                                       PUNNOT    (IQS*)DC(BU), MESSAGE NOT ACCEPTED PP HAS NC CONSCLE IOD     *      EE000136
 27*                                                             CNOP                                                                EE000137
 28* 217042.CC                                         PMSGER    (IQS*)DC(BU), MESSAGE HAS BEEN ERASED*                              EE000138
 29*                                                   -         -GEDIT                                                              EE000139
 30*                                                   -         -ITS FCN IS TO EDIT CUT FROM A STRING OF 8 BIT IQS                  EE000140
 31*                                                   -         -CHARACTERS ALL BACK SPACE CHARACTERS. FCR EACH BACKSPACE           EE000141
 32*                                                   -         -CHARACTER BOTH IT AND THE PREVICUS NCN BACKSPACE CHARACTER         EE000142
 33*                                                   -         -ARE REMOVED FROM THE STRING.                                       EE000143
 34*                                                   -         -THE UNEDITED STRING OF CHARACTERS MUST BE LESS THAN 81             EE000144
 35*                                                   -         -CHARACTERS LONG.                                                   EE000145
 36*                                                   -         -AT THE CCNCLUSION CF THE EDITING, THE CF OF $4 CONTAINS            EE000146
 37*                                                   -         -THE NUMBER OF CHARACTERS IN THE EDITED MESSAGE.                    EE000147
 38* 217045.00       000024.22 00                      G EDIT    Z,$4                            -INITIALIZE                         EE000148
 39* 217045.40       216746.11 01                                LVI,$4,P TEMBF+3.0              -FWA OF UNEDITED MSG. IN $4         EE000149
 40* 217046.00       217C12.13 01                                LVI,$5,G MISTO                  -FWA FCR EDITED MSG. IN $5          EE000150
 41* 217046.40       C0C120.13 02                                LCI,$5,80                       -SET MAX ALLOWABLE CHARS TO 80      EE000151
 42* 217047.CC       C0C000.1C 84  110000.20 5C      G CKOLC     L(V+I)(BU,8),.8($4)             -LCAD A CHAR.                       EE000152
 43* 21705C.00       77C000.00 80  410000.23 10                  KFI(BU,8),(2)1111 11C0          -IS IT BACKSPACE                    EE000153
 44* 217051.00       217C63.76 C2                                BAE,GVRAT                                                           EE000154
 45* 217051.40       C0C000.10 85  110000.20 D0                  ST(V+I)(BU,8),.8($5)            -NC-STORE CHAR IN EDITED BUFFER     EE000155
 46* 217052.40 *     000001.11 00                                C+I,$4,1                        -ADD ONE TC CCUNT OF EDITED         EE000156
 47*                                                   -                                         -CHARS.                             EE000157
 48* 217053.00       774C00.00 80  410000.23 1C                  KFI(BU,8),(2)1111 111C          -END CODE                           EE000158
 49* 217054.00       217C63.36 C2                                BAE,G KONEC                     -YES-OUT                            EE000159
 50* 217054.40       217047.12 48                                CB,$5,G CKOLC                                                       EE000160
 51* 217055.00       C00120.11 0A                      G KONTR   KCI,$4,8C                       -HAVE EDITED 80 CHARS WITHOUT       EE000161
 52*                                                   -                                         -ENCCUNTERING-                      EE000162
 53*                                                   -                                         -AND END CODE                       EE000163
 54* 217055.40       217C63.32 40                                BZXL,G KONEC                    -IS EDITED CHARACTER CCUNT LESS     EE000164
 55*                                                   -                                         -THAN 80                            EE000165
 56* 217056.00       000011.11 50                                SC,$4,$R                        -YES-PUT EDITED CHAR.CCUNT IN SR    EE000166
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 217056	
1*	217056.40	CCCC10.CC 80 422027.21 9C		*I(BU,18),8,46	-MULTIPLY CHAR. COUNT BY 8	EE000167
2*	217057.40	000026.CC 80 031011.6C DC		ST(BU,25), $6,19	-STORE A POSITIVE PRODUCT	EE000168
3*	217060.40	774CCC.CC 80 410000.2C 5C		LI(BU,8),(2)1111 1110		EE000169
4*	217061.40	217C12.00 86 01C000.12 FC		CMO101(BU,8),G MISTO($6)	-INSERT END CODE AFTER EDITED MSG	EE000170
5*	217062.40	CCCC01.11 CC		C+I,$4,1	-ADD ONE TO EDITED CHAR COUNT	EE000171
6*	217063.CC	217C63.1C CC	G KONEC	B,$	-OUT	EE000172
7*	217063.40	217C12.13 04	G VRAT	KVI,$5, G MISTO	- IS BACKSPACE CHAR THE 1ST CHAR.	EE000173
8*	217064.00	217C66.72 C2		BXE,G DIAR	-OF THE MSG	EE000174
9*	217064.40	CCCC00.1C 80 430000.2C 5C		LI(BU,24),8	-REMOVE PREVICUS NON BACKSPACE	EE000175
10*					-CHAR-	EE000176
11*	217065.4C *	CCCC25.CC 80 030000.30 9C		M-(BU,24),$5	-FROM THE MSG	EE000177
12*	217066.40	CCCC00.11 0A	G DIAR	KCI,$4,0	-IS EDITED CHAR. COUNT ZERO	EE000178
13*	217067.CC	217C70.32 C2		BXE,$+1.0		EE000179
14*	217067.4C	000001.11 08		C-I,$4,1.0	-NO-REDUCE COUNT BY 1	EE000180
15*	217C7C.CC	217C47.12 48		CB,$5, G CKOLO	- LOOP IF 80 CHARS NOT TESTED	EE000181
16*	217C7C.40	217C55.1C 00		B,G KONTR	-8C CHAR TEST WITHOUT END CODE	EE000182
17*			-	-PCSRC ROUTINE-ITS FCNS ARE		EE000183
18*			-	-1. TO PERFORM A FAKE READ FROM THE CNSL WHEN $RD PSEUDO		EE000184
19*			-	-OP WAS ENCOUNTERED IF A CS HAD PREVIOUSLY BEEN GIVEN.		EE000185
20*			-	-2. GENERATE A FAKE EOP IF NECESSARY		EE000186
21*	217071.CC	000000.02 3A	P CSRD	LV,$1,SUNA($1C)		EE000187
22*	217071.40	CCCC03.CC 8D 000000.06 7C		CCC11(BU),S CW($13),0	-PUT CW IN $R	EE000188
23*	217072.40	215C01.C4 80 217103.74 02		BB,SL,P MCP	-WHO ISSUED THE READ	EE000189
24*	217073.40	216760.C5 01		LVI,$2,PPPBF	-PP-SET TO TRANSFER FROM PP BF	EE000190
25*	217074.CC	000001.57 81 001000.CC FC		CMOCOO(BU,1), S CNS SG+1.0($1),0	- TURN OFF PP CNS SG BIT	EE000191
26*	217075.00	000002.77 82 217105.74 00	P CS RD1	BZB, 2.63($2), P3WD	-IS LAST BYTE OF 3RD WORD END CODE	EE000192
27*	217076.00	217106.46 30		LV,$3, P CUT	- NO - SET TO TRANSFER UP TO 13 WORDS	EE000193
28*	217076.40	217077.77 01	PCSRD2	LVI,$15,$+1.0		EE000194
29*	217077.CC	217107.1C CC		B,GTRANF	-TRANSFER FROM PROPER BUFFER	EE000194
30*	217077.40	000CCC.CC 82		,0($2)		EE000195
31*	217100.00	CCCC03.CC 83		,3.C($3)		EE000196
32*	217100.40	CCCC11.00 80		,$R		EE000197
33*	217101.CC *	CCCC04.CC 8D 000040.20 CC		ST(BU),SCCW($13),64	-STORE LAST CW IN FAT	EE000198
34*	217102.00	CCCC40.17 02		LCI,$7,(8)4C.C		EE000199
35*	217102.40	215776.C3 01		LVI,$1,KNORM		EE000200
36*	217103.CC	215746.5C CC		B,KGATE		EE000201
37*	217103.4C	216775.C5 01	P MCP	LVI,$2,P MCP BF	-SET TO TRANSFER FROM MCP BF	EE000202
38*	217104.CC	CCCC00.57 81 001CCC.CC FC		CMOOOO(BU,1), SCNSSG($1)	- TURN OFF MCP CNS SG BIT	EE000203
39*	217105.00	217075.10 CC		B,PCSRD1		EE000204
40*	217105.4C	CCCC00.C7 C1	P3WD	LVI,$3,0		EE000205
41*	217106.CC	217076.5C CC		B,PCSRD2		EE000206
42*	217106.4C	CCCCCC.CC+	P CUT	VF, 0.0		EE000207
43*			-	***** TRANSFER SUBROUTINE *****		EE000208
44*	217107.CC	000020.CC 80 217134.CC AC	G TRANF	TI,16.0,$0,G VCDR	-SAVE $C-$15 IN LOC. G VCDR	EE000209
45*	217110.CC	000C00.43 8F		LVE,$1,.32($15)	-LOAD $1 WITH TOT. NOS. OF FULL WORDS	EE000210
46*	217110.4C	CCCCC0.C7 8F		LVE,$3,($15)		EE000211
47*	217111.00	CCCC01.C5 8F		LVE,$2,1.0($15)		EE000212
48*	217111.4C	CCCC00.C4 12		LX,$2,0.0($2)	-LOAD $2 WITH 1ST CONTROL WORD	EE000213
49*	217112.CC	CCCC22.1C 10		LX,$4,$2	-LOAD $4 WITH 1ST CONTROL WORD	EE000214
50*	217112.40	217132.70 42		BXCZ, G HI	- IS CF OF CTL WORD ZERO	EE000215
51*	217113.00	CCCC21.C5 90	G KCLO	KC,$2,$1	-COMP. CO.F. $2 WITH TOT. NOS OF FULL	EE000216
52*					-WORDS TO BE TRANSFERRED	EE000217
53*	217113.4C	217132.73 42		BXH,G HI	-TEST INDICATOR IF HIGH	EE000218
54*	217114.00	CCCC22.33 80 217116.34 02	G SKIP	BB,$2+.27,G SKIPA	-TEST IF ,SKIP, BIT IS ON	EE000219
55*	217115.00 *	CCCC00.00 83 000000.04 22		T,$2,0.0($3),0.0($2)	-TRANS. $2CF. WORDS FROM TEM. BUF. TO	EE000220
56*					-ADD. FROM VF. OF CONTROL WORD	EE000221

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 217116
1*	217116.00	CCCC36.C5 50		G SKIPA	SC,$2,$14	-STORE CF.$2 IN VF.$14	EE000222
2*	217116.40	217120.35 D0			SVA,$14,GNWADD		EE000223
3*	217117.00	CCCC24.30 80	217120.74 02		BB,$4.24,GNWADD+.32		EE000224
4*	217120.00	CCCC00.11 0D		GNWADD	V-I,$4,C		EE000225
5*	217120.40	CCCC36.C6 B0			V+, $3, $14 - MOVE POINTER INTEMP BUFFER		EE000226
6*	217121.CC	CCCC24.30 80	217122.74 02		BB,$4.24,$+1.32		EE000227
7*	217122.00	CCCC36.10 B0			V+, $4, $14 -NO, ADJUST STORE LCC		EE000228
8*	217122.40	217123.35 D0			SVA,$14,G EMAN	-STORE VF.$14 IN LCC. G EMAN ADD.F.	EE000229
9*	217123.00	CCCC00.11 C8		G EMAN	C-I,$4,C.0	-SUBTRACT FROM CF.$4 CF.$2	EE000230
10*	217123.40	217124.35 D0			SVA,$14,G IGOR	-STORE VF.$14 IN LCC. G IGOR ADD.F.	EE000231
11*	217124.00	CCCCC0.C3 0D		G IGCR	V-I,$1,C.0	-SUBTRACT FROM VF.$1 CF.$2	EE000232
12*	217124.40	CCCC22.31 80	217127.74 0C		BZB,$2+.25,G NOLCP	-TEST FCR CHAIN BIT	EE000233
13*	217125.40	217127.71 42			BXVZ,G NOLOP	-TEST IF $1 INDIC.,INDEX VAL.0, IS ON	EE000234
14*	217126.00	CCCC22.02 00			R,$2	-REFILL $2 WITH NEXT CONTRCL WCRD	EE000235
15*	217126.40	CCCC24.02 00			R,$4	-REFILL $4 WITH NEXT CONTROL WORD	EE000236
16*	217127.00	217113.10 00			B,G KOLC	-LOOP TC LCC. KOLO	EE000237
17*	217127.40	CCCC10.11 10		G NOLCP	SX,$4,$L	-STORE $4 IN $L	EE000238
18*	217130.00 *	CCCC10.22 80	0C1000.36 F0		CM1111(BU,1),$L+.18	-TURN CN UNIT READY BIT	EE000239
19*	217131.00	217134.C0 80	000020.00 A0		TI,16.0,G VODR,$0	-RESTORE $0-$15 FROM LOC. G VODR	EE000240
20*	217132.00	CCCC01.5C CF			B,1.32($15)	-BRANCH CUT	EE000241
21*	217132.4C	CCCC21.C4 50		G HI	LC,$2,$1	-LOAD CF.$2 WITH NCS FROM VF.$1	EE000242
22*	217133.C0	217114.10 00			B,G SKIP	-RETURN TC LCC. ,G SKIP,	EE000243
23*	217133.40	CCCCC0.30 C0			CNOP		EE000244
24*	217134.CC *	CCCC20.C0		G VCCR	DRZ(BU,64),16	-RESERVE 16 FULL WCRDS	EE000245

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION
1*				-	**********		FA000001
2*					-********** R E T U R N **********		FA000002
3*				-	**********		FA000003
4*	217154.00				SLC,$		FA000004
5*	217154.00	215021.23 01		C RETN	LVI,9,S PROG S		FA000005
6*	217154.40	215001.04 80	217170.74 00		BZB, S L, C RET PP	-TEST IF IN MCP	FA000006
7*	217155.40	000001.23 05			V+I,9, 1.0	-IF SO, SET VF $1	FA000007
8*	217156.00	000000.31 89	217210.34 04		BZBZ,S AS($9),M C RET		FA000008
9*	217157.00	000000.75 89	217164.34 02		BB,S SIO($9),C M SNOW		FA000009
10*	217160.00	000000.44 39			LV,2,S Q K($9)		FA000010
11*	217160.40	217164.31 42			BXVZ, C M SNOW		FA000011
12*	217161.00	000000.32 39		C RET 1	LV,13, 0.0($9)		FA000012
13*	217161.40	222037.31 42			BXVZ, K UNSTC		FA000013
14*	217162.00	217163.03 01			LVI,1,$+1.0		FA000014
15*	217162.40	222020.10 00			B,K SERCH		FA000014
16*	217163.00	222037.10 00			B,K UNSTC	-NO	FA000015
17*	217163.40	216010.50 00			B,K INT TY		FA000016
18*	217164.00	215373.00 80	217236.74 04	C M SNOW	BZBZ,S LR MCP+9.0,M CP1		FA000017
19*	217165.00	000035.37 02			LCI,15,29		FA000018
20*	217165.40	215417.20 30			LV,8,S IC MCP		FA000019
21*	217166.00	217170.21 30			SV,8,$+2.0		FA000020
22*	217166.40	215363.44 A0			LFT(U),SLRMCP+1.0	-RESTORE $MR	FA000021
23*	217167.00 *	215362.00 80	000003.36 20		T,15,S LR MCP,3.0		FA000022
24*	217170.00	217170.00 00			BE,$		FA000023
25*	217170.40	000000.31 89	217176.74 04	C RET PP	BZBZ,S AS($9),K SUPP2		FA000024
26*	217171.40	000000.75 89	217205.34 02		BB, S SIO($9), C P SIO	-BRANCH IF SIO BIT IS ON	FA000025
27*	217172.40	000000.44 39			LV,2,S Q K($9)	-BRANCH IF Q K NOT ZERO	FA000026
28*	217173.00	217200.31 42			BXVZ, C P SNOW		FA000027
29*	217173.40	000000.32 39			LV,13,0.0($9)		FA000028
30*	217174.00	222037.31 42			BXVZ,K UNSTC	-BRANCH IF NOT WAITING	FA000029
31*	217174.40	217175.43 01			LVI,1,$+1.0		FA000030
32*	217175.00	222020.10 00			B,K SERCH		FA000030
33*	217175.40	222037.10 00			B,K UNSTC		FA000031
34*	217176.00	216010.50 00			B,K INT TY		FA000032
35*	217176.40	000000.45 05		K SUPP2	V+I,2,.32		FA000033
36*	217177.00	215265.05 30			SV,2,S TIC		FA000034
37*	217177.40	216242.10 00			B,K SUPP		FA000035
38*	217200.00	217201.03 01		C P SNOW	LVI,1,$+1.0	-CHECK FOR TS,EXE	FA000036
39*	217200.40	217316.10 00			B,JTSEXE		FA000037
40*	217201.00	215266.00+			VF,SLRPP		FA000038
41*	217201.40	000035.37 02			LCI,15,29		FA000039
42*	217202.00	215323.02 30			LV,1,SICPP		FA000040
43*	217202.40 *	217204.43 30			SV,$1,$+2.0		FA000040
44*	217203.00	215267.44 A0			LFT(U),SLRPP+1.0	-RESTORE $MR	FA000041
45*	217203.40	215266.00 80	000003.36 20		T,15,S LR PP,3.0	-RESTORE LOWER REGISTERS	FA000042
46*	217204.40	217204.40 00			BE,$		FA000043
47*	217205.00	000000.32 39		C P SIO	LV,13, 0.0($9)		FA000044
48*	217205.40	217200.31 42			BXVZ, C P SNOW		FA000045

```
LINE  LOCATION          BINARY OUTPUT              NAME      STATEMENT                                      LOCATION   217206

  1* 217206.00        217207.03 01                          LVI,1,$+1.0                                                  FA000047
  2* 217206.40        222020.10 00                          B,K SERCH                                                    FA000047
  3* 217207.00        217200.10 00                          B, C P SNOW                                                  FA000048
  4* 217207.40        216010.50 00                          B,K INT TY                                                   FA000049
  5* 217210.00        215636.02 10                M C RET   LX,$1,M C R        -************S D RET***************      FA000050
  6* 217210.40        000000.75 89  001000.00 F0            CMOCOC(BU,1),SSIC($9)                                        FA000051
  7* 217211.40        000001.10 31                          LV,4,1.0($1)          -CHECK USERS TT                        FA000052
  8* 217212.00        000000.04 81  217213.74 00            BZB,.4($1),M SD A   -USER IS PP                              FA000053
  9* 217213.00        217236.71 46                          BXVZZ,M UP 1        -PRIMED OP                               FA000054
 10* 217213.40        000002.04 11                M SD A    LX,$2,2.0($1)       -ADDR. OF USERS B,$MCP                   FA000055
 11* 217214.00        000000.06 84  217215.74 00            BZB,.6($4),$+1.32                                            FA000056
 12* 217215.00        000000.45 05                          V+I,2,.32                                                    FA000057
 13* 217215.40        000000.45 05                          V+I,$2,.32                -ADDR. OF USERS $OP IN $2          FA000058
 14* 217216.00 *      000023.03 30                          SV,$1,$3            -SENDERS K IN $3                         FA000059
 15* 217216.40        217226.06 B0                          V+,3,M X                                                     FA000060
 16* 217217.00        000000.00 81  004067.20 50            L(BU,4),0.0($1),-18                                          FA000061
 17* 217220.00        000002.43 05                          V+I,1,2.32                                                   FA000062
 18* 217220.40        000010.04 50                          LC,$2,$L                  -N IN C.F. $2                      FA000063
 19* 217221.00        217226.44 CA                M SD 2A   CBZH,$2,M SD 3A                                              FA000064
 20* 217221.40        215637.06 B0                          V+,$3,M C 1                      -GET NEXT RESTORE BIT       FA000065
 21* 217222.00        000000.43 05                          V+I,$1,.32                                                   FA000066
 22* 217222.40        000000.00 83  217221.34 00            BZB,0.0($3),M SD 2A -NO RESTORE                              FA000067
 23* 217223.40        000000.00 81  040060.20 50            L(BU,32),0.0($1),-32                                         FA000068
 24* 217224.40        000000.00 82  040060.20 DC            ST(BU,32),0.0($2),-32 -RESTORE                               FA000069
 25* 217225.40        217221.10 00                          B,M SD 2A                                                    FA000070
 26* 217226.00      000000.12+                    M X       VF,.10                                                       FA000071
 27* 217226.40        215636.02 10                M SD 3A   LX,$1,M C R                                                  FA000072
 28* 217227.00        000000.04 81  217235.74 00            BZB,.4($1),M IUP    -PP USER                                 FA000073
 29* 217230.00        000001.40 31                          LV,$0,1.32($1)                                               FA000074
 30* 217230.40        215562.41 30                          SV,C,MTC3A                                                   FA000075
 31* 217231.00        215265.01 30                          SV,C,STIC                                                    FA000076
 32* 217231.40 *      000001.02 31                          LV,$1,1.0($1)                                                FA000077
 33* 217232.00        215636.03 30                          SV,$1,MCR                                                    FA000078
 34* 217232.40        000000.40 39                          LV,C,SGK($9)                                                 FA000079
 35* 217233.00        215552.31 42                          BXVZ,MTC2A                                                   FA000080
 36* 217233.40        000036.37 02                M SD 3B   LCI,15,30                                                    FA000081
 37* 217234.00        215230.00 80  215362.36 20            T,15,STLR,SLRMCP                                             FA000082
 38* 217235.00        222037.10 00                          B,KUNSTC                                                     FA000083
 39* 217235.40        000001.42 31                M IUP     LV,$1,1.32($1)                                               FA000084
 40* 217236.00        215361.03 30                          SV,$1,S IC BU       -RET. AD. SET                            FA000085
 41* 217236.40        000000.40 39                M UP 1    LV,C,SGK($9)                                                 FA000086
 42* 217237.00        222037.31 40                          BZXVZ,KUNSTC                                                 FA000087
 43* 217237.40        215640.02 30                          LV,1,MPRMQK                                                  FA000088
 44* 217240.00        217260.31 46                          BXVZZ,M PP 1                                                 FA000089
 45* 217240.40        215645.04 30                          LV,$2,M R 5                                                  FA000090
 46* 217241.00        000000.04 32                          LV,$2,0.0($2)       -$OP CODE IN $2                          FA000091
 47* 217241.40        000022.30 80  001000.00 F0            CM0000(BU,1),$2+.24   -MAKE OP CODE +                        FA000092
 48* 217242.40        215566.04 32                          LV,2,MIFTTT-64.0($2)  -GET ADDRESS OF TT                     FA000093
 49* 217243.00        000000.11 82  217256.74 02            BB,.9($2),M B1                                               FA000094
 50* 217244.00        000000.00 82  004066.60 50            L(BU,4),0.0($2),-19                                          FA000095
```

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 217245	
1*	217245.00 *	000010.00 30			LV,$0,$L		FA000097
2*	217245.40	000020.00 B0			V+,$0,$0		FA000098
3*	217246.00	000020.00 50			LC,$0,$0	-N IN $0	FA000099
4*	217246.40	215640.00 80	023066.70 9C		M-(BU,19),M PRM CK,-19		FA000100
5*	217247.40	215645.06 10			LX,$3,M R 5	-TRANSMIT CONTROL	FA000101
6*	217250.00	000000.04 82	001000.36 F0		CM1111(BU,1),.4($2)	-SET USER TO MCP	FA000102
7*	217251.00	215636.05 30			SV,$2,M CR	-SET K IN MCR	FA000103
8*	217251.40	215546.05 30			SV,$2,MR3 AD		FA000104
9*	217252.00	000001.22 02			Z,1.0($2)		FA000105
10*	217252.40	000002.45 05			V+I,$2,2.32		FA000106
11*	217253.00	000000.40 83	340000.20 50	M UP 5A	L(V+ICR)(BU,32),.32($3)		FA000107
12*	217254.00	000000.40 82	140000.20 DC		ST(V+I)(BU,32),.32($2)	-PARAM. TC TENT.	FA000108
13*	217255.00	217253.00 48			CB,$0,M UP 5A	-PARAM FINISHED	FA000109
14*	217255.40	215645.07 10			SX,$3,M R 5	-SAVE UNPRIME CONTRCL	FA000110
15*	217256.00	215546.50 00			B,M TC 1	-ENTER	FA000111
16*	217256.40	215265.00 80	023000.32 BC	M B1	M-1(BU,19),S TIC		FA000112
17*	217257.40	216242.10 00			B,K SUPP		FA000113
18*	217260.00	215636.22 00		M PP1	Z,M CR		FA000114
19*	217260.40 *	000001.23 0D			V-I,9,1.0		FA000115
20*	217261.00	217310.40 80			SIC,JMPP2		FA000116
21*	217261.40	217306.50 00			B,JMPP1	-CHECK FOR OP, AD, USA, DS	FA000116
22*	217262.00	000000.31 89	217277.74 02		BB,SAS($9),CRETBU	-RETURN TO PP IF HE IS AUTO STACKED	FA000117
23*	217263.00	000000.32 39			LV,$13,($9)		FA000118
24*	217263.40	217271.71 42			BXVZ,RSIOTT		FA000118
25*	217264.00	217265.03 01			LVI,$1,$+1.0		FA000119
26*	217264.40	222020.10 00			B,KSERCH		FA000119
27*	217265.00	217271.50 00			B,RSIOTT		FA000120
28*	217265.40	000036.37 02			LCI,$15,30.0		FA000121
29*	217266.00	215324.00 80	215266.36 20		T,$15,SLRBU,SLRPP		FA000122
30*	217267.00	215335.00 80	001000.00 F0		CM0000(BU,1),SLRBU+9.0		FA000123
31*	217270.00	215001.04 80	001000.00 F0		CM0000(BU,1),SL		FA000124
32*	217271.00	216010.50 00			B,KINTTY		FA000125
33*	217271.40	000000.75 89	217277.74 02	RSIOTT	BB,SSIO($9),CRETBU		FA000126
34*	217272.40	000000.40 39			LV,0,SQK($9)		FA000127
35*	217273.00	217277.71 42			BXVZ,CRETBU	-NO PP INTERRUPTS STACKED	FA000128
36*	217273.40	000036.37 02			LCI,15,30		FA000129
37*	217274.00 *	215324.00 80	215266.36 20		T,15,SLRBU,SLRPP		FA000130
38*	217275.00	215335.00 80	001000.00 F0		CM0000(BU,1),SLRBU+9.0		FA000131
39*	217276.00	215001.04 80	001000.00 F0		CM0000(BU,1),SL		FA000132
40*	217277.00	222037.10 00			B,KUNSTC		FA000133
41*	217277.40	000035.37 02		C RET BU	LCI,15,29.0		FA000134
42*	217300.00	215001.04 80	001000.00 F0		CM0000(BU,1),S L		FA000135
43*	217301.00	215335.00 80	001000.00 F0		CM0000(BU,1),SLRBU+9.0		FA000136
44*	217302.00	217303.03 01			LVI,1,$+1.0	-CHECK FOR TS, EXE	FA000137
45*	217302.40	217316.10 00			B,JTSEXE		FA000138
46*	217303.00	215324.00+			VF,SLRBU		FA000139
47*	217303.40	215361.02 30			LV,1,SICBU		FA000140
48*	217304.00	217306.03 D0			SVA,1,$+2.		FA000140
49*	217304.40	215325.44 A0			LFT(U),SLRBU+1.0	-RESTORE $MR	FA000141
50*	217305.00	215324.00 80	000003.36 20		T,15,SLRBU,3.0		FA000142
51*	217306.00	217306.00 C0			BE,$		FA000143
52*				-			FA000144
53*				-			FA000145
54*				-	*****CHECK FOR OP, AD, USA, OR DS IN BACKUP BUFFER*****		FA000146
55*				-			FA000147
56*	217306.40	215334.17 80	005000.06 70	JMPP1	LF(BU,5),SLRBU+8.15	-PICK UP OP, USA, EXE, DS	FA000148

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 217307
1*	217307.40 *	720C00.C0 80	405000.C3 7C		CTIC001(BU,5),(2)11101	FA000149
2*	217310.40	217310.74 C2		JMPP2	BRZ,$ -SIC INTO HERE	FA000150
3*	217311.00	CCCC36.37 02			LCI,15,30.0	FA000151
4*	217311.40	215324.CC 80	215230.36 2C		T,$15,SLRBU,STLR	FA000152
5*	217312.40	215335.CC 80	0C1000.CC FC		CMOCOO(BU,1),SLRBU+9.0	FA000153
6*	217313.40	215C01.C4 80	0C1000.CC F0		CMOCOO(BU,1),SL -CHANGE TO PP LEVEL	FA000154
7*	217314.40	CCC404.35 01			LVI,$14,SOAUD -ERROR CODE	FA000155
8*	217315.0C	217451.4C 80			SIC,SDISIC	FA000156
9*	217315.4C	217372.10 00			B,SDISP	FA000156
10*				-		FA000157
11*				-	*****CHECK FOR TS OR EXE*****	FA000158
12*				-	LINKAGE... LVI,$1,$+1.0	FA000159
13*				-	B,JTSEXE	FA000160
14*				-	VF,BUFFER	FA000161
15*	217316.00	CCCCC0.36 31		JTSEXE	LV,$15,0.0($1) -ADDRESS OF BUFFER	FA000162
16*	217316.40	CCCC10.C4 8F	217324.34 04		BZBZ,8.4($15),JTSEX1 - IF NO TS	FA000163
17*	217317.4C	215107.C3 01			LVI,$1,SIPT+4.0	FA000164
18*	217320.00	217323.43 D0		JTSEX3	SVA,$1,JTSEXT	FA000165
19*	217320.40	CCCC35.02 3F			LV,$1,29.0($15)	FA000166
20*	217321.CC	215265.C3 D0			SVA,$1,STIC	FA000167
21*	217321.40	CCCC35.37 02			LCI,$15,29.0	FA000168
22*	217322.CC	CCCCC1.44 AF			LFT(U),1.0($15)	FA000169
23*	217322.40 *	CCCCC0.CC 8F	000003.36 20		T,$15,0.0($15),3.0	FA000170
24*	217323.40	217323.5C 00		JTSEXT	B,$ -GO TO PARALLEL TABLE	FA000171
25*	217324.00	000010.22 8F	000000.74 05	JTSEX1	BZBZ,8.18($15),.32($1) -IF NO EXE	FA000172
26*	217325.00	215125.C3 01			LVI,$1,SIPT+18.0	FA000173
27*	217325.40	217320.1C C0			B,JTSEX3	FA000174

```
LINE  LOCATION          BINARY OUTPUT                  NAME      STATEMENT                                                LOCATION

  1*                                                   -  ********************************************************************   FB000001
  2*                                                   -             *****RETURN AFTER MASKABLE INTERRUPT *****                   FB000002
  3*                                                   -  ********************************************************************   FB000003
  4*                                                   -                                                                      FB000004
  5* 217326.00 *                                                 SLC,$                                                       FB000005
  6* 217326.00      000021.37 70                       WRAMPP    SR,15,$1                        -GET PTOE                   FB000006
  7* 217326.40      215230.42 90                                 KV,$1,SLOWER                                                FB000007
  8* 217327.00      216372.32 42                                  BXL,WJERR                                                  FB000007
  9* 217327.40      215230.02 90                                 KV,$1,SUPPER                                                FB000008
 10* 217330.00      216372.32 40                                  BZXL,WJERR                                                 FB000008
 11* 217330.40      215001.13 80  001000.00 F0                   CM0000(BU,1),SSPFIX            -TAKE PP OUT OF SPECIAL      FB000009
 12* 217331.40      215234.00 80  000007.02 A0                   TI,1,STLR+4.0,$LZC                                          FB000010
 13* 217332.40      215001.14 80  217344.34 06                   BBZ,STSBIT,JWRAM1              -IF TS STACKED               FB000011
 14* 217333.40      000000.00 31                       W CON 1   LV,0,0.0($1)           -GET INT. AD.                        FB000012
 15* 217334.00      000001.22 81  217340.34 02                   BB,1.18($1),JWFINI        -IF PP TRIES TO RESTORE EXE       FB000013
 16* 217335.00      217337.41 D0                                 SVA,0,WFINI            -SET TOE ADDRESS                     FB000014
 17* 217335.40      000001.00 81  000013.04 A0                   TI,2,1.0($1),$INC      -RESTORE IND + MASK REGS.            FB000015
 18* 217336.40      215245.00 80  000020.10 A0                   TI,4,STLR+13.0,$C      -RESTORE USED INDEX REGS             FB000016
 19* 217337.40      217337.40 00                       W FINI    BE,$                   -RETURN TO PP INTERRUPTED ADDRESS    FB000017
 20* 217340.00      215265.01 D0                       JWFINI    SVA,$0,STIC                 -MUST FAKE EXE                  FB000018
 21* 217340.40 *    000001.00 81  000013.04 A0                   TI,2,1.0($1),$INC                                           FB000019
 22* 217341.40      215245.00 80  000020.10 A0                   TI,4,STLR+13.0,$C                                           FB000020
 23* 217342.40      215125.10 00                                 B,SIPT+18.0                 - FAKE EXE                      FB000021
 24* 217343.00      215163.03 01                       WRAM      LVI,1,SFPTE                                                 FB000022
 25* 217343.40      217333.50 00                                 B,WCON1                                                     FB000023
 26* 217344.00      000000.00 31                       JWRAM1    LV,0,0.0($1)                                                FB000024
 27* 217344.40      215265.01 D0                                 SVA,0,STIC                                                  FB000025
 28* 217345.00      000001.00 81  000013.04 A0                   TI,2,1.0($1),$INC                                           FB000026
 29* 217346.00      215245.00 80  000020.10 A0                   TI,4,STLR+13.0,$C                                           FB000027
 30* 217347.00      215107.10 00                                 B,SIPT+4.0                      -FAKE TS                    FB000028
```

IBM

```
LINE  LOCATION          BINARY OUTPUT                  NAME    STATEMENT                     LOCATION

  1*                                                   - ****************************************************************  FD000001
  2*                                                   -             ****** SET INTERVAL TIMER ******                    FD000002
  3*                                                   - ****************************************************************  FD000003
  4*                                                   -                                                                 FD000004
  5* 217347.40 *                                                SLC,$                                                  FD000005
  6* 217347.40     000000.45 05                        JSITX    V+I,$2,.32                -$2 = INTERRUPTED ADDRESS     FD000006
  7* 217350.00     217352.45 D0                                 SVA,$2,JSITF              -LOC OF FWA                   FD000007
  8* 217350.40     000000.45 05                                 V+I,$2,.32                                              FD000008
  9* 217351.00     215265.05 D0                                 SVA,$2,STIC               -RETURN ADDRESS               FD000009
 10* 217351.40     215246.00 80  000021.06 AC                   TI,3,STLR+14.0,$1         -RESTORE $1,$2,$3             FD000010
 11* 217352.40     217352.43 80                        JSITF    LVE,$1,$                  -LOCATION OF SETTING          FD000011
 12* 217353.00     000000.02 31                                 LV,$1,0.0($1)             -IF USA OR AD,PP WILL CATCH IT FD000012
 13* 217353.40     000001.03 D0                                 SVA,$1,$IT                                              FD000013
 14* 217354.00     217354.50 C6                                 BUSAZ,$+.32                                             FD000014
 15* 217354.40     217355.10 46                                   BADZ,$+.32                                            FD000014
 16* 217355.00     216242.10 C0                                 B,KSUPP                                                 FD000015
```

```
LINE   LOCATION          BINARY CUTPUT              NAME     STATEMENT                                                 LOCATION

  1*                                                     -  ********************************************************************  FF000001
  2*                                                     -        ****** I/O DEFINITICN REPORT ******                             FF000002
  3*                                                     -  ********************************************************************  FF000003
  4*                                                     -                                                                      FF000004
  5* 217355.4C *                                                 SLC,$                                                          FF000005
  6* 217355.40        220706.CC 30                      JZICR    LV,$0,KICDRN-.32                                               FF000006
  7* 217356.CC        217357.41 D0                                 SVA,$0,JZLOC  -LOC OF FWA(J)                                 FF000006
  8* 217356.40        215246.00 80  000021.36 E0                 SWAPI,15,STLR+14.,$1                                           FF000007
  9* 217357.40        217357.41 B0                      JZLOC    LVE,$0,$                                                       FF000008
 10* 217360.CC        000021.CC 80  215246.36 EC                 SWAPI,15,$1,STLR+14.                                           FF000009
 11* 217361.CC        000020.02 30                               LV,$1,$C                                                       FF000010
 12* 217361.40        220443.50 C6                               BUSAZ,KGCCF                                                    FF000011
 13* 217362.00        220444.10 46                               BADZ,KGCOF.32                                                  FF000011
 14* 217362.4C        221350.CC 80                      JZECBR   SIC,K CONVR                                                    FF000012
 15* 217363.00        221335.10 00                               B,K CONV  -GET CH AND UN NUMBER                                FF000012
 16* 217363.40       217370.60+                                  VF,JZCHU.16                                                    FF000013
 17* 217364.CO        233141.CC 80                               SIC,ZT81                                                       FF000014
 18* 217364.4C        233136.1C C0                                 B,ZT8             -CHECK PP LIMITS                           FF000014
 19* 217365.C0        217370.40 80  070004.20 50                 L(BU,56),JZCHU,8                -CHXX,UNO                      FF000015
 20* 217366.C0        217371.6C 80  010000.06 70                 LF(BU,8),JZCHU.80               -CHXX,UNY                      FF000016
 21* 217367.00        000000.CC 81  000000.12 F0                 SF(BU),C.O($1)                  -DELIVER TO PP                 FF000017
 22* 21737C.CC        216242.10 C0                      JZECM    B,KSUPP                                                        FF000018
 23* 21737C.40 *                                        JZCHU    (IQS*)CC(BU),CHXX,UNIT X*                                      FF000019
```

```
 LINE   LOCATION           BINARY OUTPUT            NAME      STATEMENT                                              LOCATION

   1*                                               - *******************************************************************  HA000001
   2*                                               -          ******************* ERROR CONTROL ******************      HA000002
   3*                                               - *******************************************************************  HA000003
   4* 217371.70 *                                             SLC,$                                                    HA000004
   5* 217372.00      215001.04 80  217415.34 0E   S DISP    BB1,SL,MCPERR           -MCP CONTAMINATION IF BRANCH     HA000005
   6* 217373.00      004002.35 04                            KVI,$14,SASNER                                           HA000006
   7* 217373.40      217375.33 42                            BXH,$+1.32                                               HA000007
   8* 217374.00      003405.35 04                            KVI,$14,SIOERR                                           HA000008
   9* 217374.40      217415.32 40                            BZXL,MCPERR                                              HA000009
  10* 217375.00      000013.22 00                            Z,$INC                                                   HA000010
  11* 217375.40      215224.00 10                            LX,C,SBNDRS                                              HA000011
  12* 217376.00      000003.01 10                            SX,C,3.0  -SET MCP BOUNDS                                HA000011
  13* 217376.40      215373.00 10                            LX,C,SLRMCP+9.0                                          HA000012
  14* 217377.00      000014.01 10                            SX,C,$MASK -SET MCP MASK                                 HA000012
  15* 217377.40      000036.37 02                            LCI,15,30.0                                              HA000013
  16* 217400.00      215230.00 80  215324.36 20              T,15,STLR,SLRBU         -MOVE PP LOWER REGS. TO PERM. BUFFER  HA000014
  17* 217401.00      215571.00 80                            SIC,SPRIMR                                               HA000015
  18* 217401.40      215570.04 00                            BC,SPRIME                                                HA000015
  19* 217402.00      000104.00 80                            ,DABEOJ               -PRIME ABNORMAL E O J               HA000016
  20* 217402.40      000010.35 30                            SV,14,$L              -GET ERROR CODE                     HA000017
  21* 217403.00      217413.20 80  020067.12 F0              SF(BU,16),MPPBAD+5.16,-18 -SET ERROR CODE IN SPOOL MESSAGE  HA000018
  22* 217404.00      224052.00 80                            SIC,ZSPLP9                                               HA000019
  23* 217404.40      224046.50 00                            B,ZSPLPR                                                 HA000020
  24* 217405.00 *    217406.00 80                            ,MPPBAD                                                  HA000021
  25* 217405.40      000007.00 80                            ,7.0                                                     HA000022
  26*                                                        CNOP                                                     HA000023
  27* 217406.00                                    MPPBAD    (AX)DD(BU),1YOUR PROGRAM WAS ENDED BECAUSE X             HA000024
  28* 217412.00                                              (A*)DD(BU),OF A TYPE XX ERROR       *                    HA000025
  29* 217415.00      000036.00 80  217441.04 AC   MCPERR    TI,2,$14,MMCPCW+1.0         -SAVE 14 AND 15              HA000026
  30* 217416.00      000010.35 30                            SV,$14,$L                                                HA000027
  31* 217416.40      217446.70 80  020067.12 F0              SF(BU,16),MCPBAD+3.56,-18       -ERROR CODE              HA000028
  32* 217417.40      003405.35 04                            KVI,14,S IO ERR                                          HA000029
  33* 217420.00      217432.32 C2                            BXE,Z EC 75                                              HA000030
  34* 217420.40 *    003406.35 04                            KVI,14,S REJ                                             HA000031
  35* 217421.00      217432.32 C2                            BXE,Z EC 75                                              HA000032
  36* 217421.40      215006.34 30                   Z EC99   LV,14,SYCOCH                    -CONSOLE CHANNEL NUMBER  HA000033
  37* 217422.00      000000.00 8E  000000.33 00              REL(SECP),.0($14)                                        HA000034
  38* 217423.00      217424.37 01                            LVI,$15,$+1.0                                            HA000035
  39* 217423.40      230566.10 C0                            B,SA8IQS                                                 HA000036
  40* 217424.00   217446.70+                                 VF,MCPBAD+3.56                                           HA000037
  41* 217424.40   000002                                     CF,2.0                                                   HA000038
  42* 217425.00   217446.70+                                 VF,MCPBAD+3.56                                           HA000039
  43* 217425.40      000000.00 8E  217437.21 00   MCCW      CCW,0.0($14),MCCW1          -LOOP UNTIL CHANNEL          HA000040
  44* 217426.40      217437.30 80  217425.74 02              BB,MCCW1+.24,MCCW           -IS RELEASED                 HA000041
  45* 217427.40      000000.00 8E  217440.13 00              W(SECP),0.0($14),MMCPCW                                  HA000042
  46* 217430.40      217441.00 80  000036.04 A0              TI,2,MMCPCW+1.0,$14                                      HA000043
  47* 217431.40      217431.44 C0                            BC,$                            -MCP CANNOT CONTINUE     HA000044
  48* 217432.00      217451.03 30                   Z EC 75  SV,1,ZEC75S                                              HA000045
```

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT		LOCATION 217432	
1*	217432.40		217450.C3 C1			LVI,1,Z EC75M	-GET MESSAGE ADDRESS		HA000047
2*	217433.CC		217370.CC 80			SIC,JZECM			HA000048
3*	217433.40		217362.50 00			B,JZECBR			HA000048
4*	217434.CC	*	216242.35 01			LVI,14,KSUPP			HA000049
5*	217434.40		217370.35 D0			SVA,14,JZECM	-RESTORE IODEF BRANCH		HA000050
6*	217435.CC		217451.02 30			LV,1,ZEC75S			HA000051
7*	217435.40		217440.53 80	003000.22 B0		M+1(BU,3),M MCP CW+.43	-UPDATE CONTROL WORD		HA000052
8*	217436.40		217421.50 00			B,Z EC99			HA000053
9*	217437.00		CC0000.00+ CC0	000000 0CCCCC	MCCW1	CW,C	-COPIED CW		HA000054
10*	217440.00		217443.00+ CC0	000005 0CCCCC	MMCPCW	CW,MCPBAD,5.C	-WRITE CW		HA000055
11*	217441.CC	*	0CCCC2.CC			DRZ(N),(2)			HA000056
12*	217443.00		17777777777777777777		MCPBAD	DD(BU),(16)FFFFFFFFFFFFFFFF	-11111.....		HA000057
13*	217444.00		12525252525252525252			DD(BU),(16)AAAAAAAAAAAAAAAA	-........		HA000058
14*	217445.CC		17777777777400000CCCCC0			DD(BU),(16)FFFFFFFFC0000CC0	-111111.....		HA000059
15*	217446.CC			176775		DD(BU,16),(16)FDFD	-TWC CARRIAGE RETURNS		HA000060
16*	217446.20					(IQS*)DD(BU),TYPE XX ERROR *			HA000061
17*	217450.CC	*	0CCCC1.CC		Z EC75M	DRZ(N),(1)			HA000062
18*	217451.CC		CC0000.00+		Z EC75S	VF,C.0			HA000063
19*	217451.40		CC0000.00+		S DISIC	VF,C	-LOCATION GENERATING ERROR CODE		HA000064
20*					-	***** ENTER HERE FROM B, DMCP ERROR ******			HA000065
21*	217452.CC		217452.52 C6		SDSPDS	BIFZ,$.32			HA000066
22*	217452.40		CCCC40.35 01			LVI,$14,32.0			HA000067
23*	217453.00		215265.35 D0			SVA,$14,STIC			HA000067
24*	217453.40		CCCCC3.CC 80	215230.34 AC		TI,14,3.0,STLR			HA000068
25*	217454.4C		CCCC21.CC 80	215246.36 AC		TI,15,17.0,STLR+14.C			HA000068
26*	217455.4C		215231.47 AC			BE,STLR+1.32(.26,2)111101			HA000069
27*	217456.CC		217456.47 C6			BOPZ,$.32			HA000069
28*	217456.40		CCC406.35 C1			LVI,$14,SBR40			HA000070
29*	217457.CC		217451.4C 80			SIC,SDISIC			HA000071
30*	217457.4C		217372.1C CC			B,SDISP			HA000071

IBM

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION	
1*				-		**********		HB000001
2*				-		********** THE ERROR DUMP ROUTINE **********		HB000002
3*				-		**********		HB000003
4*	21746C.CC	*				SLC,$		HB000004
5*						CNOP,		HB000005
6*	21746C.CC		1C010000CCCCCC		AEDMPT	DD(BU,45),0(.3)2(.11)1		HB000006
7*						EXT(0,18)		HB000007
8*	21746C.55		0437147			B,AEDUMP		HB000007
9*	217461.00	*	CCCCC2.CC			DRZ(N),2		HB000008
10*	217463.00		CCCCC0.40			DRZ(BU,32),1		HB000009
11*	217463.4C		217463.CC 30		AEDUMP	LV,$0,AEDMPT+3.	-FWA(I)	HB000010
12*	217464.CC		217530.10 10			LX,4,AEDMPA		HB000011
13*	217464.40		217527.11 10			SX,4,AEDMPI		HB000012
14*	217465.00		215324.40 90		AEDMP2	KV,$0,SPPLB		HB000013
15*	217465.4C		217526.32 42			BXL,AEDRET		HB000014
16*	217466.CC		215324.CC 90			KV,$0,SPPUB		HB000015
17*	217466.40		217526.33 42			BXH,AEDRET		HB000016
18*	217467.00		217471.C1 DC			SVA,$0,ALDMP1		HB000017
19*	217467.40		215342.CC 80	000021.36 AC		TI,15,SLRBU+14.,$1		HB000018
20*	217470.4C		217471.04 CC			BD,$.32		HB000019
21*	217471.0C		217471.C3 BC		AEDMP1	LVE,1,$		HB000020
22*	217471.40		217541.C3 30			SV,$1,AEDMPB+8.C		HB000021
23*	217472.CC		215342.CC 80	000021.C2 AC		TI,1,SLRBU+14.,$1		HB000022
24*	217473.CC		CCCCCC.41 C5			V+I,$0,.32		HB000023
25*	217473.4C		217474.C1 DC			SVA,$0,$.32		HB000024
26*	217474.CC		217474.C3 BC			LVE,$1,$		HB000025
27*	217474.4C		000C01.C3 C5			V+I,$1,1.		HB000026
28*	217475.CC		217541.43 30			SV,$1,AEDMPB+8.32		HB000027
29*	217475.4C		215342.CC 80	000021.C2 AC		TI,1,SLRBU+14.,$1		HB000028
30*	217476.4C	*	CCCCC0.41 C5			V+I,$0,.32		HB000029
31*	217477.CC		217477.41 DC			SVA,$0,$.32		HB000030
32*	217477.4C		217477.45 BC			LVE,$2,$		HB000031
33*	217500.CC		217500.50 C6			BUSAZ,$.32		HB000032
34*	217500.40		217501.1C 46			BADZ,$.32		HB000033
35*	217501.CC		217501.40 CC			BE,$.32		HB000034
36*	217501.4C		217541.C2 30			LV,$1,AEDMPB+8.0		HB000035
37*	217502.00		217541.46 30			LV,$3,AEDMPB+8.32		HB000036
38*	217502.40		215324.42 90			KV,$1,SPPLB		HB000037
39*	217503.CC		217526.32 42			BXL,AEDRET		HB000038
40*	217503.40		215C12.46 90			KV,$3,SMARK		HB000039
41*	217504.00		217526.33 42			BXH,AEDRET		HB000040
42*	217504.4C		CCCC21.C6 90			KV,$3,$1		HB000041
43*	217505.CC		217526.33 40			BZXH,AEDRET		HB000042
44*	217505.40		CCCC25.C5 30			SV,$2,$5		HB000043
45*	217506.CC		CCCC03.13 04			KVI,$5,3.		HB000044
46*	217506.40		217511.32 42			BXL,AEDMP4		HB000045
47*	217507.CC		CCCC17.13 04			KVI,$5,15.		HB000046
48*	217507.4C		217511.32 C2			BXE,AEDMP4		HB000047
49*	217510.CC		000017.53 04			KVI,$5,15.32		HB000048

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 217510
1*	217510.40	217526.32 C0		BZXE,AEDRET	HB000050
2*	217511.CC	217527.1C 10	AEDMP4	LX,4,AEDMPI	HB000051
3*	217511.40	0CCCC0.03 D4		SVA,1,($4)	HB000052
4*	217512.CC *	CCCCC0.47 D4		SVA,3,.32($4)	HB000053
5*	217512.40	CCCC01.C5 34		SV,2,1.($4)	HB000054
6*	217513.CC	000C21.C1 D0		SVA,$0,$1	HB000055
7*	217513.40	CCCC01.30 84 001000.36 F0		CM1111(BU,1),1.24($4)	HB000056
8*	217514.40	CCCC00.30 81 217520.34 0C		BZB,.24($1),AEDMP7	HB000057
9*	217515.4C	CCCC00.41 C5		V+I,$0,.32	HB000058
10*	217516.CC	CCCC01.51 C6		V+IC,$4,1.32	HB000059
11*	217516.40	217527.11 10		SX,4,AEDMPI	HB000060
12*	217517.00	217465.30 4C		BZXCZ,AEDMP2	HB000061
13*	217517.40	CCCC01.51 CD		V-I,4,1.32	HB000062
14*	217520.00	215C05.12 30	AEDMP7	LV,5,SBAPP	HB000063
15*	217520.40	CCCC01.53 34		SV,5,1.32($4)	HB000064
16*	217521.00	215C12.52 30		LV,5,SMARK	HB000065
17*	217521.4C	CCCC02.13 34		SV,5,2.C($4)	HB000066
18*	217522.CC	215C05.12 90		KV,5,SBAPP	HB000067
19*	217522.40	217524.33 42		BXH,RDUMPT	HB000068
20*	217523.00	CCCC01.30 84 001000.00 F0		CMOCC0(BU,1),1.24($4)	HB000069
21*	217524.CC	CCCC17.53 C1	RDUMPT	LVI,5,15.32	HB000070
22*	217524.40	CCCC02.53 34		SV,5,2.32($4)	HB000071
23*	217525.CC *	217531.CC 80 231430.26 A0		TI,11,AEDMPB,YEDLL	HB000072
24*	217526.CC	CCC40.1C C0	AEDRET	B,DMCP	HB000073
25*	217526.4C	0CC041.CC 80		,DRET	HB000073
26*	217527.CC	217531.00+ 000 CC0006 000000	AEDMPI	XW,AEDMPB,6	HB000074
27*	217530.00	217531.00+ 000 C00006 000000	AEDMPA	XW,AEDMPB,6	HB000075
28*	217531.CC *	CCCC13.CC	AEDMPB	DRZ(N),11	HB000076

IBM

```
LINE  LOCATION            BINARY OUTPUT               NAME      STATEMENT                                               LOCATION

  1*                                                  - ******************************************************************  IA000001
  2*                                                            -****************** R E A D ******************-            IA000002
  3*                                                  - ******************************************************************  IA000003
  4* 217544.00                                                  SLC,$                                                    IA000004
  5* 217544.00      221140.00 80                      Z START   SIC,B 1RA                                                IA000005
  6* 217544.40      221102.10 00                                B,B CWCR             -BRANCH TO CHECK CW                 IA000006
  7* 217545.00      221152.21 01                                LVI,8,Z EVL MK                                           IA000007
  8* 217545.40      000002.61 3C                                SV,8,S EVL MK($12)    -STORE MASK ADDR IN UA             IA000008
  9* 217546.00      000000.32 8A  001000.36 F0                  CM1111(BU,1),S CH OP($10)                                IA000009
 10* 217547.00      217560.61 01                                LVI,8,K FORK                                             IA000010
 11* 217547.40      000002.21 3C                                SV,8,S EVL TB($12)    -STORE TABLE BASE ADDR IN UA       IA000011
 12* 217550.00      000000.14 04                                BR,C.0($4)            -FOR BRANCH INTO EQUIP TABLE       IA000012
 13* 217550.40      220064.10 00                                B,K ILEGL                 -ILLEGAL EQUIP CODE - FAKE EPGK IA000013
 14* 217551.00      217577.10 00                                B,Z DISK 1            -DISK - 1                          IA000014
 15* 217551.40      221144.50 00                                B,Z STEVL             -CONSOLE - 2                       IA000015
 16* 217552.00      217565.10 00                                B,K TEST M                -CARD READER  -  3             IA000016
 17* 217552.40      220064.10 00                                B,K ILEGL             -INCORRECT EQUIPMENT - 4           IA000017
 18* 217553.00      220064.10 00                                B,K ILEGL             -INCORRECT EQUIPMENT - 5           IA000018
 19* 217553.40      220064.10 00                                B,K ILEGL             -NO EQUIPMENT - 6                  IA000019
 20* 217554.00      220064.10 00                                B,K ILEGL             -NO EQUIPMENT - 7                  IA000020
 21* 217554.40      221144.50 00                                B,Z STEVL                 -TAPE  -  10                   IA000021
 22* 217555.00      220064.10 00                                B,K ILEGL             -NO EQUIPMENT - 11                 IA000022
 23* 217555.40      220064.10 00                                B,K ILEGL             -NO EQUIPMENT - 12                 IA000023
 24* 217556.00      220064.10 00                                B,K ILEGL             -NO EQUIPMENT - 13                 IA000024
 25* 217556.40      220064.10 00                                B,K ILEGL             -NO EQUIPMENT - 14                 IA000025
 26* 217557.00 *    220064.10 00                                B,K ILEGL             -NO EQUIPMENT - 15                 IA000026
 27* 217557.40      220064.10 00                                B,K ILEGL             -NO EQUIPMENT - 16                 IA000027
 28* 217560.00      220064.10 00                                B,K ILEGL             -NO EQUIPMENT - 17                 IA000028
 29* 217560.40      220065.50 00                      K FORK    B,K K LOC                                                IA000029
 30* 217561.00      221161.10 00                                B,R VFY                                                  IA000030
 31* 217561.40      217071.10 00                                B,P CSRD                                                 IA000031
 32* 217562.00      000004.11 04                                KVI,4,4.0             -TEST IF TAPE                      IA000032
 33* 217562.40      217567.72 C0                                BZXE,K YOME               -BR. IF CONSOLE                IA000033
 34* 217563.00      000007.52 3C                                LV,5,S FILE K($12)        -IF TAPE, TEST IF FILE K IS ZERO IA000034
 35* 217563.40      217565.31 40                                BZXVZ,K TEST M                                           IA000035
 36* 217564.00      000006.00 8C                                SIC,S SCRPM($12)                                         IA000036
 37* 217564.40      220143.10 00                                B,RS1 FLK   -IF SO, SPACE OVER LABEL                     IA000036
 38* 217565.00      000002.42 3D                      K TEST M  LV,1,S F MODE($13)        -IF NOT, SET CHAN TO FILE MODE IA000037
 39* 217565.40      217566.71 40                                BZXVZ,$+1.0               -IF ICD NULL, USE LABEL MODE   IA000038
 40* 217566.00      000007.02 3C                                LV,1,S LABM($12)                                         IA000039
 41* 217566.40      217624.40 80                                SIC,K K MODE                                             IA000040
 42* 217567.00      217615.10 00                                B,K MODE                                                 IA000040
 43* 217567.40      000003.40 3C                      K YOME    LV,C,S CW ADR($12)                                       IA000041
 44* 217570.00      217572.41 D0                                SVA,0,K GO+.32                                           IA000042
 45* 217570.40      000000.30 00                                CNOP                                                     IA000043
 46* 217571.00      217572.00 10                                LX,C,$+1.0                                               IA000044
 47* 217571.40      000004.01 1C                                SX,C,S IO INS($12)                                       IA000044
 48* 217572.00 *    000000.00 8E  000000.01 00        K GO      RD,C.0($14),0             -ISSUE RD COMMAND              IA000045
```

```
LINE   LOCATION          BINARY OUTPUT                 NAME       STATEMENT                                                  LOCATION    217573

  1* 217573.CC     CCCCC0.71 8B  001000.36 FO                CM1111(BU,1),S RD($11)                                              IA000047
  2* 217574.00     C0CC00.51 04                              KVI,4,.32                                                           IA000048
  3* 217574.40     217576.32 C0                              BZXE,$+1.32                                                         IA000048
  4* 217575.CC     215001.C1 80  001000.36 FC                CM1111(BU,1),S HS ECH                                               IA000049
  5* 217576.CC     216242.C3 01                              LVI,1,K SUPP                                                        IA000050
  6* 217576.4C     221261.1C C0                              B,M IOREJ                                                           IA000050
  7* 217577.00     215001.21 80  217601.34 02   ZDISK1       BB,SLOCSU,$+2.0                                                     IA000051
  8* 217600.00     215001.C1 80  217602.34 OC                BZB,SHSECH,$+2.0                                                    IA000052
  9* 217601.CC     000C00.32 8A  221065.34 06                BBZ,SCHOP($1C),KCBUSY                                               IA000053
 10* 217602.00     CCCC03.34 8D  011067.20 50                L(BU,9-SDD),SCW.28($13),-18  -CW COUNT OFFSET BY 9 FOR ARCS         IA000054
 11* 217603.00     COCC10.20 30                              LV,8,$L                                                             IA000055
 12* 217603.40     COCC03.45 8D  011062.57 70                CT0111(BU,9),S CW+.37($13),-27      -TEST IF COMPLETE ARC           IA000056
 13*                                                                  -TABLES ARE ONE ARC AHEAD OF MACHINE AND ASSIGNMENT        IA000057
 14* 217604.40     217605.74 C0                              BZRZ,$+1.0                          -BRANCH IF  NOT COMPLETE ARC    IA000058
 15* 217605.00     000C01.21 0D                              V-I,8,1.0                           -SUBTRACT 1 FOR FULL ARC REQUEST IA000059
 16* 217605.40     000C06.20 8D                              V+,8,S CU ARC($13)        -ADD CURRENT ARC ADDRESS                  IA000060
 17* 217606.00 *   000C05.60 9D                              KV,8,S MX ARC($13)        -COMPARE WITH MAX ARC ADDR FOR FILE       IA000061
 18* 217606.40     220C64.33 42                              BXH,K ILEGL                         -TOO MANY ARCS                  IA000062
 19* 217607.CC     COCC06.CC 3D                              LV,C,S CU ARC($13)                                                  IA000063
 20* 217607.4C     000000.40 8A  022067.20 50                L(BU,18),S ARCAD($1C),-18                                           IA000064
 21* 21761C.4C     0CC010.00 90                              KV,0,$L                             -TEST IF LOC NEEDED             IA000065
 22* 217611.CC     217612.72 C2                              BXE,$+1.32                                                          IA000066
 23* 217611.4C     215C01.21 80  220065.74 OC                BZB1,SLOCSU,KKLOC                                                   IA000067
 24* 217612.4C     000C00.47 8B  221144.74 04                BZBZ,S SEL($11),Z STEVL                                             IA000068
 25* 217613.4C     220105.40 80                              SIC,K G LOCR                                                        IA000069
 26* 217614.CC     220100.5C 00                              B,K G LOC                                                           IA000069
 27* 217614.40     221144.5C C0                              B,Z STEVL                                                           IA000070
 28*                                            -                                                                                IA000071
 29*                                            -            *********************  CHANGE MODE  *********************           IA000072
 30*                                            -                                                                                IA000073
 31*                                            -            CALLING SEQUENCE ** LV,1,(CODE)                                     IA000074
 32*                                            -                                SIC,K K MODE+B,K MODE                           IA000075
 33*                                            -            ***  CODE  **  01 - ECC ODD+  10 - NECC EVEN+  11 - NECC ODD        IA000076
 34*                                            -                                                                                IA000077
 35* 217615.CC     CCCC10.C3 30                 K MODE       SV,1,$L                                                             IA000078
 36* 217615.40     CCCCC0.62 8A  002067.23 10                KF(BU,2),S C MODE($1C),-18   -IS CHAN SET TO DESIRED MODE           IA000079
 37* 217616.40     217624.76 C2                              BAE,K K MODE                        -IF SO, RETURN                  IA000080
 38* 217617.C0     217624.02 31                              LV,1,K M CODE-1.0($1)               -IF NOT, PICK UP OCTAL CODE     IA000081
 39* 217617.40     217622.43 D0                              SVA,1,K MODE C.32                                                   IA000082
 40* 217620.00     CCCC00.62 8A  002067.12 F0                SF(BU,2),S C MODE($1C),-18   -RESET CHAN ST TABLE                   IA000083
 41*                                                         CNOP                                                                IA000084
 42* 217621.00     217622.00 10                              LX,C,$+1.                                                           IA000085
 43* 217621.4C *   C00C04.C1 1C                              SX,C,S IO INS($12)                                                  IA000085
 44* 217622.00     000C00.00 8E  000000.15 C0   K MODE C     CTL(SEOP),0.C($14),C.C              -MODE CHANGE COMMAND            IA000086
 45* 217623.C0     221350.43 01                              LVI,1,K SEOP T                                                      IA000087
 46* 217623.40     221354.40 80                              SIC,K EOP R                                                         IA000088
 47* 217624.CC     221261.1C C0                              B,M IO REJ          -WAIT FOR END OP                                IA000088
 48* 217624.40     217624.5C 00                 K K MODE     B,$                                                                 IA000089
 49* 217625.00   CCC057.00+ 000 000000 00000C   K M CODE     XW,(8)57.,                          -ECC ODD PARITY                 IA000090
 50* 217626.00   CC0156.00+ C00 C00000 0CCCCC                XW,(8)156.,                         -NO-ECC EVEN PARITY             IA000091
 51* 217627.CC   CC0157.00+ C00 000000 0CCCCC                XW,(8)157.,                         -NO-ECC ODD PARITY              IA000092
```

```
LINE  LOCATION           BINARY OUTPUT            NAME        STATEMENT                                        LOCATION

  1*                                              -  ******************************************************************  IB000001
  2*                                                          -****************** W R I T E ******************-       IB000002
  3*                                              -  ******************************************************************  IB000003
  4* 217630.00 *                                              SLC,$                                                 IB000004
  5* 217630.00         221140.00 30               E WR1       SIC, B IRA                                            IB000005
  6* 217630.40         221102.10 00                            B, B CWCR                                            IB000005
  7* 217631.00         221152.41 01                           LVI, 0,E MK1A                                         IB000006
  8* 217631.40         000000.32 8A  001000.36 FC             CM1111(BU,1),S CH OP($10)                             IB000007
  9* 217632.40         000002.41 3C                           SV, 0,S EVL MK(EA)         -MASK AD. IN SLCT IN U.A.T.  IB000008
 10* 217633.00         217644.41 01                           LVI,0,E WR18                                          IB000009
 11* 217633.40         000002.01 3C                           SV,C,S EVL TB($12)                                    IB000009
 12* 217634.00         000000.14 C4                           BR,C.0($4)                 -BRANCH ACCORDING TO EQUIP  IB000010
 13* 217634.40         220064.10 00                           B,K ILEGL         -NO EQUIP - SYSTEM ERROR            IB000011
 14* 217635.00         217577.10 00                           B,Z DISK1                  -DISK                      IB000012
 15* 217635.40         221144.50 00                           B,Z STEVL                  -CONSOLE                   IB000013
 16* 217636.00         220064.10 00                           B,K ILEGL                  -CARD READER - SYSTEM GOOF  IB000014
 17* 217636.40         217656.10 00                           B,EW MODE                  -PUNCH                     IB000015
 18* 217637.00         217667.10 00                           B,E WR31                   -PRINTER                   IB000016
 19* 217637.40         220064.10 00                           B,K ILEGL         -6 RESERVED                         IB000017
 20* 217640.00         220064.10 00                           B,K ILEGL         -7 RESERVED                         IB000018
 21* 217640.40         221144.50 00                           B,Z STEVL                  -TEAPE                     IB000019
 22* 217641.00         220064.10 00                           B,K ILEGL         -11 RESERVED                        IB000020
 23* 217641.40         220064.10 00                           B,K ILEGL         -12 RESERVED                        IB000021
 24* 217642.00         220064.10 00                           B,K ILEGL         -13 RESERVED                        IB000022
 25* 217642.40         220064.10 00                           B,K ILEGL         -14 RESERVED                        IB000023
 26* 217643.00 *       220064.10 00                           B,K ILEGL         -15 RESERVED                        IB000024
 27* 217643.40         220064.10 00                           B,K ILEGL         -16 RESERVED                        IB000025
 28* 217644.00         220064.10 00                           B,K ILEGL                  -17 - RESERVED             IB000026
 29* 217644.40         220065.50 00               E WR18      B,K K LOC                  -SEL BIT ON                IB000027
 30* 217645.00         221161.10 00                           B,R VFY                    -VER BIT ON                IB000028
 31* 217645.40         000004.11 04                           KVI,4,4.0                  -TEST IF EQUIP IS TAPE     IB000029
 32* 217646.00         217652.72 00                           BZXE,E WR26                                           IB000030
 33* 217646.40         000010.50 3C                           LV,4,S C REEL($12)         -TEST IF TAPE FILE PROTECTED  IB000031
 34* 217647.00         000000.32 84  220064.34 02             BB,S FP($4),K ILEGL        -IF SO, FAKE EPGK          IB000032
 35* 217650.00         000007.52 3C                           LV,5,S FILE K($12)         -IF TAPE, TEST IF AT LABEL  IB000033
 36* 217650.40         217656.31 40                           BZXVZ,E W MODE             -IF NOT, PROCEED           IB000034
 37* 217651.00         217656.01 01                           LVI,0,E W MODE             -IF SO, SPACE OVER LABEL   IB000035
 38* 217651.40         000006.01 3C                           SV,0,S SCR PM($12)                                    IB000036
 39* 217652.00         220143.10 00                           B,RS1 FLK                                             IB000036
 40* 217652.40         000000.51 04               E WR26      KVI,4,.32                  -TEST IF DISK              IB000037
 41* 217653.00         217655.32 C0                           BZXE,$+2.0                                            IB000038
 42* 217653.40         215001.01 80  001000.36 F0             CM1111(BU,1),S HS ECH                                 IB000039
 43* 217654.40         217667.10 00                           B,E WR31                                              IB000040
 44* 217655.00         000001.11 04                           KVI,4,1.0                  -TEST IF CONSOLE           IB000041
 45* 217655.40         217667.32 C2                           BXE,E WR31                                            IB000042
 46* 217656.00         000002.42 3D               E W MODE    LV,1,S F MODE($13)         -SET CHAN TO FILE MODE     IB000043
 47* 217656.40 *       217657.71 40                           BZXVZ,$+1.0                                           IB000044
 48* 217657.00         000003.03 01                           LVI,1,S TD MOD   -IF IOD NULL, USE STANDARD MODE      IB000044
```

```
LINE   LOCATICN            BINARY CUTPUT              NAME         STATEMENT                                      LOCATICN    217657

 1* 217657.40      217624.40 80                                SIC,K K MODE                                                          IB000046
 2* 217660.00      217615.10 00                                B,K MODE                                                              IB000046
 3* 217660.40      000000.33 8A  217667.34 00                  BZB,S MULTI($10),E WR31        -IF SINGLE UNIT C, PROCEED TO RD       IB000047
 4* 217661.40      000000.62 8B  217667.34 04                  BZBZ,S ELG(EU),EWR31   -GO TO SET UP WRITE IF NOT ELG                 IB000048
 5* 217662.40      000000.30 00                                CNOP                                                                  IB000049
 6* 217663.00      217664.00 10                                LX,C,$+1.C                                                            IB000050
 7* 217663.40      000004.01 1C                                SX,C,S IO INS($12)                                                    IB000050
 8* 217664.00      000000.00 8E  000056.15 0C                  CTL(SEOP),0.0($14),46.         -ERASE LONG GAP COMMAND                IB000051
 9* 217665.00      217666.C3 01                                LVI,1,$+1.0    .                                                      IB000052
10* 217665.40      221261.10 00                                B,M IO REJ                                                            IB000052
11* 217666.00      221354.40 80                                SIC,K ECP R                                                           IB000053
12* 217666.40      221350.50 C0                                B,K SEOP T         -CHECK FOR INDICATORS                              IB000053
13* 217667.00      000003.60 3C                   EWR31        LV,$8,S CW ADR(EA)                                                    IB000054
14* 217667.40      217671.61 D0                                SVA,EX,E WR311+.32             -CTW AD. IN WRITE INST.                IB000055
15*                                                            CNOP                                                                  IB000056
16* 217670.00      217671.00 10                                LX,C,$+1.0                                                            IB000057
17* 217670.40      000004.01 1C                                SX,C,S IO INS($12)                                                    IB000057
18* 217671.00      000000.00 8E  000000.C3 0C     EWR311       W,0.0($14),0.0                                                        IB000058
19* 217672.00 *    217673.C3 01                                LVI,1,$+1.0                                                           IB000059
20* 217672.40      221261.10 C0                                B,M IO REJ                                                            IB000059
21* 217673.00      000000.72 8B  001000.36 F0                  CM1111,S WR(EU)                -TURN ON WRITE BIT IN U.S.T.           IB000060
22* 217674.00      216242.10 00                                B,K SUPP                                                              IB000061
23* 000014.00+     +00000000         NULL         EA           SYN,12.C                        -UNIT AREA TABLE INDEX                IB000062
24*                                               -            $10                        -CHANNEL STATUS TABLE INDEX                IB000063
25* 000015.00+     +00000000         NULL         EF           SYN,13.0                        -FILE AREA TABLE INDEX                IB000064
26* 000010.00+     +00000000         NULL         EX           SYN,8.C                         -SCRATCH INDEX                        IB000065
27*                                               -            $9                         SCRATCH INDEX                              IB000066
28* 000013.00+     +00000000         NULL         EU           SYN,11.C                        -UNIT STATUS TABLE INDEX              IB000067
29*                                               -                                                                                  IB000068
30*                                               -            ********************   DENSITY   ********************                 IB000069
31*                                               -                                                                                  IB000070
32*                                               -            CALLING SEQUENCE ** LV,C,(DEN CODE)‡     (1 - LOW, 0 - HIGH)          IB000071
33*                                               -                                SIC,S RET AD($12)‡B,K DENST                       IB000072
34*                                               -                                (EOP)                                             IB000073
35*                                               -                                (UNIT DENSITY SET TO DESIRED DENSITY)             IB000074
36*                                               -                                                                                  IB000075
37* 217674.40      000020.21 80  001027.20 50     KDENST       L(BU,1),$0.17,46                                                      IB000076
38* 217675.40      000000.41 8B  217701.34 0C                  BZB1,SSETON($11),ZCHDEN                                               IB000077
39* 217676.40      000000.61 8B  001027.23 10                  KF(BU,1),SUDENS($11),46                                               IB000078
40* 217677.40      217701.36 C0                                BZAE,ZCHDEN                                                           IB000079
41* 217700.00      000005.02 3C                                LV,1,S RET AD($12)                                                    IB000080
42* 217700.40      000001.10 01                                B,1.0($1) -IF SO, RETURN                                              IB000080
43* 217701.00      217702.74 C0                   ZCHDEN       BZRZ,KLOWD                                                            IB000081
44* 217701.40      000036.03 01                                LVI,1,(8)36.                  -HIGH DENSITY DESIRED                   IB000082
45* 217702.00      217703.10 00                                B,$+1.0                                                               IB000083
46* 217702.40      000037.03 01                   K LOW D      LVI,1,(8)37.                  -LOW DENSITY DESIRED                    IB000084
47* 217703.00      000000.61 8B  001027.20 D0                  ST(BU,1),SUDENS($11),46                                               IB000085
48* 217704.00      217707.43 D0                                SVA,1,K DEN OP+.32                                                    IB000086
```

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 217704	
1*	217704.40	0CCCC0.37 8B	0C1000.36 F0		CM1111(BU,1),S SET UP($11)		IB000088
2*	217705.40 *	C0CC00.30 00			CNOP		IB000089
3*	217706.C0	217707.C0 10			LX,C,$+1.		IB000090
4*	217706.40	0CCCC4.C1 1C			SX,C,S IC1NS($12)		IB000090
5*	217707.C0	CCCCC0.C0 8E	000000.05 00	K DEN CP	CTL,0.0($14),0.0	-CHANGE DENSITY COMMAND	IB000091
6*	217710.C0	216242.C3 C1			LVI,1,K SUPP		IB000092
7*	217710.40	221261.10 00			B,M IO REJ -CHECK IF ACCEPTED		IB000092
8*				-			IB000093
9*				-	********** WRITE LABEL **********		IB000094
10*				-			IB000095
11*	217711.C0	216242.C3 01		K W LABL	LVI,1,K SUPP	-BACKSPACE BLOCK	IB000096
12*	217711.40	C0CC10.62 3C			LV,9,S C REEL($12)		IB000097
13*	217712.00	C0CC00.32 89	220064.34 02		BB,S FP($9),K ILEGL	-IF FILE PROTECTED, FAKE EPGK	IB000098
14*					CNOP		IB000099
15*	217713.C0	000000.37 8B	001000.36 FC		CM1111(BU,1),S SET UP($11)		IB000100
16*	217714.C0	217715.C0 10			LX,C,$+1.		IB000101
17*	217714.40	C0CC04.C1 1C			SX,C,S IO INS($12)		IB000101
18*	217715.C0	C0CC00.C0 8E	000176.05 0C		CTL,0.0($14),(8)176.	-BSP COMMAND	IB000102
19*	217716.C0	0CC005.C0 8C			SIC,S RET AD($12)		IB000103
20*	217716.40	221261.10 C0			B,M IO REJ		IB000103
21*	217717.00	221371.00 80			SIC,K K IND		IB000104
22*	217717.40	221370.10 C0			B,K IO IND		IB000104
23*	217720.C0	C0CCC2.60 8D	002000.60 50		L,S F MODE(EF),1	-LOAD FILE MODE IN $R	IB000105
24*	217721.C0 *	217723.34 C2			BRZ,Z WLABL		IB000106
25*	217721.40	600C00.C0 80	402000.55 70		CTIC11C(BU,2),(8)60C0C0.,1	-TEST IF 11 (NO ECC ODD)	IB000107
26*	217722.4C	217724.74 C0			BZRZ,$+2.0	-IF NOT,BRANCH	IB000108
27*	217723.C0	460C00.C0 80	406000.06 70	Z WLABL	LFI(BU,6),(8)460C00.0	-GET BCD 0 FOR NECC ODD	IB000109
28*	217724.C0	217725.50 00			B,$+1.32		IB000110
29*	217724.40	61CCC0.C0 80	406000.16 70		CIO111(BU,6),(8)610CCC.	-MAKE BCD C OR E	IB000111
30*	217725.4C	C0CC02.33 8D	001003.06 70		CC011(BU,1),S F DEN($13),6		IB000112
31*	217726.40	217730.74 C0			BZRZ,$+2.0	-TEST IF DESIRED DESITY IS HIGH	IB000113
32*	217727.00	C0CC00.00 80	003004.76 70		C1111(BU,3),,9	-IF SO,MAKE BCD H	IB000114
33*	217730.00	217731.50 00			B,$+1.32		IB000115
34*	217730.40	420000.C0 80	406003.16 70		CIO111(BU,6),(8)42CCCC.,6	-IF NOT,MAKE BCD L FOR LOW DENS	IB000116
35*	217731.40	221201.C1 B0			LVE,0,R V4		IB000117
36*	217732.C0	217765.C1 30			SV,0,E LAB CW		IB000117
37*	217732.40	C0CC07.20 8C	002000.52 FC		SF(BU,2),S LABM($12),1	-SET MODE	IB000118
38*	217733.40	0CC007.35 8C	001003.12 F0		SF(BU,1),S LAB D($12),6	-SET DENSITY	IB000119
39*	217734.40 *	C0CC06.36 8C	014000.12 F0		SF(BU,12),S SCR PM+.30($12)	-SET UP LABEL	IB000120
40*	217735.40	202020.20 80	430000.20 50		LI(BU,24),(8)202020.20		IB000121
41*	217736.40	C0CC06.52 8C	026001.12 FC		SF(BU,22),S SCR PM.42($12),2		IB000122
42*	217737.4C	C0CC00.3C 00			CNOP		IB000123
43*	217740.C0	217741.C0 10			LX,C,$+1.C		IB000124
44*	217740.40	C0CC04.C1 1C			SX,C,S IO INS($12)		IB000124
45*	217741.C0	0CC000.C0 8E	217765.03 00		W,0.0($14),E LAB CW	-WRITE LABEL COMMAND	IB000125
46*	217742.CC	216242.C3 C1			LVI,1,K SUPP		IB000126
47*	217742.40	C0CCC0.74 8B	001000.C0 FC		CMCC00(BU,1),S CTL($11)		IB000127
48*	217743.40	C0CC00.37 8B	001000.36 F0		CM1111,S SET UP(EC)	-TURN ON SET UP BIT	IB000128

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 217744	
1*	217744.40	000005.00 8C			SIC,S RET AD($12)		IB000130
2*	217745.00	221261.10 C0			B,M IOREJ -RETURN CONTROL IF I/O ACCEPTED		IB000130
3*	217745.40	221371.00 80			SIC,E IND R		IB000131
4*	217746.00	221370.10 00			B,E IO IND -CHECK IO INDS		IB000131
5*	217746.40	000002.33 8D	001027.20 50	K KF DEN	L(BU,1),S F DEN($13),46 -SET UNIT TO FILE DENSITY		IB000132
6*	217747.40	000011.00 30			LV,C,$R		IB000133
7*	217750.00 *	000005.00 8C			SIC,S RET AD($12)		IB000134
8*	217750.40	217674.50 00			B,K DENST		IB000134
9*	217751.00	221371.00 80			SIC,K K IND		IB000135
10*	217751.40	221370.10 00			B,K IO IND		IB000135
11*					CNOP		IB000136
12*	217752.00	217753.00 10			LX,C,$+1.C		IB000137
13*	217752.40	000004.01 1C			SX,C,S IO INS($12)		IB000137
14*	217753.00	000000.00 8E	000117.05 00		CTL,0.0($14),(8)117. -WEF COMMAND		IB000138
15*	217754.00	216242.03 01			LVI,1,K SUPP		IB000139
16*	217754.40	000000.37 8B	001000.36 F0		CM1111(BU,1),S SET UP($11)		IB000140
17*	217755.40	000005.00 8C			SIC,S RET AD($12)		IB000141
18*	217756.00	221261.10 C0			B,M IOREJ		IB000141
19*	217756.40	221371.00 80			SIC,E IND R		IB000142
20*	217757.00	221370.10 00			B,E IO IND -GO TO IO IND ROUTINE		IB000142
21*	217757.40	000010.50 3C		K WLTMK	LV,4,S C REEL($12) -UPDATE REEL PCCL		IB000143
22*	217760.00	000006.00 3C	036000.20 50		L(BU,30),S SCR PM($12)		IB000144
23*	217761.00	000000.40 8B	217763.34 02		BB,SOWNER($11),$+2.C		IB000145
24*	217762.00	000000.42 84	036000.20 D0		ST(BU,30),.34($4)		IB000146
25*	217763.00	000001.01 C1			LVI,0,1.		IB000147
26*	217763.40 *	000007.41 3C			SV,0,S FILEK($12) -UPDATE FILE COUNT		IB000147
27*	217764.00	221144.50 00			B,Z STEVL -BRANCH TO EVAL. ROUTINE		IB000148
28**	217765.00	000006.00+ 000	000001 217765	E LAB CW	XW,S SCR PM($12),1,$ -WRITE LABEL CTL WD		IB000149

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION	
1*					- **********		IC000001
2*					-********** COPY CONTROL WORD **********		IC000002
3*					- **********		IC000003
4*	217766.CC *				SLC,$		IC000004
5*	217766.CC	C0CC20.C2 30		B CCW R	LV,1,$C		IC000005
6*	217766.4C	215C01.C4 80	217773.34 02		BB,S L,B 3MCP		IC000006
7*	217767.40	00CC21.22 80	006000.2C 50		L(BU,6),$X1+0.18	-LOAD BIT ADDRESS BITS	IC000007
8*	21777C.40	22CC05.34 C0			BZRZ,B 3ER1	-IF NOT FULL WORD ADDR, ERROR	IC000008
9*	217771.CC	215230.42 90			KV,$X1,S TLR+C.32	-COMPARE TC PP LOWER BOUNDRY	IC000009
10*	217771.4C	22CC05.32 42			BXL,B3ER1		IC000010
11*	217772.CC	215230.C2 90			KV,$X1,S TLR	-COMPARE TO PP UPPER BOUNDRY	IC000011
12*	217772.40	22CC05.33 42			BXH,B 3ER1		IC000012
13*	217773.CC	CCCC00.32 8A	220006.74 0C	B 3MCP	BZB,S CH OP($10),K CCNE		IC000013
14*	217774.CC	CCCC00.51 C4			KVI,$4,.32		IC000014
15*	217774.40	221C65.32 C2			BXE,K C BUSY	-IF DISK, WAIT FOR ECP	IC000015
16*	217775.CC	CCCCC0.37 8B	220007.74 02		BB,S SET UP($11),B 3 FAT		IC000016
17*	217776.CC	CCCCC0.47 8B	220007.74 02		BB,SSEL($11),B3FAT		IC000017
18*	217777.CC	CCCC03.32 9C			KV,13,S FI AAC($12)		IC000018
19*	217777.4C	22CC07.72 C0			BZXE,B 3FAT	-IF NOT EQUAL TC FILE AREA TABLE	IC000019
20*	220000.00	CCCC03.15 02		B 3TRY	LCI,$X6,3.0	-TO TRY CCW 3 TIMES	IC000020
21*	220000.40 *	CCCC00.CC 8E	000000.21 01		CCW,C.C($14),C.C($1)		IC000021
22*	220001.4C	CCCC03.30 8D	0C1000.C6 70		LF(BU,1),3.24($13)	-SECP BIT	IC000022
23*	220002.4C	CCCCC0.30 81	0C1000.12 F0		SF(BU,1),C.24($1)		IC000023
24*	220003.4C	216242.C3 44			BZEKJZ,K SUPP		IC000024
25*	220004.CC	220000.54 48			CB,6,B3TRY+.32		IC000025
26*	220004.4C	221300.10 00			B,KREJT		IC000025
27*	220005.CC	C1CC10.35 01		B 3ER1	LVI,14,S CCW AD	-CW DEST ADDR INVALID	IC000026
28*	220005.40	217451.40 80			SIC,S DISIC		IC000027
29*	220006.CC	217372.1C C0			B,S DISP		IC000027
30*	220006.4C	000C01.51 04		K CCNE	KVI,4,1.32	-IS EQUIPMENT READER	IC000028
31*	220007.CC	220000.32 C2			BXE,B 3TRY	-IF SO, CCW	IC000029
32*	220007.40	000004.C0 1D		B 3FAT	LX,C,S CCW($13)	-COPIED CW TO DEST ADDR	IC000030
33*	22001C.CC	000000.C1 11			SX,C,0.0($1)		IC000031
34*	22001C.40	216242.10 00			B,K SUPP		IC000032

```
TIME CLOCK 00054041    PUNID 11D11MCP     CARD ID ID000001    DIST. OF 3/01           3/01        PAGE NUMBER  158

 LINE   LOCATION              BINARY OUTPUT               NAME        STATEMENT                                 LOCATION

   1*                                                     - *********************************************************************  ID000001
   2*                                                                -******************  RELEASE  ******************-         ID000002
   3*                                                     - *********************************************************************  ID000003
   4* 220011.00 *                                                     SLC,$                                                    ID000004
   5* 220011.00       000000.45 0D                        W REL       V-I,2,.32                                                ID000005
   6* 220011.40       215265.05 30                                    SV,2,S TIC                                               ID000006
   7* 220012.00       000000.32 8A  220017.74 0C                      BZB,S CH OP($10),W 23K      -IF CHAN NOT OPERATING, ALL DONE  ID000007
   8* 220013.00       000000.33 8A  220015.34 0C                      BZB,S MULTI($10),W 22D      -IS CHAN OPERAING ON THIS FILE    ID000008
   9* 220014.00       000000.47 8B  220017.74 02                      BB,S SEL($11),W 23K                                      ID000009
  10* 220015.00       000003.32 9C                         W 22D      KV, $X13, S FI A AC($X12) - COMPARE FILE AREA ADDRESS     ID000010
  11* 220015.40       220017.72 C0                                    BZXE,W 23K                                               ID000011
  12* 220016.00       000000.75 8B  001000.36 F0                      CM1111(BU,1),S REL($11)                                  ID000012
  13* 220017.00       216242.10 00                                    B,K SUPP                                                 ID000013
  14* 220017.40       000040.17 02                         W 23K      LCI,7,(8)40                 -FAKE EOP                    ID000014
  15* 220020.00       000004.23 8D  006000.00 F0                      CM0C00(BU,6),SCCW+.19($13)                               ID000015
  16* 220021.00       220064.50 00                                    B,K ILEGL.32                                             ID000016
```

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION
1*					- **********		IE000001
2*					-********** L O C A T E **********		IE000002
3*					- **********		IE000003
4*	220021.40 *				SLC,$		IE000004
5*	220021.40	CCCCC0.51 04		K S LCC	KVI,4,.32		IE000005
6*	220022.00	220C64.32 C0			BZXE,K ILEGL		IE000006
7*	220022.40	215246.C0 80	000021.36 E0		SWAPI,15,S TLR+14.,$1	-COMPUTE 3RD PARAMETER	IE000007
8*	220023.40	220706.C1 B0			LVE,0,K IOD RN-.32		IE000008
9*	220024.00	0CCC20.22 80	007000.CC F0		CMOC00(BU,7),$0.18		IE000009
10*	220025.C0	215246.C0 80	000021.36 EC		SWAPI,15,S TLR+14.,$1		IE000010
11*	220026.CC	000005.C0 BD			V+,C,S OR ARC($13)	-COMPUTE DESIRED ARC ADDRESS	IE000011
12*	220026.40	000005.40 9D			KV,C,S MX ARC($13)	-TEST IF IT IS WITHIN HIS BOUNDS	IE000012
13*	220027.00	220C64.33 42			BXH,K ILEGL	-IF NOT, FAKE EPGK	IE000013
14*	220027.40	000005.C0 9D			KV,C,SCRARC($13)		IE000014
15*	220030.CC	220C64.32 42			BXL,KILEGL		IE000015
16*	220030.40	000CC0.40 8A	022067.2C 50		L(BC,18),S ARC AD($1C),-18		IE000016
17*	220031.40	CCCC10.C0 90			KV,C,$L		IE000017
18*	220032.0C	220C57.32 C2			BXE,K FINI		IE000018
19*	220032.40	220C54.47 01			LVI,3,K MOON		IE000019
20*	220033.C0	000C05.C7 3C			SV,3,S RETAD($12)		IE000020
21*	220033.40	220105.40 80		K LOCAT	SIC,K G LOCR		IE000021
22*	220034.C0	220100.5C C0			B,K G LCC	-UPDATE STATUS TABLES	IE000021
23*	220034.40 *	000C00.51 C4			KVI,4,.32	-TEST IF DISK	IE000022
24*	220035.C0	220C47.72 C2			BXE,K DISK		IE000023
25*	220035.40	C0C001.11 04			KVI,4,1.0	-TEST IF CONSOLE	IE000024
26*	220036.0C	220C46.32 C2			BXE,K LOCTD-1.0		IE000025
27*	220036.4C	000C00.40 3C			LV,0,S UNIT N($12)		IE000026
28*	220037.C0	220C42.41 D0			SVA,0,K SLECT+.32		IE000027
29*	220037.40	220C42.64 80	001000.36 F0		CM1111(BU,1),K SLECT+.52		IE000028
30*	220040.4C	000C00.3C C0			CNOP		IE000029
31*	220041.CC	220C42.C0 10			LX,0,$+1.0		IE000030
32*	220041.40	000C04.01 1C			SX,0,S IO INS($12)		IE000030
33*	220042.00	000C00.C0 8E	000000.07 00	K SLECT	LOC,0.0($14),0	-GIVE LCC INSTRUCTION	IE000031
34*	220043.CC	220C44.C3 C1			LVI,1,$+1.0		IE000032
35*	220043.4C	221261.1C C0			B,M IO REJ		IE000032
36*	220044.C0	C0CC04.64 8C	216242.34 00		BZB,4.52 ($12),K SUPP		IE000033
37*	220045.00	221354.40 80			SIC,K ECP R		IE000034
38*	220045.4C	221350.5C 00			B,K SECP T		IE000034
39*	220046.00	C00C00.47 8B	001000.CC F0	ZLCCXX	CMOC00(BU,1),SSEL($11)		IE000035
40*	220047.00	221144.5C 00		K LOCTD	B,Z STEVL		IE000036
41*	220047.40 *	CCCCC0.32 8A	001000.36 FC	K DISK	CM1111(BU,1),S CH OP($1C)		IE000037
42*	220050.4C	220C42.41 D0			SVA,0,K SLECT+.32	-INITIALIZE RT EFF ADDR	IE000038
43*	220051.00	CCCC00.37 8B	001000.36 F0		CM1111(BU,1),S SET LP($11)		IE000039
44*	220052.00	220042.64 80	001000.C0 F0		CMOC00(BU,1),K SLECT+.52	-SECP BIT OFF	IE000040
45*	220053.CC	000000.47 8B	001000.00 FC		CMOC00,SSEL($11)		IE000041
46*	220054.CC	220041.10 00			B,K SLECT-1.0		IE000042
47*	220054.40	C0CC04.40 3C		KMCCN	LV,$0,SICINS.32($12)		IE000043
48*	220055.00	C0CC01.12 8D	220047.74 02		BB,SICIND.1($13),KDISK	-IF OK	IE000044
49*	220056.00	220100.C0 80			SIC,K PCSLD		IE000045
50*	220056.40	220074.10 C0			B,K POST L		IE000045

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 220C57	
1*	220C57.00	000C20.17 02		K FINI	LCI,7,16		IE000047
2*	220C57.40	C0CC00.40 8A	022000.20 50		L(BU,18),SARCAD($10)		IE000048
3*	220C60.40	C0CC06.00 8D	022000.20 D0		ST(BU,18),SCUARC($13)		IE000049
4*	220C61.40	C0CC00.47 8B	220064.74 04		BZBZ,S SEL($11),K ILEGL.32		IE000050
5*	220C62.40	220105.40 80			SIC,K G LOCR		IE000051
6*	220C63.00	220100.50 C0			B,K G LCC		IE000051
7*	220C63.40 *	220C64.50 C0			B,K ILEGL.32		IE000052
8*	220C64.00	000400.17 02		K ILEGL	LCI,7,(8)400		IE000053
9*	220C64.40	215776.C3 01			LVI,1,K NORM		IE000054
10*	220C65.00	215746.50 00			B,K GATE		IE000055
11*	220C65.40	221144.63 C1		K K LOC	LVI,9,Z STEVL		IE000056
12*	220C66.00	220047.23 D0			SVA,9,K LOCTD		IE000056
13*	220C66.40	000005.00 8C			SIC,S RET AD($12)		IE000057
14*	220C67.00	220C33.50 C0			B,K LOCAT -SELECT THE UNIT		IE000057
15*	220C67.40	C0CC00.51 04			KVI,4,.32		IE000058
16*	220C70.00	220C71.72 C0			BZXE,$+1.32		IE000058
17*	220C70.40	215C01.21 80	001000.00 F0		CMOC00,SLOCSU		IE000059
18*	220C71.40	221371.00 80			SIC,E IND R		IE000060
19*	220C72.00	221370.10 C0			B,E IC IND		IE000060
20*	220C72.40	220100.C0 80			SIC,K POSLD		IE000061
21*	220C73.00	220C74.10 00			B,K POST L		IE000061
22*	220C73.40	221144.50 00			B,Z STEVL		IE000062
23*	220C74.00	C0CC04.40 8C	022000.20 50	K POST L	L(BU,18),S IO INS+.32($12)		IE000063
24*	220C75.00	C0CCC0.40 8A	022000.20 D0		ST(BU,18), S ARC AD($10)		IE000064
25*	220C76.00	000C06.C0 8D	022000.20 D0		ST(BU,18), S CU ARC($13)		IE000065
26*	220C77.00 *	C0CC00.47 8B	001000.00 F0		CMOC00(BU,1),S SEL($11)		IE000066
27*	220100.C0	220100.10 C0		K POSLD	B,$	-RETURN CONTROL	IE000067
28*	220100.40	000CC0.22 3A		K G LCC	LV,9,S UN A($10)	-TURN ON SEL BIT FOR LAST UNIT	IE000068
29*	220101.00	CCCCC0.70 8A	003067.20 50		L(BU,3),S UNIT($10),-18		IE000069
30*	220102.00	CCCC10.22 B0			V+,9,$L		IE000070
31*	220102.40	C0CC00.47 89	001000.36 F0		CM1111(BU,1),S SEL($9)		IE000071
32*	220103.40	000C00.57 8C	003000.20 50		L(BU,3),S UNIT N($12)	-SELECT CURRENT UNIT	IE000072
33*	220104.40	C0CC00.70 8A	003000.12 F0		CMO101(BU,3),S UNIT($10)		IE000073
34*	220105.40	220105.5C C0		K G LOCR	B,$	-RETURN	IE000074

IBM

```
LINE  LOCATION        BINARY OUTPUT                 NAME    STATEMENT                                         LOCATION

  1*                                               - ****************************************************************** IF000001
  2*                                                       -****************** FEED  CARD ******************-          IF000002
  3*                                               - ****************************************************************** IF000003
  4* 220106.00 *                                           SLC,$                                                       IF000004
  5* 220106.00      000000.45 CD                   W FC    V-I,2,.32                                                   IF000005
  6* 220106.40      215265.05 30                           SV,2,S TIC                                                  IF000006
  7* 220107.00      000002.11 04                           KVI,4,2.0                 - IS IT A PUNCH                   IF000007
  8* 220107.40      220064.32 C0                           BZXE,K ILEGL              -IF NOT, ERROR                    IF000008
  9* 220110.00      000000.32 8A  001000.36 FC             CM1111(BU,1),S CH OP($10)                                   IF000009
 10*                                                       CNOP                                                        IF000010
 11* 220111.00      220112.00 10                           LX,C,$+1.0                                                  IF000011
 12* 220111.40      000004.01 1C                           SX,C,S IO INS($12)                                          IF000011
 13* 220112.00      000000.00 8E  000056.05 00             CTL,0.0($14),(8)56.             -CARD RUN OUT COMMAND       IF000012
 14* 220113.00      000000.74 8B  001000.36 F0             CM1111(BU,1),S CTL($11)                                     IF000013
 15* 220114.00      216242.03 01                           LVI,1,K SUPP                                                IF000014
 16* 220114.40      221261.10 00                           B,M IC REJ      -CHECK IF COMMAND ACCEPTED                  IF000014
 17*                                               -                                                                   IF000015
 18*                                               -                                                                   IF000016
 19*                                               - ****************************************************************** IG000001
 20*                                               -       ****************** ERASE LONG GAP ******************        IG000002
 21*                                               - ****************************************************************** IG000003
 22* 220115.00 *                                           SLC,$                                                       IG000004
 23* 220115.00      000000.45 CD                   E ELG   V-I,2,.32                                                   IG000005
 24* 220115.40      215265.05 30                           SV,2,S TIC            -SET RETURN ADDRESS                   IG000005
 25* 220116.00      000004.11 04                           KVI,4,4.0                                                   IG000006
 26* 220116.40      220064.32 C0                           BZXE,KILEGL                                                 IG000007
 27* 220117.00      000000.62 8B  001000.36 FC             CM1111(BU,1),S ELG($11)                                     IG000008
 28* 220120.00      220017.50 C0                           B,W 23K                         -FAKE ECP                   IG000009
```

```
LOCATION        BINARY OUTPUT                 NAME      STATEMENT                                                   LOCATION

                                              -  *****************************************************************   IH000001
                                                        -******************  S P A C E  ******************-         IH000002
                                              -  *****************************************************************   IH000003
220120.40 *                                             SLC,$                                                        IH000004
220120.40     000076.01 01                    R 1       LVI,$0,62.0                                                  IH000005
220121.00     220124.10 00                              B,R 2    - PP HAS REQUESTED SPACE BLOCK                      IH000005
220121.40     000176.01 01                              LVI,$0,126.0                                                 IH000006
220122.00     220124.10 00                              B,R 2    - PP HAS REQUESTED BACKSPACE BLOCK                  IH000006
220122.40     000077.01 01                              LVI,$0,63.0                                                  IH000007
220123.00     220124.10 00                              B,R 2     - PP HAS REQUESTED SPACE FILE                      IH000007
220123.40     000177.01 01                              LVI,$0,127.0                                                 IH000008
220124.00     000000.45 C0                    R 2       V-I,2,.32                      -SET RETURN ADDRESS           IH000009
220124.40     000000.32 8A  001000.36 FC                CM1111(BU,1),S CH OP($10)                                    IH000010
220125.40     215265.05 30                              SV,2,S TIC                                                   IH000011
220126.00     000004.11 04                              KVI,4,4.0                      -TEST IF EQUIP IS TAPE        IH000012
220126.40     220064.32 C0                              BZXE,K ILEGL                   -IF NOT, FAKE EPGK            IH000013
220127.00     221153.07 01                              LVI,3,R MASK                                                 IH000014
220127.40     000005.41 3C                              SV,C,S CTL OP($12)                                           IH000015
220130.00     000002.47 3C                              SV,$3,S EVL MK($12)                                          IH000016
220130.40     000002.00 8C                              SIC,S EVL TB($12)                                            IH000017
220131.00     221144.50 00                              B,Z STEVL                                                    IH000017
220131.40     220065.50 00                              B,KKLCC                                                      IH000018
220132.00     221161.10 00                              B,R VFY                                                      IH000019
220132.40     000007.52 3C                              LV,5,S FILEK($12)                                            IH000020
220133.00     220135.71 C2                              BXVGZ,R 9 SKP                   -TEST FOR FILE K ZERO        IH000021
220133.40 *   000005.53 8C  220064.34 02                BB,S CTL OP+.1($12),K ILEGL  -BSP OR REW AT LABEL ** EPGK    IH000022
220134.40     000006.00 8C                              SIC,S SCR PM($12)                                            IH000023
220135.00     220143.10 C0                              B,RS1 FLK                                                    IH000023
220135.40     000005.42 3C                    R 9 SKP   LV,$1,S CTL OP($12)                                          IH000024
220136.00     220140.43 D0                              SVA,1,R10.32                   -CTL OP CODE TO RT EFFECT ADDR IH000025
220136.40     000000.30 00                              CNOP                                                         IH000026
220137.00     220140.00 10                              LX,C,$+1.0                                                   IH000027
220137.40     000004.01 1C                              SX,C,S IO INS($12)                                           IH000027
220140.00     000000.C0 8E  000000.C5 00      R10       CTL,0.0($14),0.0                                             IH000028
220141.00     000000.74 8B  001000.36 FC                CM1111(BU,1),S CTL($11)                                      IH000029
220142.00     216242.03 01                              LVI,1,K SUPP                                                 IH000030
220142.40     221261.10 00                              B,M IOREJ                                                    IH000030
                                              -                                                                      IH000031
                                              -         ********************  SPACE LABEL  ********************      IH000032
                                              -         CALLING SEQUENCE ** LV,5,S FILE K($12)  (FILE K +0 OR -0)    IH000033
                                              -                             SIC,S SCRPM($12)+B,RS1 FLK               IH000034
                                              -                                                                      IH000035
220143.00     000007.31 8C  220174.74 0C      RS1 FLK   BZB,S SYSTM($12),K N SYST                                    IH000036
220144.00     000000.74 8B  001000.36 FC                CM1111(BU,1),S CTL($11)                                      IH000037
220145.00     000025.30 80  220156.74 0C                BZB,$5.24,K SP TM              -BRANCH IF FILE COUNT IS +0   IH000038
220146.00     000000.01 01                              LVI,0,S INST 0                 -IF FILE COUNT -0             IH000039
220146.40     000005.C0 8C                              SIC,S RET AD($12)                                            IH000040
220147.00 *   217674.50 00                              B,K DENST  -SET UNIT TO INSTALAATION DEN                     IH000040
```

IBM

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT		LOCATION 220147
1	220147.40		221371.00 80			SIC,K K IND		IH000042
2	220150.00		221370.10 00			B,K IO IND		IH000042
3	220150.40		000000.30 00			CNOP		IH000043
4	220151.00		220152.00 10			LX,0,$+1.0		IH000044
5	220151.40		000004.01 10			SX,0,S IO INS($12)		IH000044
6	220152.00		000000.00 8E	000076.05 00		CTL,0.0($14),62.	-SPACE BLOCK COMMAND	IH000045
7	220153.00		216242.03 01			LVI,1,K SUPP		IH000046
8	220153.40		000000.37 8B	001000.36 F0		CM1111(BU,1),S SET UP($11)		IH000047
9	220154.40		000005.00 8C			SIC,S RET AD($12)		IH000048
10	220155.00		221261.10 00			B,M IO REJ		IH000048
11	220155.40		221371.00 80			SIC,E IND R		IH000049
12	220156.00		221370.10 00			B,E IO IND		IH000049
13	220156.40		000002.33 8D	002127.00 50	K SP TM	L(B,2,1),S FDEN($13),46	-SPACE OVER TAPE MARK	IH000050
14	220157.40		220161.35 C2			BRN,$+1.32		IH000051
15	220160.00		000007.35 8C	001027.20 50		L(BU,1),S LABD($12),46		IH000052
16	220161.00		000011.00 30			LV,0,$R		IH000053
17	220161.40		000005.00 8C			SIC,S RET AD($12)		IH000054
18	220162.00		217674.50 00			B,K DENST		IH000054
19	220162.40	*	221371.00 80			SIC,K K IND		IH000055
20	220163.00		221370.10 00			B,K IO IND		IH000055
21	220163.40		000000.30 00			CNOP		IH000056
22	220164.00		220165.00 10			LX,0,$+1.0		IH000057
23	220164.40		000004.01 10			SX,0,S IO INS($12)		IH000057
24	220165.00		000000.00 8E	000077.05 00		CTL,0.0($14),(8)77.	-SPACE FILE COMMAND	IH000058
25	220166.00		216242.03 01			LVI,1,K SUPP		IH000059
26	220166.40		000000.37 8B	001000.36 F0		CM1111(BU,1),S SET UP($11)		IH000060
27	220167.40		000005.00 8C			SIC,S RET AD($12)		IH000061
28	220170.00		221261.10 00			B,M IO REJ		IH000061
29	220170.40		221371.00 80			SIC,K K IND		IH000062
30	220171.00		221370.10 00			B,K IO IND		IH000062
31	220171.40		000001.01 01		K FIL K1	LVI,0,1.		IH000063
32	220172.00		000007.41 3C			SV,0,S FILEK($12)	-SET FILE COUNT TO +1	IH000063
33	220172.40		000006.02 3C			LV,1,S SCRPM($12)	-PICK UP RETURN ADDRESS	IH000064
34	220173.00		000000.74 8B	001000.00 F0		CM0000(BU,1),S CTL($11)		IH000065
35	220174.00		000000.10 01			B,0.0($1)		IH000066
36	220174.40		000001.01 01		K N SYST	LVI,0,1.0		IH000067
37	220175.00		000007.41 3C			SV,0,S FILE K($12)	-SET FILE COUNT TO +1	IH000067
38	220175.40	*	000002.33 8D	002127.00 50		L(B,2,1),S FDEN($13),46	-SET UNIT TO IOD DENSITY	IH000068
39	220176.40		220200.35 C2			BRN,$+1.32		IH000069
40	220177.00		000000.00 80	401027.20 50		LI(BU,1),S TO DEN,46		IH000070
41	220200.00		000011.00 30			LV,0,$R		IH000071
42	220200.40		000005.00 8C			SIC,S RET AD($12)		IH000072
43	220201.00		217674.50 00			B,K DENST		IH000072
44	220201.40		221371.00 80			SIC,K K IND		IH000073
45	220202.00		221370.10 00			B,K IO IND		IH000073
46	220202.40		221144.50 00			B,Z STEVL		IH000074

```
LINE  LOCATION       BINARY OUTPUT                 NAME    STATEMENT                                       LOCATION

  1*                                               - *************************************************************  IJ000001
  2*                                                      -*************** WRITE END OF FILE ***************-      IJ000002
  3*                                               - *************************************************************  IJ000003
  4* 220203.00 *                                           SLC,$                                                 IJ000004
  5* 220203.00      000000.45 CD                   E WT1    V-I,2,.32                 -SET RETURN ADDRESS          IJ000005
  6* 220203.40      215265.C5 30                            SV,2,S TIC                                            IJ000006
  7* 220204.00      000004.11 04                            KVI,4,4.0                                             IJ000007
  8* 220204.40      220064.32 C0                            BZXE,K ILEGL              -IF EQUIP IS NOT TAPE, FAKE EPGK   IJ000008
  9* 220205.00      000010.62 3C                            LV,9,S C REEL($12)                                    IJ000009
 10* 220205.40      000000.32 89  220064.34 02              BB,S FP($9),K ILEGL       -IF FILE PROTECTED, FAKE EPGK      IJ000010
 11* 220206.40      221152.61 C1                            LVI,EX,E MK 1A                                        IJ000011
 12* 220207.00      000000.32 8A  001000.36 F0              CM1111(BU,1),S CH OP($1C)                             IJ000012
 13* 220210.00      000002.61 3C                            SV,EX,S EVL MK(EA)         -MASK IN EVAL MASK AD       IJ000013
 14* 220210.40      000002.00 8C                            SIC,S EVL TB($12)                                     IJ000014
 15* 220211.00      221144.50 00                            B,Z STEVL                                             IJ000014
 16* 220211.40      220065.50 C0                            B,K K LCC                 -SEL BIT ON                 IJ000015
 17* 220212.00      221161.10 C0                            B,R VFY                   -VER BIT ON                 IJ000016
 18* 220212.40      000007.52 3C                            LV,5,S FILEK($12)         -TEST IF IN LABEL FILE      IJ000017
 19* 220213.00      220214.71 40                            BZXVZ,$+1.32                                          IJ000018
 20* 220213.40      000006.00 8C                            SIC,S SCR PM($12)                                     IJ000019
 21* 220214.00      220143.10 C0                            B,RS1 FLK  -IF SO, SPACE OVER LABEL                   IJ000019
 22* 220214.40      000000.62 8B  220222.34 04              BZBZ,S ELG($11),E WT31-1.C                            IJ000020
 23* 220215.40      000000.30 C0                            CNOP                                                  IJ000021
 24* 220216.00 *    220217.00 10                            LX,C,$+1.0                                            IJ000022
 25* 220216.40      000004.01 1C                            SX,C,S IO INS($12)                                    IJ000022
 26* 220217.00      000000.00 8E  000056.15 00              CTL(SEOP),0.0($14),46      -ERASE LONG GAP COMMAND     IJ000023
 27* 220220.00      220221.03 01                            LVI,1,$+1.0                                           IJ000024
 28* 220220.40      221261.10 C0                            B,M IO REJ                                            IJ000024
 29* 220221.00      221354.40 80                            SIC,K EOP R                                           IJ000025
 30* 220221.40      221350.50 C0                            B,K SECP T                                            IJ000025
 31* 220222.00      220223.00 10                            LX,C,$+1.0                                            IJ000026
 32* 220222.40      000004.01 1C                            SX,C,S IO INS($12)                                    IJ000026
 33* 220223.00      000000.00 8E  000117.05 00     EWT31    CTL,0.0($14),79.0                                     IJ000027
 34* 220224.00      000000.74 8B  001000.36 F0              CM1111,S CTL(EU)           -TURN ON CONTROL BIT        IJ000028
 35* 220225.00      216242.03 01                            LVI,1,K SUPP                                          IJ000029
 36* 220225.40      221261.10 C0                            B,M ICREJ                                             IJ000029
```

IBM

```
LINE  LOCATION          BINARY OUTPUT               NAME      STATEMENT                                                              LOCATION

  1*                                                - ***********************************************************************  IK000001
  2*                                                           -******************* R E W I N D *******************-          IK000002
  3*                                                - ***********************************************************************  IK000003
  4* 220226.00 *                                              SLC,$                                                          IK000004
  5* 220226.00       220243.40 80                   Z REW ST  SIC,Z TB RW+.32                                                IK000005
  6* 220226.40       220234.50 00                             B,Z COM RT                                                     IK000005
  7* 220227.00       000000.64 8B  001000.36 F0               CM1111(BU,1),S REW($11)                                        IK000006
  8*                                                          CNOP                                                           IK000007
  9* 220230.00       220231.00 10                             LX,0,$+1.0                                                     IK000008
 10* 220230.40       000004.01 10                             SX,0,S IC INS($12)                                             IK000008
 11* 220231.00       000000.00 8E  000136.15 00     Z CTL RW  REW(SECP),0.0($14)      -ISSUE REWIND                          IK000009
 12* 220232.00       220233.03 01                             LVI,1,$+1.0                                                    IK000010
 13* 220232.40       221261.10 00                             B,M IO REJ                                                     IK000010
 14* 220233.00       221354.40 80                             SIC,K ECP R                                                    IK000011
 15* 220233.40       221350.50 00                             B,K SECP T                                                     IK000011
 16* 220234.00       216242.10 00                             B,K SUPP                                                       IK000012
 17* 220234.40       000000.45 0D                   Z COM RT  V-I,2,.32                                                      IK000013
 18* 220235.00       215265.05 30                             SV,2,S TIC                                                     IK000014
 19* 220235.40       000004.11 04                             KVI,4,4.0                  -TEST IF EQUIP IS TAPE              IK000015
 20* 220236.00       220064.32 00                             BZXE,K ILEGL               -IF NOT, FAKE EPGK                  IK000016
 21* 220236.40       221153.57 01                             LVI,7,Z EVL RW          -SET EVAL MASK ADDR                    IK000017
 22* 220237.00       000002.57 3C                             SV,7,S EVL MK($12)                                             IK000018
 23* 220237.40       000004.22 8D  001000.00 F0               CM0000(BU,1),S CCW.18($13)   -TURN OFF UNR STATUS BIT IN CW    IK000019
 24* 220240.40       220243.17 01                             LVI,7,Z TB RW           -SET EVAL TABLE ADDR                   IK000020
 25* 220241.00 *     000002.17 3C                             SV,7,S EVL TB($12)                                             IK000021
 26* 220241.40       000000.74 8B  001000.36 F0               CM1111,S CTL($11)          -TURN CTL BIT ON IN UST             IK000022
 27* 220242.40       221144.50 00                             B,Z STEVL                                                      IK000023
 28* 220243.00       220065.50 00                   Z TB RW   B,K K LOC                                                      IK000024
 29* 220243.40       220243.50 00                             B,$                       -BRANCH BACK TO MOTHER ROUTINE       IK000025
 30*                                                -                                                                        IK000026
 31*                                                -                                                                        IK000027
 32*                                                - ***********************************************************************  IL000001
 33*                                                          -******************* UNLOAD *******************-                IL000002
 34*                                                - ***********************************************************************  IL000003
 35* 220244.00 *                                              SLC,$                                                          IL000004
 36* 220244.00       220243.40 80                   Z UNLDB   SIC,Z TB RW+.32                                                IL000005
 37* 220244.40       220234.50 00                             B,Z COM RT                                                     IL000005
 38* 220245.00       221733.10 00                             B,K UNLOD                                                      IL000006
```

```
LINE  LOCATION      BINARY OUTPUT                  NAME      STATEMENT                                                LOCATION

 1*                                                - *****************************************************************  IM000001
 2*                                                          -****************** F R E E ******************-          IM000002
 3*                                                - *****************************************************************  IM000003
 4*  220245.40     CCCCC0.32 8A  220320.74 C2    Z FREE    BB,S CH CP($1C),K K MARK                                   IM000004
 5*  220246.40     220243.40 80                  Z Z FREE  SIC,Z TB RW.32                                             IM000005
 6*  220247.CC     220234.5C CC                            B,Z CCM RT                                                 IM000005
 7*  220247.4C     CCCCC0.35 8B  001000.36 F0              CM1111(BU,1),S UN ASG($11)                                 IM000006
 8*  22025C.40     215001.06 80  220300.34 02              BB,S P INCL,Z F2                                           IM000007
 9*  220251.40     CCCCC2.36 8D  220301.74 02        .     BB,2.30($13),Z F SAVE          -BRANCH IF SAVE             IM000008
10*  220252.4C     CCCC10.60 3C                            LV,8,S C REEL($12)             -GET CURRENT REEL ADDR      IM000009
11*  220253.CC     CCCCC0.32 8B  002000.CC F0    ZFFLIP    CMOC00(BU,2),STATI($11)                                    IM000010
12*  220254.CC     CCCCC0.33 88  220256.34 CC              BZB,TRELB($8),ZFRENS      -BR IF NON- SYSTEM TAPE TO UNLOAD IM000011
13*  220255.00     CCCCC0.32 88  220227.34 CC              BZB,.26($8),ZREWST+1.0                                     IM000012
14*  220256.0C     220313.C0 80  220311.04 AC    Z FRE NS  TI,2,K N SAVE,Z FR03                                       IM000013
15*  220257.CC *   220306.C5 C1                  K DFREE   LVI,2,Z FR04                                               IM000014
16*  220257.40     22C303.13 C1                            LVI,5,K FRE M                                              IM000015
17*  22C260.00     CCCCC0.40 8B  220262.34 0C              BZB,SOWNER($11),ZFRC5B    -IF PP OWNER                     IM000016
18*  220261.CC     C22133.31 80  220267.34 04              BZBZ,TMFREJ,ZFR05         -IF ENRY WAS NOT FROM THE MOVE ROUTINE IM000017
19*  220262.00     220310.17 C1                  Z FRC5B   LVI,7,ZFR02                                                IM000018
20*  22C262.4C     CCCCC0.40 8B  220272.34 02              BB,SOWNER($11),ZFR05           -BR. IF ASSIGN DISMNT REQUEST IM000019
21*  22C263.4C     220310.17 C1                            LVI,7,Z FR02                                               IM000020
22*  22C264.CC     221045.CC 80                            SIC,Z ID09X                                                IM000021
23*  22C264.40     221C42.10 00                            B,Z ID09              -CONVERT JOB NAME                    IM000021
24*  22C265.CC     CCCC10.17 C1                  ZFR06     LVI,7,8.                                                   IM000022
25*  22C265.4C     CCCCC0.33 8B  001000.36 FC              CM1111(BU,1),SDISPO($11)                                   IM000023
26*  22C266.4C     221752.5C 00                            B,K UNLC1+1.32                                             IM000024
27*  22C267.CC     CCCCC0.77 8B  220271.34 00    ZFRC5     BZB,SOVRES($11),ZFRC5A    -IF NOT OVERLAP RESERED          IM000025
28*  22C27C.CC     CCCCC0.76 8B  220274.74 02              BB,SUNRES($11),ZFR07  -IF IT IS NOT OVERLAP RESERVED       IM000026
29*  22C271.CC     222C13.20 80  000000.2C 5C    ZFRC5A    L(BU,64),KSCRAC.16        -REMOVE THE SCRATCH TAPE         IM000027
30*  22C272.CC *   CCCCC0.77 8B  220274.74 02    ZFR05     BB,SOVRES($11),ZFR07                                       IM000028
31*  220273.00     220310.C0 80  000000.20 D0              ST(BU,64),ZFR02                                            IM000029
32*  220274.00     220265.10 C0                            B,ZFR06                                                    IM000030
33*  22C274.4C     220317.C0 80  220310.02 A0    ZFR07     TI,1,ZFR17,ZFR02                                           IM000031
34*  22C275.4C     220320.00 80  010000.20 50              L(BU,8),ZFR17+1.C              -GET PREASSIGN NAME         IM000032
35*  22C276.40     220311.C0 80  010000.20 D0              ST(BU,8),ZFR03                                             IM000033
36*  220277.40     220265.10 C0                            B,ZFRC6                                                    IM000034
37*  220300.00     CCCCC2.37 8D  220301.74 02    Z F 2     BB,2.31($13),Z F SAVE          -BRANCH IF SAVE             IM000035
38*  220301.CC     220252.50 00                            B,ZFFLIP-.32                                               IM000036
39*  220301.40     220315.C0 80  220311.04 AC    Z FSAVE   TI,2,KSAVE,Z FR03                                          IM000037
40*  22C302.40     22C257.10 C0                            B,K D FREE                                                 IM000038
41*                                                        CNOP                                                       IM000039
42*  220303.CC                                   K FREM    (IQSX)DD(BU), UNLOAD TAPE ON CHANNEL X                     IM000040
43*  220306.00 *                                 Z FR04    (IQSX)DD(BU),    UNIT X                                    IM000041
44*  22C307.00                                   Z FR01    (IQSX)DD(BU), .  JOB X                                     IM000042
45*  22031C.CC                                   Z FR02    (IQSX)DD(BU),         X                                    IM000043
46*  22C311.CO *   00CC02.00                     Z FR03    DRZ(N),(2)                                                 IM000044
47*  220313.CC                                   K NSAVE   (IQSX)DD(BU),    DO NOT SAVE X                             IM000045
48*  220315.00                                   K SAVE    (IQSX)DD(BU),         SAVE      X                          IM000046
49*  220317.CC                                   Z FR17    (IQSX)DD(BU),PREASSIGNX                                    IM000047
50*  220320.40     CCCCC0.45 0D                  K K MARK  V-I,2,.32                                                  IM000048
51*  220321.CC     215265.05 30                            SV,2,S TIC                                                 IM000048
52*  220321.40     CCCCC0.47 8B  220374.34 C2              BB,S SEL($11),K E LOOP                                     IM000049
53*  220322.40     220246.41 C1                            LVI,0,Z Z FREE                                             IM000050
54*  220323.00     CCCCC0.37 8B  220374.34 CE              BB1,S SET UP($11),K E LOOP                                 IM000051
55*  220324.CC     CCCCC5.C1 3C                            SV,C,S RET AD($12)                                         IM000052
56*  220324.40     216242.1C C0                            B,K SUPP                                                   IM000052
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION
1*						IN000001
2*					----------DENSITY AND MODE CHANGE PSEUDO-OPS----------	IN000002
3*						IN000003
4*	220325.00 *				SLC,$	IN000004
5*	220325.00	00CCC1.13 C1		RFC	LVI,5,1.0	IN000005
6*	220325.40	220326.5C C0			B,RLD.32	IN000006
7*	220326.00	C0CCC3.13 C1		RLC	LVI,5,3.0	IN000007
8*	220326.40	C0CC11.13 30			SV,5,$R	IN000008
9*	220327.00	C0CC02.33 8D	002027.2C C0		ST(BU,2),SFDEN($13),46	IN000009
10*	22033C.CC	CCCCC0.5C 8B	001000.36 F0		CM1111(BU,1),SVER($11)	IN000010
11*	220331.00	C0CC07.52 3C			LV,5,SFILEK($12)	IN000011
12*	220331.40	CCCC00.13 CC			KVNI,5,C	IN000012
13*	220332.CC	220C64.32 C0			BZXE,KILEGL	IN000012
14*	220332.4C	000C04.11 04		RTAPE	KVI,4,4.0	IN000013
15*	220333.00	220C64.32 CC			BZXE,KILEGL	IN000013
16*	220333.40	C0C015.47 01			LVI,3,13.32	IN000014
17*	220334.CC	220727.5C C0			B,KNI+1.0	IN000015
18*	220334.4C	00CCC2.13 01		REVEN	LVI,5,2.0	IN000016
19*	220335.00	220336.10 C0			B,RCDD.32	IN000017
20*	220335.4C	C0CC03.13 01		RCDD	LVI,5,3.0	IN000018
21*	220336.CC	C00C11.13 30			SV,5,$R	IN000019
22*	220336.4C	00CCC2.60 8D	002027.2C C0		ST(BU,2),SFMODE($13),46	IN000020
23*	220337.40	220332.50 00			B,RTAPE	IN000021
24*	220340.CC *	C0CC01.13 C1		RECC	LVI,5,1.0	IN000022
25*	220340.4C	000C04.11 C4			KVI,4,4.0	IN000023
26*	220341.00	220342.72 C0			BZXE,RNCECC.32	IN000024
27*	220341.40	220344.10 00			B,RSFMCD	IN000025
28*	220342.CC	CCCCC3.13 C1		RNCECC	LVI,5,3.0	IN000026
29*	220342.4C	00CC01.51 C4			KVI,4,1.32	IN000027
30*	220343.CC	220344.32 C2			BXE,RSFMCD	IN000028
31*	220343.40	C0CC02.11 C4			KVI,4,2.C	IN000029
32*	220344.CC	C00C11.13 30		RSFMCD	SV,5,$R	IN000030
33*	220344.4C	000C02.6C 8D	002027.20 C0		ST(BU,2),SFMODE($13),46	IN000031
34*	220345.4C	220333.10 CC			B,RTAPE.32	IN000032
35*	220346.00	CCCCC0.45 CD		RALLPS	V-I,2,.32	IN000033
36*	220346.4C	215265.C5 30			SV,2,STIC	IN000034
37*	220347.00	220C17.5C 00			B,W23K	IN000035

```
LINE   LOCATION        BINARY OUTPUT                NAME      STATEMENT                                    LOCATION

  1*                                                 -  ***********************************************************************  JA000001
  2*                                                 -             ******************** WAIT **************************         JA000002
  3*                                                 -  ***********************************************************************  JA000003
  4* 220347.40 *                                              SLC,$                                                            JA000004
  5* 220347.40      000000.40 8B  001067.20 50   K WAIT   L(BU,1),S OWNER($11),-18     -DETERMINE LEVEL OF INTERRUPT          JA000005
  6* 220350.40      000000.45 0D                          V-I,2,.32                                                        JA000006
  7* 220351.00      215265.05 30                          SV,2,S TIC                                                       JA000007
  8* 220351.40      215001.05 8Q  001067.20 D0            ST(BU,1),S M,-18                                                 JA000008
  9* 220352.40      000010.22 30                          LV,9,$L                                                          JA000009
 10* 220353.00      215021.23 05                          V+I,9,S PROG S               -PROG STAT TABLE ADDR                  JA000010
 11* 220353.40      000001.42 3D                          LV,1,SINTAD($13)                                                 JA000011
 12* 220354.00      220356.71 42                          BXVZ,$+2.32                                                      JA000012
 13* 220354.40      000000.31 89  220356.74 02            BB,SAS($9),$+2.0                                                 JA000013
 14* 220355.40      000001.71 8D  220375.74 06            BBZ,SEWAIL($13),KPASS                                            JA000014
 15* 220356.40      000000.32 8A  220366.74 02            BB,S CH OP($10),K MISU                                           JA000015
 16* 220357.40      220360.43 01                 K DIG    LVI,1,$+1.                                                       JA000016
 17* 220360.00      222020.10 00                          B,K SERCH                                                        JA000016
 18* 220360.40      220375.30 00                          B,K PASS                                                         JA000017
 19* 220361.00      000000.31 89  216010.74 02            BB,S AS($9),K INT TY                                             JA000018
 20* 220362.00      000036.37 02                          LCI,15,30                                                        JA000019
 21* 220362.40 *    215001.05 80  220365.34 02            BB,S M,$+2.32                                                    JA000020
 22* 220363.40      215230.00 80  215266.36 20            T,15,S TLR,S LR PP                                               JA000021
 23* 220364.40      216010.50 00                          B,K INT TY                                                       JA000022
 24* 220365.00      215230.00 80  215362.36 20            T,15,S TLR,S LR MCP                                              JA000023
 25* 220366.00      216010.50 00                          B,K INT TY                                                       JA000024
 26* 220366.40      000000.47 8B  220357.74 02   KMISU    BB,SSEL($11),KDIG                                                JA000025
 27* 220367.40      000003.32 90                          KV,13,S FI AAC($12)                                              JA000026
 28* 220370.00      220357.72 00                          BZXE,K DIG                                                       JA000026
 29* 220370.40      000000.31 89  220374.34 02            BB,S AS($9),K E LOOP                                             JA000027
 30* 220371.40      000000.33 39                          SV,13,0.0($9)                -FILE A ADDR TO WAIT FIELD             JA000028
 31* 220372.00      000001.40 8D  031000.00 FC            CM0000(BU,25),SINTAD($13)                                        JA000029
 32* 220373.00      000001.71 8D  001000.36 F0            CM1111,SEWAIL($13)                                               JA000030
 33* 220374.00      000001.45 0D                 KELOOP   V-I,2,1.32                                                       JA000031
 34* 220374.40      215265.05 30                          SV,2,STIC                                                        JA000032
 35* 220375.00      216242.10 00                          B,K SUPP                                                         JA000033
 36* 220375.40 *    000000.00 89  030000.00 FC   K PASS   CM0000(BU,24),0.0($9)                                            JA000034
 37* 220376.40      216242.10 00                          B,K SUPP                                                         JA000035
```

```
LINE   LOCATION              BINARY OUTPUT               NAME       STATEMENT                                        LOCATION

  1*                                                   - ******************************************************************  JB000001
  2*                                                            -********** CHANGE IO TABLE OF EXITS **********-            JB000002
  3*                                                   - ******************************************************************  JB000003
  4* 220377.00 *                                                SLC,$                                                      JB000004
  5* 220377.00       215246.00 80  000021.36 EC       C CHEX    SWAPI,15,S TLR+14.,$1        -COMPUTE 3RD PARAMETER        JB000005
  6* 220400.00       220706.01 80                               LVE,0,K IOD RN-.32                                         JB000006
  7* 220400.40       215246.00 80  000021.36 E0                 SWAPI,15,S TLR+14.,$1                                      JB000007
  8* 220401.40       220402.10 C6                               BUSAZ,$+.32                                                JB000008
  9* 220402.00       220402.50 46                                 BADZ,$+.32                                               JB000008
 10* 220402.40       000020.00 50                               LC,C,$0                                                    JB000009
 11* 220403.00       215230.71 80  220406.34 00                 BZB, S T LR + 0.57, C CHEKT  -BRANCH IF MCP NEXIT          JB000010
 12* 220404.00       215230.01 90                               KC, 0, S UPPER             -IF IN PP, CHECK THAT NEXIT     JB000011
 13* 220404.40       220407.32 40                               BZXL, C NX OUT             -IS WITHIN PP BOUNDARIES        JB000012
 14* 220405.00       215230.41 90                               KC, C, S LOWER                                             JB000013
 15* 220405.40       220407.32 42                               BXL, C NX OUT                                              JB000014
 16* 220406.00       000002.01 50                     C CHEKT   SC,C, S TOE LO($13)        -STORE IN FILE AREA TABLE       JB000015
 17* 220406.40       216242.10 C0                               B,K SUPP                                                   JB000016
 18* 220407.00       000401.35 01                     C NX OUT  LVI, 14, S NX OUT                                          JB000017
 19* 220407.40       217451.40 80                               SIC,S DISIC                                                JB000018
 20* 220410.00       217372.10 00                               B,S DISP                                                   JB000018
```

```
LOCATION     BINARY OUTPUT              NAME    STATEMENT                                                      LOCATION

                                        - *******************************************************************  JC000001
                                        -        ******************SUPPRESS I/O INTERRUPT **************        JC000002
                                        - *******************************************************************  JC000003
220410.40 *                                     SLC,$                                                         JC000004
220410.40    215001.04 80  001067.20 50 K SIC   L(BU,1),S L,-18          -DETERMINE LEVEL OF IC               JC000005
220411.40    000010.22 30                       LV,9,$L                                                       JC000006
220412.00    215021.23 05                       V+I,9,S PROG S           -PROG STAT TABLE FOR SL              JC000007
220412.40    000000.75 89  001000.36 F0         CM1111(BU,1),S SIO($9)                                        JC000008
220413.40    000000.45 05                       V+I,2,.32                                                     JC000009
220414.00    215265.05 30                       SV,2,S TIC                                                    JC000010
220414.40    216242.10 00                       B,K SUPP                                                      JC000011
                                        -                                                                     JC000012
                                        -                                                                     JC000013
                                        - *******************************************************************  JD000001
                                                -************ RELEASE I/O INTERRUPTS ************-             JD000002
                                        - *******************************************************************  JD000003
220415.00 *                                     SLC,$                                                         JD000004
220415.00    215001.04 80  001067.20 50 K RIC   L(BU,1),S L,-18          -DETERMINE LEVEL OF IC               JD000005
220416.00    000010.22 30                       LV,9,$L                                                       JD000006
220416.40    215021.23 05                       V+I,9,S PROG S           -PROG STAT TABLE FOR SL              JD000007
220417.00    000000.75 89  001000.00 F0         CM0000(BU,1),S SIO($9)   -TURN OFF SIO BIT                    JD000008
220420.00    000000.45 05                       V+I,2,.32                                                     JD000009
220420.40    215265.05 30                       SV,2,S TIC                                                    JD000010
220421.00    000000.31 89  216242.34 02         BB,S AS($9),K SUPP       -DETERMINE IF IN FIX UP              JD000011
220422.00    000000.60 59                       LC,8,S Q K($9)           -IF NOT, UNSTACK                     JD000012
220422.40    216242.30 42                       BXCZ,K SUPP                                                   JD000013
220423.00    000036.37 02                       LCI,15,30                                                     JD000014
220423.40    215001.04 80  220426.34 02         BB,S L,K MOVE                                                 JD000015
220424.40    215230.00 80  215266.36 20         T,15,S TLR,S LR PP                                            JD000016
220425.40    222037.10 00                       B,KUNSTC                                                      JD000017
220426.00    215230.00 80  215362.36 20 K MOVE  T,15,S TLR, S LR MCP                                          JD000018
220427.00    222037.10 00                       B,KUNSTC                                                      JD000019
```

IBM

```
 LINE  LOCATION           BINARY OUTPUT             NAME     STATEMENT                                                       LOCATION

   1*                                                        - ****************************************************************  KA000001
   2*                                                                 -**********   STORE IN COMMUNICATION REGION   **********-  KA000002
   3*                                                        - ****************************************************************  KA000003
   4*  220427.40 *                                                    SLC,$                                                     KA000004
   5*  220427.40      000031.07 C2                           KSTRG    LCI,3,KQUANT                                              KA000005
   6*  220430.00      220431.03 C1                                    LVI,1,$+1.0                                               KA000006
   7*  220430.40      220432.50 00                                    B,K CAB                                                   KA000006
   8*  220431.00      000000.00 89   220451.06 20                     T,$3,0($9),KSILO                                          KA000007
   9*  220432.00      216242.10 00                                    B,K SUPP                                                  KA000008
  10*  220432.40      000001.05 05                           K CAB    V+I,2,1.0                                                 KA000009
  11*  220433.00      215265.05 30                                    SV,2,S TIC                                                KA000010
  12*  220433.40      000000.45 0D                                    V-I,2,.32                                                 KA000011
  13*  220434.00      220435.45 D0                                    SVA,2,$+1.32                                              KA000012
  14*  220434.40      000021.00 80   215246.06 E0                     SWAPI,3,$1,S TLR+14.                                      KA000013
  15*  220435.40      220435.63 B0                                    LVE,9,$                                                   KA000014
  16*  220436.00      000021.00 80   215246.06 E0                     SWAPI,3,$1,S TLR+14.0                                     KA000015
  17*  220437.00      220443.50 C6                                    BUSAZ,K GOOF                                              KA000016
  18*  220437.40      220444.10 46                                    BADZ,K GOOF+.32                                           KA000017
  19*  220440.00      215230.62 90                                    KV,9,SLOWER                                               KA000018
  20*  220440.40      220443.72 42                                    BXL,KGOOF                                                 KA000019
  21*  220441.00      000014.63 05                                    V+I,9,KQUANT                                              KA000020
  22*  220441.40      215230.22 90                                    KV,9,S UPPER                                              KA000021
  23*  220442.00      220443.72 40                                    BZXL,K GOOF                                               KA000022
  24*  220442.40 *    000014.63 0D                                    V-I,9,KQUANT                                              KA000023
  25*  220443.00      000000.10 C1                                    B,0.0($1)                                                 KA000024
  26*  220443.40      220444.10 46                           K GOOF   BADZ,$+.32                                                KA000025
  27*  220444.00      010011.35 01                                    LVI,14,S FORBD                                            KA000026
  28*  220444.40      217451.40 80                                    SIC,S DISIC                                               KA000027
  29*  220445.00      217372.10 00                                    B,S DISP                                                  KA000027
  30*                                                        -                                                                  KA000028
  31*                                                        -                                                                  KA000029
  32*                                                        - ****************************************************************  KB000001
  33*                                                                 -**********   FETCH FROM COMMUNICATION REGION   **********-  KB000002
  34*                                                        - ****************************************************************  KB000003
  35*  220445.40 *                                                    SLC,$                                                     KB000004
  36*  220445.40      000031.07 C2                           K FECRG  LCI,3,K QUANT                                             KB000005
  37*  220446.00      220447.03 01                                    LVI,1,$+1.0                                               KB000006
  38*  220446.40      220432.50 00                                    B,K CAB                                                   KB000006
  39*  220447.00      220451.00 80   000000.06 29                     T,3,K SILO,0.0($9)                                        KB000007
  40*  220450.00      216242.10 00                                    B,K SUPP                                                  KB000008
  41*  220450.40      000000.30 00                                    CNOP                                                      KB000009
  42*  000000.00+     +00000031          NULL                K QUANT  SYN,25                                                    KB000010
  43*  220451.00 *    000031.00                              K SILO   DR(BU,64),(K QUANT)          -COMMUNICATION REGION       KB000011
```

IBM

```
LINE  LOCATION        BINARY OUTPUT                 NAME    STATEMENT                                                      LOCATION

  1*                                                        --------------------------------------------------------------  KC000001
  2*                                                        ---------------------STORE LOWER REGISTERS--------------------  KC000002
  3*                                                        --------------------------------------------------------------  KC000003
  4* 220502.00       215021.23 01                   TSTLR   LVI,$9,SPROGS                                                   KC000004
  5* 220502.40       000000.31 89  220543.74 00             BZB,SAS($9),TMER2          - PSEUDO-OP AVAILABLE ONLY IF AUTO-ST KC000005
  6* 220503.40       000000.45 05                           V+I,$2,.32                 - GET TC BUFFER ADDRESS               KC000006
  7* 220504.00       220506.45 00                           SVA,$2,TMSET                                                     KC000007
  8* 220504.40       000000.45 05                           V+I,$2,.32                                                       KC000008
  9* 220505.00       215265.05 D0                           SVA,$2,STIC                - RETURN ADDRESS                      KC000009
 10* 220505.40       215246.00 80  000021.04 A0             TI,2,STLR+14.0,$1          - RESTORE INDEXES NEEDED              KC000010
 11* 220506.40       220506.43 80                   TMSET   LVE,$1,$                   - BUFFER SHOULD BE THERE IN VF OF $1  KC000011
 12* 220507.00       220507.50 C6                           BUSAZ,$+.32                                                      KC000012
 13* 220507.40       220510.10 46                           BADZ,$+.32                                                       KC000013
 14* 220510.00       220541.40 80                           SIC,TMCHEK                                                       KC000014
 15* 220510.40       220536.50 00                           B,TCHEK1      - CHECK BOUNDS ON PP BUFFER                        KC000014
 16* 220511.00       000036.04 31                           LV,$2,30.0($1)                                                   KC000015
 17* 220511.40       215230.04 90                           KV,$2,STLR                 - CHECK BOUNDS ON PP IC               KC000016
 18* 220512.00       220542.32 40                           BZXL,TMER1                                                       KC000017
 19* 220512.40       215230.44 90                           KV,$2,STLR+.32                                                   KC000018
 20* 220513.00       220542.32 42                           BXL,TMER1                                                        KC000019
 21* 220513.40       215276.04 10                           LX,$2,SLRPP+8.0            - SAVE INDICATORS                     KC000020
 22* 220514.00       220545.05 10                           SX,$2,TMSVIN                                                     KC000021
 23* 220514.40       000035.03 02                           LCI,$1,29.0                                                      KC000022
 24* 220515.00 *     000002.00 81  215267.02 20             T,$1,2.0($1),SLRPP+1.0     -  STORE LOWER REGISTERS              KC000023
 25* 220516.00       215300.25 80  001000.36 F0             CM1111(BU,1),SLRPP+10.21 - IF FORCED ON IN MASK                  KC000024
 26* 220517.00       220545.04 80  001000.06 70             LF(BU,1),TMSVIN+.4                                               KC000025
 27* 220520.00       215277.04 80  001000.12 F0             SF(BU,1),SLRPP+9.4       - CANNOT CHANGE TS                      KC000026
 28* 220521.00       220545.22 80  001000.06 70             LF(BU,1),TMSVIN+.18                                              KC000027
 29* 220522.00       215277.22 80  001000.12 F0             SF(BU,1),SLRPP+9.18        - CANNOT CHANGE EXE                   KC000028
 30* 220523.00       216242.10 00                           B,KSUPP                                                          KC000029
```

```
LINE  LOCATION        BINARY OUTPUT               NAME     STATEMENT                                     LOCATION

  1*                                                       ------------------------------------------------------------   KD000001
  2*                                                       ----------------------FETCH LOWER REGISTERS-----------------   KD000002
  3*                                                       ------------------------------------------------------------   KD000003
  4* 220523.40      000000.45 05                  TFCHLR   V+I,$2,.32                 - GET TC ADDRESS OF BUFFER          KD000004
  5* 220524.00      220526.45 D0                           SVA,$2,TFSET                                                   KD000005
  6* 220524.40      000000.45 05                           V+I,$2,.32                                                     KD000006
  7* 220525.00      215265.05 D0                           SVA,$2,STIC                - RETURN ADDRESS                    KD000007
  8* 220525.40      215246.00 80  000021.04 A0             TI,2,STLR+14.0,$1          - RESTORE INDEXES                   KD000008
  9* 220526.40      220526.43 80                  TFSET    LVE,$1,$                   - PICK UP BUFFER ADDRESS            KD000009
 10* 220527.00      220527.50 C6                           BUSAZ,$+.32                - PP CATCHES THESE INTERRUPTS       KD000010
 11* 220527.40      220530.10 46                           BADZ,$+.32                                                     KD000011
 12* 220530.00      220541.40 80                           SIC,TMCHEK                                                     KD000012
 13* 220530.40 *    220536.50 00                           B,TCHEK1      - CHECK BOUNDS ON PP BUFFER                      KD000012
 14* 220531.00      000036.03 02                           LCI,$1,30.0                                                    KD000013
 15* 220531.40      215266.00 80  000001.02 21             T,$1,SLRPP,1.($1)          - FETCH LOWER REGISTERS             KD000014
 16* 220532.40      215005.00 80  040000.20 50             L(BU,32),SBAPP                                                 KD000015
 17* 220533.40      000036.40 81  040000.20 D0             ST(BU,32),30.32($1)        - PP GETS SBAPP IN BUFFER + 30.32   KD000016
 18* 220534.40      215021.04 10                           LX,$2,SPROGS                                                   KD000017
 19* 220535.00      000000.04 32                           LV,$2,0($2)                - CONVERSION OF FAT TO IOD NO.      KD000018
 20* 220535.40      000000.05 11                           SX,$2,0($1)                - PP GETS SPROGS IN FIRST WORD OF BUF KD000019
 21* 220536.00      216242.10 00                           B,KSUPP                                                        KD000020
 22* 220536.40      215230.42 90                  TCHEK1   KV,$1,STLR+.32             - CHECK LOWER BOUND                 KD000021
 23* 220537.00      220542.32 42                           BXL,TMER1                  - ERROR                             KD000022
 24* 220537.40      000036.03 05                           V+I,$1,30.0                - BUFFER 31 WORDS LONG              KD000023
 25* 220540.00      215230.02 90                           KV,$1,STLR                 -  CHECK UPPER BOUND                KD000024
 26* 220540.40      220542.32 40                           BZXL,TMER1                 - ERROR                             KD000025
 27* 220541.00      000036.03 00                           V-I,$1,30.0                                                    KD000026
 28* 220541.40      220541.50 00                  TMCHEK   B,$                                                            KD000027
 29* 220542.00      010011.35 01                  TMER1    LVI,$14,SFORBD                                                 KD000028
 30* 220542.40      217451.40 80                           SIC,SDISIC                                                     KD000029
 31* 220543.00      217372.10 00                           B,SDISP                                                        KD000029
 32* 220543.40      001012.35 01                  TMER2    LVI,$14,SERCOD             - ERROR ROUTINE                     KD000030
 33* 220544.00 *    217451.40 80                           SIC,SDISIC                                                     KD000031
 34* 220544.40      217372.10 00                           B,SDISP                                                        KD000031
 35* 220545.00 *    000001.00                     TMSVIN   DRZ(BU),1                                                      KD000032
 36* 220546.00      000012.00                              DRZ(BU),10                 - FOR DEBUGGING PURPOSES ONLY       KD000033
```

```
 LINE   LOCATION            BINARY OUTPUT              NAME       STATEMENT                                       LOCATION

   1*                                                  -  ---------------------------------------------------------------  KE000001
   2*                                                  -        THE $FIXUP PSEUCC OP                                        KE000002
   3*                                                  -  ---------------------------------------------------------------  KE000003
   4*                                                  -                                                                    KE000004
   5*                                                  -  ---------------------------------------------------------------  KE000005
   6*                                                  -        THE CALLING SEQUENCE FOR $FIXUP                             KE000006
   7*                                                  -  ---------------------------------------------------------------  KE000007
   8*                                                  -                               B,$MCP                               KE000008
   9*                                                  -                               ,$FIXUP                              KE000009
  10*                                                  -                               ,A(I)                                KE000010
  11*                                                  -                               ,B(J)                                KE000011
  12*                                                  -                               -RETURN-                             KE000012
  13*                                                  -                                                                    KE000013
  14*                                                  -        A(I), IF NOT ZERC, IS THE LOCATICN IN PP MEMORY WHERE THE   KE000014
  15*                                                  -        PATTERN WORD AND THE PRESENT INTERRUPT TABLE ARE SAVED.     KE000015
  16*                                                  -        B(J) IS THE LOCATION WHERE THE PP PATTERN WORD AND THE ONE  KE000016
  17*                                                  -        WORC FIXUPS ARE, IN ORDER OF APPEARANCE.                    KE000017
  18*                                                  -                                                                    KE000018
  19* 220560.00     000000.45 05                       F FXP    V+I,$2,.32                                                  KE000019
  20* 220560.40     220564.05 D0                                SVA,$2,FSVEF -ADDRESS OF A(I)                               KE000019
  21* 220561.00     000000.45 05                                V+I,$2,.32                                                  KE000020
  22* 220561.40     220564.45 D0                                SVA,$2,FSTEF -ADDRESS OF B(J)                               KE000020
  23* 220562.00     000000.45 05                                V+I,$2,.32                                                  KE000021
  24* 220562.40     215265.05 D0                                SVA,$2,STIC  -RETURN ADDRESS                                KE000021
  25* 220563.00     215247.00 80  000022.04 AC                  TI,2,STLR+15.,$2         -RESTORE PP INDICES 2-3            KE000022
  26* 220564.00     220564.01 B0                       F SVEF   LVE,$0,$                 -A(I) EFFECTIVE ADDRESS            KE000023
  27* 220564.40     220564.43 B0                       F STEF   LVE,$1,$                 -B(J) EFFECTIVE ADDRESS            KE000024
  28* 220565.00     220636.10 C6                                BUSAZ,FERRZ                                                 KE000025
  29* 220565.40     220636.50 46                                BACZ,FERRZ+.32  -USA OR AC ERROR                            KE000025
  30* 220566.00     000003.42 90                                KV,$1,3.32                                                  KE000026
  31* 220566.40     220636.72 42                                BXL,FERRX    -BRANCH IF B(J) IS NOT                         KE000026
  32* 220567.00     000003.02 90                                KV,$1,3.0                                                   KE000027
  33* 220567.40     220636.72 40                                BZXL,FERRX    -WITHIN PP BOUNDS                             KE000027
  34*                                                  -                                                                    KE000028
  35* 220570.00     000000.00 81  000000.20 50                  L(BU),0.($1)             -LOAD THE PP PATTERN WORD          KE000029
  36* 220571.00     220641.00 80  000000.02 70                  COOC1(BU),FBMSK          -REMOVE UNWANTED ONES ONLY         KE000030
  37* 220572.00     220640.00 80  000000.12 FC                  SF(BU,64),FPTWD          -SAVE DOCTORED PATTERN WORD        KE000031
  38*                                                  -                                                                    KE000032
  39* 220573.00 *   000007.00 80  000000.20 50                  L(BU),7.0                -LOAD COUNTERS                     KE000033
  40* 220574.00     220642.13 80  007006.60 DC                  ST(BU,7),FALOC.11,13     -ALL ONES COUNTER                  KE000034
  41* 220575.00     220642.62 80  006024.20 D0                  ST(BU,6),FLZCN.18,40     -LEFT ZEROS COUNT AS VF BIT ADDR.  KE000035
  42* 220576.00     220643.14 80  006024.20 D0                  ST(BU,6),FADC.12,40      -LEFT ZEROS COUNT AS VF FWA        KE000036
  43*                                                  -                                                                    KE000037
  44* 220577.00     000021.04 30                                LV,$2,$1                                                    KE000038
  45* 220577.40     220642.04 B0                                V+,$2,FALOC                                                 KE000038
  46* 220600.00     000003.04 90                                KV,$2,3.0                                                   KE000039
  47* 220600.40     220636.72 40                                BZXL,FERRX    -BRANCH IF B(J) ABOVE PP BOUNDS               KE000039
  48* 220601.00     000020.04 30                                LV,$2,$0                                                    KE000040
  49* 220601.40     220607.31 42                                BXVZ,FSTUP      -BRANCH IF A(I) IS ZERO                     KE000040
  50* 220602.00     000003.44 90                                KV,$2,3.32                                                  KE000041
  51* 220602.40     220636.72 42                                BXL,FERRX    -BRANCH IF A(I) BELOW PP BOUNDS                KE000041
  52* 220603.00     220642.04 B0                                V+,$2,FALOC                                                 KE000042
  53* 220603.40     000003.04 90                                KV,$2,3.0                                                   KE000042
  54* 220604.00     220636.72 40                                BZXL,FERRX               -BRANCH IF A(I) ABOVE PP BOUNDS    KE000043
  55* 220604.40     000020.04 30                                LV,$2,$0         -RESTORE A(I) IN $2                        KE000044
  56* 220605.00     000000.00 81  000000.20 50                  L(BU),0.($1)                                                KE000045
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 220606	
1*	220606.00 *	COCCOO.00 82	000000.20 DC		ST(BU),C.($2)	-SAVE PATTERN WORD AT A(I)	KE000045
2*				-			KE000046
3*	220607.00	220642.46 30		F STUP	LV,$3,FLZCN	-B.A. OF 1ST ONE BIT IN PATTERN WD	KE000047
4*	220607.40	220643.10 30			LV,$4,FADC		KE000048
5*	220610.00	220642.10 50			LC,$4,FALOC	-FWA OF WD TO BE CHANGED + COUNT	KE000048
6*	220610.40	216242.30 42			BXCZ,KSUPP	-RETURN IF PATTERN WORD IS ZERO	KE000049
7*	220611.00	220612.10 00			B,FCKBT+.32		KE000050
8*	220611.40	220643.46 B0		F CKBT	V+,$3,FOVF	-INCREMENT B.A. +0.01	KE000051
9*	220612.00	220640.00 83	220614.34 02		BB,FPTWD($3),FSVI	-BRANCH IF PATTERN BIT ON	KE000052
10*	220613.00	000001.11 05			V+I,$4,1.C		KE000053
11*	220613.40	220611.50 00			B,FCKBT	-NO INCREMENT $4 AND CONTINUE	KE000053
12*	220614.00	000000.01 04		F SVI	KVI,$0,C.C		KE000054
13*	220614.40	220621.72 C2			BXE,FSTN	-BRANCH IF A(I) IS ZERO	KE000054
14*	220615.00	215023.00 84	000000.20 50		L(BU),SIT($4)		KE000055
15*	220616.00	220620.00 84	000000.23 10		KF(BU,64),FWIT-20.($4)	-IS WD AN MCP ST FXUP	KE000055
16*	220617.00	220620.76 C0			BZAE,FSVT		KE000056
17*	220617.40	COCCOO.00 80	000000.20 5C		L(BU),0-	NO, SAVE AS IS, YES, SAVE ZERO	KE000056
18*	220620.40	000001.00 82	000000.20 D0	F SVT	ST(BU,64),1.C($2)	-STORE IN A(I)	KE000057
19*	220621.40 *	000001.00 81	000000.20 50	F STN	L(BU),1.0($1)		KE000058
20*	220622.40	220632.34 C2			BRZ,FSTZ	-BRANCH IF FIXUP WORD IS ZERO	KE000058
21*	220623.00	COCC11.30 80	220633.74 00		BZB,9.24,FSBD	-BRANCH IF NOT A SIC INSTR	KE000059
22*	220624.00	400000.00 80	405002.23 10		KFI(BU,5),16,4		KE000060
23*	220625.00	220635.36 C2			BAE,FERRY	-I/O INSTRUCTION ERROR	KE000060
24*	220625.40	100000.00 80	411002.23 10		KFI(BU,9),64,4		KE000061
25*	220626.40	220635.36 C2			BAE,FERRY	-SIC-BD ERROR	KE000061
26*	220627.00	215023.00 84	000000.20 D0	F INS	ST(BU),SIT($4)	-INSERT FIXUP INTO INTERPT TABLE	KE000062
27*	220630.00	000001.05 05		F BTCK	V+I,$2,1.0		KE000063
28*	220630.40	000001.03 05			V+I,$1,1.0	- INCREMENT VALUES OF $1 AND $2	KE000063
29*	220631.00	220611.51 48			CB+,$4,FCKBT		KE000064
30*	220631.40	216242.10 00			B,KSUPP	-UPDATE $4 AND RETURN IF CNT ZERO	KE000064
31*	220632.00	220620.00 84	215023.02 A4	F STZ	TI,1,FWIT-20.($4),SIT($4)		KE000065
32*	220633.00	220630.10 00			B,FBTCK	-STORE ST MCP FXUP IN TABLE	KE000065
33*	220633.40	100000.00 80	411022.23 10	F SBD	KFI(BU,9),64,36		KE000066
34*	220634.40	220627.36 C0			BZAE,FINS	-NOT A BD INSTR ERROR BRANCH	KE000066
35*	220635.00	COC411.35 01		F ERRY	LVI,$14,SFIXP		KE000067
36*	220635.40 *	220637.10 C0			B,FBIER	-ILLEGAL FIXUP WORD ERROR	KE000067
37*	220636.00	220636.50 46		F ERRZ	BADZ,$.32	-TURN OFF AD IND.	KE000068
38*	220636.40	010011.35 01		F ERRX	LVI,$14,SFORBD		KE000069
39*	220637.00	217451.40 80		F BIER	SIC,SDISIC		KE000070
40*	220637.40	217372.10 00			B,SDISP	-EXIT TO ERROR ROUTINE	KE000070
41*				-			KE000071
42*	220640.00	000000000000000000000000		F PTWD	DD(BU),0	-TO SAVE PATTERN WORD	KE000072
43*	220641.00	000000027777777700000		F BMSK	(16)DD(BU),BFFFFFF0000	-MASK TO REMOVE UNWANTED ONES	KE000073
44*	220642.00	CCCOOO.00+		F ALOC	VF,C.C	-TO SAVE AOC	KE000074
45*	220642.40	CCOOOO.00+		F LZCN	VF,C.0	-TO SAVE LZC AS B.A.	KE000075
46*	220643.00	CCCOOO.00+		F ADC	VF,C.C	-TO SAVE LZC AS FWA	KE000076
47*	220643.40	CCOOOO.01+		F OVF	VF,C.01	-TO INCREMENT PATTERN WD B.A.	KE000077
48*					CNOP		KE000078
49*	220644.00	215265.00 80		F WIT	SIC,STIC		KE000079
50*	220644.40	215127.04 00			BD,SIPT+20.		KE000079
51*	220645.00	215265.00 80			SIC,STIC		KE000080
52*	220645.40	215471.04 00			BD,SIFAE		KE000080
53*	220646.00	215265.00 80			SIC,STIC		KE000081
54*	220646.40	215131.04 00			BD,SIPT+22.		KE000081
55*	220647.00	215265.00 80			SIC,STIC		KE000082
56*	220647.40	215132.04 00			BD,SIPT+23.		KE000082

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 220650	
1*	220650.00	215265.00 80		SIC,STIC		KE000083
2*	220650.40	215133.04 00		BD,SIPT+24.		KE000083
3*	220651.00 *	215265.00 80		SIC,STIC		KE000084
4*	220651.40	215134.04 00		BD,SIPT+25.		KE000084
5*	220652.00	215265.00 80		SIC,STIC		KE000085
6*	220652.40	215135.04 00		BD,SIPT+26.		KE000085
7*	220653.00	215265.00 80		SIC,STIC		KE000086
8*	220653.40	215136.04 00		BD,SIPT+27.		KE000086
9*	220654.00	215265.00 80		SIC,STIC		KE000087
10*	220654.40	215137.04 00		BD,SIPT+28.		KE000087
11*	220655.00	215265.00 80		SIC,STIC		KE000088
12*	220655.40	215140.04 00		BD,SIPT+29.		KE000088
13*	220656.00	215265.00 80		SIC,STIC		KE000089
14*	220656.40	215141.04 00		BD,SIPT+30.		KE000089
15*	220657.00	215265.00 80		SIC,STIC		KE000090
16*	220657.40	215142.04 00		BD,SIPT+31.		KE000090
17*	220660.00	215265.00 80		SIC,STIC		KE000091
18*	220660.40	215143.04 00		BD,SIPT+32.		KE000091
19*	220661.00	215265.00 80		SIC,STIC		KE000092
20*	220661.40	215144.04 00		BD,SIPT+33.		KE000092
21*	220662.00	215265.00 80		SIC,STIC		KE000093
22*	220662.40	215145.04 00		BD,SIPT+34.		KE000093
23*	220663.00	215265.00 80		SIC,STIC		KE000094
24*	220663.40	215146.04 00		BD,SIPT+35.		KE000094
25*	220664.00	215265.00 80		SIC,STIC		KE000095
26*	220664.40 *	215147.04 00		BD,SIPT+36.		KE000095
27*	220665.00	215265.00 80		SIC,STIC		KE000096
28*	220665.40	215150.04 00		BD,SIPT+37.		KE000096
29*	220666.00	215265.00 80		SIC,STIC		KE000097
30*	220666.40	215151.04 00		BD,SIPT+38.		KE000097
31*	220667.00	215265.00 80		SIC,STIC		KE000098
32*	220667.40	215152.04 00		BD,SIPT+39.		KE000098
33*	220670.00	215265.00 80		SIC,STIC		KE000099
34*	220670.40	215153.04 00		BD,SIPT+40.		KE000099
35*	220671.00	215265.00 80		SIC,STIC		KE000100
36*	220671.40	215154.04 00		BD,SIPT+41.		KE000100
37*	220672.00	215265.00 80		SIC,STIC		KE000101
38*	220672.40	215155.04 00		BD,SIPT+42.		KE000101
39*	220673.00	215265.00 80		SIC,STIC		KE000102
40*	220673.40	215156.04 00		BD,SIPT+43.		KE000102
41*	220674.00	215265.00 80		SIC,STIC		KE000103
42*	220674.40	215157.04 00		BD,SIPT+44.		KE000103
43*	220675.00	215265.00 80		SIC,STIC		KE000104
44*	220675.40	215160.04 00		BD,SIPT+45.		KE000104
45*	220676.00	215265.00 80		SIC,STIC		KE000105
46*	220676.40	215161.04 00		BD,SIPT+46.		KE000105
47*	220677.00	215265.00 80		SIC,STIC		KE000106
48*	220677.40	215162.04 00		BD,SIPT+47.		KE000106

```
LINE  LOCATION      BINARY OUTPUT              NAME     STATEMENT                                                  LOCATION

  1*                                                   - *************************************************************  LA000001
  2*                                                          -*************** IDENTIFIER ***************-              LA000002
  3*                                                   - *************************************************************  LA000003
  4* 220700.00 *                                                SLC,$                                               LA000004
  5* 220700.00    000040.07 04                        K FRONT  KVI,3,32.0                                           LA000005
  6* 220700.40    000023.23 80  005000.00 F0                    CM0000(BU,5),$3.19        -TURN OFF SEOP BIT         LA000006
  7* 220701.40    220761.72 40                                  BZXL,K PLUG1                -BRANCH IF NO IOD        LA000007
  8* 220702.00    000000.45 05                                  V+I,2,.32                                           LA000008
  9* 220702.40    220706.45 D0                                  SVA,2,K IOD RN                                      LA000009
 10* 220703.00    000000.45 05                                  V+I,2,.32                                           LA000010
 11* 220703.40    220706.05 D0                                  SVA,2,K IOD RN-.32                                  LA000011
 12* 220704.00    000002.07 04                                  KVI,3,2.0                 -TEST IF RD, W OR CCW PSEUDO OP  LA000012
 13* 220704.40    000022.00 80  215247.04 E0                    SWAPI,2,$2,S TLR+15.                                LA000013
 14* 220705.40    220706.73 42                                  BXH,K IOD RN              -IF NOT, COMPUTE ONE PARAMETER   LA000014
 15* 220706.00    220706.01 B0                                  LVE,0,$                                             LA000015
 16* 220706.40    220706.43 B0                        K IOD RN LVE,1,$                                              LA000016
 17* 220707.00    220707.50 C6                                  BUSAZ,$+.32                                         LA000017
 18* 220707.40    220710.10 46                                  BADZ,$+.32                                          LA000018
 19* 220710.00    215247.00 80  000022.04 E0                    SWAPI,2,S TLR+15.,$2                                LA000019
 20* 220711.00    221002.31 42                                  BXVZ,Z IODH                                         LA000020
 21* 220711.40    215001.04 80  221000.34 02                    BB,S L,K MCP                                        LA000021
 22* 220712.40    215005.42 90                                  KV,1,S MAX RN                                       LA000022
 23* 220713.00 *  221002.33 42                                  BXH,ZIOD H              -BRANCH IF IOD OUT OF RANGE LA000023
 24* 220713.40    000021.22 80  007000.20 50                    L(BU,7),$1.18                                       LA000024
 25* 220714.40    221002.34 C0                                  BZRZ,ZIOD H             -BRANCH IF NOT INTEGER TO ERROR  LA000025
 26* 220715.00    215005.02 B0                                  V+,1,S BA PP              -COMPUTE PP I/O LOC TABLE  LA000026
 27* 220715.40    000000.30 31                        K SOAR   LV,12,0.0($1)              -GET UNIT AREA ADDRESS     LA000027
 28* 220716.00    221002.31 42                                  BXVZ,Z IOD H            -BRANCH IF NO IOD CARD      LA000028
 29* 220716.40    000000.72 31                                  LV,13,.32($1)             -GET ACTIVATED FILE AREA ADDR  LA000029
 30* 220717.00    000001.45 0D                                  V-I,2,1.32                                          LA000030
 31* 220717.40    000000.24 3C                                  LV,10,0.0($12)          -LOAD $10 WITH CHANNEL NUMBER  LA000031
 32* 220720.00    000032.34 30                                  LV,14,$10                                           LA000032
 33* 220720.40    000032.24 B0                                  V+,10,$10                                           LA000033
 34* 220721.00    215002.24 B0                                  V+,10,S CHAN S                                      LA000034
 35* 220721.40    000000.64 8A  004066.60 50                    L(BU,4),S EQUIP($10),-19   -EQUIP CODE TO VF($4)     LA000035
 36* 220722.40    000010.10 30                                  LV,4,$L                                             LA000036
 37* 220723.00    000000.33 8A  221003.74 0C                    BZB,S MULTI($10),K UNA                              LA000037
 38* 220724.00    000000.26 3A                                  LV,11,0.0($10)                                      LA000038
 39* 220724.40    000000.66 BC                                  V+,11,0.32($12)         -ADD UNIT NUMBER            LA000039
 40* 220725.00    000000.63 8B  002000.20 50                    L(BU,2),S MCUNT($11)                                LA000040
 41* 220726.00    221004.74 C0                                  BZRZ,K NO GO              -LOOP IF MCUNT OR REW BIT ON   LA000041
 42* 220726.40 *  000013.47 04                        K NI     KVI,3,11.32                -TEST IF WAIT, CHEX OR S FREE  LA000042
 43* 220727.00    220771.32 40                                  BZXL,K C OP                -IF SO, BRANCH            LA000043
 44* 220727.40    000000.31 8A  002077.20 50                    L(BU,2),S CH AVL($10),-2   -TEST IF CH AVL OR CH OP BIT ON  LA000044
 45* 220730.40    221004.74 C0                                  BZRZ,K NO GO               -IF SO, BRANCH            LA000045
 46* 220731.00    000000.34 8B  221154.34 02                    BB,S UN AVL($11),Z E1                               LA000046
 47* 220732.00    000000.35 8B  221077.74 02                    BB,S UN ASG($11),K ASIGN                            LA000047
 48* 220733.00    000002.07 04                                  KVI,3,D CCW                                         LA000048
 49* 220733.40    220743.32 C2                                    BXE,K OP OK    -IF $CCW, SKIP + PROCEED           LA000048
 50* 220734.00    000000.36 8B  221067.74 06                    BBZ,S UN SUP($11),K 2 INT  -CHECK IF INT IS STACKED  LA000049
 51* 220735.00    000000.45 3D                        K K NI   SV,2,S ACT AD($13)         -ACTUATED ADDR TO FILE AREA    LA000050
 52* 220735.40    000003.33 3C                                  SV,13,S FI AAC($12)        -ACTUATED FILE A ADD TO UNIT A  LA000051
 53* 220736.00    000000.67 82  001000.20 50                    L(BU,1),.55($2)                                     LA000052
 54* 220737.00    000000.56 8B  001000.20 D0                    ST(BU,1),SSEOP($11)                                 LA000053
 55* 220740.00    400000.00 80  406000.46 70                    LFI(BU,6),(2)100000,1                               LA000054
 56* 220741.00    000004.22 8D  007000.20 D0                    ST(BU,7),SCCW+.18($13)                              LA000055
```

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 220742	
1*	220742.00 *	000003.22 8D 0C7000.20 C0		ST(BU,7),SCW+.18($13)		LA000056
2*	220743.00	000002.05 05	K CP OK	V+I,2,2.0		LA000057
3*	220743.40	215265.05 30		SV,2,S TIC		LA000058
4*	220744.00	777777.14 03		BR,-1.0($3)		LA000059
5*	220744.40	217544.10 00		B,Z START	-READ	LA000060
6*	220745.00	217630.10 00		B,E WR1		LA000061
7*	220745.40	217766.10 00		B,B CCW R		LA000062
8*	220746.00	220011.10 00		B,W REL	-RELEASE	LA000063
9*	220746.40	220021.50 00		B,K S LCC	-LOCATE - DISK ONLY	LA000064
10*	220747.00	220106.10 00		B,W FC	-FEED CARD - PUNCH ONLY	LA000065
11*	220747.40	222051.50 00		B,B TIF R	-TAPE INDICATOR OFF ROUTINE	LA000066
12*	220750.00	215630.50 00		B,M OP CI	-INVALID OP	LA000067
13*	220750.40	220115.10 00		B,E ELG	-ERASE LONG GAP	LA000068
14*	220751.00	220120.50 00		B,R 1	-SPACE BLOCK	LA000069
15*	220751.40	220121.50 00		B,R 1+1.0	-BACKSPACE BLOCK	LA000070
16*	220752.00	220122.50 00		B,R 1+2.0	-SPACE FILE	LA000071
17*	220752.40	220123.50 00		B,R2-.32		LA000072
18*	220753.00	220203.10 00		B,E WT1	-WRITE TAPE MARK	LA000073
19*	220753.40	220226.10 00		B,Z REW ST	-REWIND	LA000074
20*	220754.00	220244.10 00		B,Z UNLD B	-REWIND AND UNLOAD	LA000075
21*	220754.40	222053.50 00		B,B RLF R	-RESERVED LIGHT OFF ROUTINE	LA000076
22*	220755.00	222054.50 00		B,B RLN R	-RESERVED LIGHT ON ROUTINE	LA000077
23*	220755.40 *	222055.50 00		B,B KLN R	-CHECK LIGHT ON ROUTINE	LA000078
24*	220756.00	220245.50 00		B,Z FREE	-FREE REEL AND DRIVE	LA000079
25*	220756.40	222073.10 00		B,W GONG	-SOUND GONG - CONSOLE ONLY	LA000080
26*	220757.00	220347.50 00		B,K WAIT	-WAIT FOR I/O INTERRUPT	LA000081
27*	220757.40	220377.10 00		B,C CHEX	-CHANGE I/O TABLE OF EXITS	LA000082
28*	220760.00	220245.50 00		B,Z FREE	-UNASSIGN TAPE UNIT	LA000083
29*	220760.40	217355.50 00		B,JZIOR		LA000084
30*	220761.00	220346.10 00		B,RALLPS		LA000085
31*	220761.40	000045.47 04	KPLUG1	KVI,3,37.32		LA000086
32*	220762.00	215630.73 42		BXH,M OP CI		LA000087
33*	220762.40	777740.14 03		BR,-32.0($3)		LA000088
34*	220763.00	220410.50 00		B,K SIO	-STACK I/O INTERRUPTS	LA000089
35*	220763.40	220415.10 00		B,K RIO	-RELEASE I/O INTERRUPTS	LA000090
36*	220764.00	217154.10 00		B,C RETN	-RETURN AFTER I/O INTERRUPT	LA000091
37*	220764.40	217326.10 00		B,WRAMPP	-RETURN AFTER MASKABLE	LA000092
38*	220765.00	220427.50 00		B,K STRG	-STORE IN COMMUNICATION REGION	LA000093
39*	220765.40	220445.50 00		B,K FECRG	-FETCH FROM COMMUNICATION REGION	LA000094
40*	220766.00	233107.10 00		B,ZTIME		LA000095
41*	220766.40	233154.10 00		B,JCOMM		LA000096
42*	220767.00	217347.50 00		B,JSITX	-SET INTERVAL TIMER	LA000097
43*	220767.40	220560.10 00		B,FFXP		LA000098
44*	220770.00	220502.10 00		B,TSTLR		LA000099
45*	220770.40	220523.50 00		B,TFCHLR		LA000100
46*	220771.00 *	000020.47 04	KCCP	KVI,3,16.32		LA000101
47*	220771.40	215630.73 42		BXH,MOPCI		LA000101
48*	220772.00	777764.54 03		BR,-11.32($3)		LA000102
49*	220772.40	220743.10 00		B,KCPOK		LA000103
50*	220773.00	220743.10 00		B,KCPOK		LA000104
51*	220773.40	220727.50 00		B,KNI+1.0		LA000105
52*	220774.00	220743.10 00		B,KCPOK		LA000106
53*	220774.40	215630.50 00		B,MCPCI		LA000107
54*	220775.00	220325.10 00		B,RFD		LA000108
55*	220775.40	220326.10 00		B,RLD		LA000109
56*	220776.00	220334.50 00		B,REVEN		LA000110

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 220776	
1*	220776.40	220335.50 00			B,RCDD		LA000111
2*	220777.00	220340.10 00			B,RECC		LA000112
3*	220777.40	220342.10 00			B,RNOECC		LA000113
4*	221000.00	000014.47 04		K MCP	KVI,3,S FREE		LA000114
5*	221000.40	220715.32 C2			BXE,K SCAR-.32		LA000115
6*	221001.00	215003.02 B0			V+,1,S BA MCP		LA000116
7*	221001.40	220715.50 00			B,K SOAR		LA000117
8*	221002.00	010004.35 01		Z IOD H	LVI,14,S IOD I	-INVALID ICD REF NO	LA000118
9*	221002.40	217451.40 80			SIC,S DISIC		LA000119
10*	221003.00	217372.10 00			B,S DISP		LA000119
11*	221003.40	000032.26 30		K UNA	LV,11,$10		LA000120
12*	221004.00	220726.50 00			B,K NI		LA000121
13*	221004.40 *	000010.00 80	221066.34 02	K NO GO	BB,$L,K NOT AV		LA000122
14*	221005.40	000002.07 04			KVI,3,2.0	-IF ICCW, PROCEED	LA000123
15*	221006.00	220743.32 C2			BXE,K OP OK		LA000124
16*	221006.40	000002.47 04			KVI,3,2.32	-IF $REL, PROCEED	LA000125
17*	221007.00	220735.32 C2			BXE,K K NI		LA000126
18*	221007.40	000014.07 04			KVI,3,0 CHEX	-IF $CHEX, PROCEED	LA000127
19*	221010.00	220743.32 C2			BXE,K OP OK		LA000128
20*	221010.40	000012.47 04			KVI,3,0 FREE	-IF $FREE, PROCEED	LA000129
21*	221011.00	220735.32 C2			BXE,K K NI		LA000130
22*	221011.40	000015.07 04			KVI,3,DIODEF		LA000131
23*	221012.00	220743.32 C2			BXE,K OPOK		LA000132
24*	221012.40	000000.33 8A	221041.34 00		BZB,SMULTI($10),K CHCPN		LA000133
25*	221013.40	000000.63 8B	221041.34 00		BZB,SMCUNT($11),KCHCPN		LA000134
26*	221014.40	000001.34 80	032000.20 50		L(BU,26),$TC		LA000135
27*	221015.40	000001.40 8C	032000.30 10		-(BU,26),S RMTC($12)	-COMPUTE TIME LAG	LA000136
28*	221016.40	770000.00 80	406000.21 10		KI(BU,6),Z RMTCC		LA000137
29*	221017.40	221041.37 40			BZAE,KCHCPN	-BRANCH IF TIME NOT ELAPSED	LA000138
30*	221020.00 *	000001.77 8C	221041.34 0E		BBI,SRMIND($12),KCHCPN	-BR. IF REMINDER SENT,SET SWTCH	LA000139
31*	221021.00	000010.56 3C			LV,7,SCREEL($12)		LA000140
32*	221021.40	000000.65 8B	221023.34 02		BB,SIMNT($11),Z ID06	-BR. IF REEL SLOT IS ORIG REEL	LA000141
33*	221022.40	000000.16 37			LV,7,0.0($7)	-GET NEXT REEL SLOT ADDRESS	LA000142
34*	221023.00	000000.42 87	036000.06 70	ZID06	LF,TRENME($7)	-TEST IF REEL IS SCRATCH	LA000143
35*	221024.00	000027.20 30			LV,8,$7		LA000144
36*	221024.40	221063.34 C2			BRZ,ZID14	-BR. IF SCRATCH	LA000145
37*	221025.00	221064.56 B0			V+,7,Z RENME		LA000146
38*	221025.40	221030.17 30			SV,7,ZID 10		LA000147
39*	221026.00	222015.00 80	221055.04 A0		TI,2,KEXTAP,ZID03		LA000148
40*	221027.00	221030.37 01			LVI,15,$+1.0		LA000149
41*	221027.40	230567.50 00			B,SA6IOS	-CONVERT REEL NAME	LA000150
42*	221030.00	000000.00+		Z ID 10	VF,0.0		LA000151
43*	221030.40	000005			CF,5		LA000152
44*	221031.00	221056.10+			VF,Z ID 04		LA000153
45*	221031.40	000000.40 8B	221045.74 02	Z ID09A	BB,SOWNER($11),Z ID15		LA000154
46*	221032.40	221060.17 01			LVI,7,ZID04A		LA000155
47*	221033.00	221045.00 80			SIC,ZID09X		LA000156
48*	221033.40 *	221042.10 00			B,Z ID09	-GET JOB NAME	LA000156
49*	221034.00	000000.32 88	221047.34 02		BB,TREPR($8),Z ID13	-BR. IF REEL FILE PROTECTED	LA000157
50*	221035.00	000011.17 01		Z ID08	LVI,7,9.0		LA000158
51*	221035.40	221350.00 80		ZID07	SIC,KCONVR		LA000159
52*	221036.00	221335.10 00			B,KCONV	-CONVERT CH AND UN NUMBERS	LA000159
53*	221036.40	221053.00+			VF,Z ID 02A		LA000160
54*	221037.00	215470.40 80			SIC,SCOMIC		LA000161
55*	221037.40	215470.10 00			B,SCOMM		LA000161
56*	221040.00	221050.00 80			,ZID01		LA000162

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 221040	
1*	221040.40	000000.00 87			,0.C($7)		LA000162
2*	221041.00	215265.05 30		K CHCP N	SV,2,S TIC		LA000163
3*	221041.40	216242.10 00			B,K SUPP	-LOOP TO ACTUATED ADDRESS	LA000164
4*	221042.00	221044.57 D0		Z ID09	SVA,7,Z ID12		LA000165
5*	221042.40	221043.77 01			LVI,15,$+1.0		LA000166
6*	221043.00	230567.50 00			B,SA6IQS	-CONVERT JOB NAME	LA000167
7*	221043.40	231444.00+			VF,YJCDB1+1.0		LA000168
8*	221044.00	CCC01C			CF,8		LA000169
9*	221044.40	CC0000.00+		Z ID12	VF,C.0		LA000170
10*	221045.00	000000.10 00		Z ID09X	B,0.0		LA000171
11*	221045.40	221062.00 80	221060.02 A0	Z IC 15	TI,1,Z ID16,Z IDC4A		LA000172
12*	221046.40	221035.10 C0			B,Z ID08		LA000173
13*	221047.00 *	000012.17 01		Z IC 13	LVI,7,1C.C		LA000174
14*	221047.40	221035.50 00			B,Z ID 07		LA000175
15*					CNOP		LA000176
16*	221050.00			Z IDC1	(IQSX)DD(BU),OPERATOR** LOAD X		LA000177
17*	221052.00			Z ID 02	(IQSX)DD(BU),CHANNEL X		LA000178
18*	221053.00			Z IDC2A	(IQSX)DD(BU), UNIT WITH X		LA000179
19*	221055.00			Z ID03	(IQSX)DD(BU),REEL NO. X		LA000180
20*	221056.10			Z ID04	(IQSX)DD(BU), JOB X		LA000181
21*	22106C.CC			Z ID04A	(IQSX)DD(BU), PROTECTX		LA000182
22*	221062.CC *			ZID16	(IQSX)DD(BU), **MCP**X		LA000183
23*	221063.00	222013.00 80	221055.04 A0	Z IC14	TI,2,KSCRAC,ZID03		LA000184
24*	221064.00	221031.5C 00			B,Z ID09A		LA000185
25*	000000.CC+	+00000077	BU,06 ,1C	Z RMTCC	DDI(BU,6),(2)111111		LA000186
26*	221064.40	CC0000.42+		Z RENME	VF,C.34		LA000187
27*	221065.00	000002.05 0D		K C BUSY	V-I,2,2.		LA000188
28*	221065.40	221041.10 C0			B,K CH CP N		LA000188
29*	221066.00	C10003.35 C1		K NCT AV	LVI,14,S CH NAV		LA000189
30*	221066.40	217451.40 80			SIC,S DISIC		LA000190
31*	221067.00	217372.10 00			B,S DISP		LA000190
32*	221067.40	221076.73 D0		K2INT	SVA,$13,RK2INT		LA000191
33*	221070.CC	000003.32 3C			LV,$13,SFIAAC($12)		LA000191
34*	221070.40	221071.43 01			LVI,$1,$+1.0		LA000192
35*	221071.00	222020.10 C0			B,KSERCH		LA000192
36*	221071.40	221072.10 C0			B,$.32		LA000193
37*	221072.CC	000002.47 04			KVI,3,D REL	-IF $REL OR $FREE, DISCARD	LA000194
38*	221072.40	221076.72 C2			BXE,RK2INT		LA000195
39*	221073.00	000012.47 04			KVI,3,D FREE		LA000196
40*	221073.40	221076.72 C2			BXE,RK2INT		LA000197
41*	221074.CC	000014.47 C4			KVI,$3,SFREE		LA000198
42*	221074.40	221076.72 C2			BXE,RK2INT		LA000198
43*	221075.00	000001.11 8D	004000.20 50		L(BU,4),S IO IND($13)	-OTHERWISE, TEST IF Q INT IS CS	LA000199
44*	221076.CC *	221157.34 C0			BZRZ,Z E4	-IF NOT CS, THROW HIM OFF	LA000200
45*	221076.40	221076.73 01		RK2INT	LVI,$13,$		LA000201
46*	221077.00	220735.10 00			B,K K NI	-IF CS (STRAY), PROCEED	LA000202
47*	221077.40	000014.47 04		K ASIGN	KVI,3,S FREE	-TEST IF S FREE OP	LA000203
48*	221100.CC	221155.72 C0			BZXE,Z E2		LA000204
49*	221100.40	000001.45 05			V+I,2,1.32		LA000205
50*	221101.00	215265.05 30			SV,2,S TIC	-IF SO, NOP	LA000206
51*	221101.40	216242.10 00			B,K SUPP		LA000207

```
LINE   LOCATION            BINARY CUTPUT             NAME        STATEMENT                              LOCATION

  1*                                                 - ***********************************************************  LB000001
  2*                                                          -*************** CONTROL WORD CHECK ***************-  LB000002
  3*                                                 - ***********************************************************  LB000003
  4* 221102.00        221133.01 CO                   B CWC R  SVA,$0,JPICK           -ADDR OF CW                    LB000004
  5* 221102.40        215001.C4 80  221131.74 02              BB,SL,JPICK1           -BRANCH IF MCP                 LB000005
  6* 221103.40        000020.22 80  007000.C7 70              CT0011(BU,7),$X0+.18   -CHECK IF ADDR. OF CW          LB000006
  7* 221104.40        221143.34 C0                            BZRZ,BCWERR                                           LB000007
  8* 221105.00        215230.00 80  022027.20 5C              L(BU,18),SUPPER,46                                    LB000008
  9* 221106.00        215230.40 80  022027.30 1C              -(BU,18),SLOWER,46                                    LB000009
 10* 221107.00        000011.CC 50                            LC,$0,$R                   -MAX NO OF CONTROL WORDS   LB000010
 11* 221107.40        000020.02 30                            LV,$1,$XC                                             LB000011
 12* 221110.00        215230.C0 80  022000.20 50              L(BU,18),S UPPER       -SET BOUNDS IN $R              LB000012
 13* 221111.00 *      215230.40 80  022011.46 7C              LF(BU,18),S LOWER,19                                  LB000013
 14* 221112.00        000021.C0 80  022023.C6 70     JMORCW   LF(BU,18),$1,38        -CW ADDR.                      LB000014
 15* 221113.00        221142.40 80                            SIC,JADCUT                                            LB000015
 16* 221113.40        221140.50 00                            B,JADIN                                               LB000015
 17* 221114.00        000000.02 11                            LX,$1,0.0($1)          -ACTUAL CW                     LB000016
 18* 221114.40        000021.33 80  221117.74 0C              BZB,$1.27,JJSKP            -IF NO SKIP BIT            LB000017
 19* 221115.40        000000.51 04                            KVI,4,.32                                             LB000018
 20* 221116.00        221117.72 C2                            BXE,JJSKP                                             LB000019
 21* 221116.40        000001.C7 04                            KVI,$3,1.0                 -READ = 1.C                LB000020
 22* 221117.00        221127.32 C2                            BXE,JDISCK                                            LB000021
 23* 221117.40        000021.00 80  022023.06 70     JJSKP    LF(BU,18),$1,38        -GET 1ST ADDRESS               LB000022
 24* 221120.40        221142.40 80                            SIC,JADCUT                                            LB000023
 25* 221121.00        221140.50 C0                            B,JADIN                                               LB000023
 26* 221121.40        000026.C3 50                            SC,$1,$6               -COMPUTE                       LB000024
 27* 221122.00        221124.70 40                            BZXCZ,JJSKP1           -LASTADDRESS WHEN UNDER        LB000025
 28* 221122.40        000000.51 C4                            KVI,4,.32              -BLOCK CONTROL                 LB000026
 29* 221123.00        000021.32 80  221143.34 02              BB,$1.26,BCW ERR            -TEST MULTI BIT           LB000027
 30* 221124.00        221143.32 C2                            BXE,BCWERR             -BR IF DISK CW IS ZERO         LB000028
 31* 221124.40        000001.15 0D                   JJSKP1   V-I,6,1.                                              LB000029
 32* 221125.00 *      000026.C0 80  022023.20 1C              +(BU,18),$6,38         -BLOCK CONTROL                 LB000030
 33* 221126.00        221142.40 80                            SIC,JADOUT                                            LB000031
 34* 221126.40        221140.5C 00                            B,JADIN                                               LB000031
 35* 221127.00        000000.51 C4                   JDISCK   KVI,$4,.32             -IF DISK, NO                   LB000032
 36* 221127.40        221131.72 C2                            BXE,JPICK1             -CHAINING                      LB000033
 37* 221130.00        000021.C3 70                            SR,$1,$1               -CHAINED ADDR.                 LB000034
 38* 221130.40        221131.63 40                            BZXF,JPICK1                -END OF CHAIN              LB000035
 39* 221131.00        221112.00 48                            CB,$0,JMORCW                                          LB000036
 40* 221131.40        000035.CC 30                   JPICK1   LV,C,$13                                              LB000037
 41* 221132.00        000003.C1 05                            V+I,0,3.                                              LB000038
 42* 221132.40        000003.41 3C                            SV,C,3.32($12)         -CW ADD IN FET TO UAT          LB000039
 43* 221133.00        221133.00 80  000000.06 70     JPICK    LF(BU,64),$            -INITIAL CW                    LB000040
 44* 221134.00        400000.C0 80  406024.06 7C              LFI(BU,6),(2)10000C,40 -SET STATUS BITS               LB000041
 45* 221135.00        777776.67 82  001023.46 70              LF(BU,1),-1.09($2),39  -SEOP BIT                      LB000042
 46* 221136.00        000003.00 8D  000000.12 F0              SF(BU,64),SCW($13)     -CW TO FAT SLOTS               LB000043
 47* 221137.00        000004.00 8D  000000.12 FC              SF(BU,64),SCCW($13)                                   LB000044
 48* 221140.00        221140.10 00                   BIRA     B,$                    -EXIT PRESET BY SIC            LB000045
 49* 22114C.40 *      000011.32 80  023023.23 10     JADIN    KF(BU,19),SLOWA,38     -TEST ADDR. FOR                LB000046
 50* 221141.40        000011.55 80  023023.23 50              KFR(BU,19),SUPPB,38    -RANGE                         LB000047
 51* 221142.40        221142.76 C2                   JADOUT   BAE,$                  -AE WHEN OK                    LB000048
 52* 221143.00        010007.35 01                   BCWERR   LVI,$14,SCWINV                                        LB000049
 53* 221143.40        217451.40 80                            SIC,S DISIC                                           LB000050
 54* 221144.00        217372.10 00                            B,S DISP                                              LB000050
 55* 000011.32+       +00000000         BU,1CC,1C    S LOWA   SYN,$R.26                                             LB000051
 56* 000011.55+       +00000000         BU,1CC,1C    S UPPB   SYN,$R.45                                             LB000052
```

```
LINE   LOCATION              BINARY OUTPUT              NAME        STATEMENT                                         LOCATION

  1*                                                 - ****************************************************************  LC000001
  2*                                                          -**************   STATUS EVALUATION   **************-      LC000002
  3*                                                 - ****************************************************************  LC000003
  4* 221144.40 *                                               SLC,$                                                   LC000004
  5* 221144.40       C0C0C2.54 3C                    Z STEVL   LV,6,S EVL MK($12)      -GET MASK ADDR                  LC000005
  6* 221145.CC       C0CC00.C0 86  040000.2C 50                L(BU,32),C.0($6)           -LOAD MASK INTC $R           LC000006
  7* 221146.00       C0C000.00 8B  000000.03 70                CTOC01(BU,64,8),C.0($11)  -GET LZC ON MASK AND STATUS BITS  LC000007
  8* 221147.0C       000007.C6 30                              LV,3,$LZC               -LOAD LZC AS BIT PCSITION INDEX FOR  LC000008
  9* 221147.40       000010.00 83  00000C.C6 FC                CMOC11(BU,64,8),$L($3)  -CONNECT WITH MASK TC GET RESULT ADC  LC000009
 10* 22115C.40       000007.46 30                              LV,3,$ADC                                               LC000010
 11* 221151.00       C0C0C2.C6 BC                              V+,3,S EVL TB($12)      -ADD TABLE BASE ADDR            LC000011
 12* 221151.4C       C0C000.1C C3                              B,0.0($3)                                               LC000012
 13* 221152.00      CC3004.00+                       Z EVL MK  VF,(8)3004.                 -$RD MASK - SEL,VER,CONSG     LC000013
 14* 221152.40      CC3000.00+                       E MK1A    VF,(8)3C00.                  -$W AND $WEF MASK - SEL,VER  LC000014
 15* 221153.00      CC300C.00+                       R MASK    VF,(8)3000.                 -SPACE MASK - SEL,VER         LC000015
 16* 221153.4C      CC200C.00+                       Z EVL RW  VF,(8)2C00.                 -REW,UNLD,FREE MASK - SEL     LC000016
 17* 221154.CC       C1C003.35 C1                    Z E1      LVI,14,S UN NAV             -UNIT NOT AVAILABLE           LC000017
 18* 221154.40       217451.40 80                              SIC,S DISIC                                             LC000018
 19* 221155.00       217372.10 00                              B,S DISP                                                LC000018
 20* 221155.40       C1C004.35 C1                    Z E2      LVI,14,S UN NAS             -UNIT NOT ASSIGNED            LC000019
 21* 221156.CC       217451.40 80                              SIC,S DISIC                                             LC000020
 22* 221156.40       217372.1C 00                              B,S DISP                                                LC000020
 23* 221157.00       C00402.35 01                    Z E4      LVI,14,S U SUPP             -I/C INTERRUPT STACKED CN UNIT  LC000021
 24* 221157.4C *     217451.4C 80                              SIC,S DISIC                                             LC000022
 25* 22116C.CC       217372.10 00                              B,S DISP                                                LC000022
 26* 22116C.40       221065.10 00                    ZE 3      B,KCBUSY                                                LC000023
```

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION
1*				-	**********	LD000001
2*					-********** VERIFY **********	LD000002
3*				-	**********	LD000003
4*	221161.00 *				SLC,$	LD000004
5*	221161.00	000007.31 8C	221165.74 02	R VFY	BB,S SYSTM($12),R RR -TEST IF SYSTEM TAPE	LD000005
6*	221162.00	000003.C1 01			LVI,0,S TD MOD	LD000006
7*	221162.40	000007.C1 3C			SV,0,S LAB M($12)	LD000006
8*	221163.00	000007.35 8C	001000.00 F0		CM0000(BU,1),S LAB D($12) -SET LAB DEN TO HIGH FOR UNLAB TAPES	LD000007
9*	221164.00	000000.50 8B	001000.00 F0		CM0000(BU,1),S VER($11) -IF NON SYSTEM, SKIP VERIFY	LD000008
10*	221165.00	221144.50 00			B,Z STEVL	LD000009
11*	221165.40	000000.C1 01		R RR	LVI,0,S INST D -SET UNIT TO INSTALLATION DENS	LD000010
12*	221166.00	000005.00 8C			SIC,S RET AD($12)	LD000011
13*	221166.40	217674.50 00			B,K DENST	LD000011
14*	221167.00	221371.00 80			SIC,K K IND	LD000012
15*	221167.40	221370.10 00			B,K IO IND	LD000012
16*	221170.00	000002.C3 01			LVI,1,S INST M -SET CHAN TO INSTALLATION MODE	LD000013
17*	221170.40	217624.40 80			SIC,K K MODE	LD000014
18*	221171.00	217615.10 00			B,K MODE	LD000014
19*	221171.40	221201.23 B0			LVE,9,RV4	LD000015
20*	221172.00	000000.37 8B	001000.36 F0		CM1111(BU,1),S SET UP($11)	LD000016
21*	221173.00	221260.23 30			SV,9,R RDL	LD000017
22*	221173.40	000000.30 00			CNOP	LD000018
23*	221174.00 *	221175.00 10			LX,0,$+1.0	LD000019
24*	221174.40	000004.01 1C			SX,0,S IO INS($12)	LD000019
25*	221175.00	000000.00 8E	221260.01 00		RD,0.0($14),R RD L -READ LABEL COMMAND	LD000020
26*	221176.00	221177.03 01			LVI,1,$+1.0	LD000021
27*	221176.40	221261.10 00			B,M IO REJ	LD000021
28*	221177.00	000005.00 8C			SIC,S RET AD($12)	LD000022
29*	221177.40	216242.10 00			B,K SUPP	LD000022
30*	221200.00	221371.00 80			SIC,K K IND	LD000023
31*	221200.40	221370.10 00			B,K IO IND -CHECK IF SUCCESSFUL END OP	LD000023
32*	221201.00	000006.00 8C	000000.20 50	RV4	L(BU),S SCR PM($12) -BRING LABEL WORD INTO $R	LD000024
33*	221202.00	000000.5C 8B	001000.00 F0		CM0000(BU,1),S VER($11)	LD000025
34*	221203.00	000010.5C 3C			LV,4,S C REEL($12)	LD000026
35*	221203.40	000002.40 3C			LV,0,S EVL MK($12)	LD000027
36*				-	*****NOP FOLLOWING COMMAND IF CHECKING*****	LD000028
37*				-	*****OF MCP REEL LABELS DESIRED*****	LD000029
38*	221204.00	000000.40 8B	221206.74 02		BB,SOWNER($11),$+2.32	LD000030
39*	221205.00	000000.42 84	036621.23 10		KF(BU,30,6),0.34($4),34 -K LAB REEL NO TO CU REEL NO	LD000031
40*	221206.00	221214.76 00			BZAE,RV3 SCR -BRANCH IF THEY DO NOT AGREE	LD000032
41*	221206.40	221152.41 04			KVI,0,E MK1A	LD000033
42*	221207.00	217711.32 C2			BXE,K W LABL -IF $W CR $WEF, REWRITE LABEL	LD000033
43*	221207.40 *	000000.00 80	402013.63 10		KFI(BU,2),0,23 -CHECK LABEL MODE	LD000034
44*	221210.40	221217.76 C2			BAE,K RELOD	LD000035
45*	221211.00	000007.20 8C	002013.52 F0		SF(BU,2),S LAB M($12),23 -RECORD LABEL MODE	LD000036
46*	221212.00	000007.35 8C	001016.12 F0		CM0101(BU,1),S LABD($12),28 -RECORD LABEL DENSITY	LD000037
47*	221213.00	221144.41 01			LVI,0,Z STEVL	LD000038
48*	221213.40	000006.C1 3C			SV,C,S SCRPM($12)	LD000038

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 221214	
1*	221214.00	220156.50 CC			B,K SP TM	-SPACE OVER TAPE MARK		LD000040
2*	221214.40	000000.42 84	036040.21 10	RV3 SCR	K(BU,30),.34($4),64	-TEST IF SCRATCH TAPE IS WANTED		LD000041
3*	221215.40	221217.76 C0			BZAE,K RELOD			LD000042
4*	221216.00	221152.41 04			KVI,0,E MK 1A	-IF SO, TEST IF $W OR $WEF OP		LD000043
5*	221216.40	220C64.32 C0			BZXE,K ILEGL	-IF NOT, FAKE EPGK		LD000044
6*	221217.C0	217711.10 00			B,K W LABL	-IF SO, REWRITE LABEL		LD000045
7*	221217.40	000C00.40 8B	221221.74 02	KRELOD	BB,SOWNER($11),$+2.0			LD000046
8*	221220.40	000003.75 8C	221233.74 0E		BB1,SREMNT($12),KBOUNC	-IF 2ND TIME THROW HIM OFF		LD000047
9*	221221.40	000C24.20 30			LV,8,$4			LD000048
10*	221222.C0	222C01.13 C1			LVI,5,KUNLM			LD000049
11*	221222.40	222011.17 01			LVI,$7,ZUNLC2			LD000050
12*	221223.00 *	221045.00 80			SIC,ZIDC9X			LD000051
13*	221223.4C	221042.10 C0			B,ZIDC9			LD000051
14*	221224.00	000011.17 01			LVI,$7,9.0			LD000052
15*	221224.40	222017.44 30			LV,$2,KULMES			LD000053
16*	221225.00	233666.04 80	001000.C6 7C		LF(BU,1),JIOBSY			LD000054
17*	221226.CC	233666.C0 80	001000.12 FC		SF(BU,1),JWAIT			LD000055
18*	221227.00	221766.C0 80			SIC,K NEW TP			LD000056
19*	221227.40	221743.10 00			B,K RITE T	-ASK FOR CORRECT REEL		LD000056
20*	221230.00	216242.01 01			LVI,0,K SUPP			LD000057
21*	221230.4C	221766.C1 D0			SVA,0,K NEW TP			LD000057
22*	221231.CC	221325.40 80			SIC,K UNR R			LD000058
23*	221231.40	221321.50 00			B,K K LCCP	-WAIT FOR CHAN SIGNAL		LD000058
24*	221232.CC	221313.40 80			SIC,K CBJ R			LD000059
25*	221232.40	221302.5C C0			B,K CLEAR	-CLEAR CONTROL WORD		LD000059
26*	221233.C0	221165.5C 00			B,R RR	-TEST IF CORRECT REEL		LD000060
27*	221233.40	221237.C3 01		K BOUNC	LVI,1,K LETTR			LD000061
28*	221234.CC	000000.42 84	036600.C6 7C		LF(BU,30,6),.34($4)	-EXPAND REEL NC TO 8 BIT BCD		LD000062
29*	221235.CC	221250.5C 80	050000.2C CC		ST(BU,4C),K DRAG			LD000063
30*	221236.00	221546.5C 00			B,J GETCF	-THROW PP OFF		LD000064
31*	221236.40 *	C00C00.30 00			CNOP			LD000065
32*	221237.00			K LETTR	(A*)DD(BU),1YOUR JOB HAS BEEN TERMINATED BECAUSE THE *			LD000066
33*	221244.20				(A*)DD(BU),OPERATOR COULD NOT LOCATE REEL NC. *			LD000067
34*	221250.50 *			K DRAG	(A*)DD(BU), *			LD000068
35*	221255.50				(A*)DD(BU), *			LD000069
36*	221260.CC	221260.00+ CCC	C00001 221260	R RDL	XW,$,1.C,$			LD000070

```
LINE  LOCATION           BINARY OUTPUT              NAME       STATEMENT                                                        LOCATION

  1*                                                 - ***************************************************************** LE000001
  2*                                                          -************ I/O REJECT TEST ************-                LE000002
  3*                                                 - ***************************************************************** LE000003
  4* 221261.00 *                                              SLC,$                                                      LE000004
  5*                                                 -        CALLING SEQUENCE ** LVI,1,RETURN‡B,M IO REJ               LE000005
  6*                                                 -                 RETURN      (I/O ACCEPTED)                        LE000006
  7*                                                 -        CONDITION ** I/O COMMAND IN S IO INS($12)                 LE000007
  8*                                                 -                                                                   LE000008
  9* 221261.00        221262.43 46                   M IO REJ BEKJZ,K RETRY-.32                                          LE000009
 10* 221261.40        221262.43 06                            BUNRJZ,K RETRY-.32                                         LE000010
 11* 221262.00        000000.04 45                            BZCBJZ,0.0($1)           -IF NO REJECT IND ON, ALLS WELL   LE000011
 12* 221262.40        000036.27 02                            LCI,11,30                                                  LE000012
 13* 221263.00        000004.00 1C                   K RETRY  LX,0,S IO INS($12)       -PICK UP THE I/O COMMAND          LE000013
 14* 221263.40        000000.30 00                            CNOP                                                       LE000014
 15* 221264.00        000036.03 02                            LCI,1,K REP                                                LE000015
 16* 221264.40        221265.01 10                            SX,0,$.32                                                  LE000016
 17* 221265.00      000000.00+ 000 000000 000000              XW,0                     -RETRY THE COMMAND                LE000017
 18* 221266.00        221267.43 44                            BZEKJZ,$+1.32                                              LE000018
 19* 221266.40        221265.02 48                            CB,1,$-1.32                                                LE000019
 20* 221267.00        221300.10 00                            B,K REJT                                                   LE000019
 21* 221267.40        221263.05 01                            LVI,2,K RETRY                                              LE000020
 22* 221270.00        221272.43 04                            BZUNRJZ,K K CBJ                                            LE000021
 23* 221270.40        221760.03 04                            KVI,1,K FIRE+2.0         -TEST IF UNLOAD INSTRUCTION       LE000022
 24* 221271.00        000001.32 03                            BXE,1.0($1)              -IF SO, SKIP IT                   LE000023
 25* 221271.40        221325.45 D0                            SVA,2,K UNR R                                              LE000024
 26* 221272.00        221314.10 00                            B,K UNR                                                    LE000025
 27* 000000.00+       +00000036        BU,22 ,10     K REP    SYN(BU,18),30            -NO OF I/O RETRIES FOR EKJ        LE000026
 28* 221272.40        000000.04 45                   K K CBJ  BZCBJZ,0.0($1)           -IF NO REJECT IND ON, RETURN      LE000027
 29* 221273.00        221313.45 D0                            SVA,2,K CBJ R                                              LE000028
 30* 221273.40        221275.50 00                            B,K CBJ                                                    LE000029
 31* 221274.00 *      003405.35 01                   K SOS    LVI,14,S IO ERR                                            LE000030
 32* 221274.40        217451.40 80                            SIC,S DISIC                                                LE000031
 33* 221275.00        217372.10 00                            B,S DISP                                                   LE000031
 34*                                                 -                                                                   LE000032
 35*                                                 -        *************** CHANNEL BUSY REJECT ***************        LE000033
 36*                                                 -                                                                   LE000034
 37*                                                 -        CALLING SEQUENCE **  SIC,K CBJ R/B,K CBJ                  LE000035
 38*                                                 -                                                                   LE000036
 39* 221275.40        000036.03 02                   K CBJ    LCI,1,K REP              -IF CBJ IS ON,                    LE000037
 40* 221276.00        000000.00 8E  221326.21 00              CCW,0.0($14),K K CCW     -CHECK IF CS ON                   LE000038
 41* 221277.00        221301.43 44                            BZEKJZ,$+2.32                                              LE000039
 42* 221277.40        221276.02 48                            CB,1,K CBJ.32                                              LE000040
 43* 221300.00        003406.35 01                   K REJT   LVI,14,S REJ             -I/O COMMAND REJECTED             LE000041
 44* 221300.40        217451.40 80                            SIC,S DISIC                                                LE000042
 45* 221301.00        217372.10 00                            B,S DISP                                                   LE000042
 46* 221301.40        221326.27 80  221274.34 00              BZB,K K CCW+.23,K SOS    -IF NO CS, ERROR                  LE000043
 47*                                                 -        *************** CLEAR CONTROL WORD ***************         LE000044
 48*                                                 -                                                                   LE000045
 49*                                                 -        CALLING SEQUENCE ** SIC,K CBJ R‡B,K CLEAR                 LE000046
 50*                                                 -                                                                   LE000047
 51* 221302.40        000036.03 02                   K CLEAR  LCI,1,K REP              -IF CS ON, CLEAR CONTROL WORD     LE000048
 52* 221303.00        000000.00 8E  000000.33 00              REL(SEOP),0.0($14)                                         LE000049
 53* 221304.00        221305.43 44                            BZEKJZ,$+1.32                                              LE000050
 54* 221304.40        221303.02 48                            CB,1,$-1.32                                                LE000051
 55* 221305.00        221300.10 00                            B,K REJT                                                   LE000051
 56* 221305.40        000000.33 8A  221307.74 00              BZB,SMULTI($10),KSEOUL                                     LE000052
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 221306
1*	221306.40	216272.40 80			SIC,K ST CS		LE000053
2*	221307.00	216267.10 00			B,K CS IN	-STACK CHANNEL SIGNAL	LE000053
3*	221307.40 *	000036.03 02		K SEOUL	LCI,1,K REP	-CHECK FOR END OP OF REL	LE000054
4*	221310.00	000000.00 8E	221326.21 00		CCW,0.0($14),K K CCW		LE000055
5*	221311.00	221312.43 44			BZEKJZ,$+1.32		LE000056
6*	221311.40	221310.02 48			CB,1,$-1.32		LE000057
7*	221312.00	221300.10 00			B,K REJT	-IF 3 EKJ, GIVE UP	LE000057
8*	221312.40	221326.30 80	221307.74 02		BB,K K CCW+.24,K SEOUL	-IF SEOP BIT ON, LOOP	LE000058
9*	221313.40	221263.10 00		K CBJ R	B,K RETRY	-CTL WORD CLEARED FOR RETRY	LE000059
10*				-			LE000060
11*				-	********** UNIT NOT READY REJECT **********		LE000061
12*				-			LE000062
13*				-	CALLING SEQUENCE ** SIC,K UNR R+B,K UNR		LE000063
14*				-			LE000064
15*	221314.00	221350.00 80		K UNR	SIC,K CONV R		LE000065
16*	221314.40	221335.10 00			B,K CONV	-CONVERT CHAN + UNIT NO TO IQS	LE000065
17*	221315.00	221333.00+			VF,K NN		LE000066
18*	221315.40	233666.04 80	001000.06 70		LF(BU,1),JICBSY		LE000067
19*	221316.40	233666.00 80	001000.12 F0		SF(BU,1),JWAIT		LE000068
20*	221317.40	215470.40 80			SIC,S COMIC		LE000069
21*	221320.00	215470.10 00			B,S COMM	-CALL COMMENTATOR	LE000069
22*	221320.40	221327.00 80			,K SERV M		LE000070
23*	221321.00	000006.00 80			,6.	-LOCATION + LENGTH OF MESSAGE	LE000070
24*	221321.40	000036.03 02		K K LOOP	LCI,1,K REP	-WAIT FOR UNIT TO BECOME READY	LE000071
25*	221322.00	000000.00 8E	221326.21 00		CCW,0.0($14),K K CCW		LE000072
26*	221323.00 *	221324.43 44			BZEKJZ,$+1.32		LE000073
27*	221323.40	221322.02 48			CB,1,$-1.32		LE000074
28*	221324.00	221300.10 00			B,K REJT	-IF REPEATED EKJ, GIVE UP	LE000074
29*	221324.40	221326.22 80	221321.74 00		BZB,K K CCW.18,K K LOOP	-CHECK UNR STATUS BIT	LE000075
30*	221325.40	221325.50 00		K UNR R	B,$	-IF UNR ON, ALLS WELL	LE000076
31*	221326.00	000000.00+ 000	000000 000000	K K CCW	XW,C		LE000077
32*	221327.00			K SERV M	(IQSX)DD(BU,64),*** OPERATOR *** READY CHANNEL X		LE000078
33*	221333.00			K NN	(IQSY)DD(BU,64), UNIT . Y		LE000079
34*				-			LE000080
35*				-	CALLING SEQUENCE ** SIC,K CONV R+B,K CONV		LE000081
36*				-	VF, LOC OF CHAN NO (IOS)		LE000082
37*				-			LE000083
38*	221335.00	221326.03 10		K CONV	SX,1,K K CCW	-SAVE XR1	LE000084
39*	221335.40	000000.14 8C	007000.20 30		LCV(BU,7),S CHAN N($12)	-IF NOT,SEND MESSAGE	LE000085
40*	221336.40 *	221350.03 B0			LVE,1,K CONV R		LE000086
41*	221337.00	000011.70 80	010400.46 70		LF(BU,8,4),$R.56,1	-EXPAND IT TO 8 BIT BYTES	LE000087
42*	221340.00	000011.77 80	001000.00 F0		CM0000(BU,1),$R.63		LE000088
43*	221341.00	300600.00 80	420000.16 70		CI0111(BU,16),(8)300600.	-MAKE IT IQS NUMERAL	LE000089
44*	221342.00	000000.02 31			LV,1,0.0($1)		LE000090
45*	221342.40	000000.00 81	020000.12 F0		CM0101(BU,16),0.0($1)		LE000091
46*	221343.40	000000.57 8C	003000.60 50		L(BU,3),S UNIT N($12),1	-PICK UP UNIT NO	LE000092
47*	221344.40	300600.00 80	410000.16 70		CI0111(BU,8),(8)300600.		LE000093
48*	221345.40	000001.00 81	010000.12 F0		CM0101(BU,8),1.0($1)		LE000094
49*	221346.40	221326.02 10			LX,1,K K CCW	-RESTORE XR1	LE000095
50*	221347.00	221350.00 80	023000.22 B0		M+1(BU,19),K CONV R	-SET RETURN ADDRESS	LE000096
51*	221350.00	221350.10 00		K CONV R	B,$		LE000097

```
LINE  LOCATION         BINARY OUTPUT                NAME      STATEMENT                                                     LOCATION

  1*                                                -  ********************************************************************  LF000001
  2*                                                            -************  EOP TEST FOR SEOP TYPE I/O  ************-      LF000002
  3*                                                -  ********************************************************************  LF000003
  4*                                                -           CALLING SEQUENCE  **  SIC,K EOP R‡B,K SEOP T                   LF000004
  5*                                                -                                                                         LF000005
  6* 221350.40      000036.03 02                    K SEOP T LCI,1,K REP                                                      LF000006
  7* 221351.00      000000.00 8E  221367.21 00               CCW,0.0($14),K WS                                                LF000007
  8* 221352.00 *    221353.43 44                             BZEKJZ,$+1.32                                                    LF000008
  9* 221352.40      221351.02 48                             CB,1,$-1.32                                                      LF000009
 10* 221353.00      221300.10 00                             B,K REJT                                                         LF000009
 11* 221353.40      221367.23 80  006000.20 50               L(BU,6),K WS.19             -TEST STATUS INDICATORS              LF000010
 12* 221354.40      221354.74 C2                    K EOP R  BRZ,$                       -IF NONE ON, ALLS WELL               LF000011
 13* 221355.00      221367.30 80  221350.74 02               BB,K WS.24,K SEOP T         -IF SEOP BIT ON, LOOP                LF000012
 14* 221356.00      750000.00 80  406000.02 70               CI0001(BU,6),(.5,2)1111C1   -TEST IF ONLY CS IS ON               LF000013
 15* 221357.00      221354.74 C2                             BRZ,K EOP R                 -IF SO, ALLS WELL                    LF000014
 16* 221357.40      221367.25 80  221365.34 00               BZB,KWS.21,ZTSEOP                                                LF000015
 17* 221360.40      221364.43 D0                             SVA,$1,RSVRTN                                                    LF000016
 18* 221361.00      221313.40 80                             SIC,KCBJR                                                        LF000017
 19* 221361.40      221302.50 00                             B,KCLEAR                                                         LF000017
 20* 221362.00      221354.43 B0                             LVE,$1,KEOPR                                                     LF000018
 21* 221362.40      220046.03 04                             KVI,$1,ZLOCXX                                                    LF000019
 22* 221363.00      000000.32 C3                             BXE,($1)                                                         LF000019
 23* 221363.40      217624.43 C4                             KVI,$1,KKMODE                                                    LF000020
 24* 221364.00      000000.32 C3                             BXE,($1)                                                         LF000020
 25* 221364.40      221364.43 01                    RSVRTN   LVI,$1,$                                                         LF000021
 26* 221365.00      221274.26 4A                    ZTSEOP   CBZ,$11,KSOS                                                     LF000022
 27* 221365.40 *    221313.40 80                             SIC,K CBJ R                                                      LF000023
 28* 221366.00      221302.50 00                             B,K CLEAR          -CLEAR CONTROL WORD FOR RETRY                 LF000023
 29* 221366.40      221263.10 00                             B,K RETRY                                                        LF000024
 30*                                                         CNOP                                                             LF000025
 31* 221367.00 *    000001.00                       KWS      DRZ(N),(1)                                                       LF000026
```

```
LINE  LOCATION          BINARY OUTPUT             NAME      STATEMENT                                  LOCATION

  1*                                              -  ******************************************************  LG000001
  2*                                                        -****************** I/O INDICATOR CHECK ******************-  LG000002
  3*                                              -  ******************************************************  LG000003
  4*  221370.00                                             SLC,$                                               LG000004
  5*                                              -                                                             LG000005
  6*                                              -         CALLING SEQUENCE **  SIC,K K IND‡B,K IO IND         LG000006
  7* .                                            -                                                             LG000007
  8*  221370.00    000001.11 8D  002000.20 50    K IO IND  L(BU,2),S IO IND($13)      -TEST IF EPGK OR UK ON    LG000008
  9*  221371.00    221371.34 C2                  K K IND   BRZ,$                      -IF NONE ON, ALLS WELL    LG000009
 10*  221371.40    221371.05 80                            LVE,2,K K IND                                        LG000010
 11*  221372.00    220171.45 04                            KVI,2,K FIL K1             -TEST IF SPACE FILE OP    LG000011
 12*  221372.40    221424.32 C2                            BXE,K K SPAC                                         LG000012
 13*  221373.00    217746.45 04                            KVI,2,K KF DEN             -TEST IF W LABEL OP       LG000013
 14*  221373.40    221421.72 C2                            BXE,K LABEL                                          LG000014
 15*  221374.00    221201.05 04                            KVI,2,R V4                 -TEST IF RD LABEL OP      LG000015
 16*  221374.40    221405.32 C2                            BXE,K R READ                                         LG000016
 17*  221375.00    217757.45 04                            KVI,2,K WL TMK             -TEST IF WEF OP           LG000017
 18*  221375.40    221444.72 C2                            BXE,K R WEF                                          LG000018
 19*  221376.00    000036.05 02                  K REPET   LCI,2,K REP                -OTHERWISE, LOC OR DENSITY OP  LG000019
 20*  221376.40    000004.00 1C                            LX,C,S IO INS($12)                                   LG000020
 21*  221377.00    000020.64 80  001000.36 F0              CM1111(BU,1),$0.52         -MAKE IT SEOP COMMAND     LG000021
 22*  221400.00    221512.40 80                            SIC,K K RET                                          LG000022
 23*  221400.40    221505.10 00                            B,K IO REJ        -AND RETRY                         LG000022
 24*  221401.00    221402.03 01                            LVI,1,$+1.0                                          LG000023
 25*  221401.40    221525.10 00                            B,J SEOP T        -CHECK TERMINATION                 LG000023
 26*  221402.00    221274.10 00                            B,K SOS                    -EPGK - GIVE UP           LG000024
 27*  221402.40    221404.10 00                            B,K COUNT                  -UK                       LG000025
 28*  221403.00 *  221274.10 00                            B,K SOS                    -EE  -  IMPOSSIBLE        LG000026
 29*  221403.40    221422.50 00                            B,K K EXIT                 -SUCCESSFUL END           LG000027
 30*  221404.00    221376.44 48                  K COUNT   CB,2,K REPET.32                                      LG000028
 31*  221404.40    221274.10 00                            B,K SOS      -TRY KREP TIMES BEFORE GIVING UP        LG000028
 32*  221405.00    000036.05 02                  K R READ  LCI,2,K REP                                          LG000029
 33*  221405.40    221520.40 80                            SIC,J BSP X                                          LG000030
 34*  221406.00    221514.10 00                            B,J BSP E         -BACKSPACE TO LOAD POINT           LG000030
 35*  221406.40    000004.00 1C                  K R NEW   LX,C,S IO INS($12)                                   LG000031
 36*  221407.00    000020.64 80  001000.36 F0              CM1111(BU,1),$0.52         -MAKE IT SEOP COMMAND     LG000032
 37*  221410.00    221201.23 80                            LVE,9,RV4                                            LG000033
 38*  221410.40    221260.23 30                             SV,9,R RDL                                          LG000033
 39*  221411.00    221512.40 80                            SIC,K K RET                                          LG000034
 40*  221411.40    221505.10 00                            B,K IO REJ        -AND RETRY                         LG000034
 41*  221412.00    221413.03 01                            LVI,1,$+1.0                                          LG000035
 42*  221412.40    221525.10 00                            B,J SEOP T        -CHECK TERMINATION                 LG000035
 43*  221413.00    221274.10 00                            B,K SOS                    -EPGK - GIVE UP           LG000036
 44*  221413.40    221415.10 00                            B,K R UK                   -UK                       LG000037
 45*  221414.00    221420.50 00                            B,K R EE                   -EE                       LG000038
 46*  221414.40    221422.50 00                            B,K K EXIT                 -SUCCESSFUL END           LG000039
 47*  221415.00    221405.44 48                  K R UK    CB,2,K R READ.32           -TRY KREP TIMES BEFORE GIVING UP  LG000040
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 221415	
1*	221415.40	CCCC11.77 80	221274.34 OC		BZB,$R.63,K SCS	-IF UK ALONE, MACHINE ERROR		LG000042
2*	221416.40 *	221614.CC 80		K NEW T	SIC,J NEW T			LG000043
3*	221417.CC	221541.1C CC			B,J NEW TE	-IF UK + ECP, BAD TAPE		LG000043
4*	221417.40	CCCCC3.C5 02			LCI,2,3			LG000044
5*	221420.CC	221406.5C CC			B,K R NEW	-NEW TAPE IS READY		LG000044
6*	221420.40	221405.44 48		KREE	CB,2,KRREAD.32			LG000045
7*	221421.CC	221416.5C CC			B,KNEWT			LG000045
8*	221421.40	221660.CC 80		K LABEL	SIC,JWRITX			LG000046
9*	221422.CC	221622.1C CC			B,JWRITL	-RETRY WRITE LABEL		LG000046
10*	221422.40	CCCCC0.CC 80	010000.CC 70	K K EXIT	COOCO(BU,8),,			LG000047
11*	221423.40	221371.1C CC			B,K K IND			LG000047
12*	221370.CC+	+OCCCCCCC	BU,1CC,1C	E IC IND	SYN,K IC IND			LG000048
13*	221371.CC+	+OCCCCCCC	BU,4C ,1C	E IND R	SYN,K K IND			LG000049
14*				-				LG000050
15*				-	**********	RETRY FOR SPACEFILE OP **********		LG000051
16*				-				LG000052
17*	221424.CC	000036.C5 C2		K K SPAC	LCI,2,K REP			LG000053
18*	221424.40	C00136.C5 01			LVI,2,(8)136.	-REWIND TAPE		LG000054
19*	221425.00	221475.CC 10			LX,C,K CTL CM			LG000055
20*	221425.40	221502.CC 80			SIC,K SECP R			LG000056
21*	221426.CC	221476.1C CC			B,K K ECP			LG000056
22*	221426.40	221325.40 80			SIC,K UNR R			LG000057
23*	221427.00	221321.5C 00			B,K K LCCP	-WAIT FOR END OP REW		LG000057
24*	221427.4C	221313.40 80			SIC,K CBJ R			LG000058
25*	221430.CC	221302.5C CC			B,K CLEAR	-CLEAR CONTROL WORD		LG000058
26*	22143C.40	CCCCC0.C3 01			LVI,1,S INST D	-SET UNIT TO INSTALLATION DENS		LG000059
27*	221431.00	221474.40 80			SIC,K DEN OK			LG000060
28*	221431.4C	221466.1C CC			B,K K DENS			LG000060
29*	221432.CC *	000076.C5 01			LVI,2,(8)76.	-SPACEBLOCK		LG000061
30*	221432.40	221502.CC 80			SIC,K SECP R			LG000062
31*	221433.00	221476.1C CC			B,K K ECP			LG000062
32*	221433.40	CCCCC2.33 8D	001027.2C 5C		L(BU,1),S F DEN($13),46	-SET UNIT TO FILE DENSITY		LG000063
33*	221434.40	000011.C2 30			LV,1,$R			LG000064
34*	221435.00	221474.40 80			SIC,K DEN OK			LG000065
35*	221435.40	221466.1C CC			B,K K DENS			LG000065
36*	221436.CC	000077.C5 01			LVI,2,(8)77.	-RETRY SPACEFILE		LG000066
37*	221436.40	221512.40 80			SIC,K K RET			LG000067
38*	221437.00	221505.1C CC			B,K IC REJ			LG000067
39*	221437.40	221440.43 01			LVI,1,$+1.0			LG000068
40*	221440.CC	221525.1C CC			B,J SECP T	-CHECK TERMINATION		LG000068
41*	221440.40	221443.5C 00			B,K SCS SP	-EPGK - GIVE UP AFTER 3 TRIES		LG000069
42*	221441.CC	221442.5C 00			B,RK1			LG000070
43*	221441.40	221422.5C 00			B,K K EXIT	-EE - SUCCESSFUL END		LG000071
44*	221442.CC	221422.5C 00			B,K K EXIT	-ECP - IMPOSSIBLE		LG000072
45*	221442.40	CCCC11.77 80	221274.34 00	RK1	BZB,$R.63,K SCS			LG000073
46*	221443.40	221424.44 48		K SCS SP	CB,2,K K SPAC.32			LG000074
47*	221444.CC	221274.1C CC			B,K SCS			LG000074

```
LINE  LOCATION         BINARY OUTPUT                 NAME       STATEMENT                                                       LOCATION

  1*                                                 -                                                                          LG000076
  2*                                                 -          ************  RETRY FOR WRITE TAPE MARK OP  ************        LG000077
  3*                                                 -                                                                          LG000078
  4*  221444.40       000036.05 02                   K R WEF    LCI,2,K REP                                                     LG000079
  5*  221445.00       000136.05 01                              LVI,2,(8)136.                 -REWIND TAPE                      LG000080
  6*  221445.40 *     221475.00 10                              LX,C,K CTL CM                                                   LG000081
  7*  221446.00       221502.00 80                              SIC,K SEOP R                                                    LG000082
  8*  221446.40       221476.10 00                              B,K K EOP                                                       LG000082
  9*  221447.00       221325.40 80                              SIC,K UNR R                                                     LG000083
 10*  221447.40       221321.50 00                              B,K K LOOP        -WAIT FOR END OP REW                          LG000083
 11*  221450.00       221313.40 80                              SIC,K OBJ R                                                     LG000084
 12*  221450.40       221302.50 00                              B,K CLEAR         -CLEAR CONTROL WORD                           LG000084
 13*  221451.00       000000.03 01                              LVI,1,S INST D                -SET UNIT TO INSTALLATION DENS    LG000085
 14*  221451.40       221474.40 80                              SIC,K DEN OK                                                    LG000086
 15*  221452.00       221466.10 00                              B,K K DENS                                                      LG000086
 16*  221452.40       000021.00 80  221730.06 A0                TI,3,$1,J PREV X                                                LG000087
 17*  221453.40       221660.00 80                              SIC,J WRIT X                                                    LG000088
 18*  221454.00       221644.50 00                              B,J R WRIT        -ERASE LONG GAP + REWRITE LABEL               LG000088
 19*  221454.40       000002.33 8D  001027.20 50                L(BU,1),S F DEN($13),46       -SET UNIT TO FILE DENSITY         LG000089
 20*  221455.40       000011.02 30                              LV,1,$R                                                         LG000090
 21*  221456.00       221474.40 80                              SIC,K DEN OK                                                    LG000091
 22*  221456.40       221466.10 00                              B,K K DENS                                                      LG000091
 23*  221457.00       000117.05 01                              LVI,2,(8)117.                 -RETRY WEF OP                     LG000092
 24*  221457.40       221475.00 10                              LX,C,K CTL CM                                                   LG000093
 25*  221460.00       221512.40 80                              SIC,K K RET                                                     LG000094
 26*  221460.40       221505.10 00                              B,K IO REJ                                                      LG000094
 27*  221461.00 *     221462.03 01                              LVI,1,$+1.0                                                     LG000095
 28*  221461.40       221525.10 00                              B,J SEOP T        -CHECK TERMINATION                            LG000095
 29*  221462.00       221465.10 00                              B,K SOS TM                    -EPGK  -  GIVE UP AFTER 3 TRIES   LG000096
 30*  221462.40       221464.10 00                              B,RK2                                                           LG000097
 31*  221463.00       221274.10 00                              B,K SOS                       -EE  -  VERY SHORT TAPE           LG000098
 32*  221463.40       221422.50 00                              B,K K EXIT                    -SUCCESSFUL END                   LG000099
 33*  221464.00       000011.77 80  221274.34 00     RK2        BZB,$R.63,K SOS                                                 LG000100
 34*  221465.00       221445.04 48                   K SOS TM   CB,2,K R WEF.32                                                 LG000101
 35*  221465.40       221274.10 00                              B,K SOS                                                         LG000101
 36*                                                 -                                                                          LG000102
 37*                                                 -          ******************   DENSITY CHECK   ******************         LG000103
 38*                                                 -                                                                          LG000104
 39*                                                 -                                                                          LG000105
 40*                                                 -          CALLING SEQUENCE ** LVI,1,DEN CODE    (0 - HIGH, 1.0 - LOW)     LG000106
 41*                                                 -                              SIC,K DEN OK+B,K K DENS                     LG000107
 42*                                                 -                                                                          LG000108
 43*  221466.00       000000.61 8B  001027.20 50     K K DENS   L(BU,1),S U DENS($11),46      -TEST IF UNIT SET TO DESIRED DEN  LG000109
 44*  221467.00       000011.02 90                              KV,1,$R                                                         LG000110
 45*  221467.40       221474.72 C2                              BXE,K DEN OK                                                    LG000111
 46*  221470.00       221471.74 C2                              BRZ,K LOW                     -IF NOT SEE WHATS DESIRED         LG000112
 47*  221470.40       000036.05 01                              LVI,2,(8)36.                  -HIGH DENSITY DESIRED             LG000113
 48*  221471.00       221472.10 00                              B,$+1.0                                                         LG000114
 49*  221471.40       000037.05 01                   K LOW      LVI,2,(8)37.                  -LOW DENSITY DESIRED              LG000115
 50*  221472.00       000000.61 8B  001000.30 F0                CM1100(BU,1),S U DENS($11)    -SET UNIT DENSITY BIT IN UST      LG000116
 51*  221473.00       221475.00 10                              LX,C,K CTL CM                                                   LG000117
 52*  221473.40       221502.00 80                              SIC,K SEOP R                                                    LG000118
 53*  221474.00       221476.10 00                              B,K K EOP                                                       LG000118
```

IBM

```
  LINE   LOCATION           BINARY OUTPUT               NAME        STATEMENT                                          LOCATION     221474

   1* 221474.40 *      221474.5C CO                   K DEN CK B,$                                -DENSITY SET                       LG000120
   2* 221475.CC        OCCCCO.CO 8E  000000.15 02     K CTL CM CTL(SECP),0.0($14),C.C($2)                                            LG000121
   3*                                                 -                                                                              LG000122
   4*                                                 -         **********  EOP TEST FOR SEOP CTL CP  **********                     LG000123
   5*                                                 -                                                                              LG000124
   6*                                                 -         CALLING SEQUENCE ** SIC,K SEOP R‡B,K K EOP                           LG000125
   7*                                                 -                                                                              LG000126
   8* 221476.CC        000036.13 02                   K KEOP   LCI,5,KREP                                                            LG000127
   9* 221476.40        221512.40 80                   Z KEOP   SIC,KKRET                                                             LG000128
  10* 221477.CO        221505.10 CO                            B,KIORFJ              -ISSUE COMMAND                                  LG000128
  11* 221477.40        221500.43 C1                            LVI,1,$+1.0                                                           LG000129
  12* 221500.CC        221525.1C CO                            B,J SEOP T       -CHECK TERMINATION                                   LG000129
  13* 221500.40        221274.10 00                            B,K SCS                        -EPGK - GIVE UP                        LG000130
  14* 221501.CO        221502.50 00                            B,RK3                                                                 LG000131
  15* 221501.40        221274.1C CO                            B,K SCS                        -EE - IMPOSSIBLE                       LG000132
  16* 221502.CC        221502.1C CO                   K SEOP R B,$                            -EOP                                   LG000133
  17* 221502.40        COCC11.77 80  221274.34 OC     RK3      BZB,$R.63,K SOS                                                       LG000134
  18* 221503.40        221476.52 48                            CB,5,Z KEOP                                                           LG000135
  19* 221504.CO        221274.1C CO                            B,K SCS                                                               LG000136
  20*                                                 -                                                                              LG000137
  21*                                                 -         ********************  K I/O REJECT  ********************            LG000138
  22*                                                 -                                                                              LG000139
  23*                                                 -         CALLING SEQUENCE ** LX,C,I/O COMMAND                                 LG000140
  24*                                                 -                                   SIC,K K RET‡B,K IC REJ                     LG000141
  25*                                                 -                                                                              LG000142
  26* 221504.40        COCCOO.30 CO                            CNOP                                                                  LG000143
  27* 221505.CC        000036.C3 02                   K IO REJ LCI,1,K REP                                                           LG000144
  28* 221505.4C        221506.01 10                            SX,0,$.32                                                             LG000145
  29* 221506.CO      CCCCCC.OC+ OCO COCCOC COCCOO              XW,C                           -ISSUE COMMAND                         LG000146
  30* 221507.CO        221510.43 44                            BZEKJZ,$+1.32                                                         LG000147
  31* 221507.4C        221506.02 48                            CB,1,$-1.32                                                           LG000148
  32* 22151C.00 *      221300.10 00                            B,K REJT         -IF REPEATED EKJ, GIVE UP                            LG000148
  33* 22151C.40        221505.03 01                            LVI,1,K IC REJ                                                        LG000149
  34* 221511.CC        221512.43 C4                            BZUNRJZ,K K RET                                                       LG000150
  35* 221511.40        221325.43 CO                            SVA,1,K UNR R                                                         LG000151
  36* 221512.CC        221314.10 CO                            B,K UNR                                                               LG000151
  37* 221512.4C        221512.44 44                   K K RET  BZCBJZ,$                       -RETURN                                LG000152
  38* 221513.CO        221313.43 DO                            SVA,1,K CBJ R                                                         LG000153
  39* 221513.40        221275.5C CO                            B,K CBJ                                                               LG000153
  40*                                                 -                                                                              LG000154
  41*                                                 --                                                                             LG000155
  42*                                                 --        ***** BACKSPACE ROUTINE*****                                         LG000156
  43*                                                 --                                                                             LG000157
  44*                                                 --        LINKAGE....SIC,JBSPX                                                 LG000158
  45*                                                 --                    B,JBSPE                                                  LG000159
  46*                                                 --                                                                             LG000160
  47* 221514.CC        COOCO3.33 02                   JBSPE    LCI,$13,3.0                                                           LG000161
  48* 221514.40        221524.CC 10                            LX,$0,JBSPC              -BSP COMMAND                                 LG000162
```

```
LINE  LOCATION            BINARY OUTPUT              NAME      STATEMENT                                  LOCATION    221515

  1* 221515.00        221512.40 80                           SIC,KKRET               -TO REJECT ROUTINE                  LG000164
  2* 221515.40        221505.10 00                           B,KIOREJ                                                    LG000165
  3* 221516.00        221517.03 01                           LVI,$1,$+1.0            -TO SEOP TEST                       LG000166
  4* 221516.40        221525.10 00                           B,JSEOPT                                                    LG000167
  5* 221517.00        221520.50 00                           B,JBSPX                 -EPGK IF AT LOAD POINT              LG000168
  6* 221517.40        221521.10 00                           B,JBSPX+.32             -UK NOT ACCEPTABLE                  LG000169
  7* 221520.00        000000.30 00                           NOP                     -EE OK                              LG000170
  8* 221520.40        221520.50 00                 JBSPX     B,$                     -NORMAL EXIT                        LG000171
  9* 221521.00        000011.77 80  221274.34 00           BZB,$R+0.63,K SOS           -BR. IF UK ALONE TO SETUP ERR     LG000172
 10* 221522.00        221514.72 48                           CB,$13,JBSPE+.32        -REISSUE IF UK ALONE                LG000173
 11* 221522.40        003406.35 01                           LVI,$14,SREJ                                                LG000174
 12* 221523.00        217451.40 80                           SIC,SDISIC              -TO ERROR CONTROL                   LG000175
 13* 221523.40 *      217372.10 00                           B,SDISP                                                     LG000176
 14*                                                         CNOP                                                        LG000177
 15* 221524.00        000000.00 8E  000176.15 00  JBSPC     CTL(SEOP),0.0($14),(8)176.0  -BSP COMMAND                    LG000178
 16*                                              --                                                                     LG000179
 17*                                              --                                                                     LG000180
 18*                                              --        ***** TEST FOR END OF SEOP I/O WITH ERROR RETURNS *****      LG000181
 19*                                              --                                                                     LG000182
 20*                                              --        LINKAGE....LVI,$1,$+1.0                                      LG000183
 21*                                              --                   B,JSEOPT                                          LG000184
 22*                                              --                   EPGK RETURN    BIT 60 OF $R                       LG000185
 23*                                              --                   UK RETURN    BIT 61 OF $R                         LG000186
 24*                                              --                   EE RETURN    BIT 62 OF $R, EOP IN BIT 63          LG000187
 25*                                              --                   NORMAL RETURN                                     LG000188
 26*                                              --                                                                     LG000189
 27* 221525.00        000036.35 02                 J SEOP T  LCI,14,K REP                                                LG000190
 28* 221525.40        000000.00 8E  221540.21 00            CCW,0.0($14),JKCCW                                           LG000191
 29* 221526.40        221531.03 44                           BZEKJZ,JSEOPZ                                               LG000192
 30* 221527.00        221525.74 48                           CB,$14,JSEOPT+.32                                           LG000193
 31* 221527.40        003406.35 01                           LVI,$14,SREJ          -IF EXCHANGE BAD                      LG000194
 32* 221530.00        217451.40 80                           SIC,SDISIC                                                  LG000195
 33* 221530.40        217372.10 00                             B,SDISP                                                   LG000195
 34* 221531.00        221540.30 80  221525.34 02  JSEOPZ    BB,JKCCW+.24,JSEOPT     -LOOP ON SEOP BIT UNTIL I/O IS DONE  LG000196
 35* 221532.00        221540.23 80  004000.20 50            L(BU,4),JKCCW+.19       -EPGK,UK,EE,EOP BITS                 LG000197
 36* 221533.00        000001.74 03                           BRZ,1.32($1)            -NEVER HAVE EOP ALONE               LG000198
 37* 221533.40        221313.40 80                           SIC,KCBJR               -RELEASE                            LG000199
 38* 221534.00        221302.50 00                           B,KCLEAR                -THE CHANNEL                        LG000200
 39* 221534.40        221540.23 80  004000.20 50            L(BU,4),JKCCW.19                                             LG000201
 40* 221535.40        000011.74 80  000000.34 03            BB,$R+.60,0.0($1)       -IF EPGK                             LG000202
 41* 221536.40 *      000011.75 80  000000.74 03            BB,$R+.61,.32($1)       -IF UK                               LG000203
 42* 221537.40        000001.10 01                           B,1.0($1)               -MUST BE EE OR EE,EOP               LG000204
 43* 221540.00     000000.00+ 000 000000 000000  JKCCW     CW,0                    -COPIED CW                           LG000205
 44*                                              --                                                                     LG000206
 45*                                              --                                                                     LG000207
 46*                                              --        ***** TRY TO GET A NEW TAPE *****                            LG000208
 47*                                              --                                                                     LG000209
 48*                                              --        LINKAGE.... SIC,JNEWT                                        LG000210
 49*                                              --                   B,JNEWTE                                          LG000211
 50*                                              --                                                                     LG000212
 51* 221541.00        000021.00 80  221617.06 A0  JNEWTE    TI,3,$1,JNEWXR                                               LG000213
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		
					LOCATION 221542		
1*	221542.00	000000.40 8B	221614.74 02		BB,SOWNER($11),JITSMC	-IF MCP UNIT	LG000215
2*	221543.00	000010.44 3C			LV,$2,SCREEL($12)		LG000216
3*	221543.40	000000.42 82	036600.06 7C		LF(BU,3C,6),.34($2)	-PICK UP REEL NAME	LG000217
4*	221544.40	221600.34 C2			BRZ,JITSSC	-IF SCRATCH	LG000218
5*	221545.00	221566.40 80	050000.12 F0		SF(BU,4C),JSPRNO	-REEL NO.	LG000219
6*	221546.00	221557.C3 C1			LVI,$1,JLBMES		LG000220
7*	221546.40	000000.32 8A	001000.00 F0	J GETOF	CMOC00(BU,1),S CH OP($1C)		LG000221
8*	221547.40	215571.00 80			SIC,SPRIMR	-PUT REEL NO. IN MESSAGE	LG000222
9*	221550.00	215570.10 C0			B,SPRIME	-OUT ON SPOOL	LG000223
10*	221550.40	000103.40 80			,DSPR		LG000224
11*	221551.00	000000.00 81			,0($1)		LG000225
12*	221551.40	000001.00 80			,1.0		LG000226
13*	221552.00 *	215001.04 80	221554.74 02		BB,SL,JPREOJ		LG000227
14*	221553.00	000405.35 01			LVI,$14,SLABNG	-IF AT PP LEVEL	LG000228
15*	221553.40	217451.40 80			SIC,SDISIC	-USE ERROR CONTROL	LG000229
16*	221554.00	217372.10 00			B,SDISP		LG000230
17*	221554.40	215571.00 80		JPRECJ	SIC,SPRIMR	-IF AT MCP LEVEL	LG000231
18*	221555.00	215570.10 C0			B,SPRIME	-USE ABEOJ	LG000232
19*	221555.40	000104.00 80			,DABECJ		LG000233
20*	221556.00	216242.10 00			B,KSUPP	-RETURN TO I/A IN MCP	LG000234
21*	221556.40	000000.30 C0			CNOP		LG000235
22*	221557.00			JLBMES	(A*)DD(BU),1YOUR JOB HAS BEEN TERMINATED BECAUSE *		LG000236
23*	221563.60 *				(A*)DD(BU),THE LABEL ON REEL NO. *		LG000237
24*	221566.40			JSPRNO	(A*)DD(BU),XXXXX GIVES REPEATED UNIT CHECK. *		LG000238
25*	221573.00				(A*)DD(BU), *		LG000239
26*	221600.00	221350.00 80		JITSSC	SIC,KCONVR	-COMPUTE CH-UNIT NO.	LG000240
27*	221600.40	221335.10 00			B,KCONV		LG000241
28*	221601.00	221674.50+			VF,JREPCU		LG000242
29*	221601.40 *	221671.05 01			LVI,$2,JREPSC	-SET UP SCRATCH MESSAGE	LG000243
30*	221602.00	221721.00 10		JTAKF	LX,$0,JUNLDK	-UNLOAD COMMAND	LG000244
31*	221602.40	221512.40 80			SIC,KKRET		LG000245
32*	221603.00	221505.10 00			B,KIOREJ		LG000246
33*	221603.40	221604.43 01			LVI,$1,$+1.0	-WAIT FOR TERMINATION	LG000247
34*	221604.00	221525.10 C0			B,JSECPT		LG000248
35*	221604.40	000000.30 00			NOP		LG000249
36*	221605.00	000000.30 00			NOP		LG000250
37*	221605.40	221602.10 00			B,JTAKF		LG000251
38*	221606.00	233666.04 80	001000.06 7C		LF(BU,1),JIOBSY		LG000252
39*	221607.00	233666.00 80	001000.12 F0		SF(BU,1),JWAIT		LG000253
40*	221610.00	215470.40 80			SIC,SCOMIC	-TELL OPERATOR WHAT TO DO	LG000254
41*	221610.40	215470.10 C0			B,SCOMM		LG000255
42*	221611.00	000000.00 82			,0.0($2)		LG000256
43*	221611.40	000010.00 80			,8.0		LG000257
44*	221612.00	221325.40 80			SIC,KUNRR		LG000258
45*	221612.40	221321.50 00			B,KKLOOP		LG000258
46*	221613.00	221617.00 80	000021.06 AC		TI,3,JNEWXR,$1		LG000259
47*	221614.00	221614.10 C0		JNEWT	B,$		LG000260
48*	221614.40	221350.00 80		JITSMC	SIC,KCONVR		LG000261
49*	221615.00 *	221335.10 C0			B,KCONV		LG000262
50*	221615.40	221714.50+			VF,JRCTCU		LG000263
51*	221616.00	221711.05 01			LVI,$2,JREPCT		LG000264
52*	221616.40	221602.10 00			B,JTAKF		LG000265

```
LINE  LOCATION          BINARY OUTPUT                 NAME     STATEMENT                                       LOCATION   221617

  1* 221617.00 *    000003.00                       JNEWXR   DRZ(N),(3)                                           LG000267
  2*                                                 --                                                           LG000268
  3*                                                 --                                                           LG000269
  4*                                                 --       *****ANALYSIS OF I/O INDICATORS FOR WRITE LABEL*****  LG000270
  5*                                                 --                                                           LG000271
  6*                                                 --       LINKAGE....SIC,JWRITX...B,JWRITL                    LG000272
  7*                                                 --                                                           LG000273
  8* 221622.00      000021.00 80  221730.06 A0     J WRITL  TI,3,$1,JPREVX                                      LG000274
  9* 221623.00      221350.00 80                            SIC,KCONVR              -SET UP CHANNEL AND          LG000275
 10* 221623.40      221335.10 00                            B,KCONV                 -UNIT NO.                    LG000276
 11* 221624.00    221704.20+                                VF,JINSCU                                            LG000277
 12* 221624.40      000001.11 8D  221626.74 02              BB,SIOIND($13),JEPGKF   -IF EPGK                     LG000278
 13* 221625.40      000001.12 8D  221644.74 02              BB,SIOIND+.1($13),JRWRIT                             LG000279
 14* 221626.40      221721.00 10                   JEPGKF   LX,$0,JUNLDK            -UNLOAD THE UNIT             LG000280
 15* 221627.00      221512.40 80                            SIC,KKRET                                            LG000281
 16* 221627.40      221505.10 00                            B,KIOREJ                                             LG000282
 17* 221630.00      221631.03 01                            LVI,$1,$+1.0                                         LG000283
 18* 221630.40      221525.10 00                            B,JSEOPT                                             LG000284
 19* 221631.00      000000.30 00                            NOP                                                  LG000285
 20* 221631.40      000000.30 00                            NOP                                                  LG000286
 21* 221632.00      221626.50 00                            B,JEPGKF                                             LG000287
 22* 221632.40      215470.40 80                            SIC,SCOMIC             -INSTRUCT OPERATOR TO         LG000288
 23* 221633.00      215470.10 00                            B,SCOMM                 -PUT A RING IN REEL          LG000289
 24* 221633.40      221701.00 80                            ,JINSM                                               LG000290
 25* 221634.00      000010.00 80                            ,8.0                                                 LG000291
 26* 221634.40      221325.40 80                   JUNRL    SIC,KUNRR               -WAIT FOR UNIT TO            LG000292
 27* 221635.00 *    221321.50 00                            B,KKLOOP                -BECOME READY                LG000293
 28* 221635.40      000003.07 02                            LCI,$3,3                -SET RD LABEL TALLY          LG000294
 29* 221636.00      221722.00 10                   JRDLAB   LX,$0,JRDLK             -READ COMMAND                LG000295
 30* 221636.40      221512.40 80                            SIC,KKRET               -READ LABEL                  LG000296
 31* 221637.00      221505.10 00                            B,KIOREJ                                             LG000297
 32* 221637.40      221640.43 01                            LVI,$1,$+1.0            - WAIT FOR TERMINATION       LG000298
 33* 221640.00      221525.10 00                            B,JSECPT                                             LG000299
 34* 221640.40      000000.30 00                            NOP                                                  LG000300
 35* 221641.00      000000.30 00                            NOP                                                  LG000301
 36* 221641.40      221661.50 00                            B,JERRD                                              LG000302
 37* 221642.00      221724.00 80  036000.06 70              LF(BU,30),JLABIN        -IS THIS THE SAME LABEL      LG000303
 38* 221643.00      000006.00 8C  036000.23 10              KF(BU,30),SSCRPM($12)                                LG000304
 39* 221644.00      221664.76 C0                            BZAE,JBDLAB             -IF NOT SZME LABEL           LG000305
 40*                                                 --       ***** ENTER HERE IF ONLY WRITE LABEL REQUIRED *****  LG000306
 41* 221644.40      000003.07 02                   JRWRIT   LCI,$3,3                -PREPARE TO REWRITE LABEL    LG000307
 42* 221645.00      221520.40 80                   JRACKT   SIC,JBSPX               -BSP THE TAPE                LG000308
 43* 221645.40      221514.10 00                            B,JBSPE                                              LG000309
 44* 221646.00      221725.00 10                   JTRYLG   LX,$0,JERGK             -ERASE LONG GAP              LG000310
 45* 221646.40      221512.40 80                            SIC,KKRET                                            LG000311
 46* 221647.00      221505.10 00                            B,KIOREJ                                             LG000312
 47* 221647.40      221650.43 01                            LVI,$1,$+1.0                                         LG000313
 48* 221650.00      221525.10 00                            B,JSECPT                                             LG000314
 49* 221650.40 *    000000.30 00                            NOP                                                  LG000315
 50* 221651.00      000000.30 00                            NOP                                                  LG000316
```

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT		LOCATION 221651
1*	221651.40		221646.10 00			B,JTRYLG		LG000318
2*	221652.00		221201.01 80			LVE,0,RV4		LG000319
3*	221652.40		221727.01 30			SV,0,J WKOM+1.0		LG000319
4*	221653.00		221726.00 10			LX,$0,JWKOM	-REWRITE LABEL	LG000320
5*	221653.40		221512.40 80			SIC,KKRET		LG000321
6*	221654.00		221505.10 00			B,KIOREJ		LG000322
7*	221654.40		221655.43 01			LVI,$1,$+1.0		LG000323
8*	221655.00		221525.10 00			B,JSEOPT		LG000324
9*	221655.40		000000.30 00			NOP		LG000325
10*	221656.00		000000.30 00			NOP		LG000326
11*	221656.40		221660.50 00			B,JWTERR		LG000327
12*	221657.00		221730.00 80	000021.06 AC		TI,3,JPREVX,$1	-NORMAL RETURN	LG000328
13*	221660.00		221660.10 00		JWRITX	B,$		LG000329
14*	221660.40		221645.06 48		JWTERR	CB,$3,JBACKT	-TRY AGAIN	LG000330
15*	221661.00		221663.10 00			B,JNEUT		LG000331
16*	221661.40		221520.40 80		JERRD	SIC,JBSPX	-BACKSPACE THE TAPE	LG000332
17*	221662.00		221514.10 00			B,JBSPE		LG000333
18*	221662.40		221636.06 48			CB,$3,JRDLAB		LG000334
19*	221663.00		221614.00 80		JNEUT	SIC,JNEWT	-TRY TO GET A NEW TAPE	LG000335
20*	221663.40		221541.10 00			B,JNEWTE		LG000336
21*	221664.00	*	221634.50 00			B,JUNRL	-TRY AGAIN	LG000337
22*	221664.40		000010.44 30		JBDLAB	LV,$2,SCREEL($12)	-IS IT A SCRATCH TAPE	LG000338
23*	221665.00		000000.42 82	036017.06 70		LF(BU,30),.34($2),30	-CURRENT REEL NAME	LG000339
24*	221666.00		000000.40 8B	221667.74 02		BB,SOWNER($11),$+1.32		LG000340
25*	221667.00		221663.34 00			BZRZ,JNEUT	-IF NOT A SCRATCH TAPE	LG000341
26*	221667.40		000006.00 8C	036000.12 F0		SF(BU,30),SSCRPM($12)	-AND IN UAT	LG000342
27*	221670.40		221644.50 00			B,JRWRIT	-GO TO REWRITE LABEL	LG000343
28*						CNOP	- 8 WORD MESSAGE	LG000344
29*	221671.00				JREPSC	(IQS*)DD(BU), REPLACE THE REEL ON CHANNEL *		LG000345
30*	221674.50	*			JREPCU	(IQS*)DD(BU),XX UNIT X WITH A SCRATCH TAPE. *		LG000346
31*						CNOP	- 8 WORD MESSAGE	LG000347
32*	221701.00				JINSM	(IQS*)DD(BU), INSERT A RING ON CHANNEL *		LG000348
33*	221704.20				JINSCU	(IQS*)DD(BU),XX UNIT X AND READY THE UNIT. *		LG000349
34*						CNOP	- 8 WORD MESSAGE	LG000350
35*	221711.00	*			JREPCT	(IQS*)DD(BU), REPLACE THE REEL ON CHANNEL *		LG000351
36*	221714.50				JRCTCU	(IQS*)DD(BU),XX UNIT X WITH APPROPRIATE MCP REEL*		LG000352
37*						CNOP		LG000353
38*	221721.00		000000.00 8E	000137.15 00	JUNLDK	CTL(SEOP),0.0($14),(8)137.0	-UNLOAD COMMAND	LG000354
39*	221722.00		000000.00 8E	221723.11 00	JRDLK	RD(SEOP),0.0($14),$+1.0	-READ LABEL COMMAND	LG000355
40*	221723.00		221724.00+ 000	000001 000000		CW,$+1.0,1.0		LG000356
41*	221724.00		000000.00+ 000	000000 000000	JLABIN	XW,0	-LABEL SLOT	LG000357
42*	221725.00		000000.00 8E	000056.15 00	JERGK	CTL(SEOP),0.0($14),(8)56.0		LG000358
43*	221726.00	*	000000.00 8E	221727.13 00	JWKOM	W(SEOP),0.0($14),$+1.0	-WRITE LABEL COMMAND	LG000359
44**	221727.00		000006.00+ 000	000001 000000		CW,SSCRPM($12),1.0		LG000360
45*	221730.00	*	000003.00		JPREVX	DRZ(N),(3)	-FOR INDEX REGISTERS	LG000361
46*					--			LG000362

```
LINE  LOCATION           BINARY OUTPUT                  NAME      STATEMENT                                                      LOCATION

  1*                                                    - ***********************************************************************  LH000001
  2*                                                              -*************** U N L O A D ***************-                   LH000002
  3*                                                    - ***********************************************************************  LH000003
  4* 221733.00        222017.44 30                      K UNLOD   LV,2,K UL MES                                                  LH000004
  5* 221733.40 *                                                  SLC,$                                                          LH000005
  6* 221733.40        000000.63 88  001000.36 F0                  CM1111(BU,1),SMCUNT($11)                                       LH000006
  7* 221734.40        222001.13 01                                LVI,5,K UNL M                                                  LH000007
  8* 221735.00        000000.40 88  221740.34 02                  BB,S CWNER($11),Z UNL01                                        LH000008
  9* 221736.00        222011.17 01                                LVI,7,Z UNL 02                                                 LH000009
 10* 221736.40        221045.00 80                                SIC,Z ID09X                                                    LH000010
 11* 221737.00        221042.10 00                                B,Z ID09              -CONVERT NAME                            LH000010
 12* 221737.40        221741.10 00                                B,Z UNL 03                                                     LH000011
 13* 221740.00        221062.00 80  222011.02 A0        Z UNL01   TI,1,Z ID16,Z UNL02                                            LH000012
 14* 221741.00        000011.17 01                      Z UNL03   LVI,7,9.                                                       LH000013
 15* 221741.40        000010.62 30                      K F UNLD  LV,9,S C REEL($12)                                             LH000014
 16* 221742.00        000000.20 39                                LV,8,0.0($9)                    -ADDR OF NEXT REEL NAME        LH000015
 17* 221742.40        221766.71 42                                BXVZ,KCUSTM                 -IF SCRATCH NEEDED                 LH000016
 18* 221743.00        000000.42 88  036600.06 70        K RITE T  LF(BU,30,6),.34($8)             -IF NOT, GET NEW REEL NO       LH000017
 19* 221744.00        221775.34 02                                BRZ,KKTAPE                                                     LH000018
 20* 221744.40        222015.00 80  222006.04 A0                  TI,2,K EX TAP,K REEL N                                         LH000019
 21* 221745.40        222007.10 80  050000.12 F0                  SF(BU,40),KREELN+.72                                           LH000020
 22* 221746.40 *      221747.77 01                                LVI,15,$+1.0                                                   LH000021
 23* 221747.00        230566.10 00                                B,S A8 IGS                                                     LH000021
 24* 221747.40      222007.10+                                    VF,K REEL N+.72                                                LH000022
 25* 221750.00      000005                                        CF,5                                                           LH000023
 26* 221750.40      222007.10+                                    VF,K REEL N+.72                                                LH000024
 27* 221751.00        000000.32 88  221752.74 00        K UNLD1   BZB,.26($8),$+1.32          -TEST IF PROTECTED                 LH000025
 28* 221752.00        000012.17 01                                LVI,7,10.                       -FILE PROTECT MESSAGE LENGTH   LH000026
 29* 221752.40        221754.05 30                                SV,2,$+1.32                                                    LH000027
 30* 221753.00        221350.00 80                                SIC,K CONV R                                                   LH000028
 31* 221753.40        221335.10 00                                B,K CONV                                                       LH000028
 32* 221754.00      000000.00+                                    VF,0.0                                                         LH000029
 33* 221754.40        000000.30 00                                CNOP                                                           LH000030
 34* 221755.00        221756.00 10                                LX,0,$+1.0                                                     LH000031
 35* 221755.40        000004.01 10                                SX,0,S IO INS($12)                                             LH000031
 36* 221756.00        000000.00 8E  000137.15 00        K FIRE    UNLOAD(SEOP),0.0($14)                                          LH000032
 37* 221757.00        221760.03 01                                LVI,1,$+1.0                                                    LH000033
 38* 221757.40        221261.10 00                                B,M IO REJ                                                     LH000033
 39* 221760.00        221354.40 80                                SIC,K EOP R                                                    LH000034
 40* 221760.40        221350.50 00                                B,K SEOP T                                                     LH000034
 41* 221761.00        215470.40 80                                SIC,S COMIC                                                    LH000035
 42* 221761.40        215470.10 00                                B,S COMM                                                       LH000035
 43* 221762.00 *      000000.00 85                                ,0.0($5)                                                       LH000036
 44* 221762.40        000000.00 87                                ,0.0($7)                                                       LH000037
 45* 221763.00        000001.34 80  032000.20 50                  L(BU,26),$TC                    -SET TIME FOR REMINDER MESSAGE LH000038
 46* 221764.00        000001.40 8C  032000.20 D0                  ST,S RMTC($12)                                                 LH000039
 47* 221765.00        000001.77 8C  001000.00 F0                  CM0000,S RMIND($12)             -CLEAR INDICATOR               LH000040
 48* 221766.00        216242.10 00                      K NEW TP  B,K SUPP                                                       LH000041
```

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 221766
1*	221766.40	000000.40 8B	221770.74 00	KCUSTM	BZB,SOWNER($11),KKUSTM		LH000043
2*	221767.40	000000.23 39			SV,$9,0.0($9)	-CIRCLE MCP TABLE	LH000044
3*	221770.00	221742.10 00			B,KFUNLD.32		LH000045
4*	221770.40	215012.60 30		KKUSTM	LV,8,SMARK		LH000046
5*	221771.00	215225.20 90			KV,8,SMAXUB	-CHECK FOR BOUNDARY CROSS OVER	LH000047
6*	221771.40	221777.72 40			BZXL,K 2 MUCH		LH000048
7*	221772.00	000000.21 39			SV,8,0.0($9)	-PLACE IT IN NEXT RL SLCT	LH000049
8*	221772.40	215012.40 80	022000.22 BC		M+1(BU,18),S MARK		LH000050
9*	221773.40	000000.22 08			Z,0.0($8)		LH000051
10*	221774.00	000000.33 88	001000.36 F0		CM1111(BU,1),.27($8)		LH000052
11*	221775.00 *	222013.00 80	222006.04 AC	K K TAPL	TI,2,K SCRAC,K REEL N		LH000053
12*	221776.00	221751.10 00			B,K UNLD1		LH000054
13*	221776.40	000011.17 01		K R CNLY	LVI,7,9.		LH000055
14*	221777.00	221752.50 00			B,K UNLD1+1.32		LH000056
15*	221777.40	010006.35 01		K 2 MUCH	LVI,14,S 2 BIG		LH000057
16*	222000.00	217451.40 80			SIC,S DISIC		LH000058
17*	222000.40	217372.10 00			B,S DISP.		LH000058
18*					CNOP		LH000059
19*	222001.00			K UNL M	(IQSX)DD(BU,64),REPLACE TAPE ON CHANNEL 32 UNIT 8 WITH X		LH000060
20*	222006.00			KREELN	(IQSX)DD(BU),REEL NO. 12345 JOB X		LH000061
21*	222011.00 *			Z UNL02	(IQSX)DD(BU), X		LH000062
22*	222012.00				(IQSX)DD(BU), PROTECTX		LH000063
23*					CNOP		LH000064
24*	222013.00			K SCRAC	(IQSX)DD(BU,64),A SCRATCH TAPE X		LH000065
25*	222015.00			K EX TAP	(IQSX)DD(BU,64),REEL NO. X		LH000066
26*	222017.40	222004.00+		K UL MES	VF,K UNL M+.192		LH000067

```
LINE   LOCATION            BINARY OUTPUT              NAME       STATEMENT                                          LOCATION

  1*                                               - ******************************************************************  LI000001
  2*                                                         -*************** S E A R C H ***************-            LI000002
  3*                                               - ******************************************************************  LI000003
  4*                                               -         CALL SEG                  LVI,1,DCG                      LI000004
  5*                                               -                                   B,K SERCH                      LI000005
  6*                                               -                         DCG       (NOT FOUND)                    LI000006
  7*                                               -                         DCG+.32   (FOUND)                        LI000007
  8* 222017.71 *                                             SLC,$                                                    LI000008
  9* 222020.00       215021.23 01                  K SERCH  LVI,9,S PROG S                                           LI000009
 10* 222020.40       000000.60 39                           LV,8,S Q K($9)                                           LI000010
 11* 222021.00       000001.60 89                           V+,8,S Q K + 1.0($9)          -TOTAL Q K                 LI000011
 12* 222021.40       000000.31 43                           BXVZ,0.0($1)                                             LI000012
 13* 222022.00       000030.20 50                           LC,8,$8                                                  LI000013
 14* 222022.40       215420.21 01                           LVI,8,S QUE                                              LI000014
 15* 222023.00       000000.23 88  122067.20 50    K CLUB   L(V+I)(BU,18),.19($8),-18                                LI000015
 16* 222024.00       000010.32 90                           KV,13,$L                                                 LI000016
 17* 222024.40       222026.32 02                           BXE,K PACK                                               LI000017
 18* 222025.00       222023.20 48                           CB,8,K CLUB                                              LI000018
 19* 222025.40       000000.10 01                           B,0.0($1)                                                LI000019
 20* 222026.00       777777.77 88  222027.74 00    K PACK   BZB,-.1($8),Z PACK            -TEST LEVEL - BR. IF PP    LI000020
 21* 222027.00       000001.23 05                           V+I,9,1.0                                                LI000021
 22* 222027.40       777777.55 88  123000.20 50    Z PACK   L(V+I)(BU,19),-.19($8)        -PACK QUEUE                LI000022
 23* 222030.40       000000.46 88  123000.20 00             ST(V+I)(BU,19),.38($8)                                   LI000023
 24* 222031.40       222027.60 48                           CB,8,$-2.0                                               LI000024
 25* 222032.00       000000.40 89  022000.32 B0             M-1(BU,18),S Q K($9)          -REDUCE Q K                LI000025
 26* 222033.00 *     222036.60 B0                           V+,8,K STEP                                              LI000026
 27* 222033.40       215466.21 30                           SV,8,S CUM Q                                             LI000027
 28* 222034.00       000000.31 89  000000.74 03             BB,S AS($9),.32($1)                                      LI000028
 29* 222035.00       000000.00 89  030000.00 F0             CM0000(BU,24),0.0($9)         -CLEAR WAIT FIELD          LI000029
 30* 222036.00       000000.50 01                           B,.32($1)                                                LI000030
 31* 222036.40     000000.46-                      K STEP   VF, -.38                                                 LI000031
 32*                                               - ******************************************************************  LI000032
 33*                                                         -*************** U N S T A C K ***************-          LI000033
 34*                                               - ******************************************************************  LI000034
 35* 222037.00       215021.23 01                  K UNSTC  LVI,9,S PROG S                                           LI000035
 36* 222037.40       216010.03 01                           LVI,1,K NINTY                                            LI000036
 37* 222040.00       215420.21 01                           LVI,8,S QUE                                              LI000037
 38* 222040.40       000001.46 39                           LV,3,S Q K+1.0($9)                                       LI000038
 39* 222041.00       222046.71 42                           BXVZ,K CONT                   -IS MCP QUE EMPTY          LI000039
 40* 222041.40       000000.46 89                           V+,3,S Q K($9)                                           LI000040
 41* 222042.40       000023.20 50                           LC,8,$3                                                  LI000041
 42* 222042.40       000000.23 88  123066.60 50    K FLIP   L(V+I)(BU,19),.19($8),-19                                LI000042
 43* 222043.40       000010.22 80  222045.74 04             BZBZ,8.18,K SOSA                                         LI000043
 44* 222044.40       000010.32 30                           LV,13,$L                                                 LI000044
 45* 222045.00       222027.10 00                           B,K PACK+1.0                                             LI000045
 46* 222045.40       222042.60 48                  K SOSA   CB,8,K FLIP                                              LI000046
 47* 222046.00       222046.20 00                           BEW,$                                                    LI000047
 48* 222046.40 *     000000.60 59                  K CONT   LC,8,S Q K($9)                                           LI000048
 49* 222047.00       216242.30 42                           BXCZ,K SUPP                                              LI000049
 50* 222047.40       000000.23 88  122067.20 50             L(V+I)(BU,18),.19($8),-18                                LI000050
 51* 222050.40       000010.32 30                           LV,13,$L                                                 LI000051
 52* 222051.00       222027.50 00                           B,Z PACK                                                 LI000052
```

```
LINE  LOCATION            BINARY CUTPUT            NAME        STATEMENT                                          LOCATION

  1*                                               -  ***************************************************************  LJ000001
  2*                                                          -****************** UNIT LIGHTS ******************-       LJ000002
  3*                                               -  ***************************************************************  LJ000003
  4* 222C51.4C *                                              SLC,$                                                     LJ000004
  5* 222051.4C     000416.C1 C1                    B TIF R    LVI,B XA,14.0(.9)1              -SAVE TAPE INDICATOR OFF CODE        LJ000005
  6* 222052.C0     222C56.10 C0                               B,B TFCK                        -BRANCH TC IO REF NC EVALUATION      LJ000006
  7* 222052.40     000417.01 01                               LVI,0,15.(.9)1                                                       LJ000007
  8* 222053.00     222C56.1C C0                               B,B TFCK                                                             LJ000008
  9* 222053.40     C00C16.C1 01                    B RLF R    LVI,B XA,14.0                   -SAVE RESERVED LIGHT OFF CODE        LJ000009
 10* 222054.00     222C56.1C C0                               B,B TFCK                        -BRANCH TC IO REF NO EVALUATION      LJ000010
 11* 222054.40     C00C17.01 C1                    B RLN R    LVI,B XA,15.0                   -SAVE RESERVED LIGHT ON CODE         LJ000011
 12* 222055.0C     222C56.1C C0                               B,B TFCK                        -BRANCH TC IO REF NO EVALUATICN      LJ000012
 13* 222055.4C     C0C116.C1 01                    B KLN R    LVI,B XA,78.C                   -SAVE CHECK LIGHT ON CODE            LJ000013
 14* 222056.00     C00000.45 0D                    B TFCK     V-I,2,.32                                                            LJ000014
 15* 222056.40     215265.05 30                               SV,2,S TIC                                                           LJ000015
 16* 222057.0C     C00C05.41 3C                               SV,C,S CTL OP($12)           -CTL OP CODE TC UNIT AREA               LJ000016
 17* 222057.4C     222C65.41 D0                               SVA,0,B 4CTL+.32             -INITIALIZE RT EFFECTIVE ADDR           LJ000017
 18* 22206C.00     CC0400.01 C4                               KVI,B XA,C.C(.9)1               -TEST FOR TAPE INDICATCR             LJ000018
 19* 222060.40     222070.72 42                               BXL,B RCNK                      -IF NOT TAPE INDICATOR TO B RONK     LJ000019
 20* 222061.CC     000C04.11 04                               KVI,4,4.C                -TEST IF TAPE                               LJ000020
 21* 222061.40     22CC64.32 C0                               BZXE,K ILEGL                    -IF NOT TAPE TC ERRCR RCUTINE        LJ000021
 22* 222062.0C     C0CC00.47 8B  222064.34 04                 BZBZ,S SEL($11),B 4CTL-1.C                                           LJ000022
 23* 222063.C0     22CC47.CC 80                               SIC,K LCCTD                                                          LJ000023
 24* 222063.4C     220C33.5C C0                               B,K LCCAT         -SELECT THE UNIT                                   LJ000023
 25*                                                          CNOP                                                                 LJ000024
 26* 222064.CC     222C65.C0 10                               LX,0,$+1.0                                                           LJ000025
 27* 222064.40 *   C0C004.01 1C                               SX,C,S IO INS($12)                                                   LJ000025
 28* 222065.CC     C00000.CC 8E  000000.C5 OC      B 4CTL     CTL,C.C($14),C.C                                                     LJ000026
 29* 222066.CC     222C67.C3 C1                               LVI,1,$+1.0                                                          LJ000027
 30* 222066.40     221261.10 C0                               B,M IC REJ                                                           LJ000027
 31* 222067.00     CCC000.32 8A  001000.36 FC                 CM1111,S CH OP($1C)                                                  LJ000028
 32* 22207C.CC     216242.10 00                               B,K SUPP                                                             LJ000029
 33* 22207C.40     000000.51 04                    B RONK     KVI,4,.32                                                            LJ000030
 34* 222071.CC     220064.32 C2                               BXE,K ILEGL                  -IF DISK,ERRCR                          LJ000031
 35* 222071.4C     C00C04.11 C4                               KVI,4,4.C                                                            LJ000032
 36* 222072.CC     220C64.32 C2                               BXE,K ILEGL                  -IF TAPE, ERROR                         LJ000033
 37* 222072.40     222C64.1C C0                               B,B 4CTL-1.C                                                         LJ000034
 38* 00C020.00+    +0C00000C       BU,1CC,1C       B XA       SYN,$XC                                                              LJ000035
```

```
  LINE   LOCATION            BINARY OUTPUT              NAME        STATEMENT                                LOCATION

    1*                                               - ******************************************************************** LK000001
    2*                                               -          ******************** SOUND GONG ****************************** LK000002
    3*                                               - ******************************************************************** LK000003
    4*                                               -                                                                   LK000004
    5* 222073.00 *                                           SLC,$                                                     LK000005
    6* 222073.CC        000000.45 CD               W GONG    V-I,2,.32                                                 LK000006
    7* 222073.40        215265.05 30                         SV,2,S TIC                                                LK000006
    8* 222074.00        000001.11 04                         KVI,4,1.0                 -IS EQUIPMENT CONSOLE           LK000007
    9* 222074.40        220064.32 C0                         BZXE,K ILEGL                                              LK000008
   10* 222075.00        000000.47 8B  222077.34 04           BZBZ,S SEL($11),W G CTL-1.0  -CHECK IF LOCATE NEEDED      LK000009
   11* 222076.CC        220105.40 80                         SIC,K G LOC R                                             LK000010
   12* 222076.40        220100.50 C0                         B,K G LOC                                                 LK000010
   13*                                                       CNOP                                                      LK000011
   14* 222077.CC        222100.00 10                         LX,C,$+1.0                                                LK000012
   15* 222077.40        000004.01 1C                         SX,C,S IC INS($12)                                        LK000012
   16* 222100.00        000000.CC 8E  000177.05 0C  W G CTL  GONG,C.C($14)                                             LK000013
   17* 222101.CC        222102.03 C1                         LVI,1,$+1.0                                               LK000014
   18* 222101.40        221261.10 C0                         B,M IC REJ                                                LK000014
   19* 222102.00        000000.74 8B  001000.36 F0           CM1111(BU,1),S CTL($11)                                   LK000015
   20* 222103.00        000261.01 01                         LVI,0,177.                                                LK000016
   21* 222103.40        000005.41 30                         SV,C,S CTL OP($12)                                        LK000016
   22* 222104.CC        216242.10 C0                         B,K SUPP                                                  LK000017
```

```
LINE  LOCATION           BINARY OUTPUT              NAME      STATEMENT                                               LOCATION

  1*                                                  -       ---------------------------------------------------------------  MA000001
  2*                                                  -       *********** OUTPUT PROGRAM **********                             MA000002
  3*                                                  -       ---------------------------------------------------------------  MA000003
  4* 222104.40       CCCCCC.3C CO                              CNOP                                                             MA0C0004
  5* 222105.CO                               14012  SCSPRT    DD(BU,15,8),(8)14012 -TENTACLE TABLE FOR SPR                     MA000005
  6* 222105.17 *     CCCCC0.36                                 DRZ(BU,30,8),1                                                   MA000006
  7*                                                           EXT(C,18)                                                        MA000007
  8* 222105.55                             0444457             B,CSTART                                                         MA000007
  9* 222106.00 *     000003.CO                                 DRZ(N),3                                                         MA000008
 10* 222111.00                               14012  SASPUT    DD(BU,15,8),(8)14012 -TENTACLE TABLE FOR SPU                     MA000009
 11* 222111.17 *     CCCCC0.36                                 DRZ(BU,30,8),1                                                   MA000010
 12*                                                           EXT(0,18)                                                        MA000011
 13* 222111.55                             0444246             B,ASPUC                                                          MA000011
 14* 222112.00 *     CCCC03.00                                 DRZ(N),3                                                         MA000012
 15* 222115.CC                                  C1  SAECJT    DD(BU,4,8),1          -TENTACLE TABLE FOR EOJ                    MA000013
 16* 222115.C4 *     CCCCC0.51                                 DRZ(BU,41,8),1                                                   MAC00014
 17*                                                           EXT(0,18)                                                        MA000015
 18* 222115.55                             0444350             B,AEOJ                                                           MA000015
 19* 222116.CC *     000002.CC                                 DRZ(N),2                                                         MAC00016
 20* 222120.CO                                  01  SCDRYT    DD(BU,4,8),1          -TENTACLE TABLE FOR -OUTPUT-               MA000017
 21* 222120.04 *     CCCCC0.51                                 DRZ(BU,41,8),1                                                   MAC00018
 22*                                                           EXT(0,18)                                                        MA000019
 23* 222120.55                             0450070             B,CDRY                                                           MAC00019
 24* 222121.CO *     CCCCC2.CO                                 DRZ(N),2                                                         MA000020
 25* 222123.CO       223744.14 80  001000.CC FO    ASPUO      CMOCOO(BU,1),AEOJI     -TURN OFF EOJ INDICATOR                   MA000021
 26* 222124.00       C0CC27.00 80  223753.22 AC               TI,9,$7,CXR7                                                     MA000022
 27* 222125.CC       222114.25 B0                              LVE,AX,SASPUT+3.           -EFFECTIVE ADDRESS FROM TENTACLE TBLE MA000023
 28* 222125.40       222114.64 50                              LC,AX,SASPUT+3.32   -NUMBER CF CARDS TO TRANSMIT                MA000024
 29* 222126.00       CCCC27.22 C0                              Z,$7                                                             MA000025
 30* 222126.40       222114.4C 80  022027.2C 5C               L(BU,18),SASPUT+3.32,46                                          MA000026
 31* 222127.4C       17C000.C0 80  406012.21 90               *I(BU,6),15,20                                                   MAC00027
 32* 222130.40       222111.04 80  222134.34 02               BB,SASPUT.4,RNOCHK-                                              MA000028
 33* 222131.40       C0C010.00 80  000040.06 7C               LF(BU,64),$L,64                                                  MA000029
 34* 222132.40       222223.34 C0                              BZRZ,ACHERR                                                      MA000030
 35* 222133.CC       222222.40 80                              SIC,ACHKBR                                                       MAC00031
 36* 222133.40       222217.10 00                              B,ACHK                                                           MAC00031
 37* 222134.00       223257.22 10                   RNOCHK    LX,AY,ACWA-        VF INDICATES AVAILABLE PUNCH BUFFER,AACX      MA000032
 38*                                                - CF CONTAINS NUMBER OF FULL WORDS AVAILABLE IN PUNCH BUFFER                 MA000033
 39* 222134.4C       223256.20 10                              LX,AZ,AXWZ             -CF CONTAINS 15,=OF FULL WORDS PER CARD IM MA000034
 40* 222135.CO       CCCC00.25 CA                   AACS1     KCI,AX,C               -DOES PP WANT MORE CARDS PUNCHED          MA000035
 41* 222135.40       222143.72 C2                              BXE,AACS2              -NO,SAVE INDEX AY AND RETURN TO PP        MA000036
 42* 222136.CC *     223743.C1 80  222147.34 02               BB,ABTA,AAOS3          -IS BUFFER T AVAILABLE                    MA000037
 43* 222137.00       000001.CO 8A  100000.2C 50    AACS7      L(BU,64,8)(V+I),1.(AX) -TRANSMIT ONE WORD FROM PP                MA000038
 44* 222140.C0       CCCC01.CO 89  100000.2C DO               ST(BU,64,8)(V+I),1.(AY)    -TC BUFFER T DISREGARDING WORD BOUNDA MA000039
 45* 222141.00       222137.2C 4C                              CBR,AZ,AAOS7           -REPEAT LOOP TILL 1 CARD IMAGE HAS BEEN TR MA000040
 46* 222141.4C       C0C001.25 08                              C-I,AX,1               -REDUCE NNO. CF CARDS TC RANSMIT BY ONE.  MAC00041
 47* 222142.CO       000C17.23 08                              C-I,AY,15              -REDUCE NUMBER OF WRDS AVAIL IN BUFFER BY 1 MAC00042
 48* 222142.40       222162.30 42                              BXCZ,AACS4             -IS BUFFER T FULL                         MA000043
 49* 222143.00       222135.1C C0                              B,AAOS1                -NO-TRY TO TRANSMIT ANOTHER CARD          MA000044
 50* 222143.40       223257.23 10                   AAOS2     SX,AY,ACWA             -SAVE TRANSMISSION INDEX                  MA000045
 51* 222144.00       223744.10 80  222223.34 06    ARET       BBZ,APPERR,ACHERR                                                MA000046
 52* 222145.00       223753.00 80  000027.22 AC               TI,9,CXR7,$7                                                     MA000047
 53* 222146.CC       C0CC40.1C C0                   ARET1     B,$MCP                                                           MA000048
 54* 222146.4C       000C41.CO 80                              ,$RET                                                            MA000049
 55* 222147.0C       223744.C7 80  222136.34 02    AACS3      BB,ABWA,AAOS7-1.      -IS BUFFER W UNAVAILABLE ALSO             MA000050
 56* 222150.00       222137.37 01                              LVI,$15,AAOS7 -SWITCH LOGICAL BUFFERS + RET TO TRANSMIT          MA000051
```

```
LINE   LOCATION         BINARY OUTPUT                   NAME     STATEMENT                                      LOCATION    222150

     222150.40     223744.11 80  222150.74 02   ASWCH    BB,CATUB,$           -TEST IF OUTPUT TAPE IS BUSY                   MA000052
     222151.4C *   223743.C1 8C  0C1000.CC FC            CMOC00,ABTA  -MAKE BUFFER T AVAILABLE                               MA000053
     222152.40     222161.77 CO                          SVA,15,RSVRET                                                       MA000054
     222153.CC     223744.C7 80  001000.36 FO            CM1111,ABWA  - MAKE BUFFER W UNAVAILABLE                            MA000055
     222154.0C     223745.21 80  222155.34 0A            BBN,AACX+.17,$+1.    -INVERT OUTPUT BUFFER POINTER                  MA000056
                                                -   SET UP CORRECT CONTROL WORD FOR WRITE                                        MA000057
     222155.00     223745.16 30                          LV,AN,AACX           -LOAD INDEX WITH OUTPUT BUFFER POINTER         MA000058
     222155.40     223744.11 80  001100.36 FO            CM1111,CATUB         -MAKE TAPE UNAVAILABLE                         MA000059
     222156.40     222177.35 01                          LVI,$14,AWEXIT                                                      MA000060
     222157.0C     224C46.35 CC                          SVA,$14,ACP                                                         MA0C0061
     222157.4C     0C0C4C.1C 00                          B,$MCP                                                              MA0C0062
     22216C.CC     CCCC01.40 80                          ,$W                                                                 MA000063
     22216C.40     224032.01 80                          LVE,,AMR                                                            MA000064
     222161.0C     223750.CC 87                          ,ACW1(AN)                                                           MA000065
     222161.4C     0C0C00.10 00                 RSVRET   B,0                                                                 MA0C0066
     222162.0C     223743.C1 80  0C1000.36 FO   AACS4    CM1111,ABTA          -MAKE BUFFER T UNAVAILABLE                     MA0C0067
     222163.CC     COCC31.02 00                          R,AY                 -REFILL TRANSMISSION INDEX                     MA000068
     222163.4C     222135.10 CO                          B,AAOS1              -GO TC TRANSFER MORE CARDS                     MA000069
     222164.00     223744.14 80  001100.36 FO   AECJ     CM1111(BU,1,1),AEOJI-TURN ON EOJ INDICATOR                          MA000070
     222165.00 *   COCC27.00 80  223753.22 AC            TI,9,$7,CXR7                                                        MA000071
     222166.00     223743.01 80  222173.74 02   AECJ1    BB,ABTA,AEOJ2        -IS BUFFER T AVAIL FOR TRANSMISSION            MA000072
     222167.CC     223257.22 10                          LX,AY,ACWA           -PICKUP TRANSMISSION INDEX                     MA000073
     222167.4C     COC226.23 CA                          KCI,AY,ACRD15        -TEST IF BUFFER IS FULL                        MA000074
                                                -        ADDRESS IS Y,WHERE Y=(8C*12*ACRD+5)/64                              MA000075
     222170.00     222271.32 C2                          BXE,CEOJ             -TEST IF ALL LINES ARE AVAILABLE IN BUFF       MA000076
     22217C.40     000000.CC 89  000000.00 FO   AEOJ3    CMOCCO(BU,64),(AY)   -FILL UP REMAINING WRDS WITH ZERO              MA000077
     222171.40     222170.63 48                          CB+,AY,AEOJ3         -COUNT IF ALL WORDS ARE DONE                   MA000078
     222172.CC     223257.C2 CO                          R,ACWA               -REFILL TRANSMISSION INDEX                     MA0C0079
     222172.4C     223743.01 80  0C1000.36 FC            CM1111,ABTA          -MAKE BUFFER T UNAVAILABLE                     MA00008C
     222173.4C     223744.C7 80  222166.34 02   AECJ2    BB,ABWA,AEOJ1        -LOOP IF W IS BEING WRITTEN OUT                MA000081
     222174.40     223743.C1 80  222271.34 00            BZB,ABTA,CEOJ        -IF T IS AVAIL, GO TO PRINT EOJ                MA000082
     222175.40     222271.37 01                          LVI,$15,CEOJ         -LOAD INDEX WITH EXIT                          MA000083
     222176.CC     222150.5C CC                          B,ASWCH              -GO TO WRITE OUT BUFFER                        MA000084
     222176.4C     COCC00.3C C0                          CNOP,                                                               MA0C0085
     222177.CO *   COCC02.CO                    AWEXIT   DRZ(N),2             -TABLE OF EXITS FOR PUNCH BUFFER               MA000086
     222201.CC     222213.10 CO                          B,AWUK                                                              MA0C0087
     222201.40     C0C000.3C CO                          NOP           -UK                                                   MA000087
     222202.CC     222210.1C 00                          B,AWEE                                                              MA000088
     222202.40     COCCCO.30 00                          NOP           -EE                                                   MA000088
     222203.00     COCC40.10 CO                          B,$MCP                                                              MA000089
     222203.4C     000041.CC 80                          ,$RET                                                               MA000090
     222204.CO     223744.11 80  001100.CC FO   AWEOP    CMOCOO,CATUB         -MAKE TAPE AVAILABLE                           MA000091
     222205.0C     223744.07 80  001000.0C FO            CMOC00,ABWA          -MAKE BUFFER W AVAILABLE                       MA000092
     222206.00     223743.C1 80  222320.34 CC            BZB,ABTA,CRET   - BUFFER T AVAILABLE, RET                           MA000093
     222207.CC     222320.37 C1                          LVI,$15,CRET    - BUFF T UNAVAILABLE, WRITE OUT AND RET             MA000094
     222207.40     222150.50 00                          B,ASWCH              -GO TC WRITE OUT BUFFER                        MA000095
     22221C.CO     223744.14 80  222204.34 02   AWEE     BB,AEOJI,AWEOP       -IF EOJ INDIC IS ON, TAKE EOP ACTION           MA000096
     222211.00     223742.C5 80  0C1100.36 FC            CM1111(BU,1,1),CTRAIL+.C5     -PHYSICAL END OF TAPE                 MA000097
     222212.CO     222205.37 01                          LVI,$15,AWEOP+1.     -LOAD INDEX WITH EXIT                          MA000098
     222212.40     222404.10 00                          B,ATSWCH             -TAPE  SWITCH                                  MA000099
     222213.CO     222177.44 30                 AWUK     LV,$2,AWEXIT.32           -PICK UP ACTUATED ADDRESS                 MA000100
     222213.40     222177.03 01                          LVI,$1,AWEXIT             -TABLE OF EXITS                           MA0C0101
     222214.0C *   222505.47 C1                          LVI,$3,ANFM                                                         MA000102
     222214.40     222200.11 80  222521.74 02            BB,AWEXIT+1.C9,AEPGK      -REQUEST RING                             MA000103
     222215.40     222200.14 80  222527.74 OC            BZB,AWEXIT+1.12,ALNUKC    -UK ALONE - UNIT TROUBLE                  MA000104
     222216.40     222333.5C CO                          B,CKUK                    -GO TO GENERAL WRITE UK ROUTINE           MA000105
```

```
LINE   LOCATION              BINARY OUTPUT                NAME         STATEMENT                                         LOCATION     CC0032

  1* 000032.00+       +CCCCOOCC              BU,1CC,10   AX          SYN,$10                                                         MA000106
  2* 000031.00+       +00000CCC              BU,1CC,10   AY          SYN,$9                                                          MA000107
  3* 000030.00+       +0CCC00C0              BU,1CC,10   AZ          SYN,$8                                                          MA000108
  4* 000027.00+       +CCCCC0C0              BU,100,10   AN          SYN,$7                                                          MA000109
  5* 222217.00        215324.64 90                       ACHK        KV,$10,SPPLB-                                                   MA000110
  6* 222217.40        222223.32 42                                   BXL,ACHERR              -REQUEST OUT OF BOUNDS                  MA000111
  7* 222220.00        000032.00 80  022027.20 10                     +(BU,18),$1C,46                                                 MA000112
  8* 222221.00        215324.00 80  022027.21 10                     K(BU,18),SPPUB,46                                               MA000113
  9* 222222.00        222223.37 42                                   BAH,ACHERR                                                      MA000114
 10* 222222.40        222222.50 C0                       ACHKBR      B,$                                                             MA000115
 11* 222223.00        215571.00 80                       ACHERR      SIC,SPRIMR                                                      MA000116
 12* 222223.40        215570.04 00                                   BD,SPRIME                                                       MA000116
 13* 222224.00        C0C103.40 80                                   ,$SPR                                                           MA000117
 14* 222224.40        223764.00 80                                   ,ASERR                                                          MA000117
 15* 222225.00        C0C001.00 80                                   ,1.                                                             MA000117
 16* 222225.40        215571.00 80                                   SIC,SPRIMR                                                      MA000118
 17* 222226.00        215570.04 C0                                   BC,SPRIME                                                       MA000118
 18* 222226.40        C00104.00 80                                   ,$ABEOJ                                                         MA000119
 19* 222227.00        222144.00 00                                   BE,ARET                                                         MA000120
 20*                                                     -           TRANSMIT N PRINT LINES FROM PP TO PRINT BUFFER                  MA000121
 21* 222227.40 *      223744.14 80  001000.00 F0         CSTART      CMOC00(BU,1),AEOJI     -TURN OFF EOJ INDICATOR                  MA000122
 22* 222230.40        000027.00 80  223753.22 A0                     TI,9,$7,CXR7                                                    MA000123
 23* 222231.40        222110.25 80                                   LVE,$10,SCSPRT+3.          -EFFECTIVE ADDRESS FROM TENTACLE TBLE MA000124
 24* 222232.00        222110.64 50                                   LC,$10,SCSPRT+3.32  -NUMBER OF LINES TO TRANSMIT                MA000125
 25* 222232.40        C00027.22 00                                   Z,$7                                                            MA000126
 26* 222233.00        222110.40 80  022027.20 50                     L(BU,18),SCSPRT+3.32,46                                         MA000127
 27* 222234.00        210000.00 80  406012.21 90                     *I(BU,6),17,20                                                  MA000128
 28* 222235.00        222105.04 80  222240.74 02                     BB,SCSPRT.4,RNOLCK-                                             MA000129
 29* 222236.00        C00010.00 80  000040.06 7C                     LF(BU,64),$L,64                                                 MA000130
 30* 222237.00        222223.34 C0                                   BZRZ,ACHERR                                                     MA000131
 31* 222237.40        222222.40 80                                   SIC,ACHKBR                                                      MA000132
 32* 222240.00        222217.10 C0                                   B,ACHK                                                          MA000132
 33* 222240.40        222577.20 10                       RNOLCK      LX,$8,CWA-              TRANSMISSION INDEX                      MA000133
 34* 222241.00        000000.25 0A                       CACS1       KCI,$10,C               -ARE ALL LINES TRANSMITTED              MA000134
 35* 222241.40        222253.72 C2                                   BXE,CACS2               -YES-BRANCH                             MA000135
 36* 222242.00        C00020.23 C2                                   LCI,$9,16               -NO,CF=16 FULL WORDS TO TRANS           MA000136
 37* 222242.40 *      223743.00 80  222254.74 02                     BB,CBTA,CAOS3           -IS BUFFER T AVAILABLE                  MA000137
 38* 222243.40        000001.00 8A  100000.06 70         CTRANS      LF(BU,64,8)(V+I),1.($10) -YES,TRANSMIT 16 FULL WORDS FROM       MA000138
 39* 222244.40        C0CC00.60 88  160600.12 F0                     SF(BU,48,6) (V+I),.48($8)                                       MA000139
 40* 222245.40        222243.62 48                                   CB,$9,CTRANS            -ARE 16 WORD TRANSMITTED                MA000140
 41* 222246.00        000001.00 8A  250000.06 7C                     LF(BU,4C,8)(V+IC),1.($1C)  -TRANSMIT LAST 5 BYTES               MA000141
 42* 222247.00        C0CC00.36 88  136600.12 F0                     SF(BU,3C,6)(V+I),.3C($8)                                        MA000142
 43* 222250.00        C0CC01.21 08                                   C-I,$8,1                -REDUCE NUMBER OF LINES AVAILABLE       MA000143
 44*                                                                                         -IN BUFFER BY ONE                       MA000144
 45* 222250.40        222251.70 42                                   BXCZ,CAOS4              -NO LINES LEFT,MAKE T UNAVAIL           MA000145
 46* 222251.00        222241.10 00                                   B,CAOS1                 -TRANSMIT MORE LINES                    MA000146
 47* 222251.40        223743.00 80  001000.36 F0         CACS4       CM1111,CBTA             -BUFFER IS FILLED-MADE UNAVAILABLE      MA000147
 48* 222252.40        C0CC30.02 C0                                   R,$8                    -REFILL TRANSMISSION INDEX              MA000148
 49* 222253.00        222241.10 00                                   B,CAOS1                 -GO TO PICKUP MORE LINES                MA000149
 50* 222253.40        222577.21 10                       CACS2       SX,$8,CWA               -ALL LINES TRANSMITTED                  MA000150
 51* 222254.00        222144.10 00                                   B,ARET                  -RETURN TO DISPATCHER                   MA000151
 52* 222254.40        223744.06 80  222242.74 02         CACS3       BB,CBWA,CTRANS-1.       -IS W AVAIL. NO--WAIT-LOOP              MA000152
 53* 222255.40        222243.77 01                                   LVI,$15,CTRANS              -WHERE TO GO AFTER OUTPUT           MA000153
 54* 222256.00 *      223744.11 80  222256.34 02         CACS3A      BB,CATUB,$              -IF TAPE IS BUSY LOOP                   MA000154
 55* 222257.00        222270.10 00                       CXY         B,CXZ                   -BRANCH IF NEW TAPE,OTHERWISE NOP       MA000155
 56* 222257.40        223743.00 80  001000.00 F0         CACS3B      CMOCOC,CBTA              -SWAP BUFFERS, T AVAIL                 MA000156
```

IBM

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT		LOCATION 222260
1*	222260.40		222267.77 D0			SVA,15,RSVRT1		MA000157
2*	222261.00		223744.C6 80	001000.36 F0		CM1111,CBWA	-W UNAVAIL	MA000158
3*	222262.00		223744.61 80	222263.34 0A		BBN,CCX+.17,$+1.	-INVERT BIT,OUTPUT BUFFER POINTER	MA000159
4*	222263.00		223744.56 30			LV,$7,CCX	-OUTPUT BUFFER POINTER	MA000160
5*	222263.40		223744.11 80	001100.36 F0		CM1111,CATUB	-MAKE TAPE UNAVAILABLE	MA000161
6*	222264.40		222314.35 01			LVI,$14,CEXN		MA000162
7*	222265.00		224046.35 D0			SVA,$14,AOP		MA000163
8*	222265.40		C00040.10 00			B,$MCP		MA000164
9*	222266.00		C00001.40 80			,$W		MA000165
10*	222266.40		224032.01 B0			LVE,,AMR		MA000166
11*	222267.00		222575.C0 87			,CWX($7)		MA000167
12*	222267.40		C00000.10 C0		RSVRT1	B,0		MA000168
13*	222270.00		222257.23 80	222257.74 0C	CXZ	BZB1,CXY+.19,CAOS3B		MA000169
14*	222271.00		223743.00 80	222302.74 02	CECJ	BB,CBTA,CEOJ2	-IS BUFFER T AVAIL FOR TRANSMISSION	MA000170
15*	222272.00	*	222577.20 10			LX,$8,CWA	-YES-DOES IT HAVE ALL	MA000171
16*	222272.40		C000I4.21 CA			KCI,$8,CNUM	-LINES AVAILABLE	MA000172
17*	222273.00		222305.72 C2			BXE,CEOJ4	-YES-GO TO WRITE EOF	MA000173
18*	222273.40		223741.22 10			LX,$9,CXFILL	-LOAD INDEX	MA000174
19*	222274.00		000000.06 89	122600.06 70	CECJ3	LF(BU,18,6)(V+I),.6($9)	-FILL REST OF BUFFER WITH	MA000175
20*	222275.00		000000.22 88	122600.12 F0		SF(BU,18,6)(V+I),.18($8)	-BLANKS	MA000176
21*	222276.00		000000.00 89	074600.06 70		LF(BU,60,6),0($9)		MA000177
22*	222277.00		000000.74 88	174600.12 F0		SF(BU,60,6)(V+I),.60($8)		MA000178
23*	222300.00		222277.22 4C			CBR,$9,$-1.		MA000179
24*	222300.40		222274.20 4C			CBR,$8,CEOJ3		MA000180
25*	222301.00		222577.21 10			SX,$8,CWA	-SAVE TRANSMISSION INDEX	MA000181
26*	222301.40		223743.00 80	001000.36 F0		CM1111,CBTA	-MAKE BUFFER T UNAVAILABLE	MA000182
27*	222302.40		223744.06 80	222271.34 02	CECJ2	BB,CBWA,CEOJ	-LOOP, NO EOP FOR BUFF W YET	MA000183
28*	222303.40		223743.C0 80	222305.74 CC		BZB,CBTA,CECJ4	-TEST IF BUFFER T IS AVAILABLE	MA000184
29*	222304.40		222305.77 01			LVI,$15,CEOJ4	-WHERE TO GO AFTER OUTPUT	MA000185
30*	222305.00		222256.10 C0			B,CAOS3A	-ENTER OUTPUT SR	MA000186
31*	222305.40	*	223744.11 80	222305.74 02	CECJ4	BB,CATUB,$	-WAIT IF TAPE IS BUSY	MA000187
32*	222306.40		223744.11 80	001100.36 F0		CM1111,CATUB	-MAKE TAPE UNAVAILABLE	MA000188
33*	222307.40		222371.35 01			LVI,$14,CEXEF		MA000189
34*	222310.00		224046.35 C0			SVA,$14,AOP		MA000190
35*	222310.40		C00040.10 C0			B,$MCP		MA000191
36*	222311.00		C00007.40 80			,$WEF		MA000192
37*	222311.40		224032.01 B0			LVE,,AMR		MA000193
38*	222312.00		223743.03 80	224037.74 06		BBZ,AOPTRI,CDRY1	-HAS OUTPUT BEEN REQUESTED	MA000194
39*	222313.00		222144.10 C0			B,ARET	-GO TO RESTORE AND EXIT	MA000195
40*	222313.40		C00000.30 C0			CNOP,		MA000196
41*	222314.00	*	000002.00		CEXN	DRZ(N),2	-TABLE OF EXITS FOR PRINT BUFFER	MA000197
42*	222316.00		222330.10 C0			B,CUKN		MA000198
43*	222316.40		000000.30 C0			NOP	-UK	MA000198
44*	222317.00		222325.10 C0			B,CEEN		MA000199
45*	222317.40		000000.30 00			CNOP	-EE	MA000199
46*	222320.00		C00040.10 C0		CRET	B,$MCP		MA000200
47*	222320.40		C00041.C0 80			,$RET		MA000200
48*					-	EOP ON NORMAL WRITE		MA000201
49*	222321.00		223744.11 80	001100.00 F0	CECPN	CMOC00,CATUB	-MAKE TAPE AVAILABLE	MA000202
50*	222322.00		223744.06 80	001000.C0 F0		CMOC00,CBWA	-MAKE BUFFER W UNAVAILABLE	MA000203
51*	222323.00		223743.C0 80	222320.34 0C		BZB,CBTA,CRET	-IS T AVAIL FOR TRANS	MA000204
52*	222324.00		222320.37 01			LVI,$15,CRET	-WHERE TO GO AFTER OUTPUT	MA000205
53*	222324.40		222256.10 C0			B,CAOS3A	-GO TO OUTPUT SR	MA000206
54*					-	EE ON NORMAL WRITE		MA000207
55*	222325.00		223744.14 80	222321.34 02	CEEN	BB,AEOJI,CECPN	-IF EOJ INDIC. IS ON, TAKE EOP ACTION	MA000208
56*	222326.00		223742.05 80	001100.36 F0		CM1111(BU,1,1),CTRAIL+.C5	-PHYSICAL END OF TAPE	MA000209

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 222327
1*	222327.00	222322.37 01			LVI,$15,CEOPN+1.	-LOAD INDEX WITH EXIT	MA000210
2*	222327.40	222404.10 00			B,ATSWCH	-BRANCH TO TAPE SWITCH	MA000211
3*	222330.00	222314.44 30		CUKN	LV,$2,CEXN.32	-ACTUATED ADDRESS	MA000212
4*	222330.40	222314.03 01			LVI,$1,CEXN	-TABLE OF EXITS	MA000213
5*	222331.00 *	222505.47 01			LVI,$3,ANFM		MA000214
6*	222331.40	222315.11 80	222521.74 02		BB,CEXN+1.09,AEPGK	-REQUEST RING	MA000215
7*	222332.40	222315.14 80	222527.74 00		BZB,CEXN+1.12,ALNUKC	-UK ALONE - UNIT TROUBLE	MA000216
8*	222333.40	222516.43 00		CKUK	SVA,$1,ANFMEX	-SAVE TABLE OF EXITS	MA000217
9*	222334.00	222347.07 00			SVA,$3,CKRUKE		MA000218
10*	222334.40	223745.46 50			LC,$3,AUKCT	-SET UP BSP, ERGS, W LOOP COUNT	MA000219
11*	222335.00	223746.07 50			SC,$3,AWRCT		MA000220
12*	222335.40	000040.10 00			B,$MCP		MA000221
13*	222336.00	000002.00 80			,$CCW		MA000221
14*	222336.40	224032.01 80			LVE,,AMR		MA000221
15*	222337.00	223740.00 80			,CKERIC		MA000221
16*	222337.40	223740.02 00			R,CKERIC	-PICK UP CURRENT CONTROL WORD	MA000222
17*	222340.00	223746.06 50		CKRGUK	LC,$3,AWRCT		MA000223
18*	222340.40	222347.06 4A			CBZ,$3,CKRUKE	-IF RETRIED N TIMES TELL OPERATOR	MA000224
19*	222341.00	223746.07 50			SC,$3,AWRCT		MA000225
20*	222341.40	223745.46 50			LC,$3,AUKCT	-SET UP BSP COUNTER	MA000226
21*	222342.00	223746.47 50			SC,$3,ABSPCT		MA000227
22*	222342.40	222350.33 01			LVI,$13,CUKUK	-SET UP NEW TABLE OF EXITS FOR BSP	MA000228
23*	222343.00	224046.33 00			SVA,$13,AOP		MA000229
24*	222343.40	223746.46 50		CBSPUK	LC,$3,ABSPCT	-HAS BSP BEEN RETRIED N TIMES	MA000230
25*	222344.00	222347.06 4A			CBZ,$3,CKRUKE	-YES - TELL OPERATOR	MA000231
26*	222344.40 *	223746.47 50			SC,$3,ABSPCT		MA000232
27*	222345.00	000040.10 00			B,$MCP		MA000233
28*	222345.40	000006.00 80			,$BSP		MA000233
29*	222346.00	224032.01 80			LVE,,AMR		MA000233
30*	222346.40	222320.10 00			B,CRET		MA000234
31*	222347.00	222347.10 00		CKRUKE	B,$		MA000235
32*	222347.40	000000.30 00			CNOP,,		MA000236
33*	222350.00 *	000002.00		CUKUK	DRZ(N),2	-TABLE OF EXITS FOR BSP IN CBSPUK	MA000237
34*	222352.00	222343.50 00			B,CBSPUK		MA000238
35*	222352.40	000000.30 00			NOP		MA000238
36*	222353.00	222355.10 00			B,CKERG		MA000239
37*	222353.40	000000.30 00			NOP		MA000239
38*	222354.00	000040.10 00			B,$MCP		MA000240
39*	222354.40	000041.00 80			,$RET		MA000240
40*	222355.00	222351.14 80	222343.74 00	CKERG	BZB,CUKUK+1.12,CBSPUK	-NO EOP - BSP TROUBLE	MA000241
41*	222356.00	222363.35 01			LVI,$14,CKWRIT	-SET UP TABLE OF EXITS FOR ERGS,W	MA000242
42*	222356.40	224046.35 00			SVA,$14,AOP		MA000243
43*	222357.00	000040.10 00			B,$MCP		MA000244
44*	222357.40	000005.01 80			,$ERGS		MA000244
45*	222360.00	224032.01 80			LVE,,AMR		MA000244
46*	222360.40	000040.10 00			B,$MCP		MA000245
47*	222361.00	000001.40 80			,$W		MA000245
48*	222361.40	224032.01 80			LVE,,AMR		MA000245
49*	222362.00	223740.00 80			,CKERIC		MA000245
50*	222362.40	222320.10 00			B,CRET		MA000246
51*					CNOP,		MA000247
52*	222363.00 *	000002.00		CKWRIT	DRZ(N),2	-TABLE OF EXITS FOR ERGS, W IN CKERG	MA000248
53*	222365.00	222340.10 00			B,CKRGUK		MA000249
54*	222365.40	000000.30 00			NOP		MA000249
55*	222366.00	222516.42 30			LV,$1,ANFMEX		MA000250
56*	222366.40	000003.10 01			B,3.($1)	-GO TO ORIG. $W EE FIXUP	MA000250

LOCATION 222367

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		
1*	222367.00	000C40.10 00			B,$MCP		MA000251
2*	222367.40	C00041.00 80			,$RET		MA000251
3*	222370.00	222516.42 30			LV,$1,ANFMEX		MA000252
4*	222370.40	C0CC05.10 01			B,5.($1)	-GO TO ORIG. $W EOP FIXUP	MA000252
5*				-	TABLES OF EXITS		MA000253
6*				-	EXITS FOR WTM(AT EOJ TIME)		MA000254
7*					CNOP,		MA000255
8*	222371.00 *	000001.00		CEXEF	DR(N),1	-REF. NO,ACTUATED ADDRESS	MA000256
9*	222372.00	C00C01.00			DR(N),1	-INDICATORS,INTERRUPT ADDRESS	MA000257
10*	222373.00	222402.50 00			B,CUKEFA		MA000258
11*	222373.40	C0CC00.30 00			NOP	-UK	MA000258
12*	222374.00	222377.50 00			B,CEEEF		MA000259
13*	222374.40	C0CC00.30 00			CNOP	-EE	MA000259
14*	222375.00	C0C040.10 00			B,$MCP		MA000260
15*	222375.40	000041.00 80			,$RET		MA000261
16*				-	EOP ON WRITE TAPE MARK		MA000262
17*	222376.00	223744.11 80	001100.00 F0	CEOPEF	CMOC00,CATUB	-RELEASE TAPE	MA000263
18*	222377.00	222320.10 00			B,CRET		MA000264
19*				-	EE ON WRITE TAPE MARK		MA000265
20*	222377.40	223742.05 80	001100.00 F0	CEEEF	CMOC00(BU,1,1),CTRAIL+.05	-PHYSICAL AND LOGICAL END OF TAPE	MA000266
21*	222400.40	223743.02 80	001000.00 F0		CMOC00,ATMI	-ONE END OF FILE TO BE WRITTEN	MA000267
22*	222401.40	222377.37 01			LVI,$15,CEOPEF+1.	-LOAD INDEX WITH EXIT	MA000268
23*	222402.00	222405.10 00			B,ATSWC3	-GO TO TAPE SWITCH	MA000269
24*	222402.40	222371.35 01		CUKEFA	LVI,$14,CEXEF	-CURRENT TABLE OF EXITS-SUCCESS. WEF	MA000270
25*	222403.00	222443.33 01			LVI,$13,AOFM	-EXIT UPON FAILURE TO WEF	MA000271
26*	222403.40	222423.50 00			B,AUKEF	-IF $WEF FAILS N TIMES	MA000272
27*	222404.00	223743.02 80	001000.36 F0	ATSWCH	CM1111,ATMI	-TAPE MARK INDICATOR	MA000273
28*	222405.00	222500.37 D0		ATSWC3	SVA,$15,ATSWC1	-STORE RETURN	MA000274
29*	222405.40	222411.35 01			LVI,$14,ATSXIT		MA000275
30*	222406.00 *	224046.35 D0			SVA,$14,AOP		MA000276
31*	222406.40	000040.10 00			B,$MCP		MA000277
32*	222407.00	C0CC07.40 80			,$WEF		MA000278
33*	222407.40	224032.01 B0			LVE,,AMR		MA000279
34*	222410.00	222144.10 00			B,ARET		MA000280
35*				-	EXITS FOR ATSWEF	-WRITING EOF,UNLOAD	MA000281
36*	222410.40	C0CC00.30 00			CNOP,		MA000282
37*	222411.00 *	C0C002.00		ATSXIT	DRZ(N),2		MA000283
38*	222413.00	222422.50 00			B,ATSWU1		MA000284
39*	222413.40	000000.30 00			NOP	-UK	MA000284
40*	222414.00	222416.10 00			B,ATSWC2		MA000285
41*	222414.40	C0CC00.30 00			CNOP	-EE	MA000285
42*	222415.00	000040.10 00			B,$MCP		MA000286
43*	222415.40	000041.00 80			,$RET		MA000287
44*	222416.00	223743.02 80	222405.74 06	ATSWC2	BBZ,ATMI,ATSWC3+.32	-BRANCH IF FIRST TAPE MARK WRITTEN	MA000288
45*	222417.00	222460.35 01			LVI,$14,ASTRA		MA000289
46*	222417.40	224046.35 D0			SVA,$14,AOP		MA000290
47*	222420.00	C00040.10 00			B,$MCP		MA000291
48*	222420.40	C0CC01.40 80			,$W		MA000292
49*	222421.00	224032.01 B0			LVE,,AMR		MA000293
50*	222421.40	223752.00 80			,CTR		MA000294
51*	222422.00	222320.10 00			B,CRET	-RETURN TO MCP	MA000295
52*	222422.40	222411.35 01		ATSWU1	LVI,$14,ATSXIT	-CURRENT TABLE OF EXITS-SUCCESS. WEF	MA000296
53*	222423.00	222445.73 01			LVI,$13,AIFM	-EXIT UPON FAILURE TO WEF	MA000297
54*	222423.40	C00C01.14 8E	222531.74 00	AUKEF	BZB,1.12($14),AERRN	-EPGK OR UK ALONE	MA000298
55*	222424.40	223745.46 50			LC,$3,AUKCT	-SET UP WEF RETRY COUNTER	MA000299
56*	222425.00	223747.07 50			SC,$3,AEFCT		MA000300

```
 LINE   LOCATICN            BINARY CUTPUT              NAME       STATEMENT                                          LCCATICN     222425

  1* 222425.40          223747.75 DC                          SVA,$14,ATSWKE                                                          MA000301
  2* 222426.00 *        222430.33 DC                          SVA,$13,AUKEF1                                                          MA000302
  3* 222426.4C          222435.35 01                          LVI,$14,ATSW1K          -SET UP NEW TBL. OF EXITS FOR WEF               MA000303
  4* 222427.CC          224C46.35 DO                          SVA,$14,ACP                                                             MA000304
  5* 222427.40          223747.C6 50                AUKEF2    LC,$3,AEFCT                                                             MA000305
  6* 222430.CC          222430.C6 4A                AUKEF1    CBZ,$3,$                -CCULD NCT $WEF CN TAPE GC TO AOFM OR A1        MA000306
  7* 222430.40          223747.07 50                          SC,$3,AEFCT                                                             MA0C0307
  8* 222431.00          CCCC40.10 00                          B,$MCP                                                                  MA000308
  9* 222431.40          CCCC05.C1 80                          ,$ERGS                                                                  MA000308
 1C* 222432.CC          224C32.C1 BC                          LVE,,AMR                                                                MA0C0308
 11* 222432.40          CCCC40.10 00                          B,$MCP                                                                  MA000309
 12* 222433.CO          CCCCC7.40 80                          ,$WEF                                                                   MA000309
 13* 222433.40          224C32.01 BC                          LVE,,AMR                                                                MA000309
 14* 222434.00          222320.10 CO                          B,CRET                                                                  MAC00310
 15* 222434.40          000000.30 00                          CNOP,                                                                   MA000311
 16* 222435.00 *        000002.CO                   ATSW1K    DRZ(N),2                -TBL. OF EXITS FCR $WEF IN AUKEF2               MA000312
 17* 222437.CC          222427.5C CC                          B,AUKEF2                                                                MA000313
 18* 222437.4C          CCCCCC.30 CO                          NCP                                                                     MA0C0313
 19* 22244C.00          223747.74 30                          LV,$14,ATSWKE                                                           MAC00314
 2C* 222440.40          CC0003.1C 0E                          B,3.($14)  -GO TC ORIG. $WEF EE FIXUP                                   MA000314
 21* 222441.00          C00C40.10 CC                          B,$MCP                                                                  MA000315
 22* 222441.4C          000041.CC 80                          ,$RET                                                                   MA000315
 23* 222442.C0          223747.74 30                          LV,$14,ATSWKE                                                           MA000316
 24* 222442.40          CCCC05.1C 0E                          B,5.($14)  -GC TC ORIG. $WEF EOP FIXUP                                  MA000316
 25* 222443.00          224C05.10 80   010000.C6 7C AOFM      LF(BU,8),AOFMC                                                          MA000317
 26* 222444.CC          224C20.30 80   010000.12 FC           SF(BU,8),CMESS1+4.24       -TELL OPERATOR NC FILE MARKS                 MA000318
 27* 222445.C0          222447.50 C0                          B,AGFM                                                                  MA000319
 28* 222445.40          224C05.2C 80   010000.C6 7C A1FM      LF(BU,8),A1FMC          -TELL CPERATCR 1 FILE MARK                      MA000320
 29* 222446.40          224C20.3C 80   010000.12 FC           SF(BU,8),CMESS1+4.24                                                    MA000321
 3C* 222447.40          224C10.CC 80   224014.C4 AC AGFM      TI,2,ANFMS,CMESS1       -DATA FAILURE                                   MA000322
 31* 222450.40          224006.30 80   C00000.C6 70           LF(BU),ALOGM            -LCGICAL END CF TAPE                            MA000323
 32* 222451.40 *        224C22.30 80   0C0000.12 FC           SF(BU),CMESS1+6.24                                                      MA000324
 33* 222452.40          C0C040.1C C0                          B,DMCP                                                                  MA000325
 34* 222453.CC          C00C15.C0 80                          ,DICDEF                                                                 MA0C0325
 35* 222453.40          224C32.C1 B0                          LVE,,AMR                                                                MA000325
 36* 222454.00          224016.C0 80                          ,CMESS1+2.0                                                             MA000325
 37* 222454.40          000C40.1C C0                          B,$MCP                                                                  MA000326
 38* 222455.00          000043.40 80                          ,$CCMM                                                                  MA000326
 39* 222455.40          224C14.00 80                          ,CMESS1                                                                 MA000326
 4C* 222456.C0          C000l1.CC 80                          ,9.                                                                     MA000326
 41* 222456.40          222500.CC 80                          SIC,ATSWC1                                                              MA000327
 42* 222457.C0          222465.10 C0                          B,ATSWC5      -UNLCAD TAPE                                              MA000327
 43* 222457.40          222320.10 00                          B,CRET                                                                  MA000328
 44*                                                -         EXITS FCR ATSWEF+.32 -WRITING TRAILER                                   MA000329
 45*                                                          CNOP,                                                                   MA000330
 46* 222460.00 *        000002.CO                   ASTRA     DRZ(N),2                                                                MA000331
 47* 222462.CC          222500.5C 00                          B,ATSTR1                                                                MA000332
 48* 222462.40          CCCC00.30 C0                          NCP           -UK                                                       MA000332
 49* 222463.0C          222465.10 C0                          B,ATSWC5                                                                MA000333
 5C* 222463.40          0CC000.30 00                          CNOP          -EE                                                       MA000333
 51* 222464.0C          C0C040.10 00                          B,$MCP                                                                  MA000334
 52* 222464.40          000041.CC 80                          ,$RET                                                                   MA000335
 53* 222465.CC          223744.15 80   001000.36 FO ATSWC5    CM1111,ATSWCR                                                           MA000336
 54* 222466.00          000040.10 00                          B,$MCP                                                                  MA000337
 55* 222466.40          C0C010.40 80                          ,$UNLD                                                                  MA000338
 56* 222467.00          224C32.01 BC                          LVE,,AMR                                                                MA000339
```

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT		LOCATION 222467
1*	222467.40		223744.13 80	222472.74 C6		BBZ,ATARI,ATSWC4		MA000340
2*	222470.40		223744.12 80	222474.34 06		BBZ,ATBRI,ATSWC6		MA000341
3*	222471.40		00CC40.10 00			B,$MCP		MA000342
4*	222472.00		00C041.C0 80			,$RET		MA000343
5*	222472.40		224032.42 30		ATSWC4	LV,1,AMR1		MA000344
6*	222473.CC		224032.C3 30			SV,1,AMR		MA000345
7*	222473.40		222475.10 00			B,ATSWC7		MA000346
8*	222474.00		224033.02 30		ATSWC6	LV,1,AMR2		MA000347
9*	222474.40		224032.C3 30			SV,1,AMR		MA000348
10*	222475.CC	*	223744.11 80	001100.C0 F0	ATSWC7	CMOOOO,CATUB		MA000349
11*	222476.00		223744.15 80	001000.00 F0		CMOOOO,ATSWCR		MA000350
12*	222477.00		222257.23 80	001000.00 F0		CMOC00(BU,1),CXY.19		MA000351
13*	222500.CC		222500.10 C0		ATSWC1	B,$		MA000352
14*	222500.40		222461.14 80	222535.34 00	ATSTR1	BZB,ASTRA+1.12,AERRLN	-UNIT FAILURE	MA000353
15*	222501.40		222460.C3 01			LVI,$1,ASTRA	-CURRENT TBL. OF EXITS FOR SUCCESS	MA000354
16*	222502.00		222503.C7 01			LVI,$3,C2FM	-RETURN IF UNSUCCESSFUL	MA000355
17*	222502.40		222333.50 C0			B,CKUK		MA000356
18*	222503.00		224C05.C0 80	010000.C6 70	C2FM	LF(BU,8),A2FMC		MA000357
19*	222504.00		224C20.30 80	010000.12 F0		SF(BU,8),CMESS1+4.24		MA000358
20*	222505.00		222447.5C C0			B,AGFM		MA000359
21*	222505.40		224010.C0 80	224014.C4 AC	ANFM	TI,2,ANFMS,CMESS1	-DATA FAILURE	MA000360
22*	222506.40		224C05.10 80	010000.C6 70	ANFMRT	LF(BU,8),AOFMC	-TELL OPERATOR 0 FILE MARKS	MA000361
23*	222507.40		224C20.30 80	010000.12 F0		SF(BU,8),CMESS1+4.24		MA000362
24*	222510.40	*	224C05.30 80	000000.C6 70		LF(BU),APHYM	-ON PHYSICAL END OF TAPE	MA000363
25*	222511.40		224022.30 80	000000.12 F0		SF(BU),CMESS1+6.24		MA000364
26*	222512.40		000040.10 00			B,DMCP		MA000365
27*	222513.00		00CC15.C0 80			,DICDEF		MA000365
28*	222513.40		224032.C1 80			LVE,,AMR		MA000365
29*	222514.CC		224016.C0 80			,CMESS1+2.0		MA000365
30*	222514.40		00CC40.10 00			B,$MCP		MA000366
31*	222515.00		00C043.40 80			,$CCMM		MA000366
32*	222515.40		224014.C0 80			,CMESS1		MA000366
33*	222516.CC		000011.C0 80			,9.		MA000366
34*	222516.40		222516.75 01		ANFMEX	LVI,$14,$	-ORIG. TABLE OF EXITS FOR $W	MA000367
35*	222517.00		00CC00.74 3E			LV,$14,.32($14)	-AFTER $UNLD RETURN TO MAINSTREAM	MA000368
36*	222517.40		00C002.75 CD			V-I,$14,2.32	-WRITE	MA000369
37*	222520.00		222500.35 D0			SVA,$14,ATSWC1		MA000370
38*	222520.40		222320.37 01			LVI,$15,CRET		MA000371
39*	222521.00		222465.10 00			B,ATSWC5		MA000372
40*	222521.40		00C040.10 C0		AEPGK	B,DMCP		MA000373
41*	222522.00		00C015.C0 80			,DICDEF		MA000373
42*	222522.40		224032.C1 80			LVE,,AMR		MA000373
43*	222523.00		224031.C0 80			,AEPGKM		MA000373
44*	222523.40		000040.10 00			B,$MCP		MA000374
45*	222524.00	*	000043.40 80			,$CCMM		MA000374
46*	222524.40		224025.00 80			,APGKM1		MA000374
47*	222525.CC		00CC05.C0 80			,5.		MA000374
48*	222525.40		000002.45 0D			V-I,$2,2.32	-RETRY MAINSTREAM WRITE AFTER	MA000375
49*	222526.00		222500.05 D0			SVA,$2,ATSWC1	-TAPE IS UNLOADED	MA000376
50*	222526.40		222320.37 01			LVI,$15,CRET		MA000377
51*	222527.00		222465.10 00			B,ATSWC5		MA000378
52*	222527.40		224012.C0 80	224014.C4 AC	ALNUKC	TI,2,ALNKMS,CMESS1	-TELL OPERATOR UNIT TROUBLE	MA000379
53*	222530.40		222516.43 D0			SVA,$1,ANFMEX		MA000380
54*	222531.CC		222506.50 C0			B,ANFMRT		MA000381
55*	222531.40		224C05.2C 80	010000.C6 70	AERRN	LF(BU,8),A1FMC		MA000382
56*	222532.40		224020.30 80	010000.12 F0		SF(BU,8),CMESS1+4.24		MA000383

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT		LOCATION 222533
1*	222533.40		224012.C0 80	224014.04 AC		TI,2,ALNKMS,CMESS1		MA000384
2*	222534.40		222450.50 00			B,AGFM+1.		MA000385
3*	222535.00		224C05.C0 80	010000.06 7C	AERRUN	LF(BU,8),A2FMC		MA000386
4*	222536.00		224C20.30 80	010000.12 FC		SF(BU,8),CMESS1+4.24		MA000387
5*	222537.CC	*	224012.CC 80	224014.04 AC		TI,2,ALNKMS,CMESS1		MA000388
6*	222540.CC		222450.5C 00			B,AGFM+1.		MA000389
7*	222540.40		COCC00.30 00			CNOP,		MA000390
8*	222541.CC	*	COCC02.CC		AXITA	DRZ(N),2		MA000391
9*	222543.00		224046.34 30			LV,14,ACP		MA000392
10*	222543.40		222550.10 00			B,AXAUK		MA000392
11*	222544.00		224046.34 30			LV,14,ACP		MA000393
12*	222544.40		222551.5C CC			B,AXAEE		MA000393
13*	222545.CC		222573.1C CC			B,RATPCS		MA000394
14*	222545.40		CCCC00.30 00			NOP,		MA000394
15*	222546.00		224046.34 30			LV,14,ACP		MA000395
16*	222546.40		222541.CC 80	000000.04 AE		TI,2,AXITA,0($14)		MA000396
17*	222547.4C		000C05.1C 0E			B,5.($14)		MA000397
18*	222550.CC		222541.00 80	0C0000.04 AE	AXAUK	TI,2,AXITA,0($14)		MA000398
19*	222551.00		000C02.10 0E			B,2.($14)		MA000399
20*	222551.4C		222541.CC 80	000000.04 AE	AXAEE	TI,2,AXITA,($14)		MA000400
21*	222552.40		COCC03.10 0E			B,3.($14)		MA000401
22*						CNOP,		MA000402
23*	222553.00	*	COCCC2.00		AXITB	DRZ(N),2		MA000403
24*	222555.CC		224046.34 30			LV,14,ACP		MA000404
25*	222555.40		222562.10 00			B,AXBUK		MA000404
26*	222556.CC		224046.34 30			LV,14,ACP		MA000405
27*	222556.40		222563.5C CC			B,AXBEE		MA000405
28*	222557.CC		222570.1C 00			B,ATPBCS		MA000406
29*	222557.40		000CC0.30 00			NOP,		MA000406
30*	222560.00		224046.34 30			LV,14,ACP		MA000407
31*	222560.40		222553.00 80	000000.04 AE		TI,2,AXITB,0($14)		MA000408
32*	222561.40		000C05.10 0E			B,5.($14)		MA000409
33*	222562.00		222553.00 80	000000.04 AE	AXBUK	TI,2,AXITB,0($14)		MA000410
34*	222563.00		C0CC02.10 0E			B,2.($14)		MA000411
35*	222563.40		222553.CC 80	000000.04 AE	AXBEE	TI,2,AXITB,0($14)		MA000412
36*	222564.40		000C03.10 0E			B,3.($14)		MA000413
37*	222565.00		223744.15 80	222472.74 02	ATPACS	BB,ATSWCR,ATSWC4		MA000414
38*	222566.00		223744.13 80	001000.36 FC		CM1111,ATARI		MA000415
39*	222567.00		COCC40.1C 00			B,$MCP		MA000416
40*	222567.40		000041.CC 80			,$RET		MA000417
41*	222570.00	*	223744.15 80	222474.34 02	ATPBCS	BB,ATSWCR,ATSWC6		MA000418
42*	222571.00		223744.12 80	001000.36 FC		CM1111,ATBRI		MA000419
43*	222572.CC		COCC40.1C CC			B,$MCP		MA000420
44*	222572.40		COC041.CC 80			,$RET		MA000421
45*	222573.00		222565.35 C1		RATPCS	LVI,14,ATPACS		MA000422
46*	222573.40		222545.35 DC			SVA,14,AXITA+4.0		MA000422
47*	222574.CC		000040.1C 00			B,DMCP		MA000423
48*	222574.40		000041.CC 80			,DRET		MA000423
49*	000014.00+		+00CC0000	NULL	CNUM	SYN,12.	-THIS PARAMETER CAN BE VARIED	MA000424
50*					-	ACCORDING TO NO. OF LINES DESIRED IN PRINT BUFFER		MA000425
51*	222575.00		222602.00+ 000	000226 222575	CWX	CW(CR),CX,15C,CWX	-CWS FOR BUFFERS X AND Y	MA000426
52*	222576.00		223030.00+ 000	000226 222576	CWY	CW(CR),CY,15C,CWY	-CF=X+1.	MA000427
53*	222577.CC		222602.06+ 000	C00014 222601	CWA	XW,CX+.6,CNUM,CWW	-TRANSMISSION INDEX	MA000428
54*	222600.00		222602.06+ CCC	C00014 222601	CWT	XW,CX+.6,CNUM,CWW	-BUFFER X	MA000429
55*	222601.CC		223030.06+ CCC	000014 222600	CWW	XW,CY+.6,CNUM,CWT	-BUFFER Y	MA000430
56*	222602.CC				CX	(A*)DC(BU,6,6),P*	-BUFFER X AND Y RESERVATION	MA000431

```
LINE  LOCATION          BINARY OUTPUT              NAME     STATEMENT                                      LOCATION  222603

 1* 222603.00 *     000225.00                               DR(N),149              -P-RECORD CONTROL CHARACTER FOR PRINT       MA000432
 2* 223030.00                                      CY       (A*)DD(BU,6,6),P*      -X=CF IN DR(N),X WHERE                      MA000433
 3* 223031.00 *     000225.00                               DR(N),149              -X=(133*6*CNUM+5)/64                        MA000434
 4* 000000.00+      +00000012          NULL        A CRD    SYN,10                          -THIS PARAMETER CAN BE VARIED      MA000435
 5*                                                -        ACCORDING TO NO. OF CARDS DESIRED IN PUNCH BUFFER                  MA000436
 6* 000226.00+      +00000000          NULL        ACRD15   SYN,150.               -ACRD*15                                    MA000437
 7* 223256.00     000000.00+ 000 000017 223256     AXWZ     XW,0,15,AXWZ                                                       MA000438
 8* 223257.00     223262.06+ 000 000226 223261     ACWA     XW,ACX+.6,150,ACWW   -CF=Y                                         MA000439
 9* 223260.00     223262.06+ 000 000226 223261     ACWT     XW,ACX+.6,150,ACWW   -CF=Y                                         MA000440
10* 223261.00     223511.06+ 000 000226 223260     ACWW     XW,ACY+.6,150,ACWT   -CF=Y                                         MA000441
11* 223262.00                                      ACX      (A*)DD(BU,6,6),C*     -BUFFER X AND Y RESERVATION                  MA000442
12* 223263.00 *     000226.00                               DRZ(N),150             -C-RECORD CONTROL CHARACTER FOR PUNCH       MA000443
13* 223511.00                                      ACY      (A*)DD(BU,6,6),C*     -Y=CF IN DR(N),X WHERE                       MA000444
14* 223512.00 *     000226.00                               DRZ(N),150             -Y=(80*12*ACRD+5)/64                        MA000445
15* 223740.00     000000.00+ 000 000000 000000     CKERIC   CW,          -COPIED CONTROL WORD FOR UK ON WRITING A BUFFER       MA000446
16* 223741.00     223743.04+ 000 000015 223741     CXFILL   XW,CFILL,13,CXFILL  -XW TO FILL PRINT BUFFER WITH BLANKS           MA000447
17* 223742.00 *     000001.00                      CTRAIL   DRZ(N),1               -TRAILER RECORD                             MA000448
18* 223743.00                                    0 CBTA     DD(BU,1,8),0           -BUFFER T INDICATOR                         MA000449
19* 223743.01 *     000000.01                      ABTA     DRZ(BU,1),1            -BUFFER T INDICATOR                         MA000450
20* 223743.02       000000.01                      ATMI     DRZ(BU,1),1            -TAPE MARK INDICATOR                        MA000451
21* 223743.03       000000.01                      AOPTRI   DRZ(BU,1),1   -OUTPUT REQUEST INDICATOR                            MA000452
22* 223743.04                                      CFILL    (A*)DD(BU,6,6),-              *    -BLANKS FOR FILL                MA000453
23* 223744.06                                    0 CBWA     DD(BU,1,8),0           -BUFFER W INDICATOR                         MA000454
24* 223744.07       000000.01                      ABWA     DRZ(BU,1),1            -BUFFER W INDICATOR                         MA000455
25* 223744.10       000000.01                      APPERR   DRZ(BU,1),1                                                        MA000456
26* 223744.11                                    0 CATUB    DD(BU,1,1),0           -TAPE USAGE INDICATOR                       MA000457
27* 223744.12       000000.01                       ATBRI   DRZ(BU,1),1                                                        MA000458
28* 223744.13                                    0 ATARI    DD(BU,1),0                                                         MA000459
29* 223744.14       000000.01                      AEOJI    DRZ(BU,1),1            -EOJ INDICATOR                              MA000460
30* 223744.15       000000.01                      ATSWCR   DRZ(BU,1),1               -TAPE SWITCH REQUEST INDICATOR           MA000461
31* 223744.40     000001.00+                       CCX      VF,1.                  -OUTPUT BUFFER POINTER                      MA000462
32* 223745.00     000001.00+                       AACX     VF,1.                  -OUTPUT BUFFER POINTER                      MA000463
33* 223745.40     000012.00+                       AUKCT    VF,10.                                                             MA000464
34* 223746.00     000000.00+                       AWRCT    VF,0                      -BSP,ERG,W RETRY COUNTER                 MA000465
35* 223746.40     000000.00+                       ABSPCT   VF,0                      -BSP RETRY COUNTER                       MA000466
36* 223747.00     000000.00+                       AEFCT    VF,0                      -WEF RETRY COUNTER                       MA000467
37* 223747.40     000000.00+                       ATSWKE   VF,0                      -STOR. FOR WEF TBL. OF EXITS             MA000468
38* 223750.00     223262.00+ 000 000227 223750     ACW1     CW(CR),ACX,151,ACW1 -CF=Y+1.                                       MA000469
39* 223751.00     223511.00+ 000 000227 223751     ACW2     CW(CR),ACY,151,ACW2 -CF=Y+1.                                       MA000470
40* 223752.00     223742.00+ 000 000001 223752     CTR      CW(CR),CTRAIL,1,CTR -CW FOR TRAILER RECORD                         MA000471
41* 223753.00     000000.00+ 000 000000 000000     CXR7     XW                     -DUMP HOLD FOR I                            MA000472
42* 223754.00     000000.00+ 000 000000 000000              XW                             -N                                  MA000473
43* 223755.00     000000.00+ 000 000000 000000              XW                             -D                                  MA000474
44* 223756.00 *   000000.00+ 000 000000 000000              XW                             -E                                  MA000475
45* 223757.00     000000.00+ 000 000000 000000              XW                             -X                                  MA000476
46* 223760.00     000000.00+ 000 000000 000000              XW                                                                 MA000477
47* 223761.00     000000.00+ 000 000000 000000              XW                                                                 MA000478
48* 223762.00     000000.00+ 000 000000 000000              XW                                                                 MA000479
49* 223763.00     000000.00+ 000 000000 000000     CXR15    XW                     -                    X REGISTERS            MA000480
50* 223764.00                                      ASERR    (A*)DD(BU),-JOB TERMINATED - ERROR IN OUTPUT CALLIN*               MA000481
51* 223771.00 *                                             (A*)DD(BU),G SEQUENCE                                   *          MA000482
52* 223776.00                                               (A*)DD(BU),                                             *          MA000483
53* 224003.00                                               (A*)DD(BU),                     *                                  MA000484
54* 224005.00                                      A2FMC    (IQS*)DD(BU),2*                                                    MA000485
55* 224005.10                                      A0FMC    (IQS*)DD(BU),0*                                                    MA000486
56* 224005.20                                      A1FMC    (IQS*)DD(BU),1*                                                    MA000487
```

LOCATION 224005

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	
1*	224005.30 *		APHYM	(IQS*)DD(BU),PHYSICAL*	MA000488
2*	224006.30		ALCGM	(IQS*)DD(BU),LOGICAL *	MA000489
3*	224007.40	000C00.30 00		CNOP	MA000490
4*	224010.00		ANFMS	(IQS*)DD(BU),DATA FAILURE ON *	MA000491
5*	224012.00		ALNKMS	(IQS*)DD(BU),UNIT FAILURE ON *	MA000492
6*	224014.00 *	000003.00	CMESS1	DRZ(N),3	MA000493
7*	224017.00			(IQS*)DD(BU), THERE ARE FILE MARKS ON *	MA000494
8*	224023.40			(IQS*)DD(BU),END OF TAPE *	MA000495
9*				CNOP	MA000496
10*	224025.00		APGKM1	(IQS*)DD(BU),INSERT A RING IN OUTPUT TAPE ON *	MA000497
11*	224031.00 *	000001.00	AEPGKM	DRZ(N),1	MA000498
12*			-	SYMBOLIC UNITS	MA000499
13*	224032.00	000013.00+	AMR	VF,CT11	MA000500
14*	224032.40	000013.00+	AMR1	VF,CT11	MA000501
15*	224033.00	000014.00+	AMR2	VF,CT21	MA000502
16*	224033.40	000000.00+		VF,	MA000503
17*			-	OUTPUT PSEUDO-OP	MA000504
18*	224034.00	000027.00 80 223753.22 AC	CDRY	TI,9,$7,CXR7	MA000505
19*	224035.00	223744.14 80 224037.74 06		BBZ,AEOJI,CDRY1 -IS EOJ INDICATOR ON	MA000506
20*	224036.00	223743.03 80 001000.36 F0		CM1111(BU,1),AOPTRI -NO TURN ON OUTPUT REQUEST INDICATOR	MA000507
21*	224037.00	222144.10 00		B,ARET	MA000508
22*	224037.40	223744.11 80 224037.74 02	CDRY1	BB,CATUB,$ -IF SPOOL TAPE BUSY WAIT	MA000509
23*	224040.40	222257.23 80 222146.34 00		BZB,CXY+.19,ARET1 -IF HAVE NEW TAPE, RETURN	MA000510
24*	224041.40	223763.37 10		SX,$15,CXR15 -SAVE INDEX	MA000511
25*	224042.00	223744.11 80 001100.36 F0		CM1111,CATUB -MAKE TAPE UNAVAILABLE	MA000512
26*	224043.00	223742.05 80 001100.00 F0		CMOC00(BU,1,1),CTRAIL+.05 -PHYSICAL AND LOGICAL END OF TAPE	MA000513
27*	224044.00	223743.02 80 001000.00 F0		CMOC00,ATMI -ONE TAPE MARK TO BE WRITTEN	MA000514
28*	224045.00 *	222320.37 01		LVI,$15,CRET -LOAD INDEX WITH EXIT	MA000515
29*	224045.40	222405.10 00		B,ATSWC3 -GO TO TAPE SWITCH	MA000516
30*	224046.00	000000.00+	ACP	VF,0	MA000517

```
LINE  LOCATION         BINARY OUTPUT                  NAME      STATEMENT                                                  LOCATION

  1*                                                  - ********************************************************************  MB000001
  2*                                                  -          ********** THE DISABLED SPOOL SHORT MESSAGE ROUTINE **********  MB000002
  3*                                                  - ********************************************************************  MB000003
  4* 224046.31 *                                                 SLC,$                                                       MB000004
  5* 224046.40       224062.01 10                     Z SPL PR SX,0,Z SAV IX                                               MB000005
  6* 224047.00       224063.03 10                              SX,1,Z SAV IX+1.0                                           MB000006
  7* 224047.40       224052.00 30                              LV,0,Z SPL P9                                               MB000007
  8* 224050.00       000000.41 00                              V-I,0,.32                                                   MB000008
  9* 224050.40       224053.01 00                              SVA,0,Z GET NM                                              MB000009
 10* 224051.00       000000.41 00                              V-I,0,.32                                                   MB000010
 11* 224051.40       224061.41 00                              SVA,0,Z SPL PX                                              MB000011
 12* 224052.00       000000.01 B0                     Z SPL P9 LVE,0,0.0                                                   MB000012
 13* 224052.40       224055.01 00                              SVA,0,Z TRANS                                               MB000013
 14* 224053.00       000000.03 B0                     Z GET NM LVE,1,0.0                                                   MB000014
 15* 224053.40       000021.02 50                              LC,1,$1                                                     MB000015
 16* 224054.00       224104.00 80  224103.01 A0                TBI,16,Z LST BF,Z LST BF-1.0                                MB000016
 17* 224055.00       000000.00 80  224064.02 20       Z TRANS  T,1,0.0,Z MSG BF                                            MB000017
 18* 224056.00       215265.00 80                              SIC,STIC                                                    MB000018
 19* 224056.40       215510.04 00                              BD,S IFAD                                                   MB000019
 20* 224057.00       000103.40 80                              ,D SPR                                                      MB000020
 21* 224057.40       224064.00 80                              ,Z MSG BF                                                   MB000021
 22* 224060.00       000001.00 80                              ,1.0                                                        MB000022
 23* 224060.40       224062.00 10                              LX,0,Z SAV IX                                               MB000023
 24* 224061.00       224063.02 10                              LX,1,Z SAV IX+1.0                                           MB000024
 25* 224061.40 *     000000.04 00                     Z SPL PX BD,0.0                                                      MB000025
 26*                                                           CNOP                                                        MB000026
 27* 224062.00 *     000002.00                        Z SAV IX DRZ(BU,64,8),(2)                                            MB000027
 28* 224064.00                                        ZMSGBF   (AX)DD(BU),        X                                        MB000028
 29* 224065.00                                                 (AX)DD(BU),        X                                        MB000029
 30* 224066.00                                                 (AX)DD(BU),        X                                        MB000030
 31* 224067.00                                                 (AX)DD(BU),        X                                        MB000031
 32* 224070.00                                                 (AX)DD(BU),        X                                        MB000032
 33* 224071.00                                                 (AX)DD(BU),        X                                        MB000033
 34* 224072.00                                                 (AX)DD(BU),        X                                        MB000034
 35* 224073.00                                                 (AX)DD(BU),        X                                        MB000035
 36* 224074.00                                                 (AX)DD(BU),        X                                        MB000036
 37* 224075.00                                                 (AX)DD(BU),        X                                        MB000037
 38* 224076.00                                                 (AX)DD(BU),        X                                        MB000038
 39* 224077.00 *                                               (AX)DD(BU),        X                                        MB000039
 40* 224100.00                                                 (AX)DD(BU),        X                                        MB000040
 41* 224101.00                                                 (AX)DD(BU),        X                                        MB000041
 42* 224102.00                                                 (AX)DD(BU),        X                                        MB000042
 43* 224103.00                                                 (AX)DD(BU),        X                                        MB000043
 44* 224104.00                                        Z LST BF (AX)DD(BU,64,8),         X                                     MB000044
```

```
LINE   LOCATION              BINARY OUTPUT              NAME        STATEMENT                                              LOCATION

  1*                                                    -  ***************************************************************-0037 *   0A000001
  2*                                                    -              ********** THE INPUT PROGRAM ***********           -0038      0A000002
  3*                                                    -  ***************************************************************-0039 *   0A000003
  4* 224105.00 *                                                      SLC,$                                                -0040      0A000004
  5*                                                    -                                                                  -0041      0A000005
  6* 000000.40+        +00000000      NULL              V F           SYN,.32                                              -0043      0A000006
  7* 000000.00+        +00000040      NULL              V H           SYN,32                                               -0044      0A000007
  8* 777777.40+        +00000000      NULL              V XXRG        SYN,262143.V H                                       -0045      0A000008
  9* 777777.00+        +00000000      BU,100,10         V M1          SYN(BU,64),262143.                                   -0046      0A000009
 10* 000002.00+        +00000000      NULL              V FCD         SYN,2.  -NO. OF REMAINING JOBS ON RT WHEN TS REQUESTED -0047      0A000010
 11* 000000.00+        +00000000      NULL              V X           SYN,0                                                -0048      0A000011
 12* 000000.40+        +00000000      NULL              V X1          SYN,V X.V H                                          -0049      0A000012
 13* 000001.00+        +00000000      NULL              V X2S         SYN,V X1.V H                                         -0050      0A000013
 14* 000002.00+        +00000000      NULL              V X2R         SYN,V X2S.64                                         -0051      0A000014
 15* 000004.00+        +00000000      NULL              V CWR         SYN,V X2R+2.                                         -0052      0A000015
 16* 000005.00+        +00000000      NULL              V NX          SYN,V CWR.64                                         -0053      0A000016
 17* 000005.40+        +00000000      NULL              V IC          SYN,V NX.V H                                         -0054      0A000017
 18* 000006.00+        +00000000      NULL              V SU          SYN,V IC.V H                                         -0055      0A000018
 19* 000006.40+        +00000000      NULL              V RQB         SYN,V SU.V H                                         -0056      0A000019
 20* 000007.00+        +00000000      NULL              V RCNT        SYN,V RQB.V H                                        -0057      0A000020
 21* 000007.40+        +00000000      NULL              V FCNT        SYN,V RCNT.V H                                       -0058      0A000021
 22* 000010.00+        +00000000      NULL              V STR         SYN,V FCNT.V H                                       -0059      0A000022
 23* 000010.40+        +00000000      NULL              V TS          SYN,V STR.V H                                        -0060*     0A000023
 24* 000011.00+        +00000000      NULL              V FCNX        SYN,V TS.V H                                         -0061+     0A000024
 25* 000023.00+        +00000000      BU,100,10         V U           SYN,$3                                               -0062      0A000025
 26* 000021.00+        +00000000      BU,100,10         V P           SYN,$1                                               -0063      0A000026
 27* 000024.00+        +00000000      BU,100,10         V T1          SYN,$4                                               -0064      0A000027
 28* 000031.00+        +00000000      BU,100,10         V T5          SYN,$9                                               -0068      0A000028
 29* 000026.00+        +00000000      BU,100,10         V T2          SYN,$6                                               -0065      0A000029
 30* 000027.00+        +00000000      BU,100,10         V T3          SYN,$7                                               -0066      0A000030
 31* 000030.00+        +00000000      BU,100,10         V T4          SYN,$8                                               -0067      0A000031
 32* 000032.00+        +00000000      BU,100,10         V S1          SYN,$10                                              -0069      0A000032
 33* 000033.00+        +00000000      BU,100,10         V S2          SYN,$11                                              -0070      0A000033
 34* 000022.00+        +00000000      BU,100,10         V Q1          SYN,$2                                               -0071      0A000034
 35* 000035.00+        +00000000      BU,100,10         V Q2          SYN,$13                                              -0072      0A000035
 36* 000036.00+        +00000000      BU,100,10         V Q3          SYN,$14                                              -0073      0A000036
 37* 000025.00+        +00000000      BU,100,10         V Q4          SYN,$5                                               -0074      0A000037
 38* 000000.00+        +00000004      NULL              V UB          SYN,4                                                -0075      0A000038
 39* 000001.40+        +00000000      NULL              V RA          SYN,1.32                                             -0076      0A000039
 40* 000003.00+        +00000000      NULL              V PAR         SYN,3.                                               -0077      0A000040
 41* 000002.40+        +00000000      NULL              V PCP         SYN,2.32                                             -0078*     0A000041
 42* 224105.00                                                        SLC,$                                                -0079      0A000042
 43*                                                                  CNOP,                                                -0080      0A000043
 44* 224105.00                                  03      V VSCR        DD(BU,4),3,1                                         -0081      0A000044
 45* 224105.04                                  01                                                                                    0A000044
 46* 224105.10                                   0                    DD(BU,3),0                                           -0082      0A000045
 47* 224105.13                                   2                    DD(BU,2),2,2                                         -0083      0A000046
 48* 224105.15                                   2                                                                                    0A000046
 49* 224105.17                          0000000000                    DD(BU,30),0                                          -0084      0A000047
 50*                                                                  EXT(0,18)                                                       0A000048
 51* 224105.55                             0451074                    BE,V SCR                                   -0085                0A000048
 52* 224106.00                         00000000000                    DD(BU,32),,,,,,                                      -0086      0A000049
 53* 224106.40                         00000000000                                                                                    0A000049
 54* 224107.00                         00000000000                                                                                    0A000049
 55* 224107.40                         00000000000                                                                                    0A000049
 56* 224110.00                         00000000000                                                                                    0A000049
```

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT		LOCATION 224110	
1*	224110.40		0000000000C0						CA000049
2*	224111.00		C2	V VSKM	DD(BU,4),2,1	-2 PARAMETERS, ENABLED SIC ENTRY		-0087	CA000050
3*	224111.04		C1						CA000050
4*	224111.10		0		DD(BU,3),C			-0088	CA000051
5*	224111.13		2		DD(BU,2),2,			-0089	CA000052
6*	224111.15		0						CA000052
7*	224111.17		0000CCCOC0		DD(BU,3C),0			-0090	CA000053
8*					EXT(0,18)				CA000054
9*	224111.55		0450310		BE,V SSKOM		-0091		CA000054
10*	224112.00		000000CCCCC0		DD(BU,32),,,,,			-0092	CA000055
11*	224112.4C		000000CCCOC0						CA000055
12*	224113.00		0000CCCCCOC0						CA000055
13*	224113.40		000000CCOCC0						CA000055
14*	224114.00		000000CCCCC0						CA000055
15*	224114.4C	225232.CC CC		V XCRG	BE,V CR			-0093	CA000056
16*	224115.CC *	CCCCC2.CC		V CREXT	DRZ(B,64),2			-0094	CA000057
17*	224117.00	23C363.40 80			SIC,RKS BRC				CA000058
18*	224117.4C	227524.5C CC			B,RKS UK		-0095		CA000058
19*	224120.CC	224114.46 30			LV,V U,V XCRG				CA000059
20*	224120.40	777777.5C 03			B,-.32(V U)		-0096		CA000059
21*	224121.00	224114.46 30			LV,V U,V XCRG				CA000060
22*	224121.4C	224171.1C CC			B,V RDCSS		-0097		CA000060
23*	224122.CC	224114.46 30			LV,V U,V XCRG				CA000061
24*	224122.40	777777.1C 03			B,-1.(V U)		-0098		CA000061
25*	224123.00	CCCCC0.30 CC			NOP,			-0099	CA000062
26*	224123.4C	225312.CC CC		V XWRG	BE,V ST			-0100	CA000063
27*	224124.00 *	000CC2.CC		V WTEXT	DRZ(B,64),2			-0101	CA000064
28*	224126.CC	23C363.40 80			SIC,RKS BRC				CA000065
29*	224126.40	227524.50 CC			B,RKS UK		-0102		CA000065
30*	224127.CC	224123.46 30			LV,V U,V XWRG				CA000066
31*	224127.40	777777.5C 03			B,-.32(V U)		-0103		CA000066
32*	224130.00	CCCCC6.23 C1			LVI,V T5,V WTP				CA000067
33*	224130.4C	224757.5C CC			B,V TDSP		-0104		CA000067
34*	224131.CC	224123.46 30			LV,V U,V XWRG				CA000068
35*	224131.40	777777.1C 03			B,-1.(V U)		-0105		CA000068
36*	224132.00	CCCCC0.30 CC			NOP,			-0106	CA000069
37*	224132.4C	CCCC04.CC CC		V XRRG	BE,V RTP			-0107	CA000070
38*	224133.CC *	000CC2.CC		V RTEXT	DRZ(BU,64),2			-0108	CA000071
39*	224135.CC	23C363.40 80			SIC,RKS BRC				CA000072
40*	224135.40	227524.5C CC			B,RKS UK		-0109		CA000072
41*	224136.CC	224132.46 30			LV,V U,V XRRG				CA000073
42*	224136.4C	777777.5C 03			B,-.32(V U)		-0110		CA000073
43*	224137.00	CCCCC4.23 C1			LVI,V T5,V RTP				CA000074
44*	224137.4C	224757.5C CC			B,V TDSP		-0111		CA000074
45*	224140.CC	224132.46 30			LV,V U,V XRRG				CA000075
46*	224140.40	777777.1C 03			B,-1.(V U)		-0112		CA000075
47*	224141.CC	224133.00+ CCC	CCCCCC CCCCCC	V XGX	XW,V RTEXT			-0113	CA000076
48*	224142.CC	224115.00+ CCC	CCCCCC CCCCCC		XW,V CREXT			-0114	CA000077
49*	224143.CC	224124.00+ CCC	CCCCCC CCCCCC		XW,V WTEXT			-0115	CA000078
50*	224135.00+	-0CCCCCCC	BU,3C ,10	V XG	SYN,V XGX-V RTP			-0116	CA000079
51*	224144.00	224114.C7 B0		V SSKOM	LVE,V U,V VSKM+V PAR			-0117	CA000080
52*	224144.40	224112.40 30			LV,,V VSKM+V RA			-0118	CA000081
53*	224145.CC	225427.C2 10			LX,V P,V PD			-0119	CA000082
54*	224145.40	CCCCC0.CC 81			SIC,(V P)				CA000083
55*	224146.CC	224150.C3 48			CB+,V P,V DISP		-0120		CA000083
56*	224146.40	224112.41 30			SV,,V VSKM+V RA			-0121	CA000084

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 224147		
1*	224147.00	000040.10 00			B,D MCP			0A000085
2*	224147.40	000041.00 80			,D RET	-0122		0A000085
3*	224150.00 *	224154.50 03		V DISP	B,V BYP(V U)		-0123	0A000086
4*	224150.40	225010.50 00		V OFFON	B,V ONLIN		-0124	0A000087
5*	224151.00	225032.50 00			B,V OFFLN		-0125	0A000088
6*	224151.40	224226.50 00			B,V EOFN		-0126	0A000089
7*	224152.00	224545.10 00			B,V OEOJ		-0127	0A000090
8*	224152.40	225103.10 00			B,V BYPAS		-0128	0A000091
9*	224153.00	225203.50 00			B,V SREW		-0129	0A000092
10*	224153.40	224272.50 00			B,V SCR1		-0130	0A000093
11*	224154.00	224242.50 00			B,VSCAN			0A000094
12*	224154.40	225151.10 00		V BYP	B,V ONLIB		-0132	0A000095
13*	224155.00	225136.10 00			B,V OFFLB		-0133	0A000096
14*	224155.40	224221.50 00			B,V EOFB		-0134	0A000097
15*	224156.00	224533.10 00			B,V BEOJ		-0135	0A000098
16*	224156.40	224160.10 00			B,V BSTRT		-0136	0A000099
17*	224157.00	224157.50 00			B,V NOP		-0137	0A000100
18*	224157.40	777777.03 09		V NOP	CB-,V P,V M1(V P)		-0138	0A000101
19*	224160.00	224157.51 01		V BSTRT	LVI,V T1,V NOP		-0141	0A000102
20*	224160.40	224154.51 03			SVA,V T1,V BYP(V U)		-0142	0A000103
21*	224161.00	225232.07 01			LVI,V U,V CR		-0143	0A000104
22*	224161.40	000001.01 05			V+I,,1.		-0144	0A000105
23*	224162.00	224655.10 00			B,V ACT		-0145	0A000106
24*	224162.40	225427.02 10		V REEL	LX,V P,V PD		-0146	0A000107
25*	224163.00	000000.00 81			SIC,(V P)			0A000108
26*	224163.40 *	224633.50 00			B,V EE	-0147		0A000108
27*	224164.00	224177.55 00			SVA,V T2,V REE1		-0148	0A000109
28*	224164.40	000000.23 05			V+I,V T5,0		-0149	0A000110
29*	224165.00	224166.71 40			BZXVZ,V REE7		-0150	0A000111
30*	224165.40	224177.63 00			SVA,V T5,V REE1		-0151	0A000112
31*	224166.00	225232.62 30			LV,VT5,VX1+VCR	-020		0A000113
32*	224166.40	000000.00 81		V REE7	SIC,(V P)			0A000114
33*	224167.00	224456.43 48			CB+,V P,V NXT	-0153		0A000114
34*	224167.40	225232.07 01			LVI,V U,V CR		-0154	0A000115
35*	224170.00	224171.23 80	224207.34 00		BZB1,V CSAW,V REE3		-0155	0A000116
36*	224171.00	224450.50 00		V RDCSS	B,V RTN		-0156	0A000117
37*	224171.23+	+00000000	BU,01 ,10	V CSAW	SYN(BU,1),V RDCSS.19		-0157	0A000118
38*	224171.40	225427.02 10			LX,V P,V PD		-0158	0A000119
39*	224172.00	000040.10 00			B,D MCP			0A000120
40*	224172.40	000002.00 80			,D CCW	-0159		0A000120
41*	224173.00	000006.01 83			LVE,,V SU(V U)		-0160	0A000121
42*	224173.40	224646.00 80			,V EE1		-0161	0A000122
43*	224174.00	224646.22 80	224157.74 00		BZB,V EE1.18,V NOP		-0162	0A000123
44*	224175.00	224171.23 80	000000.34 04		BZBZ,V CSAW,		-0163	0A000124
45*	224176.00	224372.32 80	001000.00 F0	V RDCSX	CMOC00,V EOFX		-0164	0A000125
46*	224177.00 *	225232.07 01			LVI,VU,VCR	-021		0A000126
47*	224177.40	000000.15 01		V REE1	LVI,V T2,0		-0165	0A000127
48*						-019		0A000128
49*	224200.00	224203.31 42			BXVZ,V REE4		-0166	0A000129
50*	224200.40	000000.55 33			SV,V T2,V X1(V U)		-0167	0A000130

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 224201		
1*	224201.CC	CCCCC0.16 33			LV,V T3,V X(V U)		-0168	0A000132
2*	224201.40	224202.70 C2			BXVLZ,$.64		-0169	0A000133
3*	224202.CC	000042.17 0D			V-I,V T3,34.		-0170	0A000134
4*	224202.40	CCCCC5.5C 03			B,V IO(V U)		-0171	0A000135
5*	224203.CC	CCCCC0.55 33		V REE4	SV,V T2,V X1(V U)		-0172	0A000136
6*	224203.4C	224655.1C CC			B,V ACT		-0173	0A000137
7*					CNOP,		-0174	0A000138
8*	224204.CC			V REE6	(IQS*)CD(BU,8,8),SERVICE THE CARD READER *		-0175	0A000139
9*	224207.CC	224210.23 09		V REE3	LVNI,V T5,V EES		-0176	0A000140
10*	224207.4C	224456.5C CC			B,V NXT		-0177	0A000141
11*	224210.CC	224171.23 80	224215.74 CC	V EES	BZB,V CSAW,V EES1		-0178	0A000142
12*	224211.CC	225250.C7 04			KVI,V U,V SC		-0179	0A000143
13*	224211.40	224216.32 C0			BZXE,V EES2		-0180	0A000144
14*	224212.CC	225255.11 B0			LVE,V T1,V NX+V SC		-0181	0A000145
15*	224212.4C *	224324.51 04			KVI,V T1,V WQ		-0182	0A000146
16*	224213.CC	224216.32 C2			BXE,V EES2		-0183	0A000147
17*	224213.4C	224210.23 09			LVNI,V T5,V EES		-0184	0A000148
18*	224214.CC	CCCCC0.CC 81			SIC,(V P)			0A000149
19*	224214.4C	224456.43 48			CB+,V P,V NXT	-0185		0A000149
20*	224215.00	225250.C7 01			LVI,V U,V SC		-0186	0A000150
21*	224215.4C	224671.43 C8		V EES1	CB-,V P,V SETX		-0187	0A000151
22*	224216.CC	224372.32 80	224215.74 02	V EES2	BB,V ECFX,V EES1		-0188	0A000152
23*	224217.CC	000C40.1C 00			B,D MCP			0A000153
24*	224217.40	CCC043.4C 80			,D COMM	-0189		0A000153
25*	224220.00	224204.00+			VF,V REE6		-0190	0A000154
26*	224220.4C	CCCCC3			CF,3		-0191	0A000155
27*	224221.CC	224671.43 C8			CB-,V P,V SETX		-0192	0A000156
28*	224221.40	224171.23 80	224157.74 0C	V ECFB	BZB,V CSAW,V NOP		-0193	0A000157
29*	224222.40	225376.5C 30			LV,V T1,V X1+V E		-0194	0A000158
30*	224223.CC	224157.71 40			BZXVZ,V NOP		-0195	0A000159
31*	224223.40	225400.16 10			LX,V T3,V X2R+V E		-0196	0A000160
32*	224224.CC	CCCCC0.10 37			LV,V T1,(V T3)		-0197	0A000161
33*	224224.40	224157.71 40			BZXVZ,V NOP		-0198	0A000162
34*	224225.CC	000CC0.41 05			V+I,,V F			0A000163
35*	224225.40 *	224372.32 80	224157.74 0C		BZB1,V ECFX,V NOP		-0199	0A000164
36*	224226.4C	224171.23 80	224157.74 0C	V ECFN	BZB,V CSAW,V NOP		-0200	0A000165
37*	224227.40	225247.1C 10			LX,V T1,V TX1		-0201	0A000166
38*	224230.CC	224157.5C 48			CB,V T1,V NOP		-0202	0A000167
39*	224230.40	225252.16 10			LX,V T3,V X2R+V SC		-0203	0A000168
40*	224231.CC	CCCCC0.10 37			LV,V T1,(V T3)		-0204	0A000169
41*	224231.40	224157.71 40			BZXVZ,V NOP		-0205	0A000170
42*	224232.CC	000CC0.41 05			V+I,,V F			0A000171
43*	224232.4C	224372.32 80	225203.74 0C		BZB1,V ECFX,V SREW		-0206	0A000172
44*	224233.40	225232.07 01		V RDQ	LVI,V U,V CR		-0207	0A000173
45*	224234.CC	CCCCC0.CC 81			SIC,(V P)			0A000174
46*	224234.4C	224702.1C CC			B,V CCM	-0208		0A000174
47*	224235.CC	224653.1C CC			B,V ACTX		-0209	0A000175
48*	224235.4C	CCCCC0.CC 81		V RDIO	SIC,(V P)			0A000176
49*	224236.CC	224707.5C CC			B,V MD	-0210		0A000176
50*	224236.40	C00C40.1C C0			B,D MCP			0A000177
51*	224237.CC	CCCCC1.CC 80			,D RD	-0211		0A000177

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 224237		
1*	224237.40	000005.00 80			,V CRD		-0212	OA000179
2*	224240.00	225236.00 80			,V RDCW		-0213	OA000180
3*	224240.40	777777.03 C9			CB-,V P,V M1(V P)		-0214	OA000181
4*	224241.00	24C0201042C011C2		RJOB	DD(BU,48),(8)240C201042C011C2			OA000182
5*	224241.60 *	410020102040404040		RCOMD	DD(BU,48),(8)410C201C20404040			OA000183
6*		-					-0215	OA000184
7*	224242.40	225250.07 01		V SCAN	LVI,V U,V SC		-0216	OA000185
8*	224243.00	225247.26 10			LX,V S2,V TX1		-0217	OA000186
9*	224243.40	224247.76 80	224244.74 04	V SC6	BZBZ,V SC7B.30,$+1.		-0218	OA000187
10*	224244.40	224322.00 80		V SC7A	SIC,V SQ1			OA000188
11*	224245.00	224245.50 00			B,$.32	-0219		OA000188
12*	224245.40	225246.24 10			LX,V S1,V TX		-0220	OA000189
13*	224246.00	000000.42 6A		V SC7	LWF(U),(V S1)		-0221	OA000190
14*	224246.40	420000.00 80	414072.23 10		KFI(BU,12),(16)880,-12		-0222	OA000191
15*	224247.40	224252.76 C0		V SC7B	BZAE,V SC0		-0223	OA000192
16*	224250.00	000017.25 07		V SC3	V+ICR,V S1,15.		-0224	OA000193
17*	224250.40	224246.27 48			CB+,V S2,V SC7		-0225	OA000194
18*	224251.00	000000.00 81			SIC,(V P)			OA000195
19*	224251.40	224307.03 48			CB+,V P,V SC1C	-0226		OA000195
20*	224252.00	224246.10 00			B,V SC7		-0227	OA000196
21*	224252.40	110000.00 80	414072.23 10	V SC0	KFI(BU,12),(16)240,-12		-0228	OA000197
22*	224253.40	224250.36 C2			BAE,V SC3		-0229	OA000198
23*	224254.00	224247.76 80	224250.34 08	RSWITC	BZBN,VSC7B.30,VSC3			OA000199
24*	224255.00 *	000001.54 8A	060000.20 50		L(BU,48),1.44(VS1)			OA000200
25*	224256.00	224241.00 80	060000.23 10		KF(BU,48),RJOB			OA000201
26*	224257.00	224261.36 C2			BAE,RBREAK			OA000202
27*	224257.40	224241.60 80	060000.23 10		KF(BU,48),RCOMD			OA000203
28*	224260.40	224254.36 C0			BZAE,RSWITC			OA000204
29*	224261.00	000033.22 30		RBREAK	LV,VT5,VS2			OA000205
30*	224261.40	224263.71 42			BXVZ,V SC5		-0233	OA000206
31*	224262.00	000000.00 81			SIC,(V P)			OA000207
32*	224262.40	224456.43 48			CB+,V P,V NXT	-0234		OA000207
33*	224263.00	000000.27 01			LVI,V S2,0		-0235	OA000208
34*	224263.40	224157.63 C9		V SC5	LVNI,V T5,V NOP		-0236	OA000209
35*	224264.00	000000.00 81			SIC,(V P)			OA000210
36*	224264.40	225255.03 48			CB+,V P,V NX+V SC	-0237		OA000210
37*	224265.00	225250.07 01			LVI,V U,V SC		-0238	OA000211
38*	224265.40	225246.25 10		V SC5A	SX,V S1,V TX		-0239	OA000212
39*	224266.00	224246.10 00		V SC1A	B,V SC7		-0240	OA000213
40*	224266.40	224267.10 00			B,$.V H		-0241	OA000214
41*	224267.00	225247.27 10			SX,V S2,V TX1		-0242	OA000215
42*	224267.40	215571.00 80			SIC,S PRIMR			OA000216
43*	224270.00	215570.04 00			BD,S PRIME	-0243		OA000216
44*	224270.40 *	000114.40 80			,S JC1		-0244	OA000217
45*	224271.00	224271.40 00			BE,$.32		-0245	OA000218
46*	224271.40	224274.23 80	224311.74 06		BBZ,V SCR3.19,V SQ2		-0246	OA000219
47*		-					-0247	OA000220
48*	224272.40	225250.07 01		V SCR1	LVI,V U,V SC		-0248	OA000221
49*	224273.00	225246.24 10			LX,V S1,V TX		-0249	OA000222
50*	224273.40	225247.26 10			LX,V S2,V TX1		-0250	OA000223

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 224274	
1*	224274.00	224306.30 C0		V SCR3	NOP,V SCR2		-0251	0A000225
2*	224274.40	000017.25 07			V+ICR,V S1,15.		-0252	0A000226
3*	224275.00	224302.67 48			CB+,V S2,V SCR6		-0253	0A000227
4*	224275.40	000033.22 30			LV,V T5,V S2		-0254	0A000228
5*	224276.00	000000.00 81			SIC,(V P)			0A000229
6*	224276.40	224456.43 48			CB+,V P,V NXT	-0255		0A000229
7*	224277.00	225250.07 01			LVI,V U,V SC		-0256	0A000230
8*	224277.40	000000.00 81			SIC,(V P)			0A000231
9*	224300.00	224671.50 00			B,V SETX	-0257		0A000231
10*	224300.40	000000.55 33			SV,V T2,V X1(V U)		-0258	0A000232
11*	224301.00	224304.31 42			BXVZ,V SCR4		-0259	0A000233
12*	224301.40	000026.26 50			LC,V S2,V T2		-0260	0A000234
13*	224302.00	000000.27 01			LVI,V S2,0		-0261	0A000235
14*	224302.40	224303.41 D0		V SCR6	SVA,,V SCR6A		-0262	0A000236
15*	224303.00	000000.41 05			V+I,,.V H	-NORMAL RETURN SPECIFIED	-0263	0A000237
16*	224303.40	000000.25 30		V SCR6A	SV,V S1,0		-0264	0A000238
17*	224304.00 *	000000.41 05		V SCR4	V+I,,.V H	-END RETURN SPECIFIED	-0265	0A000239
18*	224304.40	225246.25 10			SX,V S1,V TX		-0266	0A000240
19*	224305.00	225247.27 10			SX,V S2,V TX1		-0267	0A000241
20*	224305.40	777777.03 C9			CB-,V P,V M1(V P)		-0268	0A000242
21*	224306.00	224274.23 80	224302.74 0C	V SCR2	BZB1,V SCR3.19,V SCR6		-0269	0A000243
22*				-			-0270	0A000244
23*	224307.00	000000.00 81		V SC10	SIC,(V P)			0A000245
24*	224307.40	224671.50 00			B,V SETX	-0271		0A000245
25*	224310.00	000000.55 33			SV,V T2,V X1(V U)		-0272	0A000246
26*	224310.40	224312.31 42			BXVZ,V SC4		-0273	0A000247
27*	224311.00	000026.26 50			LC,V S2,V T2		-0274	0A000248
28*	224311.40	777777.03 C9		V SQ2	CB-,V P,V M1(V P)		-0275	0A000249
29*	224312.00	000033.22 30		V SC4	LV,V T5,V S2		-0276	0A000250
30*	224312.40	225246.25 10			SX,V S1,V TX		-0277	0A000251
31*	224313.00	000001.03 00			V-I,V P,1.0		-0278	0A000252
32*	224313.40	000005.10 03			B,V NX(V U)		-0279	0A000253
33*				-			-0280	0A000254
34*	224314.00	225250.07 01		V SQ	LVI,V U,V SC		-0281	0A000255
35*	224314.40	000000.00 81			SIC,(V P)			0A000256
36*	224315.00	224702.10 00			B,V COM	-0282		0A000256
37*	224315.40	225246.24 10			LX,V S1,V TX		-0283	0A000257
38*	224316.00	000000.00 81			SIC,(V P)			0A000258
39*	224316.40	224670.50 00			B,V SETUP	-0284		0A000258
40*	224317.00	225246.25 10			SX,V S1,V TX		-0285	0A000259
41*	224317.40 *	000000.15 05			V+I,V T2,0		-0286	0A000260
42*	224320.00	224311.71 42			BXVZ,V SQ2		-0287	0A000261
43*	224320.40	000000.55 33			SV,V T2,V X1(V U)		-0288	0A000262
44*	224321.00	000026.26 50			LC,V S2,V T2		-0289	0A000263
45*	224321.40	000000.27 01			LVI,V S2,0		-0290	0A000264
46*	224322.00	224245.50 00		V SQ1	B,V SC7A+1.		-0291	0A000265
47*	224322.40	225427.02 10		V WECP	LX,V P,V PD		-0292	0A000266
48*	224323.00	000007.00 83	022000.22 B0		M+1(BU,18),V RCNT(V L)		-0293	0A000267
49*	224324.00	224647.50 00			B,V ECP		-0294	0A000268
50*	224324.40	225266.07 01		V WQ	LVI,V U,V WT		-0295	0A000269

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION 224325		
1*	224325.00		C0CC01.16 13		V RQ1	LX,V T3,V X2S(V U)	-0296		0A000271
2*	224325.40		C0CC00.23 05			V+I,V T5,C	-0297		0A000272
3*	224326.00		224661.70 C0			BZXVLZ,V BLOC	-0298		0A000273
4*	224326.40		C0CC06.60 33			LV,V T4,V RQB(V U)	-0299		0A000274
5*	224327.00		224331.31 42			BXVZ,V WQ2	-0300		0A000275
6*	224327.40		0CCCC0.21 37			SV,V T4,(V T3)	-0301		0A000276
7*	224330.00		C0CC06.43 73			SR,V P,V RQB(V U)	-0302		0A000277
8*	224330.40		C0CC00.57 07			V+ICR,V T3,.V H	-0303		0A000278
9*	224331.00		C0CC00.23 37		V WQ2	SV,V T5,(V T3)	-0304		0A000279
10*	224331.40		C0CCC0.57 07			V+ICR,V T3,.V H	-0305		0A000280
11*	224332.00		C0CC01.17 13			SX,V T3,V X2S(V U)	-0306		0A000281
12*	224332.40		224653.10 00			B,V ACTX	-0307		0A000282
13*	224333.00	*	225266.07 C1		V WEFT	LVI,V U,V WT	-0308		0A000283
14*	224333.40		C0CC00.55 33			SV,V T2,V X1(V U)	-0309		0A000284
15*	224334.00		225264.42 60			LWF(U),V WT-2.	-0310		0A000285
16*	224334.40		225265.40 E0			ST(U),V WT-1.	-0311		0A000286
17*	224335.00		0CCC07.C3 73			SR,V P,V RCNT(V U)	-0312		0A000287
18*	224335.40		C0CCC1.C3 0D			V-I,V P,1.	-0313		0A000288
19*	224336.00		C0CC40.10 00			B,D MCP			0A000289
20*	224336.40		C0CC07.4C 80			,D WEF	-C314		0A000289
21*	224337.00		0CCC06.01 B3			LVE,,V SU(V U)	-0315		0A000290
22*	224337.40		777777.C3 C9			C8-,V P,V M1(V P)	-0316		0A000291
23*	224340.00		225427.02 10		RWTEE	LX,VP,VPD			0A000292
24*	224340.40		C0CC40.1C C0			B,DMCP			0A000293
25*	224341.00		0CCC15.C0 80			,DICDEF			0A000293
26*	224341.40		C0CC06.01 B3			LVE,,VSU(VU)			0A000293
27*	224342.00		224352.00 80			,RLMSGE			0A000293
28*	224342.40		C0CC40.1C C0			B,DMCP			0A000294
29*	224343.00		0CCC43.40 80			,DCCMM			0A000294
30*	224343.40		224352.00 80			,RLMSGE			0A000294
31*	224344.00		C0CC06.00 80			,6.0			0A000294
32*	224344.40		C0CC06.23 B3			LVE,VT5,VSU(VU)			0A000295
33*	224345.00		224135.23 B9			LVE,VT5,VXG(VT5)			0A000296
34*	224345.40		227645.23 30			SV,VT5,RWEXIT-1.C			0A000296
35*	224346.00	*	227642.23 80	001000.C0 F0		CMOCC0(BU,1),RKCRWT.19			0A000297
36*	224347.00		227642.CC 80			SIC,RKCRWT			0A000298
37*	224347.40		227616.10 C0			B,REWTEE			0A000298
38*	224350.00		230265.35 01			LVI,$14,RSAM1			0A000299
39*	224350.40		227642.35 D0			SVA,$14,RKCRWT			0A000299
40*	224351.00		230346.1C C0			B,REDMP			0A000300
41*	224351.40		000C00.30 00			CNOP,			0A000301
42*	224352.00				RLMSGE	(IQS*)CC(BU,8), IS UNLOADING,INPUT FOUND END OF TAPE*			0A000302
43*	224360.00		225427.02 10		RWTM	LX,VP,VPD			0A000303
44*	224360.40		C0C007.22 33			LV,VT5,VRCNT(VU)			0A000304
45*	224361.00		224377.71 42			BXVZ,VWF1			0A000305
46*	224361.40		225427.02 10		V WFEOP	LX,V P,V PD	-0317		0A000306
47*	224362.00	*	C0CC07.20 33			LV,V T4,V RCNT(V U)	-0318		0A000307
48*	224362.40		224402.31 40			BZXVZ,V WTEOP	-0319		0A000308
49*	224363.00		C0CC07.56 33			LV,V T3,V FCNT(V U)	-0320		0A000309
50*	224363.40		C0CC01.17 05			V+I,V T3,1.	-0321		0A000310
51*	224364.00		0CCC07.57 33			SV,V T3,V FCNT(V U)	-0322		0A000311
52*	224364.40		224371.56 90			KV,V T3,V MNJB	-0323		0A000312
53*	224365.00		224367.72 42			BXL,V WF3	-0324		0A000313
54*	224365.40		224371.14 30			LV,V T2,V TSQ	-0325		0A000314
55*	224366.00		224377.7C C0			BZXVLZ,V WF1	-0326		0A000315
56*	224366.40		224372.16 90			KV,V T3,V MXJB	-0327		0A000316

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 224367	
1*	224367.00	224377.72 40			BZXL,V WF1	-0328	0A000317
2*	224367.40	225263.42 60		V WF3	LWF(U),V WT-3.	-0329	0A000318
3*	224370.00	225265.40 E0			ST(U),V WT-1.	-0330	0A000319
4*	224370.40	224655.10 C0			B,V ACT	-0331	0A000320
5*	224371.00	CC0000.00+		V TSC	VF,C	-0332	0A000321
6*	224371.40	CC0005.00+		V MNJB	VF,5.	-0333	0A000322
7*	224372.00	CC0012.00+		V MXJB	VF,10.	-0334	0A000323
8*	224372.31			0 V BYCN	DD(BU,1),C	-0335	0A000324
9*	224372.32			0 V ECFX	DD(BU,1),C	-0336	0A000325
10*	224372.40	224671.43 C8		V SSRW1	CB-,V P,V SETX	-0337	0A000326
11*	224373.00	224372.31 80	224374.34 0E	V BREW	BB1,V BYCN,$+1.	-0338	0A000327
12*	224374.00	000007.10 33		V SSREW	LV,V T1,V RCNT(V U)	-0339	0A000328
13*	224374.40	000007.50 B3			V+,V T1,V FCNT(V U)	-0340	0A000329
14*	224375.00	224372.71 42			BXVZ,V SSRW1	-0341	0A000330
15*	224375.40 *	000000.55 33			SV,V T2,V X1(V U)	-0342	0A000331
16*	224376.00	000001.03 0D			V-I,V P,1.	-0343	0A000332
17*	224376.40	225264.42 60			LWF(U),V WT-2.	-0344	0A000333

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION 224377		
1	224377.00		225265.40 E0			ST(L),V WT-1.		-0345	0A000335
2	224377.40		000007.03 33		V WF1	SV,V P,V RCNT(V L)		-0346	0A000336
3	224400.00		000040.10 00			B,D MCP			0A000337
4	224400.40		000007.40 80			,D WEF	-0347		0A000337
5	224401.00		000006.01 83			LVE,,V SL(V L)		-0348	0A000338
6	224401.40		777777.03 C9			CB-,V P,V M1(V P)		-0349	0A000339
7	224402.00		225263.42 60		V WTEOP	LWF(U),V WT-3.		-0350	0A000340
8	224402.40		225265.40 E0			ST(L),V WT-1.		-0351	0A000341
9	224403.00		224721.50 00			B,V WTTS		-0352	0A000342
10	224403.40		000000.00 81		V WIC	SIC,(V P)			0A000343
11	224404.00		224707.50 00			B,V MD	-0353		0A000343
12	224404.40		000040.10 00			B,D MCP			0A000344
13	224405.00		000001.40 80			,D W	-0354		0A000344
14	224405.40		000006.01 83			LVE,,V SU(V U)		-0355	0A000345
15	224406.00		225272.00 80			,V WCW		-0356	0A000346
16	224406.40		777777.03 C9			CB-,V P,V M1(V P)		-0357	0A000347
17	224407.00		225427.02 10		V REE	LX,V P,V PD		-0360	0A000348
18	224407.40		000011.20 53			LC,V T4,V FCNX(V U)		-0361	0A000349
19	224410.00		224411.60 48			CB,V T4,V RTEE1		-0362	0A000350
20	224410.40	*	224371.00 80	031100.02 B0		M+1,V TSQ		-0363	0A000351
21	224411.40		000011.21 53		V RTEE1	SC,V T4,V FCNX(V U)		-0364	0A000352
22	224412.00		000000.00 81			SIC,(V P)			0A000353
23	224412.40		224615.03 48			CB+,V P,V TEE	-0365		0A000353
24	224413.00		224457.23 09			LVNI,V T5,V QEND		-0366	0A000354
25	224413.40		225346.07 01			LVI,V U,V Q		-0367	0A000355
26	224414.00		000001.16 13		V RTEE2	LX,V T3,V X2S(V U)		-0368	0A000356
27	224414.40		000000.57 07			V+ICR,V T3,V F		-0369	0A000357
28	224415.00		000000.23 37			SV,V T5,(V T3)		-0370	0A000358
29	224415.40		000000.57 07			V+ICR,V T3,.V H		-0371	0A000359
30	224416.00		224624.62 30			LV,V T5,V TEE1		-0372	0A000360
31	224416.40		000000.23 37			SV,V T5,(V T3)		-0373	0A000361
32	224417.00		000000.57 07			V+ICR,V T3,.V H		-0374	0A000362
33	224417.40		000001.17 13			SX,V T3,V X2S(V U)		-0375	0A000363
34	224420.00		777777.03 C9			CB-,V P,V M1(V P)		-0376	0A000364
35	224420.40		225331.07 01		V RQ	LVI,V U,V RT		-0377	0A000365
36	224421.00		224325.10 00			B,V RQ1		-0378	0A000366
37	224421.40		000004.02 03		V RTIO	R,V CWR(V U)		-0379	0A000367
38	224422.00		000007.00 83	022000.22 B0	V RTIO1	M+1(BU,18),V RCNT(V U)		-0380	0A000368
39	224423.00		000040.10 00			B,D MCP			0A000369
40	224423.40		000001.00 80			,D RD	-0381		0A000369
41	224424.00		000006.01 83			LVE,,V SU(V U)		-0382	0A000370
42	224424.40	*	000004.00 83			,V CWR(V U)		-0383	0A000371
43	224425.00		777777.03 C9			CB-,V P,V M1(V P)		-0384	0A000372
44	224425.40		225312.07 01		V STQ	LVI,V U,V ST		-0385	0A000373
45	224426.00		224325.10 00			B,V RQ1		-0386	0A000374
46	224426.40		225427.02 10		V RTEE	LX,V P,V PD		-0387	0A000375
47	224427.00		000000.00 81			SIC,(V P)			0A000376
48	224427.40		224615.03 48			CB+,V P,V TEE	-0388		0A000376

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 224430		
1*	224430.00	224431.63 09			LVNI,V T5,V SCEND		-0389	0A000378
2*	224430.40	225250.07 01			LVI,V U,V SC		-0390	0A000379
3*	224431.00	224414.10 00			B,V RTEE2		-0391	0A000380
4*	224431.40	000000.00 81		V SCEND	SIC,(V P)			0A000381
5*	224432.00	224626.03 48			CB+,V P,V RBLC	-0392		0A000381
6*	224432.40	225250.07 01			LVI,V U,V SC		-0393	0A000382
7*	224433.00	000000.14 53			LC,V T2,V X(V U)		-0394	0A000383
8*	224433.40	224435.70 42			BXCZ,V SCEN1		-0395	0A000384
9*	224434.00	000000.03 73			SR,V P,V X(V U)		-0396	0A000385
10*	224434.40	000017.25 07		V SCEN2	V+ICR,V S1,15.		-0397	0A000386
11*	224435.00	224434.54 48			CB,V T2,V SCEN2		-0398	0A000387
12*	224435.40	224671.43 C8		V SCEN1	CB-,V P,V SETX		-0399	0A000388
13*	224436.00	225426.02 10		V SCR	LX,V P,V PDQ		-0400	0A000389
14*	224436.40	224106.40 30			LV,,V VSCR+V RA		-0401	0A000390
15*	224437.00	224716.46 30			LV,V U,V RQEXT		-0402	0A000391
16*	224437.40 *	224107.62 80	224447.34 02		BB,V VSCR+V POP.18,V SCRA			0A000392
17*	224440.40	000001.11 01			LVI,V T1,1. -SPECIAL SCR4 SEQUENCE		-0404	0A000393
18*	224441.00	224110.51 30			SV,V T1,V NREQ		-0405	0A000394
19*	224441.40	000001.01 0D			V-I,,1.		-0406	0A000395
20*	224442.00	224372.31 80	224447.34 04		BZBZ,V BYCN,V SCRA		-0407	0A000396
21*	224443.00	225376.07 01			LVI,V U,V E		-0408	0A000397
22*	224443.40	224716.47 30			SV,V U,V RQEXT		-0409	0A000398
23*	224444.00	224154.51 01			LVI,V T1,V BYP		-0410	0A000399
24*	224444.40	224150.11 00			SVA,V T1,V DISP		-0411	0A000400
25*	224445.00	215001.10 80	002000.00 FC		CMOC00,SYSMOD		-0412	0A000401
26*	224446.00	215001.10 80	000000.34 0E		BB1,SYSMOD,0		-0413	0A000402
27*	224447.00	000000.00 81		V SCRA	SIC,(V P)			0A000403
28*	224447.40	224461.43 48			CB+,V P,V REQ	-0414		0A000403
29*	224450.00	224106.41 30			SV,,V VSCR+V RA		-0415	0A000404
30*	224450.40	000040.10 00		VRTN	B,DMCP			0A000405
31*	224451.00	000041.00 80			,DRET			0A000405
32*	224451.40	225376.07 01		V EQ	LVI,V U,V E		-0417	0A000406
33*	224452.00	224453.10 00			B,V QQ2		-0418	0A000407
34*	224452.40	225346.07 01		V QQ	LVI,V U,V Q		-0419	0A000408
35*	224453.00	000000.00 81		V QQ2	SIC,(V P)		-0420	0A000409
36*	224453.40 *	224702.10 00			B,V CCM		-0421	0A000410
37*	224454.00	000000.00 81			SIC,(V P)			0A000411
38*	224454.40	224670.50 00			B,V SETUP	-0422		0A000411
39*	224455.00	224456.31 42			BXVZ,VQQ1			0A000412
40*	224455.40	000000.55 33			SV,VT2,VX1(VU)			0A000413
41*	224456.00	777777.03 C9		V QQ1	CB-,V P,V M1(V P)		-0425	0A000414
42*	224456.40	000005.10 03		V NXT	B,V NX(V U)		-0426	0A000415
43*	224110.00+	+00000000	BU,04 ,10	V FWA	SYN,V VSCR+V PAR		-0427	0A000416
44*	224110.40+	+00000000	BU,04 ,10	V NREQ	SYN,V VSCR+V PAR.V H		-0428	0A000417
45*	224457.00	000000.00 81		V QEND	SIC,(V P)			0A000418
46*	224457.40	224626.03 48			CB+,V P,V RBLC	-0429		0A000418
47*	224460.00	225346.07 01			LVI,V U,V Q		-0430	0A000419
48*	224460.40	224457.15 09			LVNI,V T2,V QEND		-0431	0A000420
49*	224461.00	777777.03 C9			CB-,V P,V M1(V P)		-0432	0A000421
50*	224461.40	000000.12 33		V REQ	LV,V Q4,V X(V U)		-0433	0A000422

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 224462	
1*	224462.CC	224110.35 B0			LVE,V Q3,V FWA	-0434	0A000424
2*	224462.40	0CCC00.23 01			LVI,V T5,0	-0435	0A000425
3*	224463.00	224110.45 B0			LVE,V Q1,V NREQ	-0436	0A000426
4*	224463.40	224105.04 80	224471.74 C2		BB,V VSCR.V UB,V SKIP	-0437	0A000427
5*	224464.40	215324.74 90			KV,V Q3,S PPLB	-0438	0A000428
6*	224465.00	224552.32 42			BXL,V BNDER	-0439	0A000429
7*	224465.40	215324.00 80	022027.20 5C		L(BU,18),S PPUB,46	-0440	0A000430
8*	224466.40 *	224110.00 80	022027.30 10		-(BU,18),V FWA,46	-0441	0A000431
9*	224467.40	740000.00 80	404027.21 D0		/I,V D15,46	-0442	0A000432
10*	224470.40	0CCC11.04 90			KV,V Q1,$R	-0443	0A000433
11*	224471.00	224552.33 42			BXH,V BNDER	-0444	0A000434
12*	224471.40	224507.31 42		V SKIP	BXVZ,V REQ1	-0445	0A000435
13*	224472.00	0CC000.72 33		V REQ7	LV,V Q2,V X1(V U)	-0446	0A000436
14*	224472.40	224510.31 C0			BZXVGZ,V REQ2	-0447	0A000437
15*	224473.00	0CCC22.14 30			LV,V T2,V Q1	-0448	0A000438
16*	224473.40	0CCC35.14 90			KV,V T2,V Q2	-0449	0A000439
17*	224474.00	224475.33 40			BZXF,V REQ3	-0450	0A000440
18*	224474.40	0CCC35.14 30			LV,V T2,V Q2	-0451	0A000441
19*	224475.00	224517.15 D0		V REQ3	SVA,V T2,V REQ6	-0452	0A000442
20*	224475.40	000C26.22 B0			V+,V T5,V T2	-0453	0A000443
21*	224476.00	0CCC25.16 30			LV,V T3,V Q4	-0454	0A000444
22*	224476.40	0CCC26.12 B0			V+,V Q4,V T2	-0455	0A000445
23*	224477.00	224500.30 C2			BXVLZ,$.64	-0456	0A000446
24*	224477.40	0CCC42.13 0D			V-I,V Q4,34.	-0457	0A000447
25*	224500.00	000000.00 81			SIC,(V P)		0A000448
26*	224500.40	224707.50 00			B,V MD	-0458	0A000448
27*	224501.00	000004.10 13			LX,V T1,V CWR(V U)	-0459	0A000449
28*	224501.40	000C00.00 84	0C0000.10 2E	V REQ4	T,V T1,(V T1),(V Q3)	-0460	0A000450
29*	224502.40 *	224517.51 50			SC,VT1,VREQ9		0A000451
30*	224503.00	224517.74 B0			V+,V Q3,V REQ9	-0462	0A000452
31*	224503.40	0CCC24.02 00			R,V T1	-0463	0A000453
32*	224504.00	224501.63 42			BXF,V REQ4	-0464	0A000454
33*	224504.40	224517.32 B0			V+,V Q2,V REQ6	-0465	0A000455
34*	224505.00	224517.04 B0			V+,V Q1,V REQ6	-0466	0A000456
35*	224505.40	224520.31 40			BZXVZ,V REQ10	-0467	0A000457
36*	224506.00	0CCC00.73 33		V REQ5	SV,V Q2,V X1(V U)	-0468	0A000458
37*	224506.40	0CCC00.13 33			SV,V Q4,V X(V U)	-0469	0A000459
38*	224507.00	0CC001.C1 C5		V REQ1	V+I,,1.	-0470	0A000460
39*	224507.40	000005.10 03			B,V NX(V U)	-0471	0A000461
40*	224510.00	224520.31 42		V REQ2	BXVZ,V REQ10	-0472	0A000462
41*	224510.40	224107.62 80	224513.74 02		BB,VVSCR+VPOP.18,RNMFIL		0A000463
42*	224511.40	224716.46 3C			LV,VU,VRGEXT		0A000464
43*	224512.CC	0CC000.41 05			V+I,,0.32		0A000464
44*	224512.40	0CCC00.43 73			SR,$1,VX1(VU)		0A000465
45*	224513.00	777777.03 C9			CB-,VP,-1.0(VP)		0A000465
46*	224513.40	224515.41 D0		RNMFIL	SVA,,VREQ8		0A000466
47*	224514.CC	224517.05 D0			SVA,V Q1,V REQ6	-0474	0A000467
48*	224514.40	224110.45 B0			LVE,V Q1,V NREQ	-0475	0A000468
49*	224515.00	224517.04 B0			V+,V Q1,V REQ6	-0476	0A000469
50*	224515.40	224515.45 D0		V REQ8	SVA,V Q1,$	-0477	0A000470

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 224516		
1*	224516.CC *	C00000.41 0D			V-I,,.V F			-0478	0A000472
2*	224516.40	224506.10 00			B,V REQ5			-0479	0A000473
3*	224517.00	CCCCC0.C0 80		V REQ6	SIC,0			-0480	0A000474
4*	224517.40	CCCCCC.C0+		V REQ9	VF,C			-0481	0A000475
5*	224520.CC	C0CCC0.C0 81		V REQ10	SIC,(V P)				0A000476
6*	224520.40	224456.43 48			CB+,V P,V NXT		-0482		0A000476
7*	224521.00	224716.46 30			LV,V U,V RQEXT			-0483	0A000477
8*	224521.40	C0CC00.13 33			SV,V Q4,V X(V U)			-0484	0A000478
9*	224522.CC	0CCC00.C0 81			SIC,(V P)				0A000479
10*	224522.40	224671.5C 00			B,V SETX		-0485		0A000479
11*	224523.00	CCCC00.12 33			LV,V Q4,V X(V U)			-0486	0A000480
12*	224523.40	CCCCC0.23 01			LVI,V T5,0			-0487	0A000481
13*	224524.CC	000000.55 33			SV,V T2,V X1(V U)			-0488	0A000482
14*	224524.40	224472.31 40			BZXVZ,V REQ7			-0489	0A000483
15*	224525.00	224107.62 80	224532.34 00		BZB,VVSCR+VPOP.18,VRQ11A	-011			0A000484
16*	224526.CC	C0CC40.10 C0			B,D MCP				0A000485
17*	224526.4C	C00040.40 80			,D RIO		-0491		0A000485
18*	224527.00	C0CCC0.72 33		V REQ11	LV,V Q2,V X1(V U)			-0492	0A000486
19*	224527.40	224527.31 42			BXVZ,V REQ11			-0493	0A000487
20*	224530.00	0CC000.12 33			LV,V Q4,V X(V U)			-0494	0A000488
21*	224530.40	000040.10 00			B,D MCP				0A000489
22*	224531.CC	000040.C0 80			,D SIC		-0495		0A000489
23*	224531.40 *	224472.10 00			B,V REQ7			-0496	0A000490
24*	224532.00	C0CC00.41 C5		V RQ11A	V+I,,V F			-0497	0A000491
25*	224532.4C	777777.C3 C9			CB-,V P,V M1(V P)			-0498	0A000492
26*	224533.00	225376.07 01		V BEQJ	LVI,V U,V E			-0499	0A000493
27*	224533.40	000000.00 81			SIC,(V P)				0A000494
28*	224534.CC	224600.43 48			CB+,V P,V SEQJ		-0500		0A000494
29*	224534.4C	224157.70 C2			BXVLZ,V NOP			-0501	0A000495
30*	224535.00	224536.51 01			LVI,V T1,V NXB			-0502	0A000496
31*	224535.40	225255.11 D0			SVA,V T1,V NX+V SC			-0503	0A000497
32*	224536.CC	777777.03 C9			CB-,V P,V M1(V P)			-0504	0A000498
33*	224536.4C	224157.63 0C		V NXB	KVNI,V T5,V NOP			-0505	0A000499
34*	224537.00	224541.32 C0			BZXE,V NXB1			-0506	0A000500
35*	224537.40	224451.51 01			LVI,V T1,V EQ			-0507	0A000501
36*	224540.CC	225255.11 D0			SVA,V T1,V NX+V SC			-0508	0A000502
37*	224540.40	777777.C3 C9			CB-,V P,V M1(V P)			-0509	0A000503
38*	224541.00	CCCC00.23 05		V NXB1	V+I,V T5,C				0A000504
39*	224541.40	224157.71 C0			BZXVGZ,V NOP				0A000505
40*	224542.CC	225376.16 30			LV,V T3,V X+V E			-0511	0A000506
41*	224542.40	C0CC31.16 B0			V+,V T3,V T5			-0512	0A000507
42*	224543.00	224544.30 C2			BXVLZ,$.64			-0513	0A000508
43*	224543.40	000042.17 0D			V-I,V T3,34.			-0514	0A000509
44*	224544.CC	225376.17 30			SV,V T3,V X+V E			-0515	0A000510
45*	224544.4C	224233.50 00			B,V RDQ			-0516	0A000511
46*	224545.00 *	225346.07 01		V CEQJ	LVI,V U,V Q			-0517	0A000512
47*	224545.40	CCCCC0.C0 81			SIC,(V P)				0A000513
48*	224546.CC	224600.43 48			CB+,V P,V SEQJ		-0518		0A000513
49*	224546.40	224157.70 C2			BXVLZ,V NOP			-0519	0A000514
50*	224547.00	225331.07 01			LVI,V U,V RT	-OVERLAPPED		-0520	0A000515

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 224547	
1*	224547.40	CCCCCC.54 33			LV,V T2,V X1(V U)		-0521	CA000517
2*	224550.CC	CCCCCC.31 42			BXVZ,0		-0522	CA000518
3*	224550.40	224566.42 60			LWF(U),V REX	-CHANGE NORMAL FIXUPS FOR EOJ SCAN	-0523	CA000519
4*	224551.CC	225330.4C E0			ST(L),V RT-1.		-0524	CA000520
5*	224551.40	777777.C3 C9			CB-,V P,V M1(V P)		-0525	CA000521
6*	224552.CC	CCCC40.1C CC		VBNDER	B,DMCP			CA000522
7*	224552.40	CCCC40.4C 80			,DRIO			CA000522
8*	224553.CC	224052.00 80			SIC,ZSPLP9			CA000523
9*	224553.40	224046.50 CC			B,ZSPLPR			CA000523
10*	224554.CC	224557.CC 80			,V BNDMG			CA000524
11*	224554.40	CCCCC7.CC 80			,7.	-0527		CA000524
12*	224555.CC	215571.CC 80			SIC,S PRIMR			CA000525
13*	224555.40	215570.10 CC			B,S PRIME	-0528		CA000525
14*	224556.CC	CCC104.CC 80			,D ABEOJ		-0529	CA000526
15*	224556.40	224157.40 CC			BE,V NOP		-0530	CA000527
16*					CNOP,			CA000528
17*	224557.CC *			V BNDMG	(A*)DD(BU,8),1JOB TERMINATED- $SCR REQUEST EXCEEDED B*		-0531	CA000529
18*	224564.CC				(A*)DD(BU,8),BUNDARIES *		-0532	CA000530
19*					CNOP,		-0533	CA000531
20*	224566.CC	224570.10 CC		V REX	B,V SREC			CA000532
21*	224566.40	224572.50 CC			B,V SRE	-0534		CA000532
22*	224567.CC	224647.1C CC		V REX1	B,V REOP			CA000533
23*	224567.4C	224407.10 CC			B,V REE	-0535		CA000533
24*	224570.CC	225427.02 1C		V SREC	LX,V P,V PD		-0536	CA000534
25*	224570.4C	CCCC40.1C CC			B,D MCP			CA000535
26*	224571.CC	CCCCC6.4C 80			,D SPFL	-0537		CA000535
27*	224571.40	CCCCC6.C1 B3			LVE,,V SU(V U)		-0538	CA000536
28*	224572.CC	777777.C3 C9			CB-,V P,V M1(V P)		-0539	CA000537
29*	224572.4C	225427.C2 1C		V SRE	LX,V P,V PD		-0540	CA000538
30*	224573.CC	224567.42 60			LWF(U),V REX1	-RESTORE NORMAL FIXUPS	-0541	CA000539
31*	224573.40	225330.4C E0			ST(L),V RT-1.		-0542	CA000540
32*	224574.CC *	CCCCC7.C3 73			SR,V P,V RCNT(V U)		-0543	CA000541
33*	224574.4C	CCCCC7.4C 83	022000.22 BC		M+1(BU,18),V FCNT(V U)		-0544	CA000542
34*	224575.4C	CCCC11.16 53			LC,V T3,V FCNX(V U)		-0545	CA000543
35*	224576.CC	224577.56 48			CB,V T3,V SPE2		-0546	CA000544
36*	224576.40	224371.CC 80	031100.C2 BC		M+1,V TSQ		-0547	CA000545
37*	224577.40	CCCC11.17 53		V SPE2	SC,V T3,V FCNX(V U)		-0548	CA000546
38*	224600.CC	224422.10 CC			B,V RTIC1		-0549	CA000547
39*	224600.40	CCCCCC.54 33		V SECJ	LV,V T2,V X1(V U)		-0550	CA000548
40*	224601.CC	224613.30 C2			BXVLZ,V EOJ1		-0551	CA000549
41*	224601.4C	CCCCCC.CC 81			SIC,(V P)			CA000550
42*	224602.CC	224671.5C CC			B,V SETX	-0552		CA000550
43*	224602.40	CCCCCC.15 05			V+I,V T2,C		-0553	CA000551
44*	224603.00	224605.31 CC			BZXVGZ,V EOJ2		-0554	CA000552
45*	224603.4C	CCCCCC.54 B3			V+,V T2,V X1(V U)		-0555	CA000553
46*	224604.CC	CCCCCC.55 33			SV,V T2,V X1(V U)		-0556	CA000554
47*	224604.4C	224671.5C CC			B,V SETX		-0557	CA000555
48*	224605.CC	CCCCCC.62 33		V ECJ2	LV,V T5,V X1(V U)		-0558	CA000556
49*	224605.4C	CCCCCC.22 B3			V+,V T5,V X(V U)		-0559	CA000557
50*	224606.CC	224607.30 C2			BXVLZ,$.64		-0560	CA000558
51*	224606.4C	CCCC42.23 CD			V-I,V T5,34.		-0561	CA000559
52*	224607.CC	CCCCCC.23 33			SV,V T5,V X(V U)		-0562	CA000560

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 224607		
1*	224607.40 *	000000.62 33			LV,V T5,V X1(V U)		-0563	CA000562
2*	224610.00	000000.55 33			SV,V T2,V X1(V U)		-0564	CA000563
3*	224610.40	224612.07 D0			SVA,V U,V EOJ4		-0565	CA000564
4*	224611.00	000000.00 81			SIC,(V P)			CA000565
5*	224611.40	224456.43 48			CB+,V P,V NXT	-0566		CA000565
6*	224612.00	000000.07 01		V EOJ4	LVI,V U,		-0567	CA000566
7*	224612.40	000000.54 33			LV,V T2,V X1(V U)		-0568	CA000567
8*	224613.00	000000.43 73		V EOJ1	SR,V P,V X1(V U)		-0569	CA000568
9*	224613.40	000001.03 CD			V-I,V P,1.		-0570	CA000569
10*	224614.00	000000.15 05			V+I,V T2,C		-0571	CA000570
11*	224614.40	000000.10 01			B,(V P)		-0572	CA000571
12*	224615.00	000000.00 81		V TEE	SIC,(V P)			CA000572
13*	224615.40	224633.50 C0			B,V EE	-0573		CA000572
14*	224616.00	224624.55 30			SV,V T2,V TEE1		-0574	CA000573
15*	224616.40	000007.20 33			LV,V T4,V RCNT(V U)		-0575	CA000574
16*	224617.00	000001.21 0D			V-I,V T4,1.0		-0576	CA000575
17*	224617.40	000031.20 B0			V+,V T4,V T5		-0577	CA000576
18*	224620.00	224625.31 42			BXVZ,V STTSX		-0578	CA000577
19*	224620.40	000000.14 B3			V+,V T2,V X(V U)		-0579	CA000578
20*	224621.00	000000.15 33			SV,V T2,V X(V U)		-0580	CA000579
21*	224621.40	000007.03 73			SR,V P,V RCNT(V U)		-0581	CA000580
22*	224622.00	000007.40 83	022000.22 B0		M+1(BU,18),V FCNT(V U)		-0582	CA000581
23*	224623.00 *	000000.00 81			SIC,(V P)			CA000582
24*	224623.40	224655.03 48			CB+,V P,V ACT	-0583		CA000582
25*	224624.00	000005.10 03			B,V NX(V U)		-0584	CA000583
26*	224624.40	000000.00 00		V TEE1	BE,0		-0585	CA000584
27*	224625.00	000010.62 33		V STTSX	LV,V T5,V TS(V U)		-0586	CA000585
28*	224625.40	224456.43 C8			CB-,V P,V NXT		-0587	CA000586
29*	224626.00	000002.16 13		V RBLC	LX,V T3,V X2R(V U)		-0588	CA000587
30*	224626.40	000000.14 37			LV,V T2,(V T3)		-0589	CA000588
31*	224627.00	000000.03 77			SR,V P,(V T3)		-0590	CA000589
32*	224627.40	000000.57 07			V+ICR,V T3,.V H		-0591	CA000590
33*	224630.00	000002.17 13			SX,V T3,V X2R(V U)		-0592	CA000591
34*	224630.40	000026.22 30			LV,V T5,V T2		-0593	CA000592
35*	224631.00	000000.14 B3			V+,V T2,V X(V U)		-0594	CA000593
36*	224631.40	224632.71 40			BZXVZ,$.64		-0595	CA000594
37*	224632.00	000042.15 0D			V-I,V T2,34.		-0596	CA000595
38*	224632.40	000000.15 33			SV,V T2,V X(V U)		-0597	CA000596
39*	224633.00	000005.10 03			B,V NX(V U)		-0598	CA000597
40*	000000.00+	+00000017	BU,04 ,1C	V D15	DDI(BU,4),15		-0599	CA000598
41*	224633.40	000040.10 C0		V EE	B,D MCP			CA000599
42*	224634.00	000002.00 80			,D CCW	-0600		CA000599
43*	224634.40	000006.01 B3			LVE,,V SU(V U)		-0601	CA000600
44*	224635.00	224646.00 80			,V EE1		-0602	CA000601
45*	224635.40	224646.00 80	022027.20 50		L(BU,18),V EE1,46		-0603	CA000602
46*	224636.40 *	000003.00 83	022027.30 10		-(BU,18),V CWR+V M1(V U),46		-0604	CA000603
47*	224637.40	740000.00 80	404027.21 D0		/I,V D15,46		-0605	CA000604
48*	224640.40	000011.22 30			LV,V T5,$R		-0606	CA000605
49*	224641.00	000042.23 0D			V-I,V T5,34.		-0607	CA000606
50*	224641.40	000000.15 B3			LVE,V T2,V X(V U)		-0608	CA000607

LINE	LOCATION		BINARY OUTPUT	NAME	STATEMENT	LOCATION 224642		
1*	224642.00		000000.23 33		SV,V T5,V X(V U)		-0609	0A000609
2*	224642.40		000026.22 B0		V+,V T5,V T2		-0610	0A000610
3*	224643.00		224644.30 C0		BZXVLZ,$.64		-0611	0A000611
4*	224643.40		000042.23 05		V+I,V T5,34.		-0612	0A000612
5*	224644.00		000000.54 33		LV,V T2,V X1(V U)		-0613	0A000613
6*	224644.40		224517.23 D0		SVA,V T5,V REQ6		-0614	0A000614
7*	224645.00		224517.14 B0		V+,V T2,V REQ6		-0615	0A000615
8*	224645.40		000000.10 01		B,(V P)		-0616	0A000616
9*	224646.00		000000.00+ 000 000000 000000	V EE1	CW,C,0,C		-0617	0A000617
10*	224647.00		225427.02 10	VRECP	LX,VP,VPD			0A000618
11*	224647.40		000000.62 33	V ECP	LV,V T5,V X1(V U)		-0618	0A000619
12*	224650.00		000000.16 33		LV,V T3,V X(V U)		-0619	0A000620
13*	224650.40		000031.16 B0		V+,V T3,V T5		-0620	0A000621
14*	224651.00		000000.17 33		SV,V T3,V X(V U)		-0621	0A000622
15*	224651.40		000000.00 81		SIC,(V P)			0A000623
16*	224652.00	*	224655.03 48		CB+,V P,V ACT	-0622		0A000623
17*	224652.40		000005.10 03		B,V NX(V U)		-0623	0A000624
18*	224653.00		000000.00 81	V ACTX	SIC,(V P)			0A000625
19*	224653.40		224670.50 00		B,V SETUP	-0624		0A000625
20*	224654.00		224656.31 40		BZXVZ,V ACT2		-0625	0A000626
21*	224654.40		777777.03 C9	V ACT1	CB-,V P,V M1(V P)		-0626	0A000627
22*	224655.00		000000.00 81	V ACT	SIC,(V P)			0A000628
23*	224655.40		224671.50 00		B,V SETX	-0627		0A000628
24*	224656.00		000000.55 33	V ACT2	SV,V T2,V X1(V U)		-0628	0A000629
25*	224656.40		224654.71 42		BXVZ,V ACT1		-0629	0A000630
26*	224657.00		000000.16 33		LV,V T3,V X(V U)		-0630	0A000631
27*	224657.40		224660.70 C2		BXVLZ,$.64		-0631	0A000632
28*	224660.00		000042.17 0D		V-I,V T3,34.		-0632	0A000633
29*	224660.40		000000.17 33		SV,V T3,V X(V U)		-0633	0A000634
30*	224661.00		000005.50 C3		B,V IC(V U)		-0634	0A000635
31*	224661.40		000006.62 B3	V BLCC	V+,V T5,V RQB(V U)		-0635	0A000636
32*	224662.00		000021.23 04	V BLC2	KVI,V T5,17.0		-0636	0A000637
33*	224662.40		224667.72 42		BXL,V BLC1		-0637	0A000638
34*	224663.00		000021.23 0D		V-I,V T5,17.0		-0638	0A000639
35*	224663.40		000021.21 01		LVI,V T4,17.0		-0639	0A000640
36*	224664.00		000001.16 13		LX,V T3,V X2S(V U)		-0640	0A000641
37*	224664.40		000000.21 37		SV,V T4,(V T3)		-0641	0A000642
38*	224665.00		000000.57 07		V+ICR,V T3,.V H		-0642	0A000643
39*	224665.40	*	000001.17 13		SX,V T3,V X2S(V U)		-0643	0A000644
40*	224666.00		000000.00 81		SIC,(V P)			0A000645
41*	224666.40		224653.03 48		CB+,V P,V ACTX	-0644		0A000645
42*	224667.00		224662.10 C0		B,V BLC2		-0645	0A000646
43*	224667.40		000006.63 33	V BLC1	SV,V T5,V RQB(V U)		-0646	0A000647
44*	224670.00		777777.03 C9		CB-,V P,V M1(V P)		-0647	0A000648
45*	224670.40		000000.54 33	V SETUP	LV,V T2,V X1(V U)		-0649	0A000649
46*	224671.00		224701.31 40		BZXVZ,V SET2		-0650	0A000650
47*	224671.40		000002.16 13	V SETX	LX,V T3,V X2R(V U)		-0651	0A000651
48*	224672.00		000000.14 37		LV,V T2,(V T3)		-0652	0A000652
49*	224672.40		224700.31 C2		BXVGZ,V SET1		-0653	0A000653

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 224673	
1*	224673.00	000000.57 07			V+ICR,V T3,V F		-0654	0A000655
2*	224673.40	000000.14 37			LV,V T2,(V T3)		-0655	0A000656
3*	224674.00	224677.71 C2			BXVGZ,V SET3		-0656	0A000657
4*	224674.40	000000.31 43			BXVZ,(V P)		-0657	0A000658
5*	224675.00	000000.03 77			SR,V P,(V T3)		-0658	0A000659
6*	224675.40	000000.57 07			V+ICR,V T3,V F		-0659	0A000660
7*	224676.00	000001.15 01			SVA,V T2,1.(V P)		-0660	0A000661
8*	224676.40	000002.17 13			SX,V T3,V X2R(V L)		-0661	0A000662
9*	224677.00	000001.03 49			CB+,V P,1.(V P)		-0662	0A000663
10*	224677.40	000002.17 13		V SET3	SX,V T3,V X2R(V L)		-0663	0A000664
11*	224700.00	000000.03 77		V SET1	SR,V P,(V T3)		-0664	0A000665
12*	224700.40	000000.10 01			B,(V P)		-0665	0A000666
13*	224701.00 *	000000.15 01		V SET2	LVI,V T2,0		-0666	0A000667
14*	224701.40	000000.10 01			B,(V P)		-0667	0A000668
15*	224702.00	000001.16 13		V COM	LX,V T3,V X2S(V L)		-0668	0A000669
16*	224702.40	000000.23 05			V+I,V T5,0		-0669	0A000670
17*	224703.00	224705.30 C2			BXVLZ,V COM2		-0670	0A000671
18*	224703.40	000000.22 B7			V+,V T5,(V T3)		-0671	0A000672
19*	224704.00	000000.23 37			SV,V T5,(V T3)		-0672	0A000673
20*	224704.40	000000.10 01			B,(V P)		-0673	0A000674
21*	224705.00	000000.57 07		V COM2	V+ICR,V T3,.V F		-0674	0A000675
22*	224705.40	000000.23 37			SV,VT5,(VT3)			0A000676
23*	224706.00	000000.57 07			V+ICR,V T3,.V H		-0676	0A000677
24*	224706.40	000001.17 13			SX,V T3,V X2S(V L)		-0677	0A000678
25*	224707.00	000000.10 01			B,(V P)		-0678	0A000679
26*	224707.40	000003.10 13		V MD	LX,V T1,V CWR+V M1(V L)		-0679	0A000680
27*	224710.00	225505.50 B7			V+,V T1,V CW(V T3)		-0680	0A000681
28*	224710.40	225506.14 97			KV,V T2,V MT(V T3)		-0681	0A000682
29*	224711.00	224712.73 40			BZXH,V MD1		-0682	0A000683
30*	224711.40	006000.21 0B			LVS,V T4,V T2,V T3		-0683	0A000684
31*	224712.00	225506.14 37			LV,V T2,V MT(V T3)		-0684	0A000685
32*	224712.40	225443.50 56		V MD1	LC,V T1,V CW-34.(V T2)		-0685	0A000686
33*	224713.00	000004.11 13			SX,V T1,V CWR(V L)		-0686	0A000687
34*	224713.40	000000.33 41			BZXH,(V P)		-0687	0A000688
35*	224714.00	000003.10 13			LX,V T1,V CWR+V M1(V L)		-0688	0A000689
36*	224714.40 *	225443.50 58			LC,V T1,V CW-34.(V T4)		-0689	0A000690
37*	224715.00	000003.11 13			SX,V T1,V CWR+V M1(V L)		-0690	0A000691
38*	224715.40	000004.31 83	000000.34 0D		BZB1,V CWR.25(V L),(V P)		-0691	0A000692
39*	224716.40	225376.00+		V RQEXT	VF,V E		-0692	0A000693
40*	224717.00	224333.23 09		V INON	LVNI,V T5,V WEFT		-0693	0A000694
41*	224717.40	224265.50 00		V INOFF	B,V SC5A		-0694	0A000695
42*	224720.00	224157.63 09		V INBY	LVNI,V T5,V NCP		-0695	0A000696
43*	224720.40	224246.10 00		V IN1	B,V SC7		-0696	0A000697
44*	224721.00	224322.00 80		V IN2	SIC,V SQ1		-0697+	0A000698
45*	224721.40	000007.54 33		V WTTS	LV,V T2,V FCNT(V L)	-	-0698	0A000699
46*	224722.00	231133.00 80			SIC,YTSTR			0A000700
47*	224722.40	231117.10 00			B,YTST			0A000700
48*	224723.00	224371.00 80	031100.12 BC		M-1,V TSQ			0A000701
49*	224724.00	000002.15 0D			V-I,V T2,V FCD			0A000702
50*	224724.40	224725.71 C2			BXVGZ,V WTTS1	-	-0700	0A000703
51*	224725.00	000001.15 01			LVI,V T2,1.	-	-0701	0A000704
52*	224725.40	000026.10 50		V WTTS1	LC,V T1,V T2	-	-0702	0A000705
53*	224726.00	225210.07 01			LVI,V U,V TSA	-	-0703	0A000706
54*	224726.40	224735.10 00			B,V TOP	-	-0704	0A000707
55*	224727.00	225312.07 01		VSTTS	LVI,VU,VST			0A000708
56*	224727.40	000000.00 81			SIC,(V P)			0A000709

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 224730		
1*	224730.00 *	224721.43 48			CB+,V P,V WTTS		-0706		0A000709
2*	224730.40	225250.07 01			LVI,V U,V SC	-		-0707	0A000710
3*	224731.00	000001.03 0D		V STTS1	V-I,V P,1.	-		-0708	0A000711
4*	224731.40	000000.15 01			LVI,V T2,0	-		-0709	0A000712
5*	224732.00	000000.10 01			B,(V P)	-		-0710	0A000713
6*	224732.40	225221.07 01		V RTTS	LVI,V U,V TSB	-		-0711	0A000714
7*	224733.00	000000.00 81			SIC,(V P)				0A000715
8*	224733.40	224735.03 48			CB+,V P,V TOP		-0712		0A000715
9*	224734.00	225346.07 01			LVI,V U,V Q				0A000716
10*	224734.40	224731.10 00			B,V STTS1	-		-0714	0A000717
11*	224735.00	000000.62 33		V TOP	LV,V T5,V X1(V U)	-TAPE OPERATE		-0715	0A000718
12*	224735.40	000003.00 83	001000.20 50		L,V OP(V U)	-		-0716	0A000719
13*	224736.40	000024.31 80	001000.20 D0		ST,V T1,V OPB			-0717*	0A000720
14*	224737.40	000003.01 83	224744.34 00		BZB,V SQNC(V U),V TOP1	-		-0718	0A000721
15*	224740.40	000000.11 01			LVI,V T1,0	-		-0719	0A000722
16*	224741.00	000006.20 33			LV,V T4,V TQ(V U)	-		-0720	0A000723
17*	224741.40	224743.31 42			BXVZ,V TOP2	-		-0721	0A000724
18*	224742.00	225201.23 38			SV,V T5,V SURT(V T4)	-		-0722	0A000725
19*	224742.40	224744.10 00			B,V TOP1	-		-0723	0A000726
20*	224743.00	000006.23 33		V TOP2	SV,V T5,V TQ(V U)	-		-0724	0A000727
21*	224743.40 *	000006.63 33			SV,V T5,V TDQ(V U)				0A000728
22*	224744.00	000000.00 81		V TOP1	SIC,(V P)				0A000729
23*	224744.40	224745.50 00			B,V TMV		-0725*		0A000729
24*	224745.00	224655.10 00			B,V ACT	-		-0726	0A000730
25*	224745.40	000023.10 70		V TMV	LR,V T1,V U	-TAPE MOTIVATION		-0727	0A000731
26*	224746.00	225201.11 19			SX,V T1,V SURT(V T5)	-		-0728	0A000732
27*	224746.40	225201.32 89	001000.00 F0		CM0000,V SURT.V RDY(V T5)	-		-0729	0A000733
28*	224747.40	224752.23 42			BXF,V TMV1	-		-0730	0A000734
29*	224750.00	000040.10 00			B,$MCP				0A000735
30*	224750.40	000010.00 80			,$REW	-	-0731		0A000735
31*	224751.00	000000.00 89			,(V T5)	-		-0732	0A000736
32*	224751.40	000000.10 01			B,(V P)			-0733*	0A000737
33*	224752.00	000040.10 00		V TMV1	B,$MCP				0A000738
34*	224752.40	000010.40 80			,DUNLD	-	-0734		0A000738
35*	224753.00	000000.00 89			,(V T5)	-		-0735	0A000739
36*	224753.40	000000.10 01			B,(V P)			-0736*	0A000740
37*	224754.00	225201.10 16		V TA	LX,V T1,V SURT(V T2)	-		-0737	0A000741
38*	224754.40	000023.11 70			SR,V T1,V U	-PUT DS IN U		-0738	0A000742
39*	224755.00	000006.15 33			SV,V T2,V SU(V U)	-SEND SU TO DESTINATI		-0739	0A000743
40*	224755.40	224135.20 36			LV,V T4,V XG(V T2)	-		-0740	0A000744
41*	224756.00	777777.47 38			SV,V U,V XXRG(V T4)	-		-0741	0A000745
42*	224756.40	000007.22 03			Z,V RCNT(V U)	-		-0742	0A000746
43*	224757.00 *	000010.10 03			B,V STR(V U)	-START UNIT AT DESTIN		-0743	0A000747
44*	224757.40	225201.32 89	001000.36 F0	V TDSP	CM1111,V SURT.V RDY(V T5)	-		-0744	0A000748
45*	224760.40	225427.02 10			LX,V P,V PD			-0745	0A000749
46*	224761.00	225201.10 19			LX,V T1,V SURT(V T5)	-		-0746	0A000750
47*	224761.40	000023.11 70			SR,V T1,V U	-		-0747	0A000751
48*	224762.00	000003.50 73			LR,V T1,V DS(V U)	-		-0748	0A000752
49*	224762.40	225201.11 19			SX,V T1,V SURT(V T5)	-		-0749	0A000753
50*	224763.00	000003.01 83	224772.74 00		BZB,V SQNC(V U),V TDP1	-		-0750	0A000754

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 224764	
1*	224764.00	CCCC06.62 33		V TDP3	LV,V T5,V TDQ(V U)	-	-0751	0A000756
2*	224764.40	224771.71 42			BXVZ,V TDP2	-	-0752	0A000757
3*	224765.00	225201.32 89	224157.74 00		BZB,V SURT.V RDY(V T5),V NOP	-	-0753	0A000758
4*	224766.00	225201.14 39			LV,V T2,V SURT(V T5)	-	-0754	0A000759
5*	224766.40	CCCC06.55 33			SV,V T2,V TDQ(V U)	-	-0755	0A000760
6*	224767.00	224770.47 00			SVA,V U,V TDP4	-	-0756	0A000761
7*	224767.40	000000.00 81			SIC,(V P)			0A000762
8*	224770.00	224456.43 48			CB+,V P,V NXT	- -0757		0A000762
9*	224770.40	000000.07 01		V TDP4	LVI,V U,	-	-0758	0A000763
10*	224771.00	224764.10 00			B,V TDP3	-	-0759	0A000764
11*	224771.40	CCCC06.03 73		V TDP2	SR,V P,V TQ(V U)	-	-0760	0A000765
12*	224772.00	777777.03 09			CB-,V P,V M1(V P)	-	-0761	0A000766
13*	224772.40 *	224456.63 42		V TDP1	BXF,V NXT		-0762*	0A000767
14*	224773.00	000003.50 33			LV,V T1,V DS(V U)		-0763*	0A000768
15*	224773.40	225312.11 04			KVI,V T1,V ST			0A000769
16*	224774.00	224456.72 00			BZXE,V NXT	-	-0765	0A000770
17*	224774.40	225221.07 01			LVI,V U,V TSB	-	-0766	0A000771
18*	224775.00	225201.31 89	001000.36 F0		CM1111,V SURT.V OPB(V T5)		-0767	0A000772
19*	224776.00	225201.10 19			LX,V T1,V SURT(V T5)	-	-0768	0A000773
20*	224776.40	224745.43 C8			CB-,V P,V TMV			0A000774
21*	224777.00	225210.07 01		V TSAQ	LVI,V U,V TSA	-	-0770	0A000775
22*	224777.40	CCCC01.16 13		V TSAQ1	LX,V T3,V X2S(V U)	-	-0771	0A000776
23*	225000.00	CCCCC0.57 07			V+ICR,V T3,V F			0A000777
24*	225000.40	CCCC00.23 37			SV,V T5,(V T3)			0A000778
25*	225001.00	CCCC01.17 13			SX,V T3,V X2S(V U)			0A000779
26*	225001.40	224653.10 00			B,V ACTX	-	-0773	0A000780
27*	225002.00	225221.07 01		V TSBQ	LVI,V U,V TSB	-	-0774	0A000781
28*	225002.40	224777.50 00			B,V TSAQ1	-	-0775	0A000782
29*	225003.00	225331.07 01		V RTST	LVI,V U,V RT	-ENTERED WITH SURT IN	-0776	0A000783
30*	225003.40	CCCC11.11 53			SC,V T1,V FCNX(V U)	-AND SU IN T2	-0777	0A000784
31*	225004.00	CCCC40.10 00			B,DMCP			0A000785
32*	225004.40	CCCC15.C0 80			,DICDEF			0A000785
33*	225005.00	225221.41 B0			LVE,,VX1+VTSB			0A000785
34*	225005.40	225430.C0 80			,RTSMSG			0A000785
35*	225006.00 *	CCCC40.10 00			B,DMCP			0A000786
36*	225006.40	CCC043.40 80			,DCCMM			0A000786
37*	225007.00	225430.C0 80			,RTSMSG			0A000786
38*	225007.40	000004.C0 80			,4.0 •			0A000786
39*	225010.00	224422.10 00			B,V RTIG1	-	-0778	0A000787
40*	225010.40	225266.11 01		V CNLIN	LVI,V T1,V WT	-	-0779	0A000788
41*	225011.00	225224.51 30			SV,V T1,V TSB+V DS	-ALTER RT DISPOSITION	-0780	0A000789
42*	225011.40	225224.C0 80	001000.CC F0		CM0C00,V TSB+V OP	-	-0781	0A000790
43*	225012.40	232762.00 80			SIC,ZCOM90			0A000791
44*	225013.00	232746.10 C0			B,ZASN01			0A000791
45*	225013.40	CCCCC5.CC+			VF,V CRC			0A000791
46*	225014.00	225210.07 01			LVI,V U,V TSA	-	-0782	0A000792
47*	225014.40	225016.63 09			LVNI,V T5,V CCR	-	-0783	0A000793
48*	225015.00	CCCC00.CC 81			SIC,(V P)			0A000794
49*	225015.40	224702.10 00			B,V COM	-0784		0A000794
50*	225016.00	224653.10 00			B,V ACTX	-	-0785	0A000795
51*	225016.40	000000.00 81		V CCR	SIC,(V P)			0A000796
52*	225017.00	225024.10 00			B,V SCNL	- -0786		0A000796
53*	225017.40	000000.CC 81			SIC,(V P)			0A000797
54*	225020.00	224176.03 48			CB+,V P,V RDCSX	- -0787		0A000797

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 225020		
1*	225C20.40	215C01.10 80	0C2000.CC F0		CMOCOO,SYSMCD			-0788	0A000799
2*	225021.40 *	225210.07 01			LVI,V U,V TSA	-		-0789	0A000800
3*	225022.CC	224671.43 C8			CB-,V P,V SETX				0A000801
4*	225022.40	COCCC1.CC 81		V SCNLX	SIC,1.(V P)				0A000802
5*	225023.CO	225076.5C 00			B,V OVBY				0A000802
6*	225023.40	225025.10 00			B,V SCNL1			-0792	0A000803
7*	225024.CO	225246.00 80	225243.06 EC	V SCNL	SWAPI,3,V TX,V TXT	-		-0793	0A000804
8*	225025.00	224717.00 80	040000.20 50	V SCNL1	L,V INON			-0794*	0A000805
9*	225026.00	224263.40 80	040000.20 DO		ST,V SC5	-		-0795	0A000806
10*	225027.00	224324.51 C1			LVI,V T1,V WQ	-		-0796	0A000807
11*	225027.4C	225255.11 DO			SVA,V T1,V NX+V SC	-		-0797	0A000808
12*	225030.00	224266.11 01			LVI,V T1,V SC1A	-		-0798	0A000809
13*	225030.40	224322.11 DO			SVA,V T1,V SQ1	-		-0799	0A000810
14*	225031.00	225232.10 30			LV,V T1,V X+V CR	-		-0800	0A000811
15*	225031.40	225266.11 30			SV,V T1,V X+V WT	-		-0801	0A000812
16*	225032.CO	COOCCO.10 01			B,(V P)	-		-0803	0A000813
17*	225032.40	225247.10 10		V CFFLN	LX,V T1,V TX1	-VERIFY INACTIVITY OF-		-0804	0A000814
18*	225033.CO	224157.5C 48			CB,V T1,V NOP	-		-0805	0A000815
19*	225033.40	225252.16 10			LX,V T3,V X2R+V SC	-		-0806	0A000816
20*	225034.CO	COOCCO.10 37			LV,V T1,(V T3)	-		-0807	0A000817
21*	225034.40	224157.71 40			BZXVZ,V NOP	-		-0808	0A000818
22*	225035.CC *	224171.23 80	224157.74 C4		BZBZ,V CSAW,V NOP	-		-0809	0A000819
23*	225036.CC	224372.32 80	OCCOOO.34 OE		BB1,V ECFX,	-		-0810	0A000820
24*	225037.CC	224233.51 01			LVI,V T1,V RDQ	-		-0811	0A000821
25*	225037.40	225255.11 DO			SVA,V T1,V NX+V SC	-		-0812	0A000822
26*	225040.CC	COOCOO.CC 81			SIC,(V P)				0A000823
27*	225040.4C	224272.43 48			CB+,V P,V SCR1	-REMOVE LAST CARD FRC-0813			0A000823
28*	225041.CO	225274.62 30			LV,VT5,VRQB+VWT				0A000824
29*	225041.40	225274.43 70			SR,VP,VRQB+VWT				0A000824
30*	225042.00	COCOOO.CC 81			SIC,(VP)				0A000825
31*	225042.4C	225273.C3 48			CB+,VP,VNX+VWT				0A000825
32*	225043.00	225266.07 01			LVI,V U,V WT	-		-0814	0A000826
33*	225043.40	225044.63 09			LVNI,V T5,V FREW	-		-0815	0A000827
34*	225044.00	225120.5C CO			B,V CCMX				0A000828
35*	225044.4C	OOCOOO.CO 81		V FREW	SIC,(V P)				0A000829
36*	225045.00	225072.1C 00			B,V SCFL	-	-0817		0A000829
37*	225045.4C	225224.00 80	001000.36 FC		CM1111,V TSB+V OP	-		-0818	0A000830
38*	225046.4C	000000.CO 81			SIC,(V P)				0A000831
39*	225047.00	225C60.43 48			CB+,V P,V MTTSA	-	-0819		0A000831
40*	225047.40	225266.07 01			LVI,V U,V WT	-		-0820	0A000832
41*	225050.CO	225044.55 09			LVNI,V T2,V FREW				0A000833
42*	225050.4C *	COCCO7.4C 63			L(U),V RCNT(V U)	-		-0821	0A000834
43*	225051.00	224374.34 CO			BZRZ,V SSREW	-		-0822	0A000835
44*	225051.40	225221.07 01		V RJTP	LVI,V U,V TSB	-		-0823	0A000836
45*	225052.00	225210.62 30			LV,VT5,VTSA+VX1	-017			0A000837
46*	225052.40	225201.31 89	001000.36 F0		CM1111,VSURT.VOPB(VT5)	-017			0A000838
47*	225053.40	225201.1C 19			LX,VT1,VSURT(VT5)	-017			0A000839
48*	225054.00	COOC27.11 70			SR,VT1,VT3	-03C			0A000840
49*	225054.40	000007.43 37			SV,VP,VFCNT(VT3)	-(30)			0A000841
50*	225055.00	000000.CO 81			SIC,(V P)				0A000842
51*	225055.40	224745.50 00			B,V TMV		-0827*		0A000842
52*	225056.00	CCCC21.03 01			LVI,VP,17.0				0A000843
53*	225056.40	000000.43 37			SV,VP,VX1(VT3)				0A000844
54*	225057.00	000007.42 37			LV,VP,VFCNT(VT3)				0A000845
55*	225057.40	225210.07 01			LVI,V U,V TSA			-0828+	0A000846
56*	225060.00	224655.10 00			B,V ACT			-0829+	0A000847

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT		LOCATION 225060	
1*	225060.40	225210.07	C1	V MTTSA	LVI,V U,V TSA	-	-0830	0A000848
2*	225061.00	225312.11	C1		LVI,V T1,V ST	-	-0831	0A000849
3*	225061.40	225224.51	30		SV,V T1,V DS+V TSB	-	-0832	0A000850
4*	225062.00	CCCCC0.00	81		SIC,(V P)			0A000851
5*	225062.40	224671.5C	C0		B,V SETX	-0833		0A000851
6*	225063.00	000000.15	05		V+I,V T2,0	-	-0834	0A000852
7*	225063.40	224157.71	42		BXVZ,V NCP	-	-0835	0A000853
8*	225064.00 *	225221.07	01		LVI,V U,V TSB	-	-0836	0A000854
9*	225064.40	225201.31	86	001000.36 FC	CM1111,V SURT.V CPB(V T2)	-	-0837	0A000855
10*	225065.40	225201.10	16		LX,V T1,V SURT(V T2)	-	-0838	0A000856
11*	225066.00	000026.22	30		LV,VT5,VT2	-018		0A000857
12*	225066.40	000000.00	81		SIC,(V P)			0A000858
13*	225067.00	224745.50	C0		B,V TMV			0A000858
14*	225067.40	225060.50	00		B,V MTTSA	-	-0840	0A000859
15*	225070.00	000001.00	81	V SCFLX	SIC,1.(V P)			0A000860
16*	225070.40	225076.50	00		B,V CVBY			0A000860
17*	225071.00	224266.11	C1		LVI,V T1,V SC1A		-0842	0A000861
18*	225071.40	224322.11	D0		SVA,V T1,V SQ1		-0843	0A000862
19*	225072.00	225246.00	80	225243.06 E0	V SCFL SWAPI,3,V TX,V TXT	-	-0844	0A000863
20*	225073.00	224425.51	01		LVI,V T1,V STQ	-	-0845	0A000864
21*	225073.40	224717.40	80	040000.20 50	L,V INOFF	-	-0846	0A000865
22*	225074.40	225255.11	D0		SVA,V T1,V NX+V SC	-	-0847	0A000866
23*	225075.00	224263.40	80	040000.20 D0	ST,V SC5	-	-0848	0A000867
24*	225076.00	000000.10	01		B,(V P)	-	-0849	0A000868
25*	225076.40	224721.00	80	040000.20 50	V CVBY L,V IN2	-	-0850	0A000869
26*	225077.40 *	224150.51	01		LVI,V T1,V OFFON		-0851	0A000870
27*	225100.00	224150.11	D0		SVA,V T1,V DISP		-0852	0A000871
28*	225100.40	224266.00	80	040000.20 D0	ST,V SC1A		-0853	0A000872
29*	225101.40	225346.11	C1		LVI,V T1,V Q		-0854	0A000873
30*	225102.00	224716.51	30		SV,V T1,V RQEXT		-0855	0A000874
31*	225102.40	000001.10	01		B,1.(V P)			0A000875
32*	225103.00	000001.01	05	V BYPAS	V+I,,1.		-0857	0A000876
33*	225103.40	225224.00	80	225116.34 02	BB,V OP+V TSB,V BYPAF		-0858	0A000877
34*	225104.40	224373.23	09	V BYPAN	LVNI,V T5,V BREW		-0859	0A000878
35*	225105.00	225266.07	01		LVI,V U,V WT		-0860	0A000879
36*	225105.40	225247.26	10		LX,VS2,VTX1			0A000880
37*	225106.00	225274.66	B0		V+,VS2,VRQB+VWT			0A000880
38*	225106.40	225247.03	70		SR,VP,VTX1			0A000881
39*	225107.00	225274.67	30		SV,VS2,VRQB+VWT			0A000881
40*	225107.40	000000.00	81		SIC,(V P)			0A000882
41*	225110.00	224702.10	00		B,V COM			0A000882
42*	225110.40	000000.00	81		SIC,(V P)			0A000883
43*	225111.00	224653.03	48		CB+,V P,V ACTX	-0862		0A000883
44*	225111.40	000000.00	81		SIC,(V P)			0A000884
45*	225112.00	225127.10	00		B,V SCBY	-0863		0A000884
46*	225112.40	225274.62	30		LV,VT5,VRQB+VWT			0A000885
47*	225113.00 *	225274.43	70		SR,VP,VRQB+VWT			0A000885
48*	225113.40	000000.00	81		SIC,(VP)			0A000886
49*	225114.00	225273.03	48		CB+,VP,VNX+VWT			0A000886
50*	225114.40	225250.07	01		LVI,V U,V SC		-0864	0A000887
51*	225115.00	225247.26	10		LX,V S2,V TX1		-0865	0A000888
52*	225115.40	224244.50	C0		B,V SC7A		-0866	0A000889
53*	225116.00	232762.00	80	V BYPAF	SIC,ZCOM90			0A000890
54*	225116.40	232746.10	00		B,ZASN01			0A000890
55*	225117.00	000005.00+			VF,V CRD			0A000890
56*	225117.40	225210.07	C1		LVI,VU,V TSA			0A000891

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 225120	
1*	225120.00	225122.23 09			LVNI,V T5,V CBR	-0868	0A000892
2*	225120.40	000000.00 81		V COMX	SIC,(V P)		0A000893
3*	225121.00	224702.10 00			B,V CCM		0A000893
4*	225121.40	224653.10 00			B,V ACTX		0A000894
5*	225122.00	225246.00 80	225243.06 EC	VCBR	SWAPI,3,VTX,VTXT	-01C	0A000895
6*	225123.00	000000.55 33			SV,V T2,V X1(V U)		0A000896
7*	225123.40	000000.00 81			SIC,(V P)		0A000897
8*	225124.00	225127.10 00			B,V SCBY	-0871	0A000897
9*	225124.40	224243.51 01			LVI,V T1,V SC6	-0872	0A000898
10*	225125.00	224322.11 D0			SVA,V T1,V SQ1	-0873	0A000899
11*	225125.40	224372.31 80	001000.36 F0		CM1111,V BYCN	-0874	0A000900
12*	225126.40 *	224176.03 C8			CB-,V P,V RDCSX		0A000901
13*	225127.00	224720.00 80	040000.20 50	V SCBY	L,V INBY	-0878	0A000902
14*	225130.00	224451.51 01			LVI,V T1,V EQ	-0879	0A000903
15*	225130.40	224263.40 80	040000.20 D0		ST,V SC5	-0880	0A000904
16*	225131.40	225255.11 D0			SVA,V T1,V NX+V SC	-0881	0A000905
17*	225132.00	224720.40 80	040000.20 50		L,V IN1	-0882	0A000906
18*	225133.00	225246.14 10			LX,V T2,V TX	-0883	0A000907
19*	225133.40	224266.00 80	040000.20 D0		ST,V SC1A	-0884	0A000908
20*	225134.40	000024.15 50			SC,V T2,V T1	-0885	0A000909
21*	225135.00	225376.11 D0			SVA,V T1,V X+V E	-0886	0A000910
22*	225135.40	000000.10 01			B,(V P)	-0887	0A000911
23*	225136.00	225436.11 80		V CFFLB	LVE,V T1,V PDB+1.	-0888	0A000912
24*	225136.40	225140.31 40			BZXVZ,V CFFX	-0889	0A000913
25*	225137.00	224171.23 80	000000.34 0E		BB1,V CSAW,	-0890	0A000914
26*	225140.00	224155.00 80		V CFFX	SIC,V BYP.V H		0A000915
27*	225140.40	000000.14 00			BR,C	-0891	0A000915
28*	225141.00	000000.00 81			SIC,(V P)		0A000916
29*	225141.40	224221.43 48			CB+,V P,V ECFB		0A000916
30*	225142.00 *	224372.32 80	224157.74 00		BZB,V ECFX,V NOP	-0893	0A000917
31*	225143.00	224171.23 80	000000.34 04		BZBZ,V CSAW,	-0894	0A000918
32*					-009		0A000919
33*	225144.00	000000.00 81			SIC,(V P)		0A000920
34*	225144.40	225070.10 00			B,V SCFLX	-0896	0A000920
35*	225145.00	225210.07 01			LVI,V U,V TSA	-0897	0A000921
36*	225145.40	225224.00 80	224655.34 CE		BB1,V CP+V TSB,V ACT	-0898	0A000922
37*	225146.40	000000.00 81			SIC,(V P)		0A000923
38*	225147.00	225060.43 48			CB+,V P,V MTTSA	-0899	0A000923
39*	225147.40	225275.40 60			L(U),V RCNT+V WT	-0900	0A000924
40*	225150.00	225051.74 C2			BRZ,V RJTP	-0901	0A000925
41*	225150.40	777777.03 C9			CB-,V P,V M1(V P)	-0902	0A000926
42*	225151.00	000000.00 81		V CNLIB	SIC,(V P)		0A000927
43*	225151.40	225022.50 00			B,V SCNLX	-0903	0A000927
44*	225152.00	225376.07 01			LVI,V U,V E	-0904	0A000928
45*	225152.40	000000.00 81			SIC,(V P)		0A000929
46*	225153.00	225173.43 48			CB+,V P,V SWEEP	-0905	0A000929
47*	225153.40	225246.14 10			LX,V T2,V TX	-0906	0A000930
48*	225154.00	000027.15 50			SC,V T2,V T3	-0907	0A000931
49*	225154.40	000042.17 0D			V-I,V T3,34.	-0908	0A000932
50*	225155.00	000031.16 B0			V+,V T3,V T5	-0909	0A000933
51*	225155.40 *	225156.71 C2			BXVGZ,$.64	-0910	0A000934
52*	225156.00	000042.17 05			V+I,V T3,34.	-0911	0A000935
53*	225156.40	000027.14 50			LC,V T2,V T3	-0912	0A000936
54*	225157.00	224517.17 D0			SVA,V T3,V REQ6	-0913	0A000937
55*	225157.40	224517.20 30			LV,V T4,V REQ6	-0914	0A000938
56*	225160.00	225506.15 01			LVI,V T2,V BF1	-0915	0A000939

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 225160		
1*	225160.40	225505.54 88		V+,V T2,V CW(V T4)		-0916	CA000940
2*	225161.00	225246.15 10		SX,V T2,V TX		-0917	CA000941
3*	225161.40	225266.21 30		SV,V T4,V X+V WT		-0918	CA000942
4*	225162.00	C00000.00 81		SIC,(V P)			CA000943
5*	225162.40	224314.03 48		CB+,V P,V SQ			CA000943
6*	225163.00	225224.00 80	224157.74 04	BZBZ,V CP+V TSB,V NOP	-EXIT FROM SIMPLE TRANSITION	-0919	CA000944
7*	225164.00	225266.11 01		LVI,V T1,V WT		-0920	CA000945
8*	225164.40	225224.51 30		SV,V T1,V DS+V TSB		-0921	CA000946
9*	225165.00	225212.16 10		LX,V T3,V X2R+V TSA		-0922	CA000947
10*	225165.40	C00000.14 37	V NLB2	LV,V T2,(V T3)		-0923	CA000948
11*	225166.00	225171.31 C0		BZXVGZ,V NLB1		-0924	CA000949
12*	225166.40	225201.10 16		LX,V T1,V SURT(V T2)		-0925	CA000950
13*	225167.00	225266.11 03		LRI,V T1,V WT		-0926	CA000951
14*	225167.40	225201.11 16		SX,V T1,V SURT(V T2)		-0927	CA000952
15*	225170.00	C00000.57 07		V+ICR,V T3,V F		-0928	CA000953
16*	225170.40	225165.50 C0		B,V NLB2		-0929	CA000954
17*	225171.00 *	225210.07 01	V NLB1	LVI,V U,V TSA		-0930	CA000955
18*	225171.40	C00000.00 81		SIC,(V P)			CA000956
19*	225172.00	224655.03 48		CB+,V P,V ACT			CA000956
20*	225172.40	225232.07 01		LVI,V U,V CR			CA000957
21*	225173.00	224653.10 00		B,V ACTX			CA000958
22*	225173.40	C0C000.23 01	V SWEEP	LVI,V T5,0		-0931	CA000959
23*	225174.00	C00000.54 33		LV,V T2,V X1(V U)		-0932	CA000960
24*	225174.40	225175.70 C2		BXVLZ,V SWP3		-0933	CA000961
25*	225175.00	000026.22 B0	V SWP2	V+,V T5,V T2		-0934	CA000962
26*	225175.40	000000.00 81	V SWP3	SIC,(V P)			CA000963
27*	225176.00	224671.50 00		B,V SETX	-0935		CA000963
28*	225176.40	000000.15 C5		V+I,V T2,C		-0936	CA000964
29*	225177.00	225175.31 C2		BXVCZ,V SWP2		-0937	CA000965
30*	225177.40	224671.70 C2		BXVLZ,V SETX		-0938	CA000966
31*	225200.00	C00000.43 73		SR,V P,V X1(V U)		-0939	CA000967
32*	225200.40	000000.14 33		LV,V T2,V X(V U)		-0940	CA000968
33*	225201.00	C00031.14 B0		V+,V T2,V T5		-0941	CA000969
34*	225201.40	225202.70 C2		BXVLZ,$.64		-0942	CA000970
35*	225202.00	C00042.15 C0		V-I,V T2,34.		-0943	CA000971
36*	225202.40	C00C00.15 33		SV,V T2,V X(V U)		-0944	CA000972
37*	225203.00	777777.03 C9		CB-,V P,V M1(V P)		-0945	CA000973
38*	225203.40	224374.23 09	V SREW	LVNI,V T5,V SSREW		-0946	CA000974
39*	225204.00	225266.07 C1		LVI,V U,V WT		-0947	CA000975
40*	225204.40 *	225120.50 C0		B,V COMX			CA000976
41*	225205.00	CCCCCC.00+ 110 C00000 225221	VSURTX	XW,C,C,VTSB,6			CA000977
42*	225206.00	CCCCCC.00+ C00 C00000 000000		XW,C	-	-0950	CA000978
43*	225207.00	CCCCCC.00+ 110 C00000 225221		XW,C,C,VTSB,6			CA000979
44*	225201.00+	-0CC00000 BU,30 ,10	V SURT	SYN,V SURTX-V RTP	-	-0952	CA000980
45*	000000.32+	+0CC00000 BU,01 ,10	V RCY	SYN(BU,1),.26	-	-0953	CA000981
46*	000000.31+	+00C00000 BU,01 ,1C	V CPB	SYN(BU,1),.25	-	-0954	CA000982
47*	000000.CC+	+00000004 NULL	V TSAK	SYN,4	-	-0955	CA000983
48*	225210.CC	CCCCCC.00+	V TSA	VF,C			CA000984
49*	225210.40	225122.00-		VF,-V CBR			CA000984
50*	225211.00	225217.40+ 000 C00003 225214		XW,V TSA2.V H,V TSAK-1,V TSA2K			CA000985
51*	225212.00	225220.00+ CC0 C00002 225214		XW,VTSA2+1.0,VTSAK-2,VTSA2K			CA000986
52*	225213.CC	0		DD(BU,1),C,1	-REWIND,SEQUENCE CRIT	-0959	CA000987
53*	225213.01	1					CA000987
54*	225213.40	225331.00+		VF,V RT	-	-0960	CA000988
55*	225214.CC	225217.00+ 000 000004 225214	V TSA2K	XW,V TSA2,V TSAK,V TSA2K	-	-0961	CA000989
56*	225215.00	225002.10 00		B,V TSBQ	-	-0962	CA000990

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT		LOCATION 225215	
1*	225215.40	224754.10 00		B,V TA	-	-0963	CA000991

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 225216	
1*	225216.00	CCCOCC.00+		VF,C		0A000993
2*	225216.40	CCCOCC.00+		VF,C	-0964	0A000993
3*	225217.00	CCOOCC.00+	VTSA2	VF,C		0A000994
4*	225217.40	CCCOCC.00+		VF,C		0A000994
5*	225217.71 *	CCCCC1.C0		DRZ(BU,32),VTSAK-2		0A000994
6*	000000.C0+	+0CCCOOC4 NULL	V TSBK	SYN,4	- -0966	0A000995
7*				CNOP,	-0967+	0A000996
8*	225221.00	CCOOCC.00+	V TSB	VF,C		0A000997
9*	225221.40	CCOOCC.00+		VF,C	-0968	0A000997
10*	225222.00	225227.00+ CC0 C00004 225225		XW,V TSB2,V TSBK,V TSB2K	- -0969	0A000998
11*	225223.C0	225227.00+ CC0 C00004 225225		XW,V TSB2,V TSBK,V TSB2K	- -0970	0A000999
12*	225224.00	1		DD(BU,1),1,0 -REWIND, SEQLENCE NCT CRITICAL		0A001000
13*	225224.01	0				0A001000
14*	225224.40	225312.00+		VF,V ST	-0972*	0A001001
15*	225225.C0	225227.00+ CC0 C00004 225225	V TSB2K	XW,V TSB2,V TSBK,V TSB2K	- -0973	0A001002
16*	225226.00	224777.10 00		B,V TSAQ	- -0974	0A001003
17*	225226.40	224754.1C C0		B,V TA	- -0975	0A001004
18*	225227.CC *	000002.CC	V TSB2	DRZ(BU,32),V TSBK		0A001005
19*	000003.00+	+0CC00000 BU,01 ,10	V CP	SYN(BU,1),3.	- -0977	0A001006
20*	000003.01+	+0CCCOOOO BU,01 ,1C	V SQNC	SYN(BU,1),V OP.1	- -0978	0A001007
21*	000003.40+	+00C00CCC NULL	V CS	SYN,3.32	- -0979	0A001008
22*	000006.CC+	+00C00CC0 NULL	V TQ	SYN,V IO.V H	-0980*	0A001009
23*	000006.40+	+0CC00CC0 NULL	V TDQ	SYN,V TQ.V H	- -0981	0A001010
24*				CNOP,	-0982	0A001011
25*	225231.CC	224647.1C CC		B,VREOP		0A001012
26*	225231.40	224162.5C 00		B,V RDEE	-0984	0A001013
27*	000000.C0+	+00C00002 NULL	V CRK	SYN,2	-0985	0A001014
28*	225232.00	CC0042.00-	V CR	VF,-34.	-0986	0A001015
29*	225232.40	CCCOCC.00+		VF,C	-0987	0A001016
30*	225233.CC	225242.00+ 000 C00002 225241		XW,V RD2,V CRK,V RDX2K-CR2S	-0988	0A001017
31*	225234.00	225242.00+ 000 C00002 225241		XW,V RD2,V CRK,V RDX2K-CR2R	-0989	0A001018
32*	225235.00	225506.00+ 010 C00000 225235		CW(CD),V BF1,C,$	-0990	0A001019
33*	225236.00	CCOOCC.00+ CC0 C00000 CCCCCC	V RDCW	CW,C -CWR	-0991	0A001020
34*	225237.CC	224314.1C CC		B,V SQ	-0992	0A001021
35*	225237.40	224235.50 00		B,V RDIC	-0993	0A001022
36*	225240.CC	CCCC05.CC 8C		,V CRD	-0994	0A001023
37*	225241.00	225242.00+ CC0 C00002 225241	V RDX2K	XW,V RD2,V CRK,V RDX2K	-0995	0A001024
38*	225242.00	CC0042.00 00	V RD2	BE,34.		0A001025
39*	225242.40 *	CCCCC0.40		DRZ(BU,32),V CRK-1	-0996	0A001025
40*	225243.CC	2255C6.00+ CC0 C00042 225256	V TXT	XW,V BF1,34,V TXK	-0998	0A001026
41*	225244.CC	CCOOCC.00+ CC0 CCC000 CCCCCC		XW,C	-0999	0A001027
42*	225245.CC	CCOOCC.00+		VF,C		0A001028
43*	225245.40	CCCOCC.00+		VF,C	-1000	0A001028
44*	225246.00	2255C6.00+ CC0 C00042 225256	V TX	XW,V BF1,34,V TXK	-1001	0A001029
45*	225247.00	CCCOCC.00+ 000 CCC000 CCCCCC	V TX1	XW,C	-1002	0A001030
46*	000000.C0+	+0CC00006 NULL	V SCK	SYN,6	-1003	0A001031
47*	225250.CC	CCCCCC.00+	V SC	VF,C	-1004	0A001032
48*	225250.40	CCCCCC.00+		VF,C	-1005	0A001033
49*	225251.CC	225260.00+ 000 000006 225257		XW,V SC2Q,V SCK,V SX2K-SC2S	-1006	0A001034
50*	225252.00	225260.00+ 000 000006 225257		XW,V SC2Q,V SCK,V SX2K-SC2R	-1007	0A001035
51*	225253.00	CCCOCC.00+ 000 CCC000 CCCCCC		XW,C	-1008	0A001036
52*	225254.CC	CCOOCC.00+ CC0 C00000 CCCCCC		XW,C	-1009	0A001037
53*	225255.CC	224451.5C CC		B,V EQ	-1010	0A001038
54*	225256.CC *	2255C6.CC+ CC0 C00042 225256	V TXK	XW,V BF1,34,V TXK	-1011	0A001039
55*	225257.00	225260.00+ CC0 000006 225257	V SX2K	XW,V SC2Q,V SCK,V SX2K	-1012	0A001040
56*	225260.CC *	CC0003.CC	V SC2Q	DRZ(BU,32),V SCK	-1013	0A001041

LINE	LOCATION		BINARY OUTPUT				NAME	STATEMENT			LOCATION	
1*								CNCP,			-1014	CA001042
2*	225263.CC		224322.5C CO					B,VWECP				CA001043
3*	225263.40		224340.1C CO					B,RWTEE				CA001043
4*	225264.CC		224361.5C CO					B,V WFECP			-1016	CA001044
5*	225264.4C		224360.1C CO					B,RWTM				CA001045
6*	225265.CC		224322.5C CO					B,V WECP			-1018	CA001046
7*	225265.40		224340.1C CO					B,RWTEE				CA001047
8*	225266.CC		CCCC42.00-				VWT	VF,-34.C				CA001048
9*	225266.4C		224333.00-					VF,-VWEFT				CA001048
10*	225267.CC		225300.00+	000	000021	225277		XW,V W2,17,V WX2K	-W2S		-1022	CA001049
11*	225270.00		225300.00+	000	000021	225277		XW,V W2,17,V WX2K	-W2R		-1023	CA001050
12*	225271.CC		225506.00+	000	000000	225271		CW,V BF1,0,$			-1024	CA001051
13*	225272.00		CCCCCC.00+	CCC	000000	CCCCCC	V WCW	CW,C	-CWR		-1025	CA001052
14*	225273.CC		224233.5C 00					B,V RCQ	-NX		-1026	CA001053
15*	225273.40		224403.5C 00					B,V WIC	-IO		-1027	CA001054
16*	225274.00		CCCC00.C0 80					,0	-SU			CA001055
17*	225274.4C		CCCC00.CC 80					,0	-RQB		-1029	CA001056
18*	225275.CC		CCCCCC.00+					VF,C	-RCNT		-1030	CA001057
19*	225275.40		CCCCCC.00+					VF,C	-FCNT		-1031	CA001058
20*	225276.00	*	224655.1C CO					B,V ACT	-STR		-1032	CA001059
21*	225277.CC		225300.00+	000	000021	225277	V WX2K	XW,V W2,17,V WX2K			-1033	CA001060
22*	225300.CC	*	CCCC1C.40				V W2	DRZ(BU,32),17			-1034	CA001061
23*	225310.40		CCCCC0.30 CO					CNCP,			-1035	CA001062
24*	225311.CC		224647.1C CO					B,V RECP			-1036	CA001063
25*	225311.4C		224426.5C 00					B,V RTEE			-1037	CA001064
26*	000000.CC+		+00CC0002		NULL		V STK	SYN,2			-1038	CA001065
27*	225312.CC		CCC042.00-				V ST	VF,-34.			-1039	CA001066
28*	225312.40		CCC021.00+					VF,17.	-S1		-1040	CA001067
29*	225313.CC		225324.40+	CCC	000001	225323		XW,V S2T.V H,V STK-1,V SX2KT-S2S			-1041	CA001068
30*	225314.CC		225324.CC+	CCC	000002	225323		XW,V S2T,V STK,V SX2KT-S2R			-1042	CA001069
31*	225315.00		225506.00+	C10	C00377	225327		CW(CD),V BF1,255,V SCWA			-1043	CA001070
32*	225316.CC		225506.00+	C10	000377	225327	V SCW	CW(CD),V BF1,255,V SCWA-CWR			-1044	CA001071
33*	225317.CC		224314.1C CO					B,V SQ	-NX		-1045	CA001072
34*	225317.40		224421.5C 00					B,V RTIC	-IO		-1046	CA001073
35*	225320.CC		CCCCC0.CC 80					,0	-SU			CA001074
36*	225320.4C		CCCCC0.CC 80					,0	-RQB		-1048	CA001075
37*	225321.CC		CCCCC0.CC 80					,0	-RCNT		-1049	CA001076
38*	225321.40		CCCCC0.CC 80					,0	-FCNT		-1050	CA001077
39*	225322.00		224422.1C 00					B,V RTIC1	-STR		-1051	CA001078
40*	225322.40		224727.00-					VF,-V STTS	-TS		-1052	CA001079
41*	225323.00	*	225324.00+	CCC	000002	225323	V SX2KT	XW,V S2T,V STK,V SX2KT			-1053	CA001080
42*	225324.CC		CCCC21.CC 00				V S2T	BE,17.				CA001081
43*	225324.40	*	CCCCC0.40					DRZ(BU,32),V STK-1			-1054	CA001081
44*	225325.CC		CCCCC2.CC					DRZ(BU,32),4			-1055	CA001082
45*	225327.00		2261C5.00+	010	000377	225315	V SCWA	CW(CD),V BF1+255.,255,V SCW-1.			-1056	CA001083
46*	225330.00		224647.1C 00					B,V RECP			-1057	CA001084
47*	225330.40		224407.1C 00					B,V REE			-1058	CA001085
48*	225331.CC		CCC042.00-				V RT	VF,-34.			-1059	CA001086
49*	225331.40		CCC021.00+					VF,17.	-R1		-1060	CA001087
50*	225332.00		225345.40+	000	000001	225344		XW,V R2.V H,1,V RX2K	-R2S		-1061	CA001088
51*	225333.00		225345.00+	000	000002	225344		XW,V R2,2,V RX2K	-R2R		-1062	CA001089
52*	225334.CC		226504.00+	C10	000377	225343		CW(CD),V BF2,255,V RCWA			-1063	CA001090
53*	225335.CC		226504.00+	010	000377	225343	V RCW	CW(CD),V BF2,255,V RCWA-CWR			-1064	CA001091
54*	225336.CC		224452.5C 00					B,V QQ	-NX		-1065	CA001092
55*	225336.40		224421.5C CO					B,V RTIC	-IO		-1066	CA001093
56*	225337.CC		CCCCC0.CC 80					,0	-SU		-1067	CA001094

LINE	LOCATION		BINARY OUTPUT			NAME	STATEMENT			LOCATION 225337	
1*	225337.40		000000.00 80				,0	-RQB		-1068	0A001095
2*	225340.00		000000.00 80				,0	-RCNT		-1069	0A001096
3*	225340.40		000000.00 80				,0	-FCNT		-1070	0A001097
4*	225341.00		225003.10 00				B,V RTST	-STR		-1071	0A001098
5*	225341.40		224732.40-				VF,-V RTTS	-TS		-1072-	0A001099
6*	225342.00		000000.00+				VF,0	-FCNX		-1073+	0A001100
7*	225343.00	*	227103.00+ 010	000377	225334	V RCWA	CW(CD),V BF2+255.,255,V RCW-1.			-1074	0A001101
8*	225344.00		225345.00+ 000	000002	225344	V RX2K	XW,V R2,2,V RX2K			-1075	0A001102
9*	225345.00		000021.00+			V R2	VF,17.				0A001103
10*	225345.40		000000.00+				VF,0		-1076		0A001103
11*							CNOP,			-1077	0A001104
12*	225346.00		000042.00-			V Q	VF,-34.			-1078	0A001105
13*	225346.40		000000.00+				VF,0	-Q1		-1079	0A001106
14*	225347.00		225355.00+ 000	000042	225354		XW,V Q2Q,34,V QX2K	-Q2S		-1080	0A001107
15*	225350.00		225355.00+ 000	000042	225354		XW,V Q2Q,34,V QX2K	-Q2S		-1081	0A001108
16*	225351.00		226504.00+ 000	000000	225351		CW,V BF2,0,$			-1082	0A001109
17*	225352.00		000000.00+ 000	000000	000000		CW,0	-CWR		-1083	0A001110
18*	225353.00		224420.50 00				B,V RQ	-NX		-1084	0A001111
19*	225354.00		225355.00+ 000	000042	225354	V QX2K	XW,V Q2Q,34,V QX2K			-1085	0A001112
20*	225355.00	*	000021.00			V Q2Q	DRZ(BU,32),34			-1086	0A001113
21*	225376.00		000042.00-			V E	VF,-34.			-1087	0A001114
22*	225376.40		000000.00+				VF,0	-E1		-1088	0A001115
23*	225377.00		225405.00+ 000	000042	225404		XW,V E2,34,V EX2K	-E2S		-1089	0A001116
24*	225400.00		225405.00+ 000	000042	225404		XW,V E2,34,V EX2K	-E2R		-1090	0A001117
25*	225401.00		225506.00+ 000	000000	225401		CW,V BF1,0,$			-1091	0A001118
26*	225402.00		000000.00+ 000	000000	000000		CW,0	-CWR		-1092	0A001119
27*	225403.00		224233.50 00				B,V RDQ	-NX		-1093	0A001120
28*	225404.00		225405.00+ 000	000042	225404	V EX2K	XW,V E2,34,V EX2K			-1094	0A001121
29*	225405.00	*	000021.00			V E2	DRZ(BU,32),34			-1095	0A001122
30*	225426.00		225434.40+ 000	000000	000000	V PDQ	XW,V PDQB,0,0			-1096	0A001123
31*	225427.00		225435.00+ 000	000000	000000	V PD	XW,V PDB,0,0			-1097	0A001124
32*	225430.00					RTSMSG	(IQS*)DD(BU,8,8), IS THE NEW IP READ TAPE*				0A001125
33*	225434.00		224450.50 00				B,V RTN			-1098	0A001126
34*	225434.40		225434.50 00			V PDQB	B,$			-1099	0A001127
35*	225435.00		000000.10 00			V PDB	B,				0A001128
36*	225435.40		000000.10 00				B,				0A001128
37*	225436.00		000000.10 00				B,				0A001128
38*	225436.40		000000.10 00				B,				0A001128
39*	225437.00		000000.10 00				B,				0A001128
40*	225437.40		000000.10 00				B,				0A001128
41*	225440.00		000000.10 00				B,				0A001128
42*	225440.40		000000.10 00				B,				0A001128
43*	225441.00	*	000000.10 00				B,				0A001128
44*	225441.40		000000.10 00				B,				0A001128
45*	225442.00		000000.10 00				B,				0A001128
46*	225442.40		000000.10 00				B,				0A001128
47*	225443.00		000000.10 00				B,	-11C0			0A001128

LINE	LOCATION		BINARY OUTPUT	NAME	STATEMENT	LOCATION 225443	
1*	225443.4C		C00CC0.CC CC		BE,C	-1101	0A001130
2*	225444.CC		CCC042		DD(8U,18),34	-1102	0A001131
3*	225444.22		00000000017		DD(8U,32),15,33,30,32,45,31,60,30,75,29,90,28,105,27	-1103	0A001132
4*	225444.62		000000CCC41				0A001132
5*	225445.22		000000CCC036				0A001132
6*	225445.62		000000CCC040				0A001132
7*	225446.22		000000CCC055				0A001132
8*	225446.62		000000CCC037				0A001132
9*	225447.22		000000CCC074				0A001132
10*	225447.62		C00000CC0036				0A001132
11*	225450.22		000000CC0113				0A001132
12*	225450.62		000000CCC035				0A001132
13*	225451.22		000000CC0132				0A001132
14*	225451.62		000000CCC034				0A001132
15*	225452.22		000000CC0151				0A001132
16*	225452.62		000000CCC033				0A001132
17*	225453.22		00000000170		DD(8U,32),120,26,135,25,150,24,165,23,180,22,195,21,210	-1104	0A001133
18*	225453.62		000000CC0032				0A001133
19*	225454.22		000000CC207				0A001133
20*	225454.62	*	000000CCC031				0A001133
21*	225455.22		000000CC0226				0A001133
22*	225455.62		000000CC0030				0A001133
23*	225456.22		000000CC0245				0A001133
24*	225456.62		000000CCC027				0A001133
25*	225457.22		000000CC0264				0A001133
26*	225457.62		000000CC0026				0A001133
27*	225460.22		000000CC0303				0A001133
28*	225460.62		000000CC0025				0A001133
29*	225461.22		000000CC0322				0A001133
30*	225461.62		000000CC0024		DD(8U,32),20,225,19,240,18,255,17,270,16,285,15,300,14	-1105	0A001134
31*	225462.22		000000CC0341				0A001134
32*	225462.62		000000CC0023				0A001134
33*	225463.22		000000CC0360				0A001134
34*	225463.62		000000CC0022				0A001134
35*	225464.22		000000CC0377				0A001134
36*	225464.62		000000CCC021				0A001134
37*	225465.22		000000CC0416				0A001134
38*	225465.62		000000CC0020				0A001134
39*	225466.22		000000CC0435				0A001134
40*	225466.62		000000CCC017				0A001134
41*	225467.22		000000CC0454				0A001134
42*	225467.62		000000CC0016				0A001134
43*	225470.22	*	000000CC0473		DD(8U,32),315,13,330,12,345,11,360,10,375,9,390,8,405,7	-1106	0A001135
44*	225470.62		000000CC0015				0A001135
45*	225471.22		000000CC0512				0A001135
46*	225471.62		000000CC0014				0A001135
47*	225472.22		000000CC0531				0A001135
48*	225472.62		000000CC0013				0A001135
49*	225473.22		000000CC0550				0A001135
50*	225473.62		000000CC0012				0A001135
51*	225474.22		000000CC0567				0A001135
52*	225474.62		000000CC0011				0A001135
53*	225475.22		000000CC0606				0A001135
54*	225475.62		000000CC0010				0A001135
55*	225476.22		000000CC0625				0A001135
56*	225476.62		000000CC0007				0A001135

LINE	LOCATION	BINARY OUTPUT	NAME	STATEMENT	LOCATION 225477	
1*	225477.22	00000000644		DD(BU,32),420,6,435,5,450,4,465,3,480,2,495,1	-1107	CA001136
2*	225477.62	00000000006				CA001136
3*	225500.22	00000000663				CA001136
4*	225500.62	00000000005				CA001136
5*	225501.22	00000000702				CA001136
6*	225501.62	00000000004				CA001136
7*	225502.22	00000000721				CA001136
8*	225502.62	00000000003				CA001136
9*	225503.22	00000000740				CA001136
10*	225503.62 *	00000000002				CA001136
11*	225504.22	00000000757				CA001136
12*	225504.62	00000000001				CA001136
13*	225505.40+	+00000000 NULL	V CW	SYN,$.14	-1108	CA001137
14*	225506.00+	+00000000 NULL	V MT	SYN,$.46	-1109	CA001138
15*	225505.22	00000000776		DD(BU,32),510	-1110	CA001139
16*				CNOP,0	-1111	CA001140
17*	225506.00 *	000776.00	V BF1	DRZ(BU,64),(34,15)	-1112	CA001141
18*	226504.00	000776.00	V BF2	DRZ(BU,64),(34,15)	-1113	CA001142
19*	227502.00	227524.33 30	R UNLD	SV,13,R UNLD2	-1116	CA001143
20*	227502.40	000000.42 3D		LV,1,.32($13)	-1117	CA001144
21*	227503.00	225266.03 04		KVI,$1,VWT		CA001145
22*	227503.40	230355.32 00		BZXE,RKSCON		CA001146
23*	227504.00	000005.40 8D		SIC,5.32($13)		CA001147
24*	227504.40	227512.10 00		B,R UNLD1	-1120	CA001147
25*	227505.00	224757.43 01		LVI,$1,VTDSP		CA001148
26*	227505.40	227524.32 30		LV,13,R UNLD2	-1122	CA001149
27*	227506.00	000005.43 DD		SVA,1,5.32($13)	-1123	CA001150
28*	227506.40	000000.46 3D		LV,V U,.32($13)	-1124	CA001151
29*	227507.00	000040.10 00		B,D MCP		CA001152
30*	227507.40	000001.40 80		,D W	-1125	CA001152
31*	227510.00	000006.01 B3		LVE,,V SU(V U)	-1126	CA001153
32*	227510.40	225272.00 80		,V WCW	-1127	CA001154
33*	227511.00	000040.10 00		B,D MCP		CA001155
34*	227511.40	000041.00 80		,D RET	-1128	CA001155
35*	227512.00	000001.02 3D	R UNLD1	LV,1,1.($13)	-1129	CA001156
36*	227512.40	000040.10 00		B,D MCP		CA001157
37*	227513.00	000043.40 80		,D COMM	-1130	CA001157
38*	227513.40	227517.00+		VF,RUNM	-1131	CA001158
39*	227514.00	000005		CF,5	-1132	CA001159
40*	227514.40	000040.10 00		B,D MCP		CA001160
41*	227515.00 *	000010.40 80		,D UNLD	-1133	CA001160
42*	227515.40	000000.00 81		,0($1)	-1134	CA001161
43*	227516.00	000040.10 00		B,D MCP		CA001162
44*	227516.40	000041.00 80		,D RET	-1135	CA001162
45*	227517.00		R UNM	(IQS*)DD(BU,8,8),ATTEMPT TO WRITE ON FILE *	-1136	CA001163
46*	227522.10			(IQS*)DD(BU,8,8),PROTECTED TAPE *	-1137	CA001164
47*	227524.00	000000.00+	R UNLD2	VF,0	-1138	CA001165

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION
1*				-	**********	CB000001
2*				-	********** THE OVERLAP INPUT PROGRAM FIXUPS **********	CB000002
3*				-	**********	CB000003
4*				-		CB000004
5*	227524.31 *				SLC,$	CB000005
6*	CCCCC3.CC+	+CCCCCCCC	NULL	RKA	SYN,3.C	CB000006
7*	CCCCC3.CC+	+CCCCCCCC	NULL	RKB	SYN,3.C	CB000007
8*	CCCCC3.CC+	+CCCCCCCC	NULL	RKC	SYN,3.C	CB000008
9*	CCCCC3.CC+	+CCCCCCCC	NULL	RKD	SYN,3.C	CB000009
10*	CCCCC3.CC+	+CCCCCCCC	NULL	RKE	SYN,3.C	CB000010
11*	CCCCC3.CC+	+CCCCCCCC	NULL	RKF	SYN,3.C	CB000011
12*	227524.4C	230363.72 30		RKS UK	LV,$13,RKSBRC	CB000012
13*	227525.CC	CCCCC4.33 CD			V-I,$13,4.C	CB000012
14*	227525.4C	CCCCC0.46 3D			LV,VU,C.32($13)	CB000013
15*	227526.CC	CCCCC2.11 8D	227502.34 02		BB,2.9($13),RUNLD	CB000014
16*	227527.CC	CCCCC1.44 3D			LV,$2,1.32($13)	CB000015
17*	227527.4C	CCCCC0.77 B2			LVE,$15,C.32($2)	CB000016
18*	227530.CC	CCCCC1.77 C4			KVI,$15,DW	CB000016
19*	227530.4C	227536.32 C2			BXE,RGWUK	CB000017
20*	227531.CC	CCCCC1.37 C4			KVI,$15,DRD	CB000018
21*	227531.4C	227757.32 C2			BXE,RDUK	CB000018
22*	227532.CC	CCCCC2.14 8D	230432.74 CC		BZB,2.12($13),RGNOGD	CB000019
23*	227533.CC	CCCCC7.77 C4			KVI,$15,DWEF	CB000020
24*	227533.4C	230204.72 C0			BZXE,RPUKLI	CB000020
25*	227534.CC	227544.23 80	001000.CC F0		CMOCOO(BU,1),RWEXBR+.19	CB000021
26*	227535.CC	230364.21 80	227552.74 02		BB,REJJCB+.17,RWSET	CB000022
27*	227536.CC	227643.76 3C		RGWUK	LV,$15,RWTRY	CB000023
28*	227536.4C	227643.36 B0			V+,$15,RETRY	CB000024
29*	227537.CC	CCCC10.37 C4			KVI,$15,RKB+RKC+2.0	CB000025
30*	227537.4C *	227544.32 C0			BZXE,RWEXBR	CB000025
31*	227540.CC	227646.37 C1			LVI,$15,RWEXIT	CB000026
32*	227540.4C	230013.CC 80			SIC,RDSWBR	CB000027
33*	227541.CC	23CC07.1C C0			B,RDSWTC	CB000027
34*	227541.4C	227544.23 80	227552.34 CC		BZB,RWEXBR.19,RWSET-.32	CB000028
35*	227542.4C	CCCCC1.75 B2			LVE,$14,1.32($2)	CB000029
36*	227543.CC	CCCCC0.42 6E			LWF(U),($14)	CB000030
37*	227543.4C	227644.4C E0			ST(L),RWEXIT-2.0	CB000030
38*	227544.CC	227552.70 CC		RWEXBR	NOP,RWSET	CB000031
39*	227544.4C	227556.37 C1			LVI,$15,RWSBSP	CB000031
40*	227545.CC	227653.77 C0		RWREST	SVA,$15,RWEXIT+5.32	CB000032
41*	227545.4C	227643.76 50			LC,$15,RWTRY	CB000033
42*	227546.CC	227554.76 4A			CBZ,$15,RWTCNG	CB000033
43*	227546.4C	227643.77 50		RWSTCR	SC,$15,RWTRY	CB000034
44*	227547.CC	227544.23 80	001CC0.36 F0		CM1111(BU,1),RWEXBR.19	CB000035
45*	22755C.CC	CCCC40.1C CC			B,DMCP	CB000036
46*	22755C.4C	CCCCC6.CC+			VF,CBSP	CB000036
47*	227551.CC	CCCCC6.C1 B3			LVE,,VSL(VU)	CB000036
48*	227551.4C	23C1C4.1C CC			B,RETN	CB000036

IBM

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 227552
1*	227552.00	227644.22 00			Z,RWEXIT-2.C	0B000038
2*	227552.40	227563.77 01		RWSET	LVI,$15,RWEE	0B000039
3*	227553.00 *	227651.77 D0			SVA,$15,RWEXIT+3.32	0B000039
4*	227553.40	227566.77 01			LVI,$15,RWBSP	0B000040
5*	227554.00	227545.10 00			B,RWREST	0B000040
6*	227554.40	000004.37 02		RWTCNG	LCI,$15,RKD+1.0	0B000041
7*	227555.00	230364.77 80	227546.74 0C		BZB1,REJJOB+.63,RWSTOR	0B000042
8*	227556.00	000000.46 3D		RWSBSP	LV,VU,0.32($13)	0B000043
9*	227556.40	230364.77 80	227560.74 04		BZBZ,REJJOB+.63,RWNOEG	0B000044
10*	227557.40	227577.00 80			SIC,RERGBR	0B000045
11*	227560.00	227574.10 C0			B,RERG	0B000045
12*	227560.40	000040.10 C0		RWNOEG	B,DMCP	0B000046
13*	227561.00	000001.40+			VF,DW	0B000046
14*	227561.40	000006.01 B3			LVE,,VSU(VU)	0B000046
15*	227562.00	225272.00+			VF,VWCW	0B000046
16*	227562.40	230316.77 01			LVI,$15,RESTOR	0B000047
17*	227563.00	230103.50 00			B,RTN	0B000047
18*	227563.40	000000.46 3D		RWEE	LV,VU,.32($13)	0B000048
19*	227564.00	230334.37 01			LVI,$15,REBSP1	0B000049
20*	227564.40	000040.10 00			B,DMCP	0B000050
21*	227565.00	000006.40+			VF,DSPFL	0B000050
22*	227565.40	000006.01 B3			LVE,,VSU(VU)	0B000050
23*	227566.00	230271.10 C0			B,RK4P32	0B000051
24*	227566.40 *	000000.46 3D		RWBSP	LV,VU,0.32($13)	0B000052
25*	227567.00	000007.36 33			LV,$15,VRCNT(VU)	0B000053
26*	227567.40	230334.31 40			BZXVZ,REBSP1	0B000054
27*	227570.00	000040.10 C0			B,DMCP	0B000055
28*	227570.40	000001.00+			VF,DRD	0B000055
29*	227571.00	000006.01 B3			LVE,,VSU(VU)	0B000055
30*	227571.40	230250.00+			VF,RESKIP	0B000055
31*	227572.00	230324.37 01			LVI,$15,RERDUK	0B000056
32*	227572.40	000003.77 DD			SVA,$15,3.32($13)	0B000057
33*	227573.00	230325.37 01			LVI,$15,READ	0B000058
34*	227573.40	230103.50 C0			B,RTN	0B000059
35*	227574.00	227643.34 50		RERG	LC,$14,RETRY	0B000060
36*	227574.40	227602.34 4A			CBZ,$14,RENGJB	0B000061
37*	227575.00	227643.35 50			SC,$14,RETRY	0B000062
38*	227575.40	000040.10 C0			B,DMCP	0B000063
39*	227576.00	000005.01+			VF,DERGS	0B000063
40*	227576.40	000006.01 B3			LVE,,VSU(VU)	0B000063
41*	227577.00	227577.10 C0		RERGBR	B,$	0B000064
42*	227577.40	777777.04 3D		RETEST	LV,$2,-1.0($13)	0B000065
43*	227600.00	227612.71 40			BZXVZ,REREX	0B000065
44*	227600.40	230265.45 01			LVI,$2,RECOBL	0B000066
45*	227601.00	000004.45 DD			SVA,$2,4.32($13)	0B000066
46*	227601.40	227613.50 C0			B,RESPAC	0B000067
47*	227602.00 *	000004.35 01		RENGJB	LVI,$14,RKC+1.0	0B000068
48*	227602.40	227643.35 D0			SVA,$14,RETRY	0B000068
49*	227603.00	227642.23 80	001000.36 F0		CM1111(BU,1),RKCRWT.19	0B000069

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION 227604
1*	227604.00		225427.02 10			LX,VP,VPD	0B000071
2*	227604.40		230364.21 80	230400.34 06		BBZ,REJJOB+.17,REDUMP	0B000072
3*	227605.40		COCCC7.74 33			LV,14,VFCNT(VU)	0B000073
4*	227606.00		227611.71 40			BZXVZ,RGOCD	0B000073
5*	227606.40		227642.23 80	001000.CC FC		CMOCOO(BU,1),RKCRWT.19	0B000074
6*	227607.40		227642.CC 80			SIC,RKCRWT	0B000075
7*	227610.00		227615.10 00			B,RESTRP	0B000075
8*	227610.40		227642.23 80	230400.34 0C		BZB1,RKCRWT.19,REDUMP	0B000076
9*	227611.40		COCCC7.34 33		RGCOD	LV,14,VRCNT(VU)	0B000077
10*	227612.CC		227577.71 40			BZXVZ,RETEST	0B000077
11*	227612.40		23C272.C5 01		REREX	LVI,$2,REBSFL	0B000078
12*	227613.00		COCCC4.45 DD			SVA,$2,4.32($13)	0B000078
13*	227613.40		COCC40.10 00		RESPAC	B,DMCP	0B000079
14*	227614.CC		CC0007.00+			VF,CBSFL	0B000079
15*	227614.40		CCCC06.01 B3			LVE,,VSU(VU)	0B000079
16*	227615.00		777777.04 3D		RESTRP	LV,$2,-1.0($13)	0B000080
17*	227615.4C	*	224450.71 42			BXVZ,VRTN	0B000080
18*	227616.00		225266.62 30		REWTEE	LV,VT5,VX1+VWT	0B000081
19*	227616.40		225266.16 30			LV,VT3,VX+VWT-	0B000081
20*	227617.00		COOC31.16 B0			V+,VT3,VT5	0B000082
21*	227617.40		225266.17 30			SV,VT3,VX+VWT	0B000082
22*	22762C.CC		224677.42 60		RESRCH	LWF(U),VSET3-C.32	0B000083
23*	227620.40		23C362.40 E0			ST(L),RVSET3	0B000083
24*	227621.00		230363.42 60			LWF(U),RKSUB	0B000084
25*	227621.4C		224677.CC 80	040060.2C DC		ST(BU,32),VSET3-C.32,-32	0B000085
26*	227622.40		COCCC0.62 33			LV,VT5,VX1(VU)	0B000086
27*	227623.CC		CCCC42.23 04			KVI,VT5,34.0	0B000086
28*	227623.40		227625.33 42			BXH,$+1.32	0B000086
29*	227624.CC		COCCCC.CC 81			SIC,(VP)	0B000087
30*	227624.40		224456.43 48			CB+,VP,VNXT	0B000087
31*	227625.00		225266.07 01			LVI,VU,VWT	0B000088
32*	227625.40		COOCC0.15 01			LVI,VT2,C.0	0B000088
33*	227626.CC		OOOC00.23 01			LVI,VT5,C.0	0B000088
34*	227626.40		CCCC26.22 B0		RLCCPE	V+,VT5,VT2	0B000089
35*	227627.00		COCCCC.00 81			SIC,(VP)	0B000090
36*	227627.40		224671.5C C0			B,VSETX	0B000090
37*	227630.CC		000000.15 05			V+I,VT2,0.0	0B000091
38*	227630.40		227626.71 C2			BXVCZ,RLCCPE	0B000091
39*	227631.00	*	230362.42 60			LWF(U),RVSET3	0B000092
40*	227631.4C		224677.4C EC			ST(U),VSET3-0.32	0B000092
41*	227632.CC		225274.62 B0			V+,VT5,VRQB+VWT	0B000093
42*	227632.40		225274.43 70			SR,VP,VRQB+VWT	0B000093
43*	227633.CC		230372.42 60			LWF(U),RENXSC	0B000094
44*	227633.40		224324.40 80	040060.2C DC		ST(BU,32),VWQ,-32	0B000095
45*	227634.40		227637.23 DC		RK7777	SVA,VT5,RVT5SV	0B000096
46*	227635.CC		225266.22 B0			V+,VT5,VX+VWT	0B000097
47*	227635.40		227636.70 C2			BXVLZ,$.64	0B000098
48*	227636.00		CCCC42.23 CD			V-I,VT5,34.0	0B000099
49*	227636.40		225266.23 30			SV,VT5,VX+VWT	0B000100
50*	227637.00		227637.23 01		RVT5SV	LVI,VT5,$	0B000101
51*	227637.40		225232.07 01			LVI,VU,VCR	0B000102
52*	227640.00		COCCCC.CC 81			SIC,(VP)	0B000103
53*	227640.40		224702.1C C0			B,VCOM	0B000103
54*	227641.CC		225266.07 01			LVI,VU,VWT	0B000104
55*	227641.40		CCC000.23 01			LVI,VT5,0.0	0B000104
56*	227642.CC		230265.3C 00		RKCRWT	NOP,RSAM1	0B000105

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 227642
1*	227642.40	777777.03 C9			CB-,VP,-1.(VP)	OB000106
2*	227643.00	CC0004.00+		RETRY	VF,RKC+1.C	OBC00107
3*	227643.40	CCC0C4.00+		RWTRY	VF,RKC+1.C	OB000108
4*					CNOP	OB000109
5*	227644.00 *	COCCC1.C0			DRZ(BU,32),2	OB000110
6*	227645.00	225266.00 00			BE,VWT	OB000111
7*	227645.40	225266.00 C0			BE,VWT	OB000112
8*	227646.00 *	C00002.00		RWEXIT	DRZ(BU,32),4	OB000113
9*	227650.00	230363.40 80			SIC,RKSBRC	OB000114
10*	227650.40	227524.50 00			B,RKSUK	OB000114
11*	227651.00	227645.33 01			LVI,$13,$-4.0	OB000115
12*	227651.40	227651.50 C0			B,$	OB000115
13*	227652.00	227645.33 C1			LVI,$13,$-5.C	OB000116
14*	227652.40	227652.50 00			B,$	OB000116
15*	227653.00	227645.33 01			LVI,$13,$-6.0	OB000117
16*	227653.40	227653.50 C0			B,$	OB000117
17*	227654.00	C0C032.36 30		RKSCNN	LV,$15,VS1	OB000118
18*	227654.40	224247.76 80	227664.34 02		BB,VSC7B.30,RKSOK	OB000118
19*	227655.40	420000.00 80	414032.20 50		LI(BU,12),(8)420000.0,52	OB000119
20*	227656.40	000000.00 8F	000000.20 D0		ST(BU,64),($15)	OB000120
21*	227657.40	224241.00 80	060000.20 50		L(BU,48),RJOB	OB000121
22*	227660.40	C0C001.54 8F	060000.20 D0		ST(BU,48),1.44($15)	OB000122
23*	227661.40	C0C374.37 C2			LCI,$15,252.0	OB000123
24*	227662.00	C0C002.37 C5			V+I,15,2.0	OB000124
25*	227662.40	C0C001.22 CF		RKZERO	Z,1.0($15)	OB000125
26*	227663.00 *	227662.77 48			CB+,$15,$-.32	OB000126
27*	227663.40	224671.43 C8		RKSCRT	CB-,VP,VSETX	OB000127
28*	227664.00	C0C007.14 33		RKSCK	LV,VT2,VRCNT(VU)	OB000128
29*	227664.40	C0CC01.15 04			KVI,VT2,1.0	OB000128
30*	227665.00	227655.72 C2			BXE,RKSCNN+1.32	OB000129
31*	227665.40	230364.75 80	001000.36 F0		CM1111(BU,1),REJJCB.61	OB000130
32*	227666.40	000377.37 C2			LCI,$15,255.0	OB000131
33*	227667.00	000C01.37 0D			V-I,$15,1.0	OB000132
34*	227667.40	227662.50 00			B,RKZERC	OB000133
35*	227670.00	CCC0C0.00+		RKBITL	VF,C	OB000134
36*	227670.40	CC0000.00+		RKSBIT	VF,C	OB000135
37*	227670.41+	+0CC00000	B ,31 ,01	RKSRTB	SYN,RKSBIT.C1	OB000136
38*	227671.00	CC0000.00+		RKRTBL	VF,0	OB000137
39*	227671.40	23C000.30 30		RTEPBS	LV,$12,RBSP3X	OB000138
40*	227672.00	227672.71 D0			SVA,$12,$.32	OB000139
41*	227672.40	227672.71 09			LVNI,$12,$	OB000140
42*	227673.00	000C04.31 05			V+I,$12,4.0	OB000141
43*	227673.40	227720.50 00			B,RYSET.32	OB000142
44*	227674.00	225427.02 10		RTEE	LX,VP,VPD	OB000143
45*	227674.40	225312.07 04			KVI,VU,VST	OB000144
46*	227675.00	227747.32 C2			BXE,RKSTAP	OB000144
47*	227675.40	225330.37 80			LVE,$15,VRT-1.0	OB000145
48*	227676.00	224570.37 04			KVI,$15,VSREO	OB000146
49*	227676.40 *	227735.72 C2			BXE,RTREST+1.C	OB000146
50*	227677.00	225346.07 01			LVI,VU,VQ	OB000147
51*	227677.40	227742.23 C9			LVNI,VT5,RTDOWN	OB000147
52*	227700.00	C0CC00.00 81			SIC,(VP)	OB000148
53*	227700.40	224702.10 00			B,VCOM	OB000148
54*	227701.00	224457.23 09			LVNI,VT5,VQEND	OB000149
55*	227701.40	C00000.00 81			SIC,(VP)	OB000149
56*	227702.00	224702.10 00			B,VCOM	OB000149

LINE	LOCATION		BINARY OUTPUT	NAME	STATEMENT	LOCATION 227702
1*	227702.40		000000.57 07		V+ICR,VT3,.VF	0B000150
2*	227703.00		000001.17 13		SX,VT3,VX2S(VU)	0B000150
3*	227703.40		225331.07 01		LVI,VU,VRT	0B000151
4*	227704.00		227770.37 B0		LVE,$15,RDREXT-1.0	0B000152
5*	227704.40		000040.10 00		B,DMCP	0B000153
6*	227705.00		000014.00+		VF,DCHEX	0B000153
7*	227705.40		000006.01 B3		LVE,,VSU(VU)	0B000153
8*	227706.00		000000.00 0F		BE,($15)	0B000153
9*	227706.40		225340.03 70		SR,VP,VRCNT+VRT	0B000154
10*	227707.00		224422.10 00		B,VRTIC1	0B000154
11*	227707.40		000004.31 01	RYNOGD	LVI,12,RKB+1.0	0B000155
12*	227710.00		227777.31 D0		SVA,12,RTTRY	0B000155
13*	227710.40		227777.76 50		LC,$15,RTSP3X	0B000156
14*	227711.00		227743.36 4A		CBZ,$15,RTNOTR	0B000156
15*	227711.40		227777.77 50		SC,$15,RTSP3X	0B000157
16*	227712.00	*	227671.71 01		LVI,$12,RTEPBS	0B000158
17*	227712.40		230001.71 D0		SVA,$12,RSREPK	0B000158
18*	227713.00		230000.36 50	RYHERE	LC,$15,RBSP3X	0B000159
19*	227713.40		227720.36 4A		CBZ,$15,RYSET	0B000159
20*	227714.00		230000.37 50		SC,$15,RBSP3X	0B000160
21*	227714.40		227713.31 01		LVI,$12,RYHERE	0B000160
22*	227715.00		227774.71 D0		SVA,$12,RDREXT+3.32	0B000160
23*	227715.40		000040.10 00	RYBSP	B,DMCP	0B000161
24*	227716.00		000006.00 80		,DBSP	0B000161
25*	227716.40		000006.01 B3		LVE,,VSU(VU)	0B000161
26*	227717.00		227776.71 D0	RYWAIT	SVA,$12,RDREXT+5.32	0B000162
27*	227717.40		230215.50 00		B,RWAIT	0B000163
28*	227720.00		000004.31 01	RYSET	LVI,$12,4.0	0B000164
29*	227720.40		230000.31 D0		SVA,$12,RBSP3X	0B000164
30*	227721.00		230355.27 01		LVI,$11,RKSCON	0B000165
31*	227721.40		230001.67 D0		SVA,$11,RSREPK	0B000165
32*	227722.00		230000.36 50	RYTHAR	LC,$15,RBSP3X	0B000166
33*	227722.40		227722.31 01		LVI,$12,RYTHAR	0B000167
34*	227723.00		227774.71 D0		SVA,$12,RDREXT+3.32	0B000167
35*	227723.40		227726.76 4A		CBZ,$15,RYSEET	0B000168
36*	227724.00		230000.37 50		SC,$15,RBSP3X	0B000169
37*	227724.40		000040.10 00		B,DMCP	0B000170
38*	227725.00		000005.40 80		,DSP	0B000170
39*	227725.40	*	000006.01 B3		LVE,,VSU(VU)	0B000170
40*	227726.00		227717.10 00		B,RYWAIT	0B000171
41*	227726.40		000005.31 01	RYSEET	LVI,$12,5.0	0B000172
42*	227727.00		230000.31 D0		SVA,$12,RBSP3X	0B000172
43*	227727.40		227770.30 30	RTBSP	LV,$12,RDREXT-1.0	0B000173
44*	227730.00		000000.71 BC		LVE,$12,.32($12)	0B000173
45*	227730.40		000001.71 BC		LVE,$12,1.32($12)	0B000174
46*	227731.00		000040.10 00		B,DMCP	0B000175
47*	227731.40		000001.00 80		,DRC	0B000175
48*	227732.00		000006.01 B3		LVE,,VSU(VU)	0B000175
49*	227732.40		000000.00 8C		,($12)	0B000175

LOCATION 227733

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	
1*	227733.00		227734.71 01			LVI,$12,RTREST	0B000177
2*	227733.40		227774.71 D0			SVA,$12,RDREXT+3.32	0B000177
3*	227734.00		227717.10 00			B,RYWAIT	0B000178
4*	227734.40		0CCCC4.31 01		RTREST	LVI,$12,RKB+1.0	0B000179
5*	227735.00		227777.31 D0			SVA,$12,RTTRY	0B000179
6*	227735.40		227770.36 30			LV,$15,RDREXT-1.0	0B000180
7*	227736.00		000040.10 00			B,DMCP	0B000181
8*	227736.40		0CC014.00 80			,DCHEX	0B000181
9*	227737.00		0CCC06.01 B3			LVE,,VSU(VU)	0B000181
10*	227737.40		0CCC00.C0 8F			,($15)	0B000181
11*	227740.00		227772.13 80	227741.74 02		BB,RDREXT+1.11,$+1.32	0B000182
12*	227741.00	*	0CCC05.10 0F			B,5.0($15)	0B000183
13*	227741.40		0CC003.10 0F			B,3.0($15)	0B000184
14*	227742.00		777777.37 B1		RTDOWN	LVE,$15,-1.0(VP)	0B000185
15*	227742.40		230123.10 00			B,RK100C	0B000186
16*	227743.00		0CCCC4.31 01		RTNCTR	LVI,$12,RKH+1.0	0B000187
17*	227743.40		227777.71 D0			SVA,$12,RTSP3X	0B000187
18*	227744.00		227674.37 01			LVI,$15,RTEE	0B000188
19*	227744.40		227774.77 D0			SVA,$15,RDREXT+3.32	0B000188
20*	227745.00		0CC040.10 00			B,DMCP	0B000189
21*	227745.40		0CC006.40 80			,DSPFL	0B000189
22*	227746.00		0CC006.01 B3			LVE,,VSU(VU)	0B000189
23*	227746.40		230215.5C 00			B,RWAIT	0B000190
24*	227747.00		0CC040.10 00		RKSTAP	B,DMCP	0B000191
25*	227747.40		CCCCC7.00+			VF,CBSFL	0B000191
26*	227750.00		0CCC06.01 B3			LVE,,VSU(VU)	0B000191
27*	227750.40		227754.37 01			LVI,$15,RKSTBS	0B000192
28*	227751.00		227774.77 D0			SVA,$15,RDREXT+3.32	0B000192
29*	227751.40		227654.23 C9			LVNI,VT5,RKSCNN	0B000193
30*	227752.00		0CCCC0.C0 81			SIC,(VP)	0B000194
31*	227752.40		224456.43 48			CB+,VP,VNXT	0B000194
32*	227753.00		225312.07 01			LVI,VU,VST	0B000195
33*	227753.40		230215.5C C0			B,RWAIT	0B000195
34*	227754.00		227770.37 B0		RKSTBS	LVE,$15,RDREXT-1.0	0B000196
35*	227754.40	*	0CCC40.10 C0			B,DMCP	0B000197
36*	227755.00		CCC014.00+			VF,DCHEX	0B000197
37*	227755.40		0CCC06.01 B3			LVE,,VSU(VU)	0B000197
38*	227756.00		0CCCC0.C0 0F			BE,($15)	0B000197
39*	227756.40		0CCCC5.10 0F			B,5.0($15)	0B000198
40*	227757.00		225232.07 C4		RDUK	KVI,VU,VCR	0B000199
41*	227757.40		230013.72 C2			BXE,RDNOTP	0B000199
42*	227760.00		0CC040.10 00			B,DMCP	0B000200
43*	227760.40		0CC014.00 80			,DCHEX	0B000200
44*	227761.00		0CC006.01 B3			LVE,,VSU(VU)	0B000200
45*	227761.40		227771.00 80			,RDREXT	0B000200
46*	227762.00		0CCC01.33 05			V+I,$13,1.0	0B000201
47*	227762.40		227770.33 D0			SVA,$13,RDREXT-1.0	0B000201
48*	227763.00		227770.47 D0			SVA,VU,RDREXT-.32	0B000202
49*	227763.40		0CCC01.14 8D	230415.74 0C		BZB,1.12($13),RPQUES	0B000203
50*	227764.40		227777.36 50		RUK	LC,$15,RTTRY	0B000204

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION 227765
1*	227765.00		227707.76 4A			CBZ,$15,RYNOGO	0B000206
2*	227765.40		227777.37 50			SC,$15,RTTRY	0B000207
3*	227766.00		227727.71 01			LVI,$12,RTBSP	0B000208
4*	227766.40		227774.71 D0			SVA,$12,RDREXT+3.32	0B000208
5*	227767.00		227715.50 00			B,RYRSP	0B000209
6*	227767.40		000000.30 00			CNOP,0	0B000210
7*	227770.00	*	225331.00 00			BE,VRT	0B000210
8*	227770.40		225331.00 00			BE,VRT	0B000210
9*	227771.00	*	000002.00		RDREXT	DRZ(BU,32),4	0B000211
10*	227773.00		227770.46 30			LV,VU,RDREXT-.32	0B000212
11*	227773.40		230000.50 00			B,RUKSRT	0B000212
12*	227774.00		227770.46 30			LV,VU,RDREXT-.32	0B000213
13*	227774.40		227774.50 00			B,$	0B000213
14*	227775.00		227770.46 30			LV,VU,RDREXT-.32	0B000214
15*	227775.40		227775.50 00			B,$	0B000214
16*	227776.00		227770.46 30			LV,VU,RDREXT-.32	0B000215
17*	227776.40		227776.50 00			B,$	0B000215
18*	227777.00		000004		RTTRY	CF,RKB+1.0	0B000216
19*	227777.40		000004		RTSP3X	CF,RKH+1.0	0B000217
20*	230000.00		000005		RBSP3X	CF,5.0	0B000218
21*	230000.40		227772.11 80	230002.34 00	RUKSRT	BZB,RDREXT+1.09,$+1.32	0B000219
22*	230001.40		230355.10 00		RSREPK	B,RKSCON	0B000220
23*	230002.00		227772.14 80	230415.74 00		BZB,RDREXT+1.12,RPQUES	0B000221
24*	230003.00		227771.76 30			LV,$15,RDREXT.32	0B000222
25*	230003.40		000000.77 BF			LVE,$15,.32($15)	0B000223
26*	230004.00		000001.37 04			KVI,$15,DRD	0B000224
27*	230004.40		227764.72 C2			BXE,RUK	0B000224
28*	230005.00		227770.33 01			LVI,$13,RDREXT-1.0	0B000225
29*	230005.40		230205.50 00			B,RPUK	0B000226
30*	230006.00	*	230364.76 80	230013.34 02		BB,REJJCB.62,RDSWBR	0B000227
31*	230007.00		000040.10 00		RDSWTC	B,DMCP	0B000228
32*	230007.40		000014.00+			VF,DCHEX	0B000228
33*	230010.00		000006.01 B3			LVE,,VSU(VU)	0B000228
34*	230010.40		000000.00 8F			,($15)	0B000228
35*	230011.00		000001.33 05			V+I,$13,1.0	0B000229
36*	230011.40		777777.33 DF			SVA,$13,-1.0($15)	0B000229
37*	230012.00		777777.47 DF			SVA,VU,-0.32($15)	0B000230
38*	230012.40		000001.33 CD			V-I,$13,1.0	0B000230
39*	230013.00		230013.10 00		RDSWBR	B,$	0B000231
40*	230013.40		230166.30 30		RDNCTP	LV,$12,RCJAM	0B000232
41*	230014.00		230166.70 B0			V+,$12,RCOUNT	0B000232
42*	230014.40		230175.37 01			LVI,$15,RCREXT	0B000233
43*	230015.00		000004.31 04			KVI,$12,RKF+1.0	0B000233
44*	230015.40		230013.00 80			SIC,RDSWBR	0B000234
45*	230016.00		230006.32 C2			BXE,RDSWTC-1.0	0B000234
46*	230016.40		000040.10 00			B,DMCP	0B000235
47*	230017.00		000002.00+			VF,DCCW	0B000235
48*	230017.40		000006.01 B3			LVE,,VSU(VU)	0B000235
49*	230020.00		230373.00+			VF,RDCCW	0B000235
50*	230020.40		000002.14 8D	230032.34 00		BZB,2.12($13),RCENT1	0B000236

LINE	LOCATION	BINARY OUTPUT		NAME	STATEMENT	LOCATION 230021
1*	230021.40 *	230373.36 30			LV,$15,RDCCW	0B000238
2*	230022.00	000017.37 0D			V-I,$15,15.0	0B000238
3*	230022.40	230167.36 90			KV,$15,RCWSAV	0B000239
4*	230023.00	230034.32 C2			BXE,RCWEQU	0B000239
5*	230023.40	230373.36 10			LX,$15,RDCCW	0B000240
6*	230024.00	000003.35 01			LVI,$14,RKF	0B000240
7*	230024.40	000017.37 00			C+I,$15,15.0	0B000241
8*	230025.00	230166.75 D0			SVA,$14,RCOUNT	0B000241
9*	230025.40	000017.37 0D			V-I,$15,15.0	0B000242
10*	230026.00	230167.37 10		RCSAV	SX,$15,RCWSAV	0B000243
11*	230026.40	230073.75 01		RCSET	LVI,$14,RCSCS	0B000244
12*	230027.00	230201.75 DC			SVA,$14,RCREXT+4.32	0B000244
13*	230027.40	000040.10 C0			B,DMCP	0B000245
14*	230030.00	000043.40+			VF,DCOMM	0B000245
15*	230030.40	230170.00+			VF,RCMSGE	0B000245
16*	230031.00	000004.00+			VF,4.0	0B000245
17*	230031.40	230104.00 C0			BE,RETN	0B000246
18*	230032.00	230166.00 80	031100.12 BC	RCENT1	M-1,RCJAM	0B000247
19*	230033.00	230373.36 10			LX,$15,RDCCW	0B000248
20*	230033.40	230026.10 C0			B,RCSAV	0B000249
21*	230034.00	230166.74 50		RCWEQU	LC,$14,RCOUNT	0B000250
22*	230034.40	230037.74 4A			CBZ,$14,RCUKNG	0B000250
23*	230035.00 *	230166.75 50			SC,$14,RCOUNT	0B000251
24*	230035.40	230026.50 C0			B,RCSET	0B000252
25*	230036.00	000000.15 01		RC34RD	LVI,VT2,0.0	0B000253
26*	230036.40	000042.23 01			LVI,VT5,34.0	0B000253
27*	230037.00	230043.10 C0			B,RCBCK	0B000254
28*	230037.40	225427.02 10		RCUKNG	LX,VP,VPD	0B000255
29*	230040.00	000004.35 01			LVI,$14,RKF+1.0	0B000255
30*	230040.40	230166.75 D0			SVA,$14,RCOUNT	0B000255
31*	230041.00	000000.00 81			SIC,(VP)	0B000256
32*	230041.40	224633.50 C0			B,VEE	0B000256
33*	230042.00	000000.23 05			V+I,VT5,0	0B000257
34*	230042.40	230036.31 42			BXVZ,RC34RD	0B000257
35*	230043.00	230364.76 80	230057.74 0E	RCBCK	BB1,REJJCB.62,RCUFUL	0B000258
36*	230044.00	777761.42 6F			LWF(U),-15.0($15)	0B000259
37*	230044.40	420000.00 80	414072.21 10		KI(BU,12),(8)420000.0,-12	0B000260
38*	230045.40	230066.76 C2			BAE,RCUTDN	0B000261
39*	230046.00	230373.32 10			LX,$13,RDCCW	0B000262
40*	230046.40	230064.70 42			BXCZ,RCETJM	0B000262
41*	230047.00	000017.33 08			C-I,$13,15.0	0B000263
42*	230047.40	000017.33 05			V+I,$13,15.0	0B000263
43*	230050.00	230373.33 10			SX,$13,RDCCW	0B000263
44*	230050.40 *	000000.55 D3		RCSETP	SVA,VT2,VX1(VU)	0B000264
45*	230051.00	230304.35 01			LVI,$14,RKTRY	0B000265
46*	230051.40	230202.75 D0			SVA,$14,RCREXT+5.32	0B000265
47*	230052.00	230303.35 01			LVI,$14,RKTRYE	0B000266
48*	230052.40	230200.75 D0			SVA,$14,RCREXT+3.32	0B000266
49*	230053.00	230373.32 10			LX,$13,RDCCW	0B000267
50*	230053.40	000017.33 0D			V-I,$13,15.0	0B000268
51*	230054.00	000017.33 00			C+I,$13,15.0	0B000268

LINE	LOCATION		BINARY OUTPUT		NAME	STATEMENT	LOCATION 230054
1*	230054.40		230373.33	10		SX,$13,RDCCW	CB000270
2*	230055.00		000040.10	C0		B,DMCP	CB000271
3*	230055.40		CCCOC1.00+			VF,CRD	CB000271
4*	230056.00		000006.01	B3		LVE,,VSU(VU)	CB000271
5*	230056.40		230373.00+			VF,RDCCW	CB000271
6*	230057.00		000005.10	03		B,VNX(VU)	CB000272
7*	230057.40		000001.23	04	RCUFUL	KVI,VT5,1.0	CB000273
8*	230060.00		230066.72	C2		BXE,RCUTDN	CB000273
9*	230060.40		230063.23	D0		SVA,VT5,RT5	CB000274
10*	230061.00		225250.07	01		LVI,VU,VSC	CB000275
11*	230061.40		230112.23	09		LVNI,VT5,RCREJB	CB000275
12*	230062.00		000000.00	81		SIC,(VP)	CB000276
13*	230062.40		224702.10	00		B,VCOM	CB000276
14*	230063.00		230063.23	01	RT5	LVI,VT5,$	CB000277
15*	230063.40		225232.07	01		LVI,VU,VCR	CB000277
16*	230064.00	*	230044.10	00		B,RCBCK+1.0	CB000277
17*	230064.40		230166.03	70	RCETJM	SR,VP,RCJAM	CB000278
18*	230065.00		000000.00	81		SIC,(VP)	CB000279
19*	230065.40		224655.03	48		CB+,VP,VACT	CB000279
20*	230066.00		000005.10	03		B,VNX(VU)	CB000280
21*	230066.40		000001.23	0D	RCUTDN	V-I,VT5,1.0	CB000281
22*	230067.00		000001.15	05		V+I,VT2,1.0	CB000281
23*	230067.40		000000.16	33		LV,VT3,VX(VU)	CB000282
24*	230070.00		000001.17	CD		V-I,VT3,1.0	CB000282
25*	230070.40		000000.17	33		SV,VT3,VX(VU)	CB000283
26*	230071.00		000043.17	0C		KVNI,VT3,35.0	CB000283
27*	230071.40		230050.72	C0		BZXE,RCSETP	CB000283
28*	230072.00		000001.17	C9		LVNI,VT3,1.0	CB000284
29*	230072.40		000000.17	33		SV,VT3,VX(VU)	CB000284
30*	230073.00		230050.50	00		B,RCSETP	CB000284
31*	230073.40		000000.46	3D	RCSCS	LV,VU,0.32($13)	CB000285
32*	230074.00		230104.31	01		LVI,$12,RETN	CB000285
33*	230074.40		000040.10	00		B,DMCP	CB000286
34*	230075.00		000002.00	80		,DCCW	CB000286
35*	230075.40		000006.01	B3		LVE,,VSU(VU)	CB000286
36*	230076.00		230111.00	80		,RRCCW	CB000286
37*	230076.40		230111.22	80	230104.74 00	BZB,RRCCW.18,RECF	CB000287
38*	230077.40	*	000005.71	DD		SVA,$12,5.32($13)	CB000288
39*	230100.00		230303.31	01		LVI,$12,RKTRYE	CB000288
40*	230100.40		000004.71	DD		SVA,$12,4.32($13)	CB000289
41*	230101.00		230304.37	01		LVI,$15,RKTRY	CB000289
42*	230101.40		000040.10	00		B,DMCP	CB000290
43*	230102.00		CCCOC1.00+			VF,CRD	CB000290
44*	230102.40		000006.01	B3		LVE,,VSU(VU)	CB000290
45*	230103.00		230167.00+			VF,RCWSAV	CB000290
46*	230103.40		000006.77	DD	RTN	SVA,$15,6.32($13)	CB000291
47*	230104.00		224450.50	00	RETN	B,VRTN	CB000292
48*	230104.40		000040.10	00	RECF	B,DMCP	CB000293
49*	230105.00		000014.00	80		,DCHEX	CB000293
50*	230105.40		000006.01	B3		LVE,,VSU(VU)	CB000293
51*	230106.00		224115.00	80		,VCREXT	CB000293