

**EXPLORER™ MASTER INDEX
TO SOFTWARE MANUALS**

MANUAL REVISION HISTORY

Explorer™ Master Index To Software Manuals (2243198-0001 *B)

Original Issue June 1985

Revision A June 1987

Revision B January 1988

© 1985, 1987, 1988, Texas Instruments Incorporated. All Rights Reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Texas Instruments Incorporated.


The system-defined windows shown in this manual are examples of the software as this manual goes into production. Later changes in the software may cause the windows on your system to be different from those in the manual.

RESTRICTED RIGHTS LEGEND

Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subdivision (b)(3)(ii) of the Rights in Technical Data and Computer Software clause at 52.227-7013.

Texas Instruments Incorporated
ATTN: Data Systems Group, M/S 2151
P.O. Box 2909
Austin, Texas 78769-2909

THE EXPLORER™ SYSTEM SOFTWARE MANUALS



THE EXPLORER™ SYSTEM SOFTWARE MANUALS

| | | |
|---|---|--------------|
| Mastering the Explorer Environment | Explorer Technical Summary | 2243189-0001 |
| | Introduction to the Explorer System | 2243190-0001 |
| | Explorer Zmacs Editor Tutorial | 2243191-0001 |
| | Explorer Glossary | 2243134-0001 |
| | Explorer Networking Reference | 2243206-0001 |
| | Explorer Diagnostics | 2533554-0001 |
| | Explorer Master Index to Software Manuals | 2243198-0001 |
| Explorer System Software Installation Guide | 2243205-0001 | |

| | | |
|--|--|--------------|
| Programming With the Explorer | Explorer Programming Concepts | 2549830-0001 |
| | Explorer Lisp Reference | 2243201-0001 |
| | Explorer Input/Output Reference | 2549281-0001 |
| | Explorer Zmacs Editor Reference | 2243192-0001 |
| | Explorer Tools and Utilities | 2549831-0001 |
| | Explorer Window System Reference | 2243200-0001 |

| | | |
|-------------------------|---|--------------|
| Explorer Options | Explorer Natural Language Menu System User's Guide | 2243202-0001 |
| | Explorer Relational Table Management System User's Guide | 2243203-0001 |
| | Explorer Grasper User's Guide | 2243135-0001 |
| | Explorer TI Prolog User's Guide | 2537248-0001 |
| | Programming in Prolog, by Clocksin and Mellish | 2249985-0001 |
| | Explorer Color Graphics User's Guide | 2537157-0001 |
| | Explorer TCP/IP User's Guide | 2537150-0001 |
| | Explorer LX™ User's Guide | 2537225-0001 |
| | Explorer LX System Installation | 2537227-0001 |
| | Explorer NFS™ User's Guide | 2546890-0001 |
| | Explorer DECnet™ User's Guide | 2537223-0001 |
| | Personal Consultant™ Plus Explorer | 2537259-0001 |

| | | |
|--------------------------------------|---|--------------|
| System Software Internals | Explorer System Software Design Notes | 2243208-0001 |
| | Release Information, Explorer System Software | 2549844-0001 |

Explorer LX and Personal Consultant are trademarks of Texas Instruments Incorporated.
NFS is a trademark of Sun Microsystems, Inc.
DECnet is a trademark of Digital Equipment Corporation.

THE EXPLORER™ SYSTEM HARDWARE MANUALS

| | | |
|--------------------------------------|---|--------------|
| System Level Publications | Explorer 7-Slot System Installation | 2243140-0001 |
| | Explorer System Field Maintenance | 2243141-0001 |
| | Explorer System Field Maintenance Documentation Kit | 2243222-0001 |
| | Explorer System Field Maintenance Supplement | 2537183-0001 |
| | Explorer System Field Maintenance Supplement Documentation Kit | 2549278-0001 |
| | Explorer NuBus™ System Architecture General Description | 2537171-0001 |

| | | |
|--|---|--------------|
| System Enclosure Equipment Publications | Explorer 7-Slot System Enclosure General Description | 2243143-0001 |
| | Explorer Memory General Description (8-megabytes) | 2533592-0001 |
| | Explorer 32-Megabyte Memory General Description | 2537185-0001 |
| | Explorer Processor General Description | 2243144-0001 |
| | 68020-Based Processor General Description | 2537240-0001 |
| | Explorer II™ Processor and Auxiliary Processor Options General Description | 2537187-0001 |
| | Explorer System Interface General Description | 2243145-0001 |
| | Explorer Color System Interface Board General Description | 2537189-0001 |
| | Explorer NuBus Peripheral Interface General Description (NUPI board) | 2243146-0001 |

| | | |
|--|---|--------------|
| Display Terminal Publications | Explorer Display Unit General Description | 2243151-0001 |
| | CRT Data Display Service Manual, Panasonic code number FTD85055057C | 2537139-0001 |
| | Explorer Color Console General Description | 2537195-0001 |
| | TRINITRON® Graphic Display Monitor GDM-1603 Service Manual, Sony® part number 0-558-986-01 | 2551107-0001 |
| | Model 924 Video Display Terminal User's Guide | 2544365-0001 |

| | | |
|--|--|--------------|
| 143-Megabyte Disk/Tape Enclosure Publications | Explorer Mass Storage Enclosure General Description | 2243148-0001 |
| | Explorer Winchester Disk Formatter (ADAPTEC) Supplement to Explorer Mass Storage Enclosure General Description | 2243149-0001 |
| | Explorer Winchester Disk Drive (Maxtor) Supplement to Explorer Mass Storage Enclosure General Description | 2243150-0001 |
| | Explorer Cartridge Tape Drive (Cipher) Supplement to Explorer Mass Storage Enclosure General Description | 2243166-0001 |
| | Explorer Cable Interconnect Board (2236120-0001) Supplement to Explorer Mass Storage Enclosure General Description | 2243177-0001 |

Explorer, Explorer II, and NuBus are trademarks of Texas Instruments Incorporated.
TRINITRON and Sony are registered trademarks of Sony Corporation.

| | |
|--|--|
| 143-Megabyte Disk Drive Vendor Publications | XT-1000 Service Manual, 5 1/4-inch Fixed Disk Drive, Maxtor Corporation, part number 20005 (5 1/4-inch Winchester disk drive, 112 megabytes) 2249999-0001 ACB-5500 Winchester Disk Controller User's Manual, Adaptec, Inc., (formatter for the 5 1/4-inch Winchester disk drive) 2249933-0001 |
|--|--|

| | |
|--|--|
| 1/4-Inch Tape Drive Vendor Publications | Series 540 Cartridge Tape Drive Product Description, Cipher Data Products, Inc., Bulletin Number 01-311-0284-1K (1/4-inch tape drive) 2249997-0001 MT01 Tape Controller Technical Manual, Emulex Corporation, part number MT0151001 (formatter for the 1/4-inch tape drive) 2243182-0001 Viper™ Half-High Intelligent 4 1/4-Inch Streaming Cartridge Tape Drive SCSI Models 2060S and 2125S, Archive Corporation, part number 21136-001 2551106-0001 |
|--|--|

| | |
|---|--|
| 182-Megabyte Disk/Tape Enclosure MSU II Publications | Mass Storage Unit (MSU II) General Description 2537197-0001 |
|---|--|

| | |
|--|--|
| 182-Megabyte Disk Drive Vendor Publications | Control Data® WREN™ III Disk Drive OEM Manual, part number 77738216, Magnetic Peripherals, Inc., a Control Data Company 2546867-0001 |
|--|--|

| | |
|---|---|
| 515-Megabyte Mass Storage Subsystem Publications | SMD/515-Megabyte Mass Storage Subsystem General Description (includes SMD/SCSI controller and 515-megabyte disk drive enclosure) 2537244-0001 |
|---|---|

| | |
|--|---|
| 515-Megabyte Disk Drive Vendor Publications | 515-Megabyte Disk Drive Documentation Master Kit (Volumes 1, 2, and 3), Control Data Corporation 2246129-0002 Volume 1, General Description, Operation, Installation and Checkout, and Part Data 2246125-0004 Volume 2, Theory, General Maintenance, Trouble Analysis, Electrical Checks, and Repair Information 2246125-0005 Volume 3, Diagrams 2246125-0006 |
|--|---|

| | |
|---|--|
| 1/2-Inch Tape Drive Publications | MT3201 1/2-Inch Tape Drive General Description 2537246-0001 |
|---|--|

Viper is a trademark of Archive Corporation.

Control Data is a registered trademark and WREN is a trademark of Control Data Corporation.

| | | |
|--|--|--------------|
| 1/2-Inch Tape Drive Vendor Publications | Cipher CacheTape® Documentation Manual Kit (Volumes 1 and 2 With SCSI Addendum and, Logic Diagram), Cipher Data products | 2246130-0001 |
| | 1/2-Inch Tape Drive Operation and Maintenance (Volume 1), Cipher Data Products | 2246126-0001 |
| | 1/2-Inch Tape Drive Theory of Operation (Volume 2), Cipher Data Products | 2246126-0002 |
| | SCSI Addendum With Logic Diagram, Cipher Data Products | 2246126-0003 |

| | | |
|---------------------------------|--|--------------|
| Printer Publications | Model 810 Printer Installation and Operation Manual | 2311356-9701 |
| | Omni 800™ Electronic Data Terminals Maintenance Manual for Model 810 Printers | 0994386-9701 |
| | Model 850 RO Printer User's Manual | 2219890-0001 |
| | Model 850 RO Printer Maintenance Manual | 2219896-0001 |
| | Model 850 XL Printer User's Manual | 2243250-0001 |
| | Model 850 XL Printer Quick Reference Guide | 2243249-0001 |
| | Model 855 Printer Operator's Manual | 2225911-0001 |
| | Model 855 Printer Technical Reference Manual | 2232822-0001 |
| | Model 855 Printer Maintenance Manual | 2225914-0001 |
| | Model 860 XL Printer User's Manual | 2239401-0001 |
| | Model 860 XL Printer Maintenance Manual | 2239427-0001 |
| | Model 860 Xl Printer Quick Reference Guide | 2239402-0001 |
| | Model 860/859 Printer Technical Reference Manual | 2239407-0001 |
| | Model 865 Printer Operator's Manual | 2239405-0001 |
| | Model 865 Printer Maintenance Manual | 2239428-0001 |
| | Model 880 Printer User's Manual | 2222627-0001 |
| | Model 880 Printer Maintenance Manual | 2222628-0001 |
| | OmniLaser™ 2015 Page Printer Operator's Manual | 2539178-0001 |
| | OmniLaser 2015 Page Printer Technical Reference | 2539179-0001 |
| | OmniLaser 2015 Page Printer Maintenance Manual | 2539180-0001 |
| | OmniLaser 2108 Page Printer Operator's Manual | 2546348-0001 |
| | OmniLaser 2108 Page Printer Technical Reference | 2546349-0001 |
| | OmniLaser 2108 Page Printer Maintenance Manual | 2546350-0001 |
| | OmniLaser 2115 Page Printer Operator's Manual | 2546344-0001 |
| | OmniLaser 2115 Page Printer Technical Reference | 2546345-0001 |
| | OmniLaser 2115 Page Printer Maintenance Manual | 2546346-0001 |

| | | |
|--|---|--------------|
| Communications Publications | 990 Family Communications Systems Field Reference | 2276579-9701 |
| | EI990 Ethernet® Interface Installation and Operation | 2234392-9701 |
| | Explorer NuBus Ethernet Controller General Description | 2243161-0001 |
| | Communications Carrier Board and Options General Description | 2537242-0001 |

CacheTape is a registered trademark of Cipher Data Products, Inc.
Omni 800 and OmniLaser are trademarks of Texas Instruments Incorporated.
Ethernet is a registered trademark of Xerox Corporation.

INDEX

Introduction

The *Explorer Master Index* combines portions of the indexes for the manuals listed in the following table. The abbreviation appears in the index to denote which manual an entry refers to.

| Abbreviation | Manual |
|--------------------|-------------------------------------|
| <i>CONC</i> | Explorer Programming Concepts |
| <i>INTRO</i> | Introduction to the Explorer System |
| <i>IO</i> | Explorer Input/Output Reference |
| <i>LISP</i> | Explorer Lisp Reference |
| <i>NET</i> | Explorer Networking Reference |
| <i>TOOLS</i> | Explorer Tools and Utilities |
| <i>WIN</i> | Explorer Window System Reference |
| <i>ZMACS</i> | Explorer Zmacs Editor Reference |

The master index is divided into several subindexes. Each subindex contains all the entries for a particular category, such as functions, variables, or flavors. Each of the indexes that include symbols (the functions index, the variables index, and so on) refers to the manual where that symbol is described most thoroughly. The general index refers to the major discussions of a topic, but some detail has been omitted for clarity. For example, most utilities include only general references to a particular section in a manual rather than repeating all the detail from that manual's index.

The various subindexes for the master index and the pages on which they begin are as follows:

| Index Name | Page |
|------------------------------|----------------|
| General | Index-3 |
| Conditions | Index-35 |
| Constants | See Variables |
| Defsubst | See Functions |
| Flavors | Index-37 |
| Functions | Index-42 |
| Initialization Options | See Operations |
| Instance Variables | Index-62 |
| Macros | See Functions |
| Methods | See Operations |
| Operations | Index-64 |
| Special Forms | See Functions |
| Variables | Index-93 |

Alphabetization Scheme

The alphabetization scheme used in this index ignores package names and nonalphabetic symbol prefixes for the purposes of sorting. For example, the `rpc:*callrpc-retrys*` variable is sorted under the entries for the letter C rather than under the letter R.

Hyphens are sorted after spaces. Consequently, the `multiple menus` entry precedes the `multiple-choice facility` entry. However, the `apropos-flavor` entry precedes the `aproposb` entry, as follows:

`apropos`, *INTRO* 5-3; *TOOLS* 25-7, 28-10
`apropos-flavor`, *LISP* 25-9
`aproposb`, *ZMACS* 25-9

References to several manuals are sorted first by alphabetical order of the abbreviation of the manual title, then by page number within the references to that book, as shown in the preceding entry for `apropos`.

Underscore characters are sorted after hyphens. Consequently, the `xdr-io` macro precedes the `xdr_destroy` macro.

General
Special Characters

U (up-horseshoe), *IO* 2-32
 ≻, *LISP* 19-27
 , (comma), *IO* 4-10
 ,.expression, *LISP* 18-8
 ,@expression, *LISP* 18-8
 ,expression, *LISP* 18-8
 ; (semicolon), *IO* 4-10
 " (double quotation mark), *IO* 4-10
 ' (backquote), *IO* 4-10
 ' (single quotation mark), *IO* 4-9
 ((opening parenthesis), *IO* 4-9
 ') , *LISP* 16-23
 (/) quoting characters, *IO* 2-32
) (closing parenthesis), *IO* 4-9
 ⇔ (double-arrow), *IO* 2-32
 # (sharp-sign), *IO* 4-10
 #., *IO* 4-12
 #◇, *IO* 4-17
 #C, *IO* 4-16; *LISP* 19-27
 #., *IO* 4-12
 #:, *IO* 4-12
 #' , *IO* 4-11; *LISP* 16-24
 #(, *IO* 4-11
 #), *IO* 4-16
 #+, *IO* 4-14
 #-, *IO* 4-15
 #*, *IO* 4-12
 #/, *IO* 4-17
 #≠/, *IO* 4-17
 #|, *IO* 4-15
 #<, *IO* 4-16
 #\, *IO* 4-11
 #B, *IO* 4-12
 #C, *IO* 4-13
 #n#, *IO* 4-14
 #n=, *IO* 4-14
 #nA, *IO* 4-13
 #nR, *IO* 4-13
 #O, *IO* 4-12
 #S, *IO* 4-13
 #X, *IO* 4-13
 -\$ format directive, *IO* 5-16
 -% format directive, *IO* 5-17
 -* format directive, *IO* 5-18
 -^ format directive, *IO* 5-26
 -| format directive, *IO* 5-17
 -< format directive, *IO* 5-24
 -> format directive, *IO* 5-26
 ~ format directive, *IO* 5-17
 ~<newline> format directive, *IO* 5-17
 -? format directive, *IO* 5-18
 -; format directive, *IO* 5-22
 -} format directive, *IO* 5-22

~{str~} format directive, *IO* 5-22
 ~} format directive, *IO* 5-24
 ~& format directive, *IO* 5-17
 + variable, *TOOLS* 26-2
 ++ variable, *TOOLS* 26-2
 +++ variable, *TOOLS* 26-2
 - variable, *TOOLS* 26-2
 * variable, *TOOLS* 26-2
 ** variable, *TOOLS* 26-2
 *** variable, *TOOLS* 26-2
 / variable, *TOOLS* 26-2
 // variable, *TOOLS* 26-2
 /// variable, *TOOLS* 26-2

Numbers

855 printer, *INTRO* D-1—D-17
 880 printer, *INTRO* E-1—E-12
 2015, 2108, and 2115 page printers,
INTRO F-1

A

-A [true-] format directive, *IO* 5-21
 -A format directive, *IO* 5-11
 a-list, *LISP* 6-2
 Abort commands, *ZMACS* 3-105
 overview, *ZMACS* 2-14
 ABORT key, implementing, *WIN* 8-18, 8-20
 abstract-flavor, *LISP* 19-18
 accessing Zmacs, *ZMACS* 2-2
 accessor methods, *CONC* 2-9
 action-oriented programming. *See*
 programming, action-oriented
 active inferiors set, *WIN* 5-4
 Active processing state, *CONC* 7-15
 active windows, *INTRO* 5-1—5-9; *WIN* 1-5
 address resolution
 packets, *NET* 1-17
 table, *NET* 1-17
 address space, *LISP* 25-4
 adjusting text, *ZMACS* 3-182
 adjusting the keyboard, *INTRO* 3-10
 advantages of macros, *LISP* 18-1
 advise utility, *TOOLS* 21-1—21-5
 ALU arguments, *WIN* 7-2, 12-2—12-5
 color, *WIN* 19-12—19-17
 general, *WIN* 12-3—12-5
 graphic methods, *WIN* 12-13
 specifying ALUs with :edit-parameters menu,
 WIN 12-55
 ALU values, *TOOLS* 10-10—10-12
 color, *TOOLS* 10-12
 specifying, *TOOLS* 10-24
 status variable for, *TOOLS* 10-27

- always Boolean test, *LISP* 15-12
 - analyzing object files, *LISP* 21-17
 - ancestors. *See* superiors of windows
 - and, *LISP* 3-18, 3-19, 7-14, 14-20
 - anonymous proceed types, *LISP* 20-23
 - Any Bracket mode, *ZMACS* 3-145
 - Append to Buffer command, *ZMACS* 3-8
 - Append to File command, *ZMACS* 3-97
 - application, *LISP* 16-19—16-24
 - application program. *See* program product
 - application-layer protocols, *NET* 1-14
 - applyhook, *TOOLS* 20-1—20-2
 - areas, *LISP* 25-5
 - creating, *LISP* 25-7
 - Peek, *TOOLS* 17-7
 - arguments, *INTRO* 7-1, 7-2
 - arithmetic operations, *LISP* 3-7
 - absolute value, *LISP* 3-10
 - addition, *LISP* 3-7
 - division, *LISP* 3-8
 - greatest common divisor, *LISP* 3-9
 - remainder, *LISP* 3-9
 - least common multiple, *LISP* 3-10
 - logarithm, *LISP* 3-10
 - multiplication, *LISP* 3-8
 - reciprocal, *LISP* 3-8
 - square root, *LISP* 3-11
 - array leaders, *LISP* 7-1, 7-14
 - array print request (for a screen image), *IO* 7-11
 - arrays, *LISP* 12-2
 - accessing elements, *LISP* 7-9
 - attribute functions, *LISP* 7-7
 - copying, *LISP* 9-3
 - copying contents, *LISP* 7-11
 - creating, *LISP* 7-4
 - elements, *LISP* 15-21
 - general, *LISP* 7-1
 - initializing, *LISP* 7-10
 - matrix arithmetic, *LISP* 7-19
 - modifying characteristics, *LISP* 7-16
 - printed representation of, *IO* 5-4—5-5
 - sharp-sign macro and, *IO* 4-13
 - simple, *LISP* 7-2
 - specialized, *LISP* 7-1
 - type predicates, *LISP* 7-18
 - type specifiers, *LISP* 12-2
 - used as functions, *LISP* 16-12
 - arrest reasons, *CONC* 7-14; *LISP* 27-1
 - Arrested processing state, *CONC* 7-15
 - art-fat-string, *LISP* 8-1
 - art-q, *LISP* 7-3
 - art-q-list, *LISP* 7-3, 7-10
 - ASCII, printing with a format directive, *IO* 5-11
 - ASCII characters, translating to the Explorer character set, *IO* 1-17
 - assembly language, *LISP* 22-1
 - assignment of variables, *LISP* 2-12—2-15, 2-16
 - association lists, *LISP* 6-2, 6-23
 - asynchronous devices (buffered), *IO* 1-13
 - asynchronously intercepted characters, *WIN* 8-20—8-22
 - atom, *LISP* 12-2
 - Atom Word mode, *ZMACS* 3-145
 - attribute bits, *ZMACS* 2-43
 - attribute lists, *IO* 3-12—3-16
 - audible feedback while typing, *WIN* 8-26
 - Auto Fill mode, *ZMACS* 3-145, 3-182
 - autoexposure, *WIN* 5-19
 - autoselection, *WIN* 5-19—5-20
 - auxiliary variables, *LISP* 16-5
- ## B
- B format directive, *IO* 5-12
 - background pictures, *TOOLS* 10-30
 - background process
 - priority of, *WIN* 6-8
 - with a window, *WIN* 6-14
 - background program, *IO* 1-2
 - background stream
 - helper function, *CONC* 1-6
 - timeout window, *CONC* 1-6
 - backing up
 - a directory, *INTRO* 11-8—11-9
 - a file, *INTRO* 11-6—11-7
 - a partition, *INTRO* 11-10—11-11
 - backquote (`), *IO* 4-10; *LISP* 18-8
 - backspace buffer attribute, *ZMACS* 3-148
 - backtrace, *TOOLS* 13-1
 - backtranslated pathnames, *IO* 2-29
 - backup system utility, *INTRO* 2-1, 11-2—11-11; *IO* 8-1—8-17
 - installing a distribution tape, *IO* 8-6—8-7
 - making backups, *IO* 8-3—8-5
 - restoring a bootable tape, *IO* 8-7—8-8
 - restoring copies, *IO* 8-6
 - verifying copies, *IO* 8-5—8-6
 - bands, *INTRO* 1-3—1-4, 12-1; *IO* 6-18
 - transmitting across the network, *INTRO* 12-6; *NET* 3-20
 - base buffer attribute, *ZMACS* 3-148
 - base flavor, *LISP* 19-4
 - baselines of fonts, *TOOLS* 12-3; *WIN* 7-2, 9-7
 - bashing processes, *CONC* 7-15—7-16
 - :basic-printer printer type, *IO* 7-3
 - baud rate, *IO* 1-18, 7-3
 - beep, *IO* 1-11; *WIN* 18-4—18-6
 - bignums, *LISP* 3-1
 - binary, printing with a format directive, *IO* 5-12
 - binary number, sharp-sign macro and, *IO* 4-12

- binding variables, *LISP* 2-12
- bindings
 - bypassing, *CONC* 7-8
 - initial values for a process, *CONC* 7-6—7-7
- bit arrays, *LISP* 7-12
 - logical operations on, *LISP* 7-14
 - rotating, *WIN* 12-28—12-30
 - transferring, *WIN* 12-25—12-30
- bit block transferring, *WIN* 12-21—12-22, 12-25—12-30
- bit fields, *LISP* 3-23
- bit testing, *LISP* 3-21
- bit-map, *IO* 7-9
- bit-save arrays, *WIN* 1-4, 5-1, 5-9—5-11
 - output forced using w:sheet-force-access, *WIN* 5-9
- bit-vectors, *LISP* 7-12
 - printed representation of, *IO* 5-4
 - sharp-sign macro and, *IO* 4-12
- black plane, *TOOLS* 12-7
- black-on-white mode, *WIN* 5-7—5-9
- blinkers
 - See also* mouse blinkers
 - deselected visibility of, *WIN* 10-2—10-4
 - half period of, *WIN* 10-3
 - opening a, *WIN* 10-1, 10-4
 - position of, *WIN* 10-4—10-6
 - size of, *WIN* 10-7
 - types of, *WIN* 10-7—10-11
 - bitblt, *WIN* 10-10
 - box, *WIN* 10-8
 - character, *WIN* 10-8—10-9
 - hollow-rectangular, *WIN* 10-8
 - ibeam, *WIN* 10-8
 - magnifying, *WIN* 10-10—10-11
 - rectangular, *WIN* 10-7—10-8
 - reverse-character, *WIN* 10-9
 - visibility of, *WIN* 10-2—10-4
- blips, *WIN* 11-4
 - general description of, *WIN* 8-3
 - processing within programs that do not check for blips, *WIN* 8-3
 - suggested actions, *WIN* 8-3
 - types of
 - :choice-box of
 - w:basic-choose-variable-values, *WIN* 14-57—14-58
 - :execute of zwei:zmacs-frame, *WIN* 18-11
 - :line-area of w:line-area-text-scroll-mixin, *WIN* 16-11
 - :menu of command menus, *WIN* A-18
 - mouse-sensitive scroll windows, *WIN* 17-11—17-12
 - :typeout-execute of
 - w:basic-mouse-sensitive-items, *WIN* 16-9
 - :variable-choice of
 - w:basic-choose-variable-values, *WIN* 14-57—14-58
- blob (graphic object), *WIN* 12-9
- block names, conflicts in macros, *CONC* 8-3
- blocks, *LISP* 14-7; *ZMACS* 3-77
- body clauses. *See* loop macro
- Boolean logical operators, *LISP* 14-20
- boot
 - non-standard, *NET* 4-41
 - sequence of events, *NET* 4-25
- boot error codes, *INTRO* A-1
- boot menu, initial, *INTRO* 4-3—4-7
- boot operations, *INTRO* 4-1—4-8, 8-1
- BOOT partition, *IO* 6-2
- bootable-format tape, *INTRO* 11-13; *IO* 8-7
- booting the system, *INTRO* 1-4—1-5, 4-1—4-8
 - initial menu, *INTRO* 4-3—4-7
- border margin width, *WIN* 3-1—3-3
- borders, *WIN* 3-2
 - deleting from full-screen windows, *WIN* 3-4
 - functions to draw, *WIN* 3-4
 - operations to manipulate, *WIN* 3-3
 - shadow, *WIN* 5-17
- break. *See* Lisp Listener and break
- Break command, *ZMACS* 3-117
- BREAK key, implementing, *WIN* 8-18, 8-20
- bridge, *NET* 1-20
- buffer attributes
 - backspace, *ZMACS* 3-148
 - base, *ZMACS* 3-148
 - commands for setting, *ZMACS* 3-147—3-151
 - fonts, *ZMACS* 3-149
 - lowercase, *ZMACS* 3-149
 - nofill, *ZMACS* 3-149
 - package, *ZMACS* 3-149
 - patch file, *ZMACS* 3-150
 - tab width, *ZMACS* 3-150
 - VSP (vertical interline spacing), *ZMACS* 3-150
- Buffer commands, *ZMACS* 3-7—3-20
- buffered asynchronous devices, *IO* 1-13
- buffered streams, *IO* 1-13, 1-23—1-29
- buffers, *INTRO* 1-3—1-4
 - definition, *ZMACS* 2-15
 - header, *ZMACS* 2-19
 - history, *ZMACS* 3-13
 - how buffers handle LISP code, *ZMACS* 2-19
 - overview on creating, *ZMACS* 2-20
- bug reporting, *INTRO* 7-11; *TOOLS* 4-1
 - Bug command (META-X), *TOOLS* 4-1
- buried window, *INTRO* 5-1—5-9
- burying a window, *INTRO* 5-3; *WIN* 1-5, 5-22
- BUSY status bit, *IO* 1-21

- button masks, *WIN* 11-4—11-5
- byte fields, *LISP* 3-23, 10-15—10-16
- byte specifier, *LISP* 3-23
- C**
- C format directive, *IO* 5-14
- cache, *NET* 4-14
- Call Tree Inspector. *See* metering
- Caller commands, *ZMACS* 3-117—3-119
- callers, finding, *TOOLS* 25-11
- canonical types of pathnames, *CONC* 6-15;
IO 2-11—2-13
- canonicalization, *LISP* 3-5
- capitalization of strings, *LISP* 8-6
- Capture Into Buffer commands, *ZMACS* 3-7
- car component of a cons, *LISP* 6-1
- carriage return, printing with a format
directive, *IO* 5-17
- carry tape format, *IO* 8-8—8-9
- cartridge tape, *INTRO* B-1—B-3
- case conversion
 - of characters, *LISP* 4-12
 - of strings, *LISP* 8-6
 - printing with a format directive, *IO* 5-20
- cdr component of a cons, *LISP* 6-1
- cdr-code field of a memory word, *LISP* 6-5
- centering a line, *ZMACS* 3-186
- Centronix standard parallel output port,
IO 1-20
- CFGn partition, *IO* 6-3
- Change File Properties commands,
ZMACS 3-93
- change layouts option, *INTRO* 9-9
- Chaosnet, *NET* 2-1
 - contact name, *NET* 5-3
 - file server
 - conditions, *NET* 3-4
 - functions, *NET* 3-3—3-4
 - foreign host, getting information on,
NET 5-13
 - information and control functions,
NET 5-27
 - packet, *NET* 1-14
 - packet I/O, *NET* 5-22—5-25
 - server, *NET* 5-5—5-10
 - specification, *NET* 5-1
 - stream I/O, *NET* 5-6
 - functions, *NET* 5-20—5-21
 - methods, *NET* 5-20—5-21
 - streams, *IO* 1-14
 - subnetworks, *NET* 7-16
- char-exists table, *WIN* 9-8
- character attributes, *LISP* 4-10
- character code, *WIN* 8-25
- character construction and attribute retrieval,
LISP 4-10
- character height, *WIN* 9-6
- character objects, decoding, *WIN* 8-1
- character sets
 - Explorer, *LISP* 4-4—4-10
 - ISO 8859/1, *IO* C-1
 - support for international, *IO* C-1
- character width, *WIN* 9-7
- characters, *LISP* 4-1—4-16; *ZMACS* 2-24
 - asynchronously intercepted,
WIN 8-20—8-22
 - case conversion, *LISP* 4-12
 - comparison of, *LISP* 4-15
 - displaying, *WIN* 7-3—7-5
 - nonstandard, *LISP* 4-3
 - peeking at, *IO* 1-6
 - printed representation of, *IO* 5-3
 - printing with a format directive, *IO* 5-10,
5-14
 - reading, *IO* 4-23
 - standard, *LISP* 4-3
 - synchronously intercepted, *WIN* 8-18—8-20
 - type predicates, *LISP* 4-14—4-15
 - writing, *IO* 5-8, 5-9
- characters per inch, *IO* 7-5
- choice box descriptor, *WIN* 14-65—14-66
- choice boxes, *WIN* 14-34
- choice facilities, *WIN* 14-1
- choose-variable-values menu, *INTRO* 5-10
- choose-variable-values windows,
 - WIN* 14-38—14-58
 - defining your own variable type,
WIN 14-52—14-53
 - examples, *WIN* 14-50—14-52
 - item modifiers for variables in, *WIN* 14-46
 - making your own window,
WIN 14-53—14-58
 - options keywords for, *WIN* 14-48—14-49
 - predefined variable types for,
WIN 14-43—14-45
 - variables, *WIN* 14-39—14-42
 - in linear format, *WIN* 14-39
 - in table format, *WIN* 14-41
- clauses
 - iteration-driving, *LISP* 15-4
 - loop, *LISP* 15-3
- cleanup forms, *LISP* 14-16
- CLI package, *LISP* 5-8
- clicks, mouse. *See* mouse clicks
- clipping graphic images, *WIN* 12-32
- closing parenthesis ()), *IO* 4-9
- closures, *LISP* 16-11, 17-1—17-6
 - dynamic, *LISP* 17-1—17-3, 17-4—17-6
 - lexical, *LISP* 2-4, 17-3—17-4
- co-server, *NET* 4-14
- code
 - adding versus modifying, *CONC* 2-4
 - redefinition versus replacement,
CONC 5-1—5-2
 - reusability of, *CONC* 2-17

- coercion, *LISP* 3-5
 - of types, *LISP* 12-11
- Cohen-Sutherland algorithm, *WIN* 12-38
- cold load stream, *INTRO* 8-2; *IO* 1-14; *TOOLS* 14-4
- cold-boot keystroke sequence, *INTRO* 4-1
- collision fragments, *NET* 1-11
- collisions, *NET* 1-11
- colons, indications of whether a symbol is exported, *CONC* 9-3
- color
 - See also* Color Map editor; graphics editor
 - ALU arguments, *WIN* 19-12—19-17
 - color versus monochrome ALU arguments, *WIN* 19-16
 - graphics methods, *WIN* 12-2—12-5, 12-13, 19-12—19-17
 - list of, *WIN* 19-16
 - monochrome ALU arguments used by color ALU arguments in monochrome system, *WIN* 19-16
 - specifying ALUs with :edit-parameters menu, *WIN* 12-55
 - truth table for monochrome displays, *WIN* 19-17
 - applications, converting to color, *WIN* B-1—B-5
 - background color, *WIN* 19-3, 19-7, 19-18
 - transposing with foreground color (complement bow mode), *WIN* 19-7
 - blinker offset, *WIN* 19-8, 19-18
 - border color, *WIN* 19-8, 19-18
 - coding requirements for color, *WIN* 19-1—19-2
 - color argument
 - for graphics methods, *WIN* 12-10, 19-19
 - for text output methods, *WIN* 7-5
 - Color Look-Up Table (LUT), *WIN* 19-2
 - color map, *WIN* 19-3
 - contents, *WIN* 19-4
 - defstruct elements, *WIN* 19-4
 - functions that manipulate the color map, *WIN* 19-8—19-12
 - named colors in the default color map table, *WIN* 19-6
 - naming colors, *WIN* 19-5
 - rainbow example, *WIN* 19-8
 - ramp, *WIN* 19-6
 - reserved colors, *WIN* 19-5
 - table, *WIN* 19-4
 - compatibility issues when converting to color, *WIN* B-2—B-5
 - complement bow mode (reverse video), *WIN* 19-7
 - converting a load band to color, *WIN* B-1
 - converting applications to color, *WIN* B-1—B-5
 - edge color, *WIN* 12-55—12-56
 - fill color, *WIN* 12-55—12-56
 - foreground color, *WIN* 19-3, 9-7, 19-18
 - transposing with background color (complement bow mode), *WIN* 19-7
 - graphics methods
 - color argument, *WIN* 12-10, 19-19
 - texture argument, *WIN* 19-19
 - how color works on a monitor, *WIN* 19-2
 - initialization options and methods used with color windows, *WIN* 19-7—19-8
 - label background color, *WIN* 19-8, 19-18
 - label foreground color, *WIN* 19-8, 19-18
 - load band conversion to color, *WIN* B-1
 - logical color, *WIN* 19-3
 - LUT, *WIN* 19-2
 - menu background color, *WIN* 19-18
 - menu foreground color, *WIN* 19-18
 - menu icons, *WIN* 14-10
 - menu label background color, *WIN* 19-18
 - menu label foreground color, *WIN* 19-18
 - menus, *WIN* 14-24—14-25
 - methods to control monitors directly, *WIN* 19-23
 - mouse documentation window background color, *WIN* 19-18
 - mouse documentation window foreground color, *WIN* 19-18
 - named colors, *WIN* 19-6
 - naming colors, *WIN* 19-5
 - physical color, *WIN* 19-3
 - pixel value, *WIN* 19-3
 - plane masks, *WIN* 19-23
 - printing color screens on monochrome printers, *WIN* 19-21—19-23
 - gray patterns for printing the named colors, *WIN* 19-22
 - Profile variables, *TOOLS* 2-2; *WIN* 19-18
 - ramp, *WIN* 19-6
 - references to color in all Explorer manuals, *WIN* 1-2
 - reserved colors, *WIN* 19-5
 - reverse video (complement bow mode), *WIN* 19-7
 - RGB model, *WIN* 19-2
 - scroll bar shaded area, *WIN* 19-18
 - status line background color, *WIN* 19-18
 - status line foreground color, *WIN* 19-18
 - text output methods, color argument, *WIN* 7-5
 - texture argument for graphics methods, *WIN* 12-11, 19-19
 - transparency, *WIN* 19-15
 - using color, *WIN* 19-1—19-24
 - values for graphic methods in monochrome system, *WIN* 12-12
 - color concepts, *CONC* 10-1—10-18
 - ALU operations, *CONC* 10-8, 10-14, 10-17
 - background color, *CONC* 10-8

- background color register, *CONC* 10-13, 10-17
- basics of computer-generated color, *CONC* 10-3—10-4
- color argument of w:graphics-mixin methods, *CONC* 10-10
- color coefficient, *CONC* 10-2
- color CRT operation, *CONC* 10-3
- color, definition, *CONC* 10-12
- color environment, *CONC* 10-12
- color map, *CONC* 10-10
- color map table, *CONC* 10-10
- color models, *CONC* 10-3
- color perception
 - analytic model, *CONC* 10-2
 - basics, *CONC* 10-1—10-3
- Color SIB (CSIB), *CONC* 10-13
- designing the color user interface, *CONC* 10-5
- direct color programming, *CONC* 10-15
- Edit Attributes menu for changing the window colors, *CONC* 10-15
- expansion, *CONC* 10-13
- foreground color, *CONC* 10-8
- foreground color register, *CONC* 10-13, 10-17
- frame buffer, *CONC* 10-12
- glossary of color terms, *CONC* 10-12
- guidelines for effective use of color, *CONC* 10-4—10-7
- HSV model, *CONC* 10-3
- hue, *CONC* 10-3
- indirect color programming, *CONC* 10-16
- light, *CONC* 10-1
- logical color, *CONC* 10-7
- Look-Up Table (LUT), *CONC* 10-7
- LUT buffer, *CONC* 10-10
- nature of the eye, *CONC* 10-1
- physical color, *CONC* 10-8
- pixel, *CONC* 10-3
- pixel value, *CONC* 10-7
- primary color, *CONC* 10-2
- programming the color Explorer, *CONC* 10-7—10-17
- purity, *CONC* 10-4
- ramp, *CONC* 10-11
- references of color programming information, *CONC* 10-18
- RGB model, *CONC* 10-3
- RGB value, *CONC* 10-12
- saturation, *CONC* 10-3
- texture pattern, *CONC* 10-10
- value, *CONC* 10-3
- Color Map editor, *INTRO* 2-3; *TOOLS* 34-1—34-8
 - color box, *TOOLS* 34-3
 - contrast box, *TOOLS* 34-3
 - editing and defining colors, *TOOLS* 34-3
 - HSV model, *TOOLS* 34-3
 - invoking the, *TOOLS* 34-2
 - loading the, *TOOLS* 34-2
 - numeric readout pane, *TOOLS* 34-5
 - RGB model, *TOOLS* 34-3
 - slide bar, *TOOLS* 34-4
 - up/down arrow panes, *TOOLS* 34-5
- color of graphics objects
 - edge color, *TOOLS* 10-9
 - editing the edge and fill colors, *TOOLS* 10-24
 - fill color, *TOOLS* 10-9
 - status variables for the edge and fill colors, *TOOLS* 10-27
 - values for graphic methods, *TOOLS* 10-9
- color of windows, *INTRO* 9-4—9-6
- column specification list, *WIN* 14-6—14-7
- columnar format of menus, *WIN* 14-26
- combinations, type specifiers, *LISP* 12-7
- combined methods, *LISP* 19-32
- comma (,), *IO* 4-10
- command context switch for Suggestions, *TOOLS* 9-10
- command display, *INTRO* 6-7
- command editor, *INTRO* 6-10—6-13
- command history, *INTRO* 6-7
- command line editor, *INTRO* 6-10—6-13
- command macro, creating a, *INTRO* 9-10
- command menus, *INTRO* 5-9; *WIN* 14-19—14-20
- command name search, *INTRO* 6-7
- command table summaries, *TOOLS* B-1—B-23
- command tables, Zmacs, *ZMACS* 4-3
- commands. *See* the specific utility, such as Mail, Peek, Zmacs, and so on
- Comment commands, *ZMACS* 3-133—3-135
- commenting, *IO* 4-10, 4-15; *LISP* 14-8
- Common LISP
 - extensions to, *CONC* 9-2
 - portability of programs, *CONC* 9-2
- Common LISP mode, *LISP* 1-4; *ZMACS* 3-143
 - versus ZetaLISP mode, *LISP* A-22
- Compare Source commands, *ZMACS* 3-128
- comparison
 - for equality, *LISP* 14-18
 - of numbers, *LISP* 3-6
 - of strings, *LISP* 8-2
 - ignoring case, *LISP* 8-4
- Compile and Evaluate commands, *ZMACS* 3-21—3-32
- compile conditions, *CONC* 4-1
 - summary, *CONC* 4-6—4-9
- compiled functions, *LISP* 16-9, 16-11
- compiler, *LISP* 21-1—21-20
 - options, *LISP* 13-7, 21-3, 21-5, 21-9
 - warnings, *LISP* 21-10, 21-11

- compiling
 - back-to-back, *CONC* 4-6
 - buffers, *LISP* 21-10
 - combined flavor methods, *LISP* 19-11
 - commonly used functions for,
 - CONC* 4-10—4-12
 - encapsulations, *LISP* 21-2
 - files, *LISP* 21-3, 23-28
 - forms, *LISP* 21-4
 - from Zmacs, *LISP* 21-9
 - functions, *LISP* 21-2
 - incremental, *CONC* 4-5
- Completion commands, *ZMACS* 3-3—3-5
- completions
 - apropos, *INTRO* 6-8
 - recognition, *INTRO* 6-8
 - spelling, *INTRO* 6-8
- complex numbers, *LISP* 3-4, 3-15
 - printed representation of, *IO* 5-3
 - sharp-sign macro and, *IO* 4-13
- component flavor, *CONC* 2-13
- components of pathnames, *IO* 2-3
- computer models, *INTRO* 1-1—1-3
- concatenating sequences, *LISP* 9-4
- concatenation, *LISP* 9-4
- condition events, *CONC* 3-1—3-2
- condition handlers, *LISP* 20-9, 20-12
 - conditional, *CONC* 3-8—3-9
 - example of a handler, *CONC* 3-3—3-5
 - handlers default, *CONC* 3-8
 - example of a handler, *CONC* 3-5—3-6
 - :no-error clause, *CONC* 3-6
- conditional control structures, *LISP* 14-1
- conditionalizing clauses, *LISP* 15-12
 - and, *LISP* 15-12
 - else, *LISP* 15-12
 - if, *LISP* 15-12
 - return, *LISP* 15-13
 - unless, *LISP* 15-12
 - when, *LISP* 15-12
- conditions, *LISP* 20-1
 - Also see* the Conditions index for specific conditions
 - creating, *LISP* 20-30
 - definition of, *CONC* 3-1
 - flavors, *LISP* 20-24
 - handlers, *CONC* 3-3
 - handling, *LISP* 20-1, 20-9—20-14
 - hierarchy of, *CONC* 3-9—3-11
 - ad hoc, *CONC* 3-13—3-14
 - instances of, *CONC* 3-2
 - names of, *CONC* 3-11—3-14
 - operations, *LISP* 20-28
 - proceeding from, *CONC* 3-7; *LISP* 20-14
 - signaling, *LISP* 20-2, 20-8, 20-33—20-35
- conditions handled by character typeout,
 - WIN* 7-3
- configuration, *WIN* 15-4
 - configuration boot choice, *INTRO* 4-7
 - configuration file, *NET* 4-15, 4-40
 - configuration partitions, *IO* 6-37—6-45
 - confirm-read, *IO* 6-4
 - confirm-write, *IO* 6-4
 - confirmation windows, *WIN* 14-16—14-22
 - conn, *NET* 5-2, 5-15—5-16
 - accessor functions, *NET* 5-16
 - states, *NET* 5-15—5-16
 - wait function, *NET* 5-16
 - connect name (Telnet), *NET* 3-6
 - connection, *NET* 5-2
 - interrupts, *NET* 5-26
 - opening and closing a, *NET* 5-17
 - rejecting a, *NET* 5-12
 - conses, *LISP* 6-1
 - printed representation of, *IO* 5-4
 - consistency rules, *LISP* 5-3
 - console, *INTRO* 3-1—3-3
 - streams and, *IO* 1-2
 - constants, *LISP* 13-11, 16-23
 - Also see* the Variables index for a specific constant
 - constituent syntactic character type,
 - IO* 4-2—4-3
 - constraint frame editor. *See* WINIFRED
 - constraint frames, *WIN* 15-1
 - backquotes and, *WIN* 15-20
 - embedded configurations,
 - WIN* 15-32—15-33
 - examples of, *WIN* 15-15—15-21
 - flavors for, *WIN* 15-13—15-15
 - keywords
 - for minimum and maximum sizes,
 - WIN* 15-30—15-31
 - for size and position, *WIN* 15-29
 - methods used with constraint frames,
 - WIN* 15-34—15-36
 - pane-frame interaction, *WIN* 15-35—15-36
 - selected pane of, *WIN* 15-36
 - specifications for, *WIN* 15-15
 - specifying panes and constraints, details,
 - WIN* 15-22—15-28
 - stacking panes in, *WIN* 15-6—15-7
 - constraints, *WIN* 15-4
 - contact name, *NET* 5-3
 - contagion, *LISP* 3-5
 - continuation of text. *See* horizontal wraparound
 - Converse, *INTRO* 7-10
 - functions, *NET* 3-12—3-14
 - user options, *NET* 3-14—3-15
 - utility, *NET* 3-11—3-15
 - Zmacs commands with, *NET* 3-12
 - conversion of numbers, *LISP* 3-14
 - Copy File commands, *ZMACS* 3-94
 - copying
 - arrays, *LISP* 9-3
 - files, *IO* 3-5

- lists, *LISP* 6-11
- objects, *LISP* 9-3
- sequences, *LISP* 9-4
- structures, *LISP* 10-6
- systems, *LISP* 23-19
- vectors, *LISP* 9-4
- coroutines, *CONC* 7-3-7-5; *LISP* 26-1
 - programming, *CONC* 7-4-7-5
 - resuming, *CONC* 7-3
- Count commands, *ZMACS* 3-141
- counters, Peek, *TOOLS* 17-6
- counting sequences, *LISP* 9-12
- crash analysis and reporting, *TOOLS* 24-1-24-18
 - crash reporting, *TOOLS* 24-1
 - force crash keychord, *TOOLS* 24-15
 - hardware crash descriptions and troubleshooting, *TOOLS* 24-7-24-14
 - mass storage subsystem crashes, *TOOLS* 24-9-24-11
 - NuBus crashes, *TOOLS* 24-8
 - NUPI device and controller error crashes, *TOOLS* 24-11-24-13
 - NUPI special event crashes, *TOOLS* 24-14
 - power fail crash, *TOOLS* 24-9
 - processor fault crashes, *TOOLS* 24-8
- NVRAM, preparing, *TOOLS* 24-2
- shutdown record analysis format, *TOOLS* 24-4-24-7
- software crash descriptions, *TOOLS* 24-15-24-18
- crash analyzer functions
 - report-all-shutdowns, *TOOLS* 24-3
 - report-last-shutdown, *TOOLS* 24-2
- current band, *IO* 6-11
- current font, *TOOLS* 12-3; *WIN* 7-2
 - definition of, *WIN* 9-1
 - operations to manipulate, *WIN* 9-4
- current package, *LISP* 5-1-5-3, 5-11
- current process, *LISP* 27-10
- cursor, *IO* 1-11
 - location (point), *ZMACS* 2-27
 - motion, *WIN* 7-15-7-17
 - position of
 - figure, *WIN* 7-15
 - of the window, *WIN* 7-1
- Cursor Movement commands, *ZMACS* 3-33-3-46
- custom macros, *INTRO* 9-9
- customer sites and customer-specific translations, *CONC* 9-7
- customization
 - environment, *INTRO* 9-1
 - evaluator, *TOOLS* 20-1-20-2
 - font editor, *TOOLS* 12-1-12-31
 - Glossary utility, *TOOLS* 5-1-5-12
 - login-init file, *TOOLS* 3-1-3-6

- Mail, *TOOLS* 31-46-31-57
- namespace editor (NSE), *TOOLS* 32-36-32-50
- New User utility, *TOOLS* 1-1-1-2
- Profile utility, *TOOLS* 2-1-2-5
- Suggestions, *TOOLS* 8-1-8-20, 9-1-9-15
- UCL, *TOOLS* 6-1-6-26, 7-1-7-38
- Zmacs, *ZMACS* 3-47-3-58, 4-1-4-6

D

- D format directive, *IO* 5-12
- daemon methods, *LISP* 19-3
- DARPA specification, Telnet, *NET* 3-5
- data bits, *IO* 1-17, 7-3
- data bricks, *IO* 6-4
- data hiding, *CONC* 2-17-2-18
 - definition, *CONC* 2-6
- data link layer (of a network), *NET* 1-5
- data sharing among processes, *CONC* 7-7-7-8
- data structure inspector, *INTRO* 7-6
- data structure patching, *CONC* 5-8-5-9
- data terminal ready (DTR), *IO* 1-18
- :data-bits attribute, *NET* 4-5
- date and time, *INTRO* 1-5; *LISP* 24-1
- day of the week, function to return, *LISP* 24-8
- daylight savings time, *LISP* 24-7
- deactivated windows, *WIN* 1-5
- debug information structure, *LISP* 16-29-16-31
- debugger, *LISP* 20-16
- debugger (error handler), *TOOLS* 13-1-13-13
 - accessing the, *TOOLS* 13-1
 - backtrace, *TOOLS* 13-1
 - commands, *TOOLS* 13-5-13-13
 - examining arguments, locals, functions, and values, *TOOLS* 13-7
 - examining special variables, *TOOLS* 13-10
 - examining stack frames, *TOOLS* 13-6
 - special variable bindings in the, *TOOLS* 13-4
 - Suggestions menus, *TOOLS* 8-15
 - window-based debugger, *TOOLS* 14-1-14-5
- debugging
 - after a warm boot, *TOOLS* 13-11
 - cold-load stream, *TOOLS* 14-4
 - TERM 0 S, *TOOLS* 14-4
- debugging functions, miscellaneous, *TOOLS* 25-1-25-20
- decimal, printing with a format directive, *IO* 5-12
- declaration forms, *LISP* 13-2-13-11
- declaration specifiers, *LISP* 13-4-13-8
 - arglist, *LISP* 13-8
 - declaration, *LISP* 13-8
 - ftype, *LISP* 13-5
 - function, *LISP* 13-5

- declaration specifiers (Continued)
 - sys:function-parent, *LISP* 13-8
 - ignore, *LISP* 13-6
 - inline, *LISP* 13-5
 - nonpervasive, *LISP* 13-1
 - notinline, *LISP* 13-6
 - optimize, *LISP* 13-7
 - pervasive, *LISP* 13-1
 - :self-flavor, *LISP* 13-8
 - special, *LISP* 13-4
 - type, *LISP* 13-4
 - unspecial, *LISP* 13-4
 - values, *LISP* 13-8
- declarations, *LISP* 13-1—13-11
- DECnet, *NET* 2-2
- decoded time format, *LISP* 24-1
- decomposition of matrix, *LISP* 7-20
- deexposed timeout actions, *WIN* 7-9—7-11
 - :permit, screen manager updating partially visible windows, *WIN* 5-21
- deexposed window, *WIN* 1-4
- default association list, *IO* 2-15
- default boot, *INTRO* 4-3
- default handlers, *CONC* 3-8
- default printer, *INTRO* 9-3
- default streams, *CONC* 1-3
- defaulting pathnames, *CONC* 6-9—6-11
 - definition, *CONC* 6-9
 - specifying standard defaults, *CONC* 6-11—6-12
- defsubst. *See* the Functions index for a specific defsubst
- DEFSYSTEM file, *CONC* 9-3
- Delete File commands, *ZMACS* 3-95
- Deleting and Moving Text commands, *ZMACS* 3-59—3-74
- deleting text
 - commands, *ZMACS* 3-59—3-61
 - definition of, *ZMACS* 2-34
- demand paging, *LISP* 25-1
- dependencies, *CONC* 4-1
 - compiler conditions, *LISP* 23-10
 - load, *CONC* 4-10
 - summary, *CONC* 4-6—4-9
- dependency, *LISP* 23-5
- descendants. *See* inferiors set
- deselected process, priority of, *WIN* 6-8
- deselecting windows, *WIN* 6-3
- destructive list modification, *LISP* 6-15—6-17
- destructuring, *LISP* 15-15
- determinant of matrix, *LISP* 7-20
- device component, *IO* 2-4
- device label, printing during boot, *INTRO* 4-7
- diagnostic load, *INTRO* 4-7
- diagnostics, network, *NET* 7-13
- directive of a format statement, *IO* 5-10
- directories, *INTRO* 1-3—1-4, 10-1, 10-2
 - characteristics
 - as a directory, *CONC* 6-4
 - as a file, *CONC* 6-4
 - copying, *INTRO* 10-9
 - creating, *INTRO* 10-6
 - deleting, *INTRO* 10-12
 - expunging, *INTRO* 10-12
 - manipulating, *INTRO* 10-5—10-15
 - printing, *INTRO* 10-11
 - protecting, *INTRO* 10-13
 - relative, *CONC* 6-26—6-28
 - renaming, *INTRO* 10-10
 - root, *CONC* 6-3
 - site, *CONC* 6-24—6-25
 - viewing, *INTRO* 10-7
- Directory commands, *ZMACS* 3-75—3-92
- directory component, *IO* 2-4
- directory translations, *NET* 4-6
- Dired commands, *ZMACS* 3-77—3-92
- dirty page, *LISP* 25-1
- disassembler, *LISP* 22-1—22-22
 - auxiliary operations, *LISP* 22-18
 - branch instructions, *LISP* 22-13
 - call instructions, *LISP* 22-14
 - complex call instruction, *LISP* 22-19
 - call-info word returned, *LISP* 22-19
 - long branch instructions, *LISP* 22-22
 - miscellaneous operations, *LISP* 22-15
 - module operations, *LISP* 22-22
- disassembling compiled code, *ZMACS* 3-32
- discriminated unions, *NET* A-5—A-6
- disembodied property list, *LISP* 2-10—2-12
- disk data blocks, *INTRO* 12-1
- disk label, *INTRO* 12-1; *IO* 6-10, 6-26
- disk partitions, *INTRO* 12-1
- disk save operation, *IO* 6-23
 - boot defaults, *NET* 4-41
- disk space, logical directories, reducing, *CONC* 9-9
- disks, *INTRO* 12-1
- displaced arrays, *LISP* 7-2
- displacing macro calls, *LISP* 18-12
- display lists, *WIN* 12-6
- display modes for scroll bars, *WIN* 11-26
- display unit. *See* console
- displaying a list of printers, *INTRO* 9-3
- displaying characters, pseudo-code for, *WIN* 7-4—7-5
- distribution tape, *INTRO* 11-12; *IO* 8-6
 - installing the program, *INTRO* 11-12
 - loading the tape, *INTRO* 11-12
- documentation string
 - for symbols, *LISP* 16-12
 - in the mouse documentation window, *WIN* 11-14—11-16
- documentation, online. *See* Visidoc
- dollars floating-point, printing with a format directive, *IO* 5-16
- domain delimiter, *NET* 4-13

dotted lists, *LISP* 6-2, 9-1
 double quotation mark ("), *IO* 4-10
 double-arrow (\leftrightarrow), *IO* 2-32
 dribble file, *CONC* 1-10—1-11; *INTRO* 7-10;
TOOLS 25-16—25-18
 .dtp-function notation for macrocoded
 functions, *LISP* 16-11
 .dtp-instance data type, *LISP* 19-31
 .dtp-u-entry notation for microcoded functions,
LISP 16-11
 dynamic closures, *LISP* 16-11, 17-1—17-3
 manipulating, *LISP* 17-4
 dynamic extent, *LISP* 2-4—2-24
 dynamic menus, *WIN* 14-22
 dynamic nonlocal exit, *LISP* 14-13
 dynamic shadowing, *LISP* 2-5—2-24

E

-E format directive, *IO* 5-15
 Edit and List Buffer commands,
ZMACS 3-10—3-15
 Edit and List Changed Definition commands,
ZMACS 3-15—3-17
 Edit Source commands, *ZMACS* 3-119
 editor buffer streams, *IO* 1-14
 editor buffer window, *ZMACS* 2-3
 Editor menu, Top-Level, *ZMACS* 2-11
 editor windows, *WIN* 18-11—18-14
 Electric Font Lock mode, *ZMACS* 3-145
 Electric Shift Lock mode, *ZMACS* 3-145
 embarrassment insurance, *CONC* 4-6
 encapsulations, *LISP* 16-32
 end-of-file, *IO* 4-21—4-22, 8-1, 8-8
 reading until, *IO* 1-8
 end-of-line exceptions, *WIN* 7-14—7-15
 end-of-page exceptions, *WIN* 7-11—7-12
 end-of-transmission (EOT), *IO* 1-17
 entries in general scroll windows,
WIN 17-1—17-12
 environment
 modified, *CONC* 4-4—4-5
 patch, *CONC* 5-5
 patching the, *CONC* 5-8—5-10
 environment variables, *TOOLS* 25-19—25-20
 EOT. *See* end-of-transmission
 epilogue clause. *See* loop macro
 epsilon character, *ZMACS* 3-101
 equality predicates, *LISP* 14-18
 erase entire tape, *IO* 8-3
 error signalling, *LISP* 20-1
 error codes, *INTRO* A-1, A-4
 error handler. *See* debugger
 error handler process, *CONC* 7-4
 errors, *NET* 6-28—6-30
 conditions, *LISP* 20-25
 handling, *LISP* 20-9
 ignoring, *CONC* 3-16—3-17
 local, *NET* 6-28
 proceeding from, *CONC* 3-15
 recovering from, *INTRO* 8-1
 remote, *NET* 6-29
 reporting, *LISP* 20-3
 signalling, *LISP* 20-1
 software-readable, *CONC* 3-12
 specific errors
 framing error, *IO* 1-18
 overrun, *IO* 1-18
 parity error, *IO* 1-18
 standard network, *NET* 6-28
 errors during boot, *INTRO* A-1—A-5
 escape characters, *IO* 5-1
 escaping from windows, *INTRO* 5-8
 notification window, *INTRO* 5-8
 temporary menu, *INTRO* 5-8
 utility window, *INTRO* 5-8
 window with an error, *INTRO* 5-8
 Ethernet
 layers, *NET* 1-6
 packet, *NET* 1-7
 segments, *NET* 1-19
 subnetworks, *NET* 7-16
 Eval server, *NET* 3-16
 evalhook, *TOOLS* 20-1—20-2
 Evaluate commands. *See* Compile and Evaluate
 commands
 evaluations, *INTRO* 7-1; *LISP* 16-19
 multiple, *CONC* 8-6—8-7
 out-of-order, *CONC* 8-6—8-7
 evaluator, customizing the, *TOOLS* 20-1—20-2
 examining
 directories, *INTRO* 10-7
 files, *INTRO* 10-8
 functions, *LISP* 16-29
 exceptions
 end-of-line, *WIN* 7-14—7-15
 end-of-page, *WIN* 7-11—7-12
 more processing, *WIN* 7-12—7-14
 output hold, *WIN* 7-11—7-12
 Exchange (Transpose) commands,
ZMACS 3-179—3-182
 Executable processing state, *CONC* 7-15
 Explorer environment, *INTRO* 1-2—1-3
 Explorer Overview, UCL help option,
TOOLS 6-4
 exponential floating-point, printing with a
 format directive, *IO* 5-15
 exponential function, *LISP* 3-10
 exporting symbols, *CONC* 9-3;
LISP 5-5—5-6, 5-15
 exposed windows, *INTRO* 5-1—5-9; *WIN* 1-4
 size constraints compared to their superiors,
WIN 4-2
 expunging, *INTRO* 10-12
 directories, *IO* 2-25
 files, *IO* 2-25
 extended search, *ZMACS* 3-163

extent, *LISP* 2-4
 external data representation
 definition, *NET* A-1
 examples, *NET* A-7—A-11
 Explorer implementation, *NET* A-1
 filters, *NET* A-1
 in XDR streams, *NET* A-2—A-6
 streams, locatives in, *NET* A-2
 external symbols, *LISP* 5-2

F

-F format directive, *IO* 5-14
 fasl-table, *LISP* 21-17
 fault indicator interpretation, *INTRO* A-2
 FAULT status bit, *IO* 1-21
 FEF, *LISP* 16-11
 fiber-optic link, *INTRO* 3-2—3-3
 file, *IO* 2-25
 appending, *ZMACS* 3-97
 attribute list, *CONC* 9-5; *IO* 3-12—3-16
 as a comment line, *CONC* 9-5
 Common LISP standard, *CONC* 9-6
 definition, *ZMACS* 2-32
 reparsing, *ZMACS* 3-147
 updating, *ZMACS* 3-147
 attributes, *CONC* 5-5
 band, *INTRO* 10-15
 determining which to use,
 INTRO 4-7—4-8
 changing properties of, *ZMACS* 3-93
 compiling, *ZMACS* 3-27
 configuration, *NET* 4-15, 4-40
 copying, *INTRO* 10-9
 creating, *INTRO* 10-6
 deleting, *INTRO* 10-12; *IO* 2-25
 directory translations, *NET* 4-6
 editing, *INTRO* 10-14
 expunging, *INTRO* 10-12; *IO* 2-25
 hogs, *ZMACS* 3-84
 information, *INTRO* 1-5
 loading, *INTRO* 10-15; *ZMACS* 3-28
 login initialization file for Zmacs,
 ZMACS 4-3
 mode line information, *ZMACS* 2-18
 name-service access, *NET* 4-41
 pathnames, *INTRO* 10-2
 print request (for a file), *IO* 7-11
 printing, *INTRO* 10-11
 probe, streams, *IO* 1-26—1-27
 properties of, *IO* 3-17; *ZMACS* 3-89
 protecting, *INTRO* 10-13
 removing, *INTRO* 10-12
 renaming, *INTRO* 10-10
 saving, *INTRO* 10-6, 10-14
 server-boot-list, *NET* 4-41
 servers, *IO* 2-1; *NET* 3-1—3-4;
 siteinfo, *NET* 4-15, 4-40
 translations, *CONC* 9-7

type extension, *IO* 2-4
 undeleting, *INTRO* 10-13
 version limit, *ZMACS* 3-95
 viewing, *INTRO* 10-8; *ZMACS* 3-96
 visiting, *ZMACS* 3-96
 File commands, *ZMACS* 3-93—3-100
 FILE partition, *IO* 6-2
 file server, status, *INTRO* 7-7
 file status, Peek, *TOOLS* 17-8
 file systems, *INTRO* 10-1; *IO* 6-6
 choosing the one to be booted,
 INTRO 4-7—4-8
 fill column, *ZMACS* 3-182
 Fill commands, *ZMACS* 3-182—3-184
 fill patterns, *WIN* 12-26—12-27
 fill pointers, *LISP* 7-2, 7-14
 fill prefix, *ZMACS* 3-182
 filled format of menus, *WIN* 14-26
 filling, text, *ZMACS* 3-182—3-184
 Find and View File commands, *ZMACS* 3-96
 find symbols, *INTRO* 7-4
 finding command names or keystroke
 sequences, *INTRO* 6-7
 Finger
 making assignments, *NET* 3-18
 utility, *NET* 3-17—3-20
 fixed-format floating-point, printing with a
 format directive, *IO* 5-14
 fixed-width fonts, *TOOLS* 12-2; *WIN* 9-8
 fixnum, *LISP* 15-15
 flavor, *CONC* 2-1; *LISP* 19-1—19-33
 adding to software with flavors, *CONC* 2-5
 apropos, *TOOLS* 25-9
 base, *LISP* 19-4
 changing, *LISP* 19-32
 creating instances, *LISP* 19-6
 defining methods, *LISP* 19-4, 19-5
 implementation, *LISP* 19-31
 instance, *CONC* 2-12—2-13
 mixin, *LISP* 19-4
 mixing, *CONC* 2-13—2-16; *WIN* 1-6
 options, *LISP* 19-13
 order for mixing, *WIN* 1-6
 overriding components, *WIN* 1-6
 programming, *CONC* 2-5—2-6
 trees, *CONC* 2-18—2-19
 undefining, *LISP* 19-8
 Flavor commands, *ZMACS* 3-120—3-122
 Flavor Inspector, *TOOLS* 16-1—16-8
 changing the configuration, *TOOLS* 16-5
 command menu pane, *TOOLS* 16-8
 flavor commands, *TOOLS* 16-5
 history pane, *TOOLS* 16-7
 inspection panes, *TOOLS* 16-4
 label, *TOOLS* 16-5
 locking the inspection panes,
 TOOLS 16-5
 scrolling, *TOOLS* 16-5

- LISP Listener pane, *TOOLS* 16-2
 - method commands, *TOOLS* 16-6
 - floating-point
 - format, *IO* 5-7
 - numbers, *LISP* 3-3
 - printed representation of, *IO* 5-2—5-3
 - flonum, *LISP* 15-15
 - Flushed processing state, *CONC* 7-15
 - flushing processes, *CONC* 7-15—7-16
 - FMT partition, *IO* 6-3
 - following blinkers, *WIN* 10-1
 - Font commands, *ZMACS* 3-101—3-104
 - font descriptor, *WIN* 9-9
 - font editor, *TOOLS* 12-1—12-31
 - font indexing table for wide fonts, *WIN* 9-11
 - font map, *TOOLS* 12-3; *WIN* 7-2
 - definition of, *WIN* 9-1
 - operations to manipulate, *WIN* 9-3
 - font purposes, *WIN* 9-2—9-3, 9-6
 - operations to manipulate, *WIN* 9-6
 - font specifiers, *WIN* 9-4—9-6
 - fonts, *INTRO* 5-2; *TOOLS* 12-1
 - AST files and, *TOOLS* 12-30
 - attributes of, *WIN* 9-6—9-8
 - commonly used, *WIN* 9-2
 - current, *TOOLS* 12-3; *WIN* 7-2
 - descenders, *TOOLS* 12-6
 - directory of system fonts, *TOOLS* 12-4
 - dumps of all, *TOOLS* A-2—A-29
 - families of, *TOOLS* 12-3
 - fixed-width, *TOOLS* 12-2; *WIN* 7-2
 - internal format, *WIN* 9-9—9-11
 - list of all, *TOOLS* A-1
 - map. *See* font map
 - performance considerations and, *TOOLS* 12-28—12-29
 - properties of, *TOOLS* 12-2
 - purposes of, *WIN* 9-6
 - selected font, *TOOLS* 12-2
 - variable-width, *TOOLS* 12-2; *WIN* 7-2
 - vertical spacing, *TOOLS* 12-3
 - force crash keychord, *TOOLS* 24-15
 - foreign-port cache, *NET* B-4
 - format escape, printing with a format directive, *IO* 5-26
 - frame, *INTRO* 5-2; *WIN* 15-1
 - frame editor. *See* WINIFRED
 - framing error, *IO* 1-18
 - function, *INTRO* 7-1, 7-3, 10-5; *LISP* 16-1
 - Also see* the Functions index for a specific function
 - advising a, *TOOLS* 21-1—21-5
 - apropos, *TOOLS* 25-8; *ZMACS* 3-109
 - argument, *INTRO* 6-14
 - callers, *INTRO* 7-5
 - cell, *LISP* 2-9
 - compiled, *LISP* 16-9
 - compiling a, *ZMACS* 3-21—3-32
 - defining steps in, *CONC* 5-2—5-3
 - definition, *INTRO* 6-15; *LISP* 2-1—2-2, 16-12
 - documentation, *INTRO* 6-14
 - evaluating a, *ZMACS* 3-21—3-32
 - examining a LISP, *LISP* 16-29—16-32
 - help on finding a, *ZMACS* 3-109—3-112
 - histogram, *TOOLS* 27-41—27-45
 - interpreted, *LISP* 16-9
 - keys, programming use of, *WIN* 8-18
 - local, *LISP* 16-27
 - microcoded, *LISP* 16-9
 - name, *INTRO* 7-2
 - stepping, *TOOLS* 19-1—19-3
 - predicates, *LISP* 16-37
 - specs, *LISP* 16-7—16-8
 - text scroll window, *WIN* 16-5
 - tracing, *TOOLS* 18-1—18-6; *ZMACS* 3-132
 - Fundamental mode, *ZMACS* 3-144
- ## G
- G format directive, *IO* 5-16
 - garbage collection, *INTRO* 7-11—7-12; *LISP* 25-13
 - inactive windows and, *WIN* 5-3
 - gateway, *NET* 1-20
 - GDOS boot, *INTRO* 4-4
 - GDOS partition, *IO* 6-3
 - GED system, *TOOLS* 10-3
 - general array, *LISP* 7-1
 - general floating-point, printing with a format directive, *IO* 5-16
 - general scroll windows, *WIN* 17-1—17-12
 - generalized variables, *LISP* 2-15
 - generational garbage, *INTRO* 7-11—7-12; *LISP* 25-13
 - generic network interface, *NET* 6-1
 - accessing protocol-specific services, *NET* 6-25
 - errors, *NET* 6-28
 - functions, *NET* 6-10—6-14
 - generic network system, *NET* 6-1
 - programmatic interface, *NET* 6-10
 - generic pathnames, *IO* 2-6, 2-29—2-31
 - generic services interface, *NET* 6-7
 - functions, *NET* 6-14—6-15
 - geometry of menus, *WIN* 14-26—14-30
 - global asynchronous characters, *WIN* 8-22—8-26
 - GLOBAL package, *CONC* 9-2; *LISP* 5-7
 - global special variables, providing program isolation with bindings, *CONC* 9-13
 - global user variable, *ZMACS* 3-52
 - global variables, *CONC* 7-5; *LISP* 13-9
 - global word abbreviations, *ZMACS* 3-54

- Glossary utility, *INTRO* 2-2, 6-3—6-4;
TOOLS 5-12
- glyph, *TOOLS* 12-2
- GNI. *See* generic network interface
- goal column, *ZMACS* 3-187
- golden ratio used with menus, *WIN* 14-30
- grabbing the mouse, *WIN* 11-7
- graphic character, *LISP* 4-14
- graphic database, *WIN* 12-34
- graphics editor, *TOOLS* 10-1—10-42
- graphics images
- clipping, *WIN* 12-32
 - compared with graphics objects, *WIN* 12-1
 - drawing using subprimitives,
WIN 12-30—12-34
 - printing, *IO* 7-10
- graphics objects, *TOOLS* 10-8—10-22;
WIN 12-34—12-36, 12-57—12-66
- aids for drawing objects, *TOOLS* 10-3
 - ALU values, *TOOLS* 10-10—10-12
 - color, *TOOLS* 10-12
 - specifying, *TOOLS* 10-24
 - status variable for, *TOOLS* 10-27
 - characteristics of, *TOOLS* 10-8—10-12
 - characters, *WIN* 12-70
 - color
 - edge color, *TOOLS* 10-9
 - editing the edge and fill colors,
TOOLS 10-24
 - fill color, *TOOLS* 10-9
 - status variables for the edge and fill
colors, *TOOLS* 10-27
 - values for graphic methods, *TOOLS* 10-9
 - compared with graphics images, *WIN* 12-1
 - copying, *TOOLS* 10-23—10-24
 - deleting, *TOOLS* 10-24
 - drawing, *TOOLS* 10-12
 - editing parameters of, *TOOLS* 10-24—10-25
 - filled versus unfilled, *TOOLS* 10-8
 - font, *WIN* 12-67
 - grouping, *TOOLS* 10-3
 - moving, *TOOLS* 10-25—10-26
 - named colors in the default color map,
TOOLS 10-10
 - positioning, *TOOLS* 10-12
 - raster
 - character, *WIN* 12-71—12-72
 - object, *WIN* 12-74—12-76
 - scaling, *TOOLS* 10-26—10-27
 - selecting, *TOOLS* 10-12, 10-22—10-23
 - status variables of, *TOOLS* 10-27—10-29
 - types of, *TOOLS* 10-2
 - arcs, *TOOLS* 10-13—10-14;
WIN 12-57—12-59
 - background pictures, *TOOLS* 10-30;
WIN 12-78
 - circles, *TOOLS* 10-14—10-15;
WIN 12-59—12-60
 - lines, *TOOLS* 10-15; *WIN* 12-60—12-61
 - paintings, *TOOLS* 10-15—10-17
 - polylines, *TOOLS* 10-17;
WIN 12-61—12-62
 - rectangles, *TOOLS* 10-18
 - rulers, *TOOLS* 10-19
 - splines, *TOOLS* 10-20;
WIN 12-64—12-65
 - subpictures, *TOOLS* 10-36—10-38;
WIN 12-76
 - text, *TOOLS* 10-21—10-22;
WIN 12-68—12-69
 - triangles, *TOOLS* 10-22;
WIN 12-65—12-66
 - vector character, *WIN* 12-70—12-71
- graphics window system (GWIN), required for
GED, *TOOLS* 10-3
- graphs, labeling the y-axis, *WIN* 7-6
- gray patterns, *WIN* 12-26—12-27
- examples of, *TOOLS* 10-9; *WIN* 12-12
- gray plane, *TOOLS* 12-7
- gridify points, *WIN* 12-35, 12-49
- Grind (Pretty Print) commands,
ZMACS 3-136
- grinding, *IO* 1-12
- grouped arrays, *LISP* 10-10
- GSI. *See* generic services interface
- GWIN package, *WIN* 2-1, 12-8
- ## H
- half period of blinkers, *WIN* 10-3
- handler, *CONC* 3-3
- default, *CONC* 3-8
 - definition of, *CONC* 2-7
 - for error conditions, *LISP* 20-1—20-35
 - functions versus handler forms, *CONC* 3-7
 - provisional, *CONC* 3-14
- hardware crash descriptions and
troubleshooting, *TOOLS* 24-7—24-14
- hardware tests performed at boot, *INTRO* 4-3
- hash code, *LISP* 11-4
- hash table, *LISP* 11-1—11-4
- flavor, *LISP* 19-27—19-28
 - mapping over, *LISP* 11-3
- header page, *IO* 7-5
- HELP key, *INTRO* 6-1—6-2
- implementing help in the input editor,
IO 1-15
- Help, Documentation, and Undo commands,
ZMACS 3-105—3-116
- hexadecimal, printing with a format directive,
IO 5-12
- hexadecimal number, sharp-sign macro and,
IO 4-13
- hierarchy of windows, *WIN* 5-3—5-5
- highlighting menus. *See* multiple menus
- histogram, function, *TOOLS* 27-41—27-45

- history, *INTRO* 6-4
 - Suggestions menu, *TOOLS* 8-18
 - UCL command, *TOOLS* 6-8
 - hogs, *ZMACS* 3-84
 - home directory, *IO* 2-22
 - home position in a window, *WIN* 7-16
 - horizontal wraparound, *WIN* 7-14
 - host component, *IO* 2-4
 - host name,
 - manifest, *CONC* 6-6
 - names, *INTRO* 12-4
 - host object, *IO* 2-44
 - host status, *INTRO* 7-8
 - Peek, *TOOLS* 17-18
 - hosts, *INTRO* 1-3—1-4, 10-2
 - hyperbolic functions, *LISP* 3-13—3-27
 - hysteresis of a window, *WIN* 11-8
- I**
- I/O buffers, *WIN* 8-13—8-17
 - as input buffers, *WIN* 8-16—8-17
 - type-ahead and, *WIN* 8-16
 - I/O, kinds of I/O a program may need,
 - CONC* 1-1—1-2
 - icons, *WIN* 14-7—14-11
 - :imagen-printer printer type, *IO* 7-3
 - importing symbols, *LISP* 5-2
 - inactive window, *INTRO* 5-1—5-9
 - incremental compile, *CONC* 4-5
 - incremental search, *ZMACS* 3-161
 - secondary, *ZMACS* 3-161
 - incremental verification, *NET* 4-17, 4-35
 - indefinite extent, *LISP* 2-4—2-24
 - indefinite scope, *LISP* 2-3
 - Indentation and Tab commands,
 - ZMACS* 3-188—3-195
 - indirect arrays, *LISP* 7-6
 - inferior list
 - of windows, *WIN* 5-3
 - ordering the, *WIN* 5-21—5-22
 - inferiors set, active, *WIN* 5-4
 - infix notation, sharp-sign macro and, *IO* 4-17
 - information and status keys
 - HELP, *INTRO* 3-7—3-9
 - NETWORK, *INTRO* 3-7—3-9
 - STATUS, *INTRO* 3-7—3-9
 - SYSTEM, *INTRO* 3-7—3-9
 - TERM (terminal), *INTRO* 3-7—3-9
 - inheritance, *CONC* 2-1
 - inheriting symbols, *LISP* 5-2
 - initial screen displayed after booting,
 - INTRO* 4-9
 - initialization (init) file, *INTRO* 1-8; *IO* 2-22
 - initialization errors, *INTRO* A-1—A-5
 - initialization keywords, *LISP* 28-1
 - initialization list, *CONC* 9-16
 - initialization options. *See* the Operations index for a specific initialization option
 - initializations, *LISP* 28-1
 - for applications, *LISP* 28-5
 - LISP forms, *LISP* 28-4
 - initializing the system, *INTRO* 1-4—1-7
 - inline expansion, *LISP* 13-5
 - input buffers, *WIN* 8-2—8-3
 - sharing among windows, *WIN* 8-3
 - input editor, *INTRO* 6-10—6-13;
 - WIN* 8-4—8-8
 - activating an, *WIN* 8-4—8-8
 - implementing using :rubout-handler, *WIN* 8-7—8-8
 - implementing using with-input-editing, *WIN* 8-7
 - options for (table), *WIN* 8-6—8-7
 - input functions, *IO* 4-21—4-25
 - input history, *INTRO* 6-4—6-5
 - Insert Buffer commands, *ZMACS* 3-8
 - Insert File commands, *ZMACS* 3-97
 - Insert mode. *See* Overwrite mode
 - Install Command on Key commands,
 - ZMACS* 3-47
 - installing a distribution tape, *IO* 8-6—8-7
 - instance variables
 - Also see* the Instance Variables index for a specific instance variable; the Operations index for the operations that access specific instance variables
 - accessing, *CONC* 2-9
 - common, *CONC* 2-20
 - contrasted with operation and message, *CONC* 2-6
 - :gettable, *CONC* 2-9
 - naming, *CONC* 2-10
 - :settable, *CONC* 2-9
 - integer, *LISP* 15-15
 - printed representation of, *IO* 5-2
 - interaction record, *INTRO* 7-10
 - interactive messages, *INTRO* 7-10
 - interactive program, *IO* 1-2
 - interactive streams, *IO* 1-10—1-11
 - interchange component, *IO* 2-8
 - interchange format of namestrings,
 - CONC* 6-16—6-18
 - internal pathnames, *CONC* 9-9
 - internal symbols, *LISP* 5-2
 - interned pathnames, *CONC* 6-7—6-8
 - interned symbol, *LISP* 2-1—2-2
 - interned-symbols iteration path, *LISP* 15-20
 - interning symbols, *LISP* 5-12
 - interpreted functions, *LISP* 16-9, 16-10
 - inverse of matrix, *LISP* 7-19
 - invisible pointers, *LISP* 6-5
 - IP protocol, *NET* 2-1
 - ISO 8859/1 standard for international characters, *IO* C-1
 - ISO/OSI reference model, *NET* 1-3—1-5

item generators for text scroll windows,
WIN 16-6—16-8

items
 in a text scroll window, *WIN* 16-1—16-12
 in general scroll windows, *WIN* 17-1—17-12
 in menus, *WIN* 14-2—14-6

iteration clauses. *See* loop macro

iteration paths, *LISP* 15-18

iteration, printing with a format directive,
IO 5-22

iteration-driving clauses, *LISP* 15-4

iterative control structures, *LISP* 14-8

ITS namestring, *IO* 2-38—2-40

J

justification, printing with a format directive,
IO 5-24

justifying text, *ZMACS* 3-182

K

keyboard, *INTRO* 3-3—3-10
 adjustment, *INTRO* 3-10
 connection, *INTRO* 3-9
 cursor, *INTRO* 3-1

keyboard input buffer, *WIN* 8-16

keyboard macro, *ZMACS* 3-48
 interactive, *ZMACS* 3-51
 permanent, *ZMACS* 3-50—3-51
 sorting, *ZMACS* 3-187

Keyboard Macro commands,
ZMACS 3-48—3-51

keyboard mapping, *IO* C-1

keyclick, *WIN* 8-26

keypad, *WIN* 8-26

keys, trapping states of, *WIN* 8-25—8-26

keystroke macros,
See also keyboard macro
 creating, *INTRO* 9-11
UCL, *TOOLS* 6-17

keystroke sequences
 help on finding, *ZMACS* 3-106—3-108
 history, *ZMACS* 3-114
 input histories, *INTRO* 6-4
 installing commands on, *ZMACS* 3-47
 keystroke search, *INTRO* 6-8
 kill histories, *INTRO* 6-6
 printing screens, *INTRO* 5-9, 13-2
 searching for, *INTRO* 9-10
 used in Input editor, *INTRO* 6-10—6-13
 used in Zmacs editor, *INTRO* 6-10—6-13

keyword, *INTRO* 7-3; *LISP* 12-2
 parameters, *LISP* 16-3
 initialization, *LISP* 28-1

KEYWORD package, *LISP* 5-8
 and operator names, *CONC* 2-9

Kill and Save Buffer commands,
ZMACS 3-8—3-10

kill history, *INTRO* 6-6—6-7

commands, *ZMACS* 3-59—3-74
 definition of, *ZMACS* 2-34

Kill or Save Buffers menu, example of a
 multiple-choice window, *WIN* 14-34

killing
 a window, *INTRO* 5-3; *WIN* 1-5
 processes, *CONC* 7-15—7-16
 text
 commands, *ZMACS* 3-61—3-65
 definition of, *ZMACS* 2-34

L

labels, *WIN* 3-5—3-9
 as margin items, *WIN* 3-1
 delaying redisplay of, *WIN* 3-9

LABL partition, *IO* 6-3

lambda expressions
 arguments, *LISP* 16-1
 lambda-list, *LISP* 16-1
 parameters, *LISP* 16-1

lambda-list keywords, *INTRO* 7-3; *LISP* 16-2
 of functions
 &allow-other-keys, *LISP* 16-4
 &aux, *LISP* 16-5
 &eval, *LISP* 16-6
 &extension, *LISP* 16-6
 &functional, *LISP* 16-6
 &key, *LISP* 16-3
 &local, *LISP* 16-6
 &optional, *LISP* 16-2
 "e, *LISP* 16-6
 &rest, *LISP* 16-3
 &special, *LISP* 16-6
 of macros
 &body, *LISP* 18-5
 &environment, *LISP* 18-5
 &list, *LISP* 18-6
 &whole, *LISP* 18-5

landscape, *IO* 7-8

landscape printing, *INTRO* 13-2

layout
 creating a, *INTRO* 9-7
 naming a, *INTRO* 9-8

left kern, *WIN* 9-7, 9-12—9-13

left-handed mouse, *INTRO* 1-6—1-7

lexical closures, *LISP* 2-4—2-24, 16-11, 17-3

lexical scope, *LISP* 2-3

lexical shadowing, *LISP* 2-3

lexical variables, *LISP* 2-3

lexicographical comparison of strings,
LISP 8-3

line
 centering, *ZMACS* 3-186
 creating a new, *ZMACS* 3-186
 sorting, *ZMACS* 3-187

line height, *TOOLS* 12-3; *WIN* 9-6

line positioning keys
 LINE FEED, *INTRO* 3-6—3-9

- RETURN, *INTRO* 3-6—3-9
- RUBOUT, *INTRO* 3-6—3-9
- TAB, *INTRO* 3-6—3-9
- lines per inch, *IO* 7-5
- lines per page, *IO* 7-5
- link management, *NET* 1-9
- LISP code
 - compiling, *ZMACS* 3-21—3-32
 - cursor movement, *ZMACS* 3-35—3-39
 - evaluating, *ZMACS* 3-21—3-32
 - how buffers handle LISP code, *ZMACS* 2-19
- LISP environment, *INTRO* 7-1
- LISP functions, *INTRO* 7-1
- LISP Listener, *INTRO* 4-8—4-11
 - and break, *TOOLS* 26-1
 - screen, *INTRO* 1-5
 - windows, *WIN* 18-10
 - Suggestions menus, *TOOLS* 8-9
- LISP load, *INTRO* 4-6
- LISP modes
 - Common LISP, *LISP* 1-4
 - mode implementation, *LISP* 1-4
 - ZetaLISP, *LISP* 1-4
- LISP objects
 - looking at, *INTRO* 7-6
 - modifying, *INTRO* 7-6
- LISP package, *CONC* 9-2; *LISP* 5-7
- LISP Programming commands, *ZMACS* 3-117—3-132
- LISP Syntax commands, *ZMACS* 3-133—3-140
- LISP syntax of function descriptions, *INTRO* 7-1—7-3
- List and Edit Buffer commands, *ZMACS* 3-10—3-15
- List and Edit Changed Definition commands, *ZMACS* 3-15—3-17
- list carry tape contents, *IO* 8-9
- list contents, *IO* 8-2
- list TAR tape contents, *IO* 8-9
- lists, *LISP* 6-1
 - accessing elements of, *LISP* 6-9
 - altering, *LISP* 6-15
 - association, *LISP* 6-2, 6-23
 - concatenating, *LISP* 6-12
 - copying, *LISP* 6-11
 - creating, *LISP* 6-10
 - deleting elements of, *LISP* 9-7
 - dotted, *LISP* 6-2
 - iteration, *LISP* 14-10
 - mapping, *LISP* 14-10
 - predicates, *LISP* 6-25
 - property, *LISP* 6-3, 6-25
 - searching, *LISP* 9-11
 - stack, *LISP* 6-14
 - substitution within, *LISP* 6-19
 - temporary, *LISP* 6-14
 - tree, *LISP* 6-2
 - true, *LISP* 6-1
- load band training, *LISP* 25-18
- load dependencies, *CONC* 4-10
- loading patches, *LISP* 23-23
- local file, *IO* 2-1
 - system, *INTRO* 10-1
- local functions, *LISP* 16-27
- local macro definitions, *LISP* 18-11
- local user variable, *ZMACS* 3-52
- local variables, *CONC* 7-6; *LISP* 2-6
- locatives, *LISP* 29-1
 - in XDR streams, *NET* A-2
- lock, *LISP* 27-14
- LODn partition, *IO* 6-2
- LOG partition, *IO* 6-3
- logging in to the system, *INTRO* 4-10—4-11
- logging out of the system, *INTRO* 4-11
- logic boards, *INTRO* G-2
- logical backup, *INTRO* 11-5; *IO* 8-1
- logical contact names, *NET* 6-5
 - defining, *NET* 6-14
 - finding, *NET* 6-13
 - translating, *NET* 6-13
- logical directory, *IO* 2-40
- logical hosts, *IO* 2-40, 2-42
 - program products and, *CONC* 9-6
- logical namestrings, *IO* 2-40
- logical operations on bit-arrays, *LISP* 7-14
- logical operations on numbers
 - and, *LISP* 3-18
 - nand, *LISP* 3-18
 - nor, *LISP* 3-18
- logical operators, *LISP* 14-20
- logical pathnames, *IO* 2-40—2-44
- logical translations, *IO* 2-41
- logical values, *LISP* 2-24
- login directory, *TOOLS* 2-1
- login initialization file for Zmacs, *ZMACS* 4-3
- login-init file, *TOOLS* 3-1—3-6
 - creating logical pathnames, *TOOLS* 3-5
 - customizations that can be undone, *TOOLS* 3-2
 - customizing Zmacs, *TOOLS* 3-4
 - using Profile, *TOOLS* 3-4
 - using the sys:load-if function, *TOOLS* 3-6
 - using the with-timeout macro, *TOOLS* 3-5
- long-running process, with a window, *WIN* 6-14
- loop clauses, *LISP* 15-3
- loop macro
 - accumulation values, *LISP* 15-9—15-11
 - body clauses, *LISP* 15-2, 15-9
 - Boolean tests, *LISP* 15-12
 - end tests, *LISP* 15-11
 - entrance form, *LISP* 15-9
 - epilogue clause, *LISP* 15-2
 - exit form, *LISP* 15-9

- loop macro (Continued)
 - finally, *LISP* 15-9
 - initial bindings, *LISP* 15-7
 - initially, *LISP* 15-9
 - iteration clauses, *LISP* 15-2
 - prologue clauses, *LISP* 15-2
 - return, *LISP* 15-14
- looping, *LISP* 15-1
- looping constructs, *LISP* 14-8
- Lowercase and Uppercase commands, *ZMACS* 3-184
- lowercase buffer attribute, *ZMACS* 3-149
- lozenged characters, *WIN* 7-8

- M**
- ~M format directive, *IO* 5-19; *WIN* 14-60—14-61
- macrocode, *LISP* 22-1
- macros, *LISP* 18-1
 - Also see the Functions index for a specific macro*
 - advantages of, *LISP* 18-1
 - block name conflicts, *CONC* 8-3
 - characters, *IO* 4-9—4-10
 - commands, *INTRO* 9-9
 - defining, *LISP* 18-3
 - environment, *LISP* 18-5
 - expanding, *LISP* 18-13
 - expansion, *LISP* 18-2; *ZMACS* 3-136
 - commands, *ZMACS* 3-136
 - using the backquote, *LISP* 18-8—18-10
 - functions used during expansion of, *CONC* 8-9—8-10
 - keystroke, *INTRO* 9-9
 - local, *LISP* 18-12
 - multiform bodies, *CONC* 8-3—8-4
 - nesting, *CONC* 8-7—8-9
 - representation, *LISP* 18-7
 - surrounding code, *CONC* 8-4—8-6
 - syntactic character type, *IO* 4-2—4-3
 - tracing, *TOOLS* 18-1—18-6; *ZMACS* 3-132
 - UCL command, *TOOLS* 6-18
 - with- naming convention, *CONC* 8-5
- Macsyma mode, *ZMACS* 3-144
- magnetic tape, *IO* 8-1
- Mail, *TOOLS* 31-1—31-57

- main screen, *WIN* 1-3, 1-4
- major mode
 - commands, *ZMACS* 3-143
 - Common LISP mode, *ZMACS* 3-143
 - definition of, *ZMACS* 2-30
 - Fundamental mode, *ZMACS* 3-144
 - Macsyma mode, *ZMACS* 3-144
 - Text mode, *ZMACS* 3-143
 - ZetaLISP mode, *ZMACS* 3-143
 - Ztop mode, *ZMACS* 3-144
- make bootable tape, *IO* 8-8
- make carry tape, *IO* 8-9
- make TAR tape, *IO* 8-9
- making
 - backups, *IO* 8-3—8-5
 - patches, *LISP* 23-24
 - system, *LISP* 23-15
 - adding keywords to, *LISP* 23-17—23-19
- manifest host, *IO* 2-14
- manipulating, files, *INTRO* 10-5—10-15
- mapping over
 - hash table, *LISP* 11-3
 - lists, *LISP* 14-10
 - sequences, *LISP* 9-5
 - packages, *LISP* 5-17
- mapping table, *LISP* 19-31
- MAR (Memory Address Register), *TOOLS* 23-1—23-3
- margin choices, *WIN* 14-65—14-66
 - for menus, *WIN* 14-13, 14-21—14-22
- margin items
 - example of creating, *WIN* 3-12—3-14
 - typical, *WIN* 3-1
- margin region descriptors, *WIN* 3-9
- margin regions, *WIN* 3-9—3-14
- margin, right (setting the fill column), *ZMACS* 3-183
- margins, *WIN* 3-2
- marking text
 - commands, *ZMACS* 3-65—3-67
 - overview on, *ZMACS* 2-36
 - unmarking, *ZMACS* 3-65
- mass storage enclosure jumpers, *INTRO* 12-3
- mass storage enclosures, *IO* 6-4
- mass storage subsystem crashes, *TOOLS* 24-9—24-11
- matrix
 - decomposition of, *LISP* 7-20
 - determinant of, *LISP* 7-20
 - inverse of, *LISP* 7-19
 - transposition of, *LISP* 7-19
- MCRn partition, *IO* 6-2
- medium, *NET* 6-2
 - adding a server for, *NET* 6-11
 - connections, *NET* 6-6—6-7
 - defining a, *NET* 6-6, 6-12
 - desirability, *NET* 6-5
 - generic layer, *NET* 6-2
 - implementations, *NET* 6-3
 - layers, *NET* 6-2
 - stream layer, *NET* 6-2
 - transport layer, *NET* 6-2
- memory management, *INTRO* 7-11; *LISP* 25-1, 25-12
- memory status, *INTRO* 7-7; *LISP* 25-10
- menu boot utility, *INTRO* 4-4

- choices, *INTRO* 4-6-4-7
- menu items, *WIN* 14-2-14-6
- menus, *INTRO* 5-9; *WIN* 14-2-14-33;
ZMACS 2-9-2-11
- choose-variable-values, *INTRO* 5-10
- command, *INTRO* 5-9
- creating UCL command, *TOOLS* 7-15
- current item
 - keystrokes to move, *WIN* 14-18-14-19
 - methods to reposition, *WIN* 14-33
- description of UCL command, *TOOLS* 6-10
- examples of w:menu-choose,
WIN 14-3-14-10
- filled versus columnar format, *WIN* 14-26
- geometry of, *WIN* 14-26-14-30
- item modifier keywords, *WIN* 14-5
- keystrokes defined for, *WIN* 14-18-14-19
- momentary, *INTRO* 5-4
- multiple-choice, *INTRO* 5-10
- multiple-item, *INTRO* 5-9
- pop-up, *INTRO* 5-4
- selecting an item, *INTRO* 5-9
- Suggestions. *See* Suggestions
- temporary, *INTRO* 5-4
- type value keywords for, *WIN* 14-4
- types of, *INTRO* 5-9-5-10
- merging
 - pathnames, *CONC* 6-11; *IO* 2-17-2-18
 - definition, *CONC* 6-9
 - sequences, *LISP* 9-16
- message, *LISP* 19-1
 - contrasted with operation and instance,
CONC 2-6
- message passing, *CONC* 2-1, 2-4-2-5
 - send notation, *CONC* 2-4
- messages, sending. *See* Converse; Mail
- META-CTRL-X, *ZMACS* 3-2
- META-X, *ZMACS* 3-2
- metering, *TOOLS* 27-2-27-29
- method apropos, *TOOLS* 25-9
- method combination type, *LISP* 19-19
- method combinations
 - order of execution, *CONC* 2-18
- method hash table, *CONC* 2-17
- method table, *CONC* 2-8
- method type, *LISP* 19-22
- methods, *LISP* 19-1
 - Also see* the Operations index for a specific method
 - combined, *CONC* 2-16
 - daemon, *CONC* 2-15
 - patching, *CONC* 5-9-5-10
 - primary, *CONC* 2-15
- METR partition, *IO* 6-3
- microcode meters, *INTRO* 7-8
- microcoded functions, *LISP* 16-9
- microphone, recording sounds with,
WIN 18-8-18-10
- minibuffer, *ZMACS* 2-5
 - commands, *ZMACS* 3-3-3-5
 - evaluating LISP code in the, *ZMACS* 3-23
 - messages in, *ZMACS* 3-3
- minor mode
 - Any Bracket mode, *ZMACS* 3-145
 - Atom Word mode, *ZMACS* 3-145
 - Auto Fill mode, *ZMACS* 3-145
 - commands, *ZMACS* 3-144-3-147
 - definition of, *ZMACS* 2-31
 - Electric Font Lock mode, *ZMACS* 3-145
 - Electric Shift Lock mode, *ZMACS* 3-145
 - Overwrite mode, *ZMACS* 3-146
 - RETURN Indents mode, *ZMACS* 3-146
 - sticky, *ZMACS* 2-31
 - unsticky, *ZMACS* 2-31
 - Uppercase Global Functions mode,
ZMACS 3-146
 - Word Abbreviation mode, *ZMACS* 3-146
- Miscellaneous commands, *ZMACS* 3-141
- mixin flavor, *LISP* 19-4
- mixing flavors, *CONC* 2-13-2-16; *LISP* 19-1
- Mode and Buffer Attribute commands,
ZMACS 3-143-3-150
- mode keys
 - BOLD LOCK, *INTRO* 3-8-3-9
 - CAPS LOCK, *INTRO* 3-8-3-9
 - ITALIC LOCK, *INTRO* 3-8-3-9
 - MODE LOCK, *INTRO* 3-8-3-9
- mode line, *IO* 3-13; *ZMACS* 2-4
- mode line window, *ZMACS* 2-4
- mode word abbreviations, *ZMACS* 3-54
- models of computing, *INTRO* 1-1-1-3
- modified environment, *CONC* 4-4-4-5
- modifier keys
 - CTRL, *INTRO* 3-7-3-9
 - HYPER, *INTRO* 3-7-3-9
 - META, *INTRO* 3-7-3-9
 - SHIFT, *INTRO* 3-7-3-9
 - SUPER, *INTRO* 3-7-3-9
 - SYMBOL, *INTRO* 3-7-3-9
- modifying code
 - redefinition versus replacement,
CONC 5-1-5-2
 - versus adding code, *CONC* 2-4
- modifying sequences, *LISP* 9-6
- modules, *LISP* 23-3-23-4, 23-27-23-28
- modulus, *LISP* 3-9
- monitor, *INTRO* 3-1
 - adjustment, *INTRO* 3-3-3-4
 - brightness control, *INTRO* 3-2
 - cables, *INTRO* 3-2-3-3
 - connectors, *INTRO* 3-2-3-3
 - contrast control, *INTRO* 3-2
 - on/off switch, *INTRO* 3-2
 - volume control, *INTRO* 3-2

- more processing, *WIN* 7-12—7-14
 - mouse, *INTRO* 1-6, 3-10
 - connection, *INTRO* 3-10
 - fast motion changing the shape of, *WIN* 11-3
 - grabbing the, *WIN* 11-8—11-11
 - handedness, setting, *WIN* 11-4
 - ownership of, *WIN* 11-7—11-12
 - tracking the, *WIN* 11-1
 - usurping the, *WIN* 11-7
 - warping the, *WIN* 11-2
 - windows and, *WIN* 11-12—11-16
 - mouse bit of a character, *WIN* 11-6
 - checking for, *WIN* 8-1
 - mouse blinkers, *WIN* 11-1, 11-16—11-20
 - reusable types, *WIN* 11-18—11-19
 - types of, *WIN* 11-18
 - mouse blips. *See* blips
 - mouse buttons, *INTRO* 1-6—1-7, 3-10
 - mouse characters
 - creating a new glyph, *WIN* 11-23
 - mapping to new values, *WIN* 11-19—11-20
 - standard values for, *WIN* 11-21—11-23
 - mouse clicks, *WIN* 11-4—11-7
 - encoded as characters, *WIN* 11-4
 - encoding as characters, *WIN* 11-5, 11-6—11-8
 - incrementing keystates, *WIN* 11-4
 - processing clicks other than R2, *WIN* 3-10
 - scroll bar default operations, *WIN* 11-26
 - Mouse commands, *ZMACS* 3-151
 - mouse cursor, *INTRO* 1-6, 3-1
 - position, *WIN* 11-1
 - mouse documentation window, *INTRO* 1-6, 6-1, 6-13; *WIN* 1-3, 18-15—18-18; *ZMACS* 2-5
 - setting the string for, *WIN* 11-14—11-16
 - mouse glyphs. *See* mouse character
 - mouse keys, *INTRO* 1-6—1-7
 - mouse parameters, *WIN* 11-3—11-4
 - mouse process, *WIN* 11-1
 - mouse scrolling, *WIN* 11-24—11-30
 - mouse sheet, *WIN* 11-1
 - mouse-sensitive items, *WIN* 14-58—14-65
 - w:basic-mouse-sensitive-items, *WIN* 14-61—14-65
 - ~M format directive, *WIN* 14-60—14-61
 - printing with a format directive, *IO* 5-19
 - procedure for creating, *WIN* 14-58—14-60
 - MS-DOS namestring, *IO* 2-35
 - multi-unit load, *INTRO* 4-6—4-7
 - Multics namestrings, *IO* 2-35
 - multiple choose menus, function to create, *WIN* 14-15
 - multiple escape syntactic character type, *IO* 4-2—4-3
 - multiple menus, *WIN* 14-20—14-21
 - multiple values, *LISP* 16-16—16-17
 - multiple-choice facility, *WIN* 14-34—14-38
 - multiple-choice menus, *INTRO* 5-10
 - multiple-disk configuration, *INTRO* 12-3
 - multiple-item menus, *INTRO* 5-9
- ## N
- name component of pathnames, *IO* 2-4
 - name conflicts (symbols), *LISP* 5-6—5-7, 5-15
 - Name protocol, *NET* 3-16
 - name-service directory, *NET* 4-16, 4-41
 - named, *LISP* 15-14
 - named structure, *LISP* 10-8
 - handlers, *LISP* 10-16
 - namespace, *TOOLS* 32-1—32-71
 - See also* network namespace
 - namespace editor (NSE), *TOOLS* 32-13—32-35
 - numeric arguments, *TOOLS* 32-18
 - namestrings, *CONC* 6-1; *IO* 2-2
 - functions that manipulate, *IO* 2-21—2-22
 - interchange format, *CONC* 6-16—6-18
 - ITS, *IO* 2-38—2-40
 - MS-DOS, *IO* 2-35
 - Multics, *IO* 2-35
 - parsing, *IO* 2-14—2-15
 - reconstructed by :string-for- methods, *CONC* 6-6
 - Symbolics, *IO* 2-32—2-33
 - TENEX, *IO* 2-38
 - TOPS-20, *IO* 2-37—2-38
 - UNIX, *IO* 2-33—2-35
 - VMS, *IO* 2-36—2-37
 - naming symbols, *LISP* 2-2
 - nand, *LISP* 3-19, 7-14
 - negation, *LISP* 3-7
 - nested macros, *CONC* 8-7—8-9
 - network
 - building from scratch, *NET* 4-19
 - local area (LAN), *NET* 1-1
 - long-haul, *NET* 1-1
 - namespace, *NET* 4-2
 - attributes, *NET* 4-3
 - classes, *NET* 4-2—4-3
 - functions, *NET* 4-42
 - multiple, *NET* 4-13
 - search list, *NET* 4-13
 - search rules, *NET* 4-13
 - servers and caches, *NET* 4-14
 - updating an existing, *NET* 4-17—4-18
 - updating from Release 2, *NET* 4-14—4-16
 - variables, *NET* 4-42
 - resetting functions, *NET* 7-1—7-3
 - status functions, *NET* 7-1—7-3
 - network-layer protocols, *NET* 1-12
 - never Boolean test, *LISP* 15-12

- New User utility, *INTRO* 1-8, 2-2;
TOOLS 1-1—1-2
- newline character, *LISP* 4-3
- nodeclare, *LISP* 15-8
- nofill buffer attribute, *ZMACS* 3-149
- noises, making with Explorer sound chips,
WIN 18-6—18-8
- nongarbage garbage, *LISP* 25-13
- nonpervasive declarations, *LISP* 13-1
- nonterminating macro characters, *IO* 4-2
- nor, *LISP* 3-19, 7-14
- not, *LISP* 7-14, 14-20
- notational conventions, *LISP* 1-1
- macros, *LISP* 1-2
 - special forms, *LISP* 1-2
- notifications, *INTRO* 7-11; *WIN* 18-1—18-4
- sending and printing, *NET* 3-24
- notype, *LISP* 15-15
- NuBus crashes, *TOOLS* 24-8
- null stream, *IO* 1-14
- number pad keys
- ENTER, *INTRO* 3-9
 - SPACE, *INTRO* 3-9
 - TAB, *INTRO* 3-9
- numbers, *LISP* 3-1—3-27, 15-15
- comparison, *LISP* 3-6—3-7
 - complex, *LISP* 3-4
 - conversion, *LISP* 3-14—3-16
 - floating-point, *LISP* 3-3
 - logical operations on, *LISP* 3-18
 - bit test, *LISP* 3-21
 - not, *LISP* 3-18
 - or, *LISP* 3-18
 - rotation, *LISP* 3-22
 - shifting, *LISP* 3-22 - printed representation of, *IO* 4-3
 - random, *LISP* 3-25
 - rational, *LISP* 3-1
 - type specifiers, *LISP* 12-6
- numeric arguments, *INTRO* 6-9—6-15;
ZMACS 3-5
- numeric pad menu of the graphics editor,
TOOLS 10-14
- numerical coercion, *LISP* 3-5
- NUPI
- device and controller error crashes,
TOOLS 24-11—24-13
 - special event crashes, *TOOLS* 24-14
- NVRAM, *IO* 6-5; *TOOLS* 24-2
- functions, *INTRO* A-5
- O**
- O format directive, *IO* 5-12
- object files, *LISP* 21-15
- analyzing, *LISP* 21-17
- object-oriented programming. *See*
programming, object-oriented
- objects, copying, *LISP* 9-3
- obsolete symbols, *WIN* A-1—A-23
- octal, printing with a format directive, *IO* 5-12
- octal number, sharp-sign macro and, *IO* 4-12
- offsets, screen arrays and window positions,
WIN 5-11—5-12
- online documentation, *INTRO* 6-13
- See also* Visidoc
- ONLINE status bit, *IO* 1-21
- opaque data, *NET* A-5
- opening parenthesis ((), *IO* 4-9
- operator names, *CONC* 2-9
- optical pad, *INTRO* 1-6
- optimization
- options, *LISP* 13-7
 - suppressing, *LISP* 21-8
- optimizers, *LISP* 21-13
- optimizing code, performance tools,
TOOLS 27-1—27-45
- or, *LISP* 3-19, 7-14
- ordered-instance-variables, *LISP* 19-15
- orientation, *IO* 7-8
- orientation of a world, *WIN* 12-6
- output, explicit positioning, *WIN* 7-23—7-25
- output exceptions, *WIN* 7-9—7-15
- end-of-line, *WIN* 7-9—7-15
 - end-of-page, *WIN* 7-9—7-15
 - more, *WIN* 7-9—7-15
- output-hold, *WIN* 7-9—7-15
- output history, *INTRO* 6-5
- output hold, *INTRO* 8-2
- exceptions, *WIN* 7-11—7-12
- output on a window, anticipating the effects of,
WIN 7-20
- outside-accessible-instance-variables,
LISP 19-15
- overrun error, *IO* 1-18
- overstriking of characters, *WIN* 7-2
- Overwrite mode, *ZMACS* 3-146
- P**
- P format directive, *IO* 5-13
- package cell, *LISP* 2-10
- Package command, *ZMACS* 3-122
- package names, *INTRO* 1-5, 7-2
- unique, *CONC* 9-5
- packages, *INTRO* 1-3—1-4, 7-5;
LISP 2-1—2-2, 5-1—5-19
- creating, *LISP* 5-8, 5-19
 - current, *LISP* 5-11
 - deleting, *LISP* 5-11
 - finding, *LISP* 5-18
 - inheritance, *LISP* 5-14
 - mapping, *LISP* 5-16
 - names, *LISP* 5-4
 - naming, *CONC* 9-4
 - placing package declaration, *CONC* 9-3
 - scanning symbols, *LISP* 5-16—5-17
 - standard system, *CONC* 9-2

- packages (Continued)
 - symbols in, *LISP* 5-2
 - window system, *WIN* 2-1
 - packet
 - Chaosnet, *NET* 1-14
 - Ethernet, *NET* 1-7
 - I/O, *NET* 5-22—5-25
 - routing, *NET* 1-20
 - PAGE character, *ZMACS* 3-45
 - PAGE partition, *IO* 6-2
 - page partitions, *INTRO* 4-8
 - page separator, printing with a format directive, *IO* 5-17
 - pages, (memory), *LISP* 25-1
 - aging, *LISP* 25-1
 - panes, *INTRO* 5-2; *WIN* 15-1
 - PAPER OUT status bit, *IO* 1-21
 - paragraph, *ZMACS* 2-24
 - sorting, *ZMACS* 3-187
 - parallel port, *IO* 1-20—1-22
 - parallel streams, *IO* 1-20—1-22
 - parameters, default values for optional
 - parameters, *LISP* 16-2
 - Parentheses commands, *ZMACS* 3-137—3-140
 - finding unbalanced parentheses, *ZMACS* 3-138
 - parity, *IO* 1-18, 7-3
 - parity error, *IO* 1-18
 - parsing namestrings, *IO* 2-14—2-15
 - partition attributes, *INTRO* 12-1
 - partition name, *IO* 6-1
 - partition namestring, *IO* 6-1
 - partition type, *IO* 6-1
 - partitions, *INTRO* 1-3—1-4
 - kinds of
 - boot partition, *INTRO* 12-2
 - configuration partition, *INTRO* 12-3
 - file partition, *INTRO* 12-2
 - load partition, *INTRO* 12-2
 - log partition, *INTRO* 12-3
 - microload partition, *INTRO* 12-2
 - page partition, *INTRO* 12-3
 - partition table, *INTRO* 12-3
 - primitive download partition, *INTRO* 12-3
 - obtaining information from, *INTRO* 12-4
 - Patch commands, *ZMACS* 3-124—3-126
 - patch directories, *CONC* 5-11—5-12; *LISP* 23-22
 - reason for separate, *CONC* 9-9
 - system-defined, *CONC* 5-13
 - patch environment, *CONC* 5-5
 - patch facility, *LISP* 23-20
 - patch file, *INTRO* 9-12; *LISP* 23-22
 - buffer attribute, *ZMACS* 3-150
 - naming, *CONC* 5-12
 - patch numbers, *CONC* 9-8
 - patchable program products, *CONC* 9-8
 - patchable system, *LISP* 23-3
 - print-herald and, *CONC* 9-12
 - patches
 - directory of, *CONC* 5-11
 - filenames of, *CONC* 5-12
 - loading, *CONC* 5-12—5-13; *INTRO* 9-12; *LISP* 23-23
 - making, *LISP* 23-24
 - using Zmacs to create, *CONC* 5-6—5-8
 - patching
 - avoiding common mistakes, *CONC* 5-7—5-8
 - data structure definitions, *CONC* 5-8—5-9
 - editing a patch buffer manually, *CONC* 5-9
 - existing instances (the environment), *CONC* 5-8—5-10
 - installing a patch, explanation, *CONC* 5-10—5-13
 - methods, *CONC* 5-9—5-10
 - requirements for a patchable system, *CONC* 9-8
 - what you cannot patch, *CONC* 5-10—5-11
 - pathname object, *CONC* 6-1; *IO* 2-2
 - pathnames, *INTRO* 10-2; *IO* 2-1—2-44
 - backtranslated, *IO* 2-29
 - completion, *IO* 3-18—3-21
 - components
 - interchange, *IO* 2-7—2-9
 - structured, *IO* 2-7
 - unspecific, *IO* 2-6
 - creating, *IO* 2-20—2-21
 - defaulting, *CONC* 6-9—6-11
 - merging versus, *CONC* 6-9
 - specifying standard defaults, *CONC* 6-11—6-12
 - generic, *CONC* 6-18; *IO* 2-6, 2-29—2-31
 - interchange component, *IO* 2-8—2-9
 - interchange form, *IO* 2-7—2-9
 - internal, *CONC* 9-9
 - interned, *CONC* 6-7—6-8
 - logical, *IO* 2-40—2-44
 - defining translations, *CONC* 6-22
 - example of use, *CONC* 6-19—6-21
 - merging, *CONC* 6-11; *IO* 2-17—2-18
 - definition, *CONC* 6-9
 - parsing, *IO* 2-14—2-15, 2-18—2-23
 - raw form, *IO* 2-7—2-9
 - translations, *CONC* 9-7
- PDL (push-down list), *LISP* 22-2
- PDP-10, random access file, *IO* 1-12
- Peek, *NET* 7-4—7-10; *TOOLS* 17-1—17-18
- peeking at characters, *IO* 1-6
- performance tools, *TOOLS* 27-1—27-45
 - function histogram, *TOOLS* 27-41—27-45
 - metering, *TOOLS* 27-2—27-29
 - timing macros, *TOOLS* 27-30—27-40
- permanent menus, *WIN* 14-22
- pervasive declarations, *LISP* 13-1—13-2
- physical host, *IO* 2-40
- physical layer (of a network), *NET* 1-5

- physical pathnames, translation files and, *CONC* 9-7
- picture lists, *WIN* 12-6, 12-10
- pixel-array, *LISP* A-10, A-12
- pixels, *WIN* 5-7—5-9
- planes, *LISP* 7-20
- plist, *LISP* 6-3
- plural, printing with a format directive, *IO* 5-13
- pluralization of strings, *LISP* 8-8
- point (cursor location), *ZMACS* 2-27
 - command to show the location of, *ZMACS* 3-115
- point PDL, *ZMACS* 2-27
- pop-up menus, *WIN* 14-22
- port, *IO* 7-3
- port map server
 - arresting, *NET* B-5
 - resetting, *NET* B-5
 - restarting, *NET* B-4
 - starting, *NET* B-4
- portrait, *IO* 7-8
- portrait printing, *INTRO* 13-2
- position past file, *IO* 8-3
- *POSSIBILITIES LISTS* buffer, *ZMACS* 3-110
- Possibility commands, *ZMACS* 3-126—3-128
- power fail crash, *TOOLS* 24-9
- powering down the system, *INTRO* 4-11
- powering up the system, *INTRO* 1-4—1-5, 4-1
- precision, *LISP* 3-5
- precision of a world, *WIN* 12-6
- precompilation considerations, *LISP* 21-8
- prepare tape, *IO* 8-2
- prepare to append, *IO* 8-2—8-3
- presentation-layer protocols, *NET* 1-13
- presetting a process, *CONC* 7-11
- Pretty Print (Grind) commands, *ZMACS* 3-136
- pretty-printing, *IO* 5-8
- PRIM partition, *IO* 6-2
- primary method, *LISP* 19-2
- Print Buffer commands, *ZMACS* 3-19
- Print commands, *ZMACS* 3-153
- print daemon, *INTRO* 13-3; *IO* 7-12
- Print File command, *ZMACS* 3-98
- print names of
 - macro internal variables, *CONC* 8-3
 - symbols, *LISP* 2-1—2-2, 2-10
- print queue, *INTRO* 13-4; *IO* 7-13
- print requests, *IO* 7-11
- print server, *IO* 7-12, 7-21
- printed representations, *IO* 4-1, 5-1—5-5
- printer
 - default screen image (bitmap), *IO* 7-1
 - default text, *IO* 7-1
- printer attributes, *IO* 7-3
- printer handler, *IO* 7-19—7-24
 - international, *IO* C-8—C-9
 - methods to implement for, *IO* 7-22—7-23
- printer installation
 - 855, *INTRO* D-4—D-8
 - 880, *INTRO* E-2—E-12
 - 2015, 2108, and 2115, *INTRO* F-1—F-14
- printer maintenance, 855, *INTRO* D-16
- printer operation
 - 855, *INTRO* D-2—D-4, D-10—D-16
 - 880, adjusting the printhead, *INTRO* E-11
 - 2015, *INTRO* F-9
- printer paper tray, 2015 printer, *INTRO* F-2
- printer stream, *IO* 7-3
- printer toner cartridge, 2015 printer, *INTRO* F-3—F-5
- printer types
 - :imagen, *IO* 7-3, 7-16
 - :postscript-printer, *IO* 7-17
 - :ti2015, *IO* 7-3, 7-15
 - :ti855, *IO* 7-3, 7-14
 - :ti880, *IO* 7-3, 7-15
- printer variables
 - defaults for printing files and streams, *INTRO* 13-5
 - defaults for printing screen images, *INTRO* 13-3
- printers, *IO* 7-1—7-24
 - international, *IO* C-2—C-9
- printing, *INTRO* 13-1
 - files, *INTRO* 13-3, 13-5
 - screens, *INTRO* 13-2—13-3
 - streams, *INTRO* 13-5
 - windows, *INTRO* 5-8—5-9
- priority of windows, *INTRO* 5-3; *WIN* 5-1
- proceed types, *LISP* 20-1, 20-14—20-15
 - definition, *CONC* 3-15
 - nonlocal, *CONC* 3-16; *LISP* 20-21—20-24
- proceeding, *LISP* 20-1, 20-14
- process name in the status line, *WIN* 18-16—18-22
- process status, *INTRO* 7-7
- processes, *CONC* 7-8—7-13
 - activating, *LISP* 27-9
 - active list, *CONC* 7-14
 - activity states, *CONC* 7-13—7-15
 - arrest reasons, *CONC* 7-14
 - associating with a window, *WIN* 6-13
 - bashing, *CONC* 7-15—7-16
 - creating, *LISP* 27-2
 - error handler, *CONC* 7-4
 - flavors, *LISP* 27-4
 - generic operations, *LISP* 27-5
 - grabbing the mouse, *WIN* 11-8—11-11
 - initial function, *CONC* 7-9—7-10
 - input buffer for each, *WIN* 8-2
 - killing, *CONC* 7-15—7-16
 - peek, *TOOLS* 17-4
 - presetting, *CONC* 7-11

- processes (Continued)
 - priorities of, *LISP* 27-6; *WIN* 6-7
 - resetting, *CONC* 7-11, 7-15—7-16; *LISP* 27-8
 - run reasons, *CONC* 7-14; *LISP* 27-7
 - sequence break, *CONC* 7-10
 - sharing data among, *CONC* 7-7—7-8
 - simple, *CONC* 7-12
 - standard bindings of, *CONC* 7-9
 - states (specific terms), *CONC* 7-15
 - stopping, *CONC* 7-10
 - synonym streams and, *CONC* 9-14
 - usurping the mouse, *WIN* 11-11—11-12
 - wait function, *CONC* 7-10
 - waiting voluntarily, *CONC* 7-10—7-11
 - why use them, *CONC* 7-2
 - windows and, *WIN* 6-11
 - processor fault crashes, *TOOLS* 24-8
 - proclamation, *LISP* 13-3
 - Profile utility, *INTRO* 2-2; *TOOLS* 2-1—2-5
 - accessing the, *TOOLS* 2-1
 - accessing variables in the, *TOOLS* 2-2
 - commands, *TOOLS* 2-3
 - customizing the, *TOOLS* 2-4
 - customizing the environment, *INTRO* 9-1
 - requirements, *TOOLS* 2-1
 - variables, defining Profile, *TOOLS* 2-4
 - program
 - alternative ways of informing, *CONC* 1-3
 - noting a situation, *CONC* 1-3
 - program control keys
 - ABORT, *INTRO* 3-6—3-9
 - BREAK, *INTRO* 3-6—3-9
 - RESUME, *INTRO* 3-6—3-9
 - program development, *ZMACS* 1-2
 - program numbering standard in remote
 - procedure calls, *NET* B-4
 - program product
 - checklist for delivery, *CONC* 9-1
 - initializations, *CONC* 9-15
 - isolation from other code, *CONC* 9-12
 - loading with a make-system, *CONC* 9-10
 - logical host and, *CONC* 9-6
 - naming convention for, *CONC* 9-4
 - patchable, *CONC* 9-8
 - processes and, *CONC* 9-14
 - reinstalling software, *CONC* 9-3
 - verifying that file types port, *CONC* 9-17
 - windows and processes, *CONC* 9-14
 - programming
 - action-oriented, *CONC* 2-1—2-2
 - flavors and, *CONC* 2-5—2-6
 - object-oriented, *CONC* 2-1, 2-2—2-4
 - prologue clauses. *See* loop macro
 - prompt symbol, *INTRO* 4-9
 - properties of files, *IO* 3-17
 - property list, *LISP* 6-3, 6-25
 - cell, *LISP* 2-10
 - flavor, *LISP* 19-25
 - symbols, *LISP* 2-1—2-2
 - protocols
 - application-layer, *NET* 1-14
 - Chaosnet, *NET* 2-1
 - DECnet, *NET* 2-2
 - higher-level, *NET* 1-12
 - IP, *NET* 2-1
 - lower-level, *NET* 1-5
 - Name, *NET* 3-16
 - network-layer, *NET* 1-12
 - presentation-layer, *NET* 1-13
 - session-layer, *NET* 1-13
 - TCP, *NET* 2-1
 - Time, *NET* 3-16
 - transport-layer, *NET* 1-13
 - UDP, *NET* 2-1
 - provisional handlers, *CONC* 3-14
 - PTBL partition, *IO* 6-3
 - push down list
 - regular, *LISP* 26-1
 - special, *LISP* 26-1
- ## Q
- Q format directive, *IO* 5-26
 - quantity, *ZMACS* 3-45
 - quoting character (/)
 - pathnames, *IO* 2-32
 - symbols, *LISP* 2-2
 - quoting character (\), strings, *LISP* 8-1
- ## R
- R format directive, *IO* 5-13
 - radices, *LISP* 3-2
 - binary, *LISP* 3-2
 - hexadecimal, *LISP* 3-2
 - octal, *LISP* 3-2
 - printing with a format directive, *IO* 5-13
 - sharp-sign macro and, *IO* 4-13
 - random numbers, *LISP* 3-25
 - random-access, *IO* 1-12
 - random-access streams, *IO* 1-25—1-26
 - rank of arrays, *LISP* 7-1, 7-7
 - raster (graphic) fonts, *WIN* 12-66
 - raster height of fonts, *WIN* 9-10
 - raster width of fonts, *WIN* 9-10
 - ratio, *LISP* 3-1—3-2
 - printed representation of, *IO* 5-2
 - rational numbers, *LISP* 3-1
 - read-eval-print loop, *TOOLS* 26-1—33-2
 - Reader, *IO* 4-1, 4-19
 - readtable, *IO* 4-19—4-21
 - real line, *ZMACS* 2-24
 - recompiling, suppressing unnecessary, *CONC* 4-4
 - recording warnings, *LISP* 21-17
 - redefinition

- as a technique for modifying code,
 - CONC* 5-1
 - explanation of, *CONC* 5-3—5-5
 - responses to warnings, *CONC* 5-4
- Redo command, *INTRO* 6-9
- reference, *LISP* 2-3
- region, definition of, *ZMACS* 2-36
- regions in memory, *LISP* 25-6
- register
 - overview on storing a cursor location in a, *ZMACS* 2-29
 - overview on storing text in a, *ZMACS* 2-43
- Register commands, *ZMACS* 3-68—3-72
- registers in the font editor, *TOOLS* 12-7
- regular push down list, *LISP* 26-1
- Relational Table Management System, *INTRO* 2-4
- relative directories, *CONC* 6-26—6-28
- release numbers, *CONC* 9-8
- remote disk server, *NET* 3-20
- remote file, *IO* 2-1
- remote procedure call (RPC)
 - caller, *NET* B-1—B-3
 - conditions, *NET* B-12—B-15
 - definition, *NET* B-1
 - dispatcher, *NET* B-9—B-10
 - port map server, *NET* B-4—B-6
 - port mapping, *NET* B-3—B-4
 - procedure numbers, *NET* C-2—C-4
 - program numbering standard, *NET* B-4
 - program numbers, *NET* C-2—C-4
 - server, *NET* B-6—B-9, C-1—C-2
 - making a function available, *NET* B-6
 - making your own, *NET* B-7
 - registering processes in, *NET* B-9
 - tracing, *NET* C-10
 - version numbers, *NET* C-2—C-4
- removing directories, *INTRO* 10-12
- Rename File commands, *ZMACS* 3-98
- renaming files, *IO* 2-25
- reparsing the attribute list, *ZMACS* 3-147
- repeating commands, *INTRO* 6-9
- repeating keys, *INTRO* 3-5
- repetition, *LISP* 15-1
- repetition constructs, *LISP* 14-8
- replace
 - multiple query, *ZMACS* 3-170
 - query, *ZMACS* 3-170
 - string, *ZMACS* 3-171
 - tag tables, *ZMACS* 3-172—3-179
- Replace commands, *ZMACS* 3-168—3-171
 - Tag Table commands, *ZMACS* 3-172—3-179
- replacement, as a technique for modifying code, *CONC* 5-1
- replacing sequences, *LISP* 9-9
- request to send (RTS), *IO* 1-18
- resetting
 - a process, *CONC* 7-11, 7-15—7-16
 - the network, *TOOLS* 33-2
 - the system, *INTRO* 4-1
- resolution of a printer, *IO* 7-9
- resource apropos, *TOOLS* 25-10
- resources, *LISP* 25-21—25-27
 - w:inspect-frame-resource, *WIN* 16-12
 - w:menu, *WIN* 14-19
 - tv:momentary-menu, *WIN* A-15
 - tv:momentary-multiple-menu, *WIN* A-22
 - w:pop-up-finger-window, *WIN* 18-14
 - zwei:pop-up-standalone-editor-frame, *WIN* 18-12
 - w:pop-up-text-window, *WIN* 18-14
 - supdup:telnet-windows, *WIN* 18-14
 - w:temporary-choose-variable-values-window, *WIN* 14-54
 - zwei:temporary-mode-line-with-borders-resource, *WIN* 18-13
 - w:temporary-multiple-choice-window, *WIN* 14-38
- rest parameter, *LISP* 16-3
- restoring
 - bootable tapes, *IO* 8-7—8-8
 - carry tapes, *IO* 8-9
 - directories, *INTRO* 11-10; *IO* 8-6
 - files, *INTRO* 11-8; *IO* 8-6
 - partitions, *INTRO* 11-11—11-12; *IO* 8-6
 - TAR tapes, *IO* 8-9
- resume handlers, *CONC* 3-16
- RESUME key, *LISP* 20-3
- resuming a coroutine, *CONC* 7-3
- return, *LISP* 15-14
- return character, *ZMACS* 3-186
- RETURN Indents mode, *ZMACS* 3-146
- reusability of code, *CONC* 2-17
- reverse assembling code, *ZMACS* 3-32
- reverse video, *INTRO* 9-3; *WIN* 5-7
- reversing sequences, *LISP* 9-6
- rewind tape, *IO* 8-2—8-3
- right margin (setting the fill column), *ZMACS* 3-183
- right margin character (!), *WIN* 7-14—7-15
- ring buffer, *WIN* 8-13
- root directory, *CONC* 6-3; *INTRO* 10-1
- rounding, *LISP* 3-15
- rpc. *See* remote procedure call
- RS-232C serial port, *IO* 1-16
- rubber banding to select graphic objects, *TOOLS* 10-13
- rubout handler. *See* input editor
- run bars, *INTRO* 1-5
- run reasons, *CONC* 7-14; *LISP* 27-1
- Runnable processing state, *CONC* 7-15

S

-S format directive, *IO* 5-11

- S-expression, printing with a format directive, *IO* 5-11
- Save and Kill Buffer commands, *ZMACS* 3-8—3-10
- Save and Write File commands, *ZMACS* 3-99
- saving to disk, *LISP* 23-25
- scanning symbols, *LISP* 5-16—5-17
- scavenging memory, *INTRO* 7-11; *LISP* 25-13
- Scheduler, *CONC* 7-8; *LISP* 27-10
 - errors, *CONC* 7-12—7-13
- scope, *LISP* 2-3
- screen arrays, *WIN* 5-11
- screen dump, *INTRO* 13-2
- screen editor, *INTRO* 9-4—9-6
- screen image, *IO* 7-7
- screen layouts in windows, *INTRO* 9-9
- screen manager, *WIN* 5-1, 5-18—5-23
 - delaying management, *WIN* 5-22—5-23
- screens, *WIN* 5-2—5-3
 - definition of, *WIN* 1-1
 - main screen, *WIN* 1-3, 1-4
 - who-line screen, *WIN* 1-3
- scroll bars, *WIN* 11-25—11-29
 - bumping the cursor against, *WIN* 11-26
- Scroll commands, *ZMACS* 3-155—3-158
- scroll windows. *See* text scroll windows; general scroll windows; scroll bars
- scrolling, *WIN* 11-24—11-30
 - backward, *INTRO* 5-8
 - forward, *INTRO* 5-7
 - in a window, *INTRO* 5-6—5-8
 - moving lines, *INTRO* 5-8
- search
 - extended, *ZMACS* 3-163
 - incremental, *ZMACS* 3-161
 - string, *ZMACS* 3-159
 - tag tables, *ZMACS* 3-172—3-179
- Search commands, *ZMACS* 3-159—3-168
 - Tag Table commands, *ZMACS* 3-172—3-179
- search rules, *NET* 4-13
- searching
 - lists, *LISP* 9-11
 - strings, *LISP* 8-9
 - vectors, *LISP* 9-11
- secondary incremental search, *ZMACS* 3-161
- section, *ZMACS* 2-19
- Sectionize Buffer command, *ZMACS* 3-18
- Select Buffer commands, *ZMACS* 3-20
- Select command, of the System menu, *WIN* 6-5—6-6
- select-method, *LISP* A-6
- selected font, *TOOLS* 12-2
- selected window, *INTRO* 5-1—5-9; *WIN* 1-4, 6-1—6-2
- selecting windows, *INTRO* 5-5—5-6
 - using the mouse, *INTRO* 5-6—5-7
 - using the SYSTEM or TERM keys, *INTRO* 5-6; *WIN* 6-6—6-9
 - using the System menu Select command, *INTRO* 5-5; *WIN* 6-5—6-6
- selection substitutes, *WIN* 6-8—6-10
 - timeout windows and, *WIN* 6-9—6-10
- semaphore, *LISP* 27-14
- semicolon (;), *IO* 4-10; *ZMACS* 3-133
- sending a message to a flavor instance, *LISP* 16-21, 19-1
- sending messages. *See* Converse; Mail
- sentence, *ZMACS* 2-24
- sequence break, *LISP* 27-10, 27-13
- sequences, *LISP* 9-1
 - accessing elements, *LISP* 9-3
 - concatenating, *LISP* 9-4
 - copying, *LISP* 9-4
 - counting, *LISP* 9-12
 - mapping over, *LISP* 9-5
 - merging, *LISP* 9-16
 - modifying, *LISP* 9-6
 - predicates, *LISP* 9-17
 - replacing, *LISP* 9-9
 - reversing, *LISP* 9-6
 - searching, *LISP* 9-11
 - subsequence of, *LISP* 9-3
 - substituting, *LISP* 9-9
- sequential control structures, *LISP* 14-6
- serial port, *IO* 1-16
- serial streams, *IO* 1-16—1-20
- server names in the status line, *WIN* 18-17—18-22
- servers
 - Eval, *NET* 3-16
 - monitoring with Peek, *TOOLS* 17-12
 - remote disk, *NET* 3-20
 - writing RPC server, *NET* C-1
- servers status, *INTRO* 7-7
- service, *NET* 6-7
 - attributes, *NET* 6-9
 - implementation, *NET* 6-7
 - implementation list, *NET* 6-10
 - operations, *NET* 6-7
- session-layer protocols, *NET* 1-13
- sets, *LISP* 6-20
 - as bit vectors, *LISP* 7-13
 - as integers, *LISP* 3-20
 - as lists, *LISP* 6-20—6-23
- shadow borders, *WIN* 5-17
- shadowing, *LISP* 5-6—5-7, 5-15
- sharp-sign macro character syntax (# followed by a character), *IO* 4-10—4-19
- sheets, definition of, *WIN* 1-1
- shifting, *LISP* 3-22
- SI package, *LISP* 5-8
- signal, *CONC* 3-3
- signaling conditions, *LISP* 20-2, 20-33
- simple arrays, *LISP* 7-2

- simple strings, *LISP* 8-2
- simple transactions, *NET* 5-2
- single escape syntactic character type, *IO* 4-2—4-3
- single quotation mark ('), *IO* 4-9
- site directory, *CONC* 6-24—6-25
- siteinfo file, *NET* 4-15, 4-40
- small-flonum, *LISP* 15-15
- software
 - reinstalling reasons for, *CONC* 9-3
 - using flavors to add to, *CONC* 2-5
- software crash descriptions, *TOOLS* 24-15—24-18
- software-readable errors, *CONC* 3-12
- sorting, *LISP* 9-14
- sounds
 - making with Explorer sound chips, *WIN* 18-6—18-8
 - playing and recording, *WIN* 18-8—18-10
- Source Compare commands, *ZMACS* 3-128
- source instance, *IO* 2-27
- source pathname, *LISP* 16-25
- source pattern, *IO* 2-27
- source wildcarding, *IO* 2-27
- special characters in symbol names, *LISP* 2-2
- special forms, *INTRO* 7-3; *LISP* 16-28, 16-37
 - Also see* the Functions index for a specific special form
 - &eval, *LISP* 16-29
 - "e, *LISP* 16-28
- special global variables, binding versus setting, *CONC* 7-7
- special push down list, *LISP* 26-1
- special variables, *LISP* 2-3, 2-4—2-24, 13-9
- specialized arrays, *LISP* 7-1
- split screen, *INTRO* 9-6
 - commands, *INTRO* 9-7
- splitting the screen, *ZMACS* 3-197—3-201
- sprites, *WIN* 12-40, 12-52—12-53, 12-54
- square root, *LISP* 3-11
- stable sort, *LISP* 9-14
- stack, *LISP* 7-15
 - as a list, *LISP* 6-14—6-15
 - as a vector, *LISP* 7-15
 - window hierarchy, *WIN* 1-5, 5-2
- stack frames, *LISP* 26-8
- stack groups, *CONC* 7-5—7-8; *LISP* 26-1—26-11
- stack lists, *LISP* 6-14, 25-11
- standalone editor, *ZMACS* 4-6
- standalone operation, *NET* 4-41, 4-42
- startup problems, *INTRO* A-1—A-5
- static data, *LISP* 16-13
- status line, *INTRO* 1-5, 6-1; *WIN* 1-3, 18-15—18-18
- status messages, *INTRO* 8-2
- status of a window (table), *WIN* 6-10
- Stepper, *TOOLS* 19-1—19-3
 - automatic stepping, *TOOLS* 19-2
 - commands, *TOOLS* 19-3
 - symbols, *TOOLS* 19-1
- Steve's Ice Cream, *CONC* 2-20
- sticky defaults for merging pathnames, *IO* 2-20
- stop bits, *IO* 1-18, 7-3
- Stopped processing state, *CONC* 7-15
- streams, *IO* 1-1—1-29
 - Also see* the Variables index for a specific stream
 - buffered input, *IO* 1-13, 1-23—1-29
 - Chaosnet, *IO* 1-14
 - checking for, *CONC* 1-10
 - sys:cold-load-stream, supported messages, *CONC* 1-9
 - console and, *IO* 1-2
 - default, *CONC* 1-3
 - editor buffer, *IO* 1-14
 - file probe, *IO* 1-26—1-27
 - functions to manipulate, *IO* 1-5—1-6
 - input operations, *IO* 1-6—1-8; *WIN* 8-8—8-12
 - interactive, *IO* 1-10—1-11
 - names in the status line, *WIN* 18-16—18-22
 - operations supported by all streams, *IO* 1-9—1-10
 - output, *WIN* 7-5—7-9
 - output operations, *IO* 1-8—1-9
 - parallel, *IO* 1-20—1-22
 - peeking at, *IO* 1-6
 - random-access, *IO* 1-25—1-26
 - serial, *IO* 1-16—1-20
 - standard, *IO* 1-1—1-3
 - string, *IO* 1-14
 - synonym, *CONC* 1-7; *IO* 1-3—1-5
 - guaranteeing the correct defaults for a process, *CONC* 1-8
 - processes and, *CONC* 9-14
 - t as an argument, *CONC* 1-3
 - unbuffered, *IO* 1-22—1-23
 - unreadable from, *IO* 1-7
 - variable versus, *CONC* 1-10
- string-char data type, *LISP* 8-1
- strings, *LISP* 8-1
 - accessing elements, *LISP* 8-2
 - capitalization of, *LISP* 8-6
 - case conversion, *LISP* 8-6
 - coercion to, *LISP* 8-10
 - comparison of, *LISP* 8-2
 - ignoring case, *LISP* 8-4
 - concatenation, *LISP* 8-7
 - constants, *LISP* 8-1
 - creating, *LISP* 8-5
 - lexicographical comparison of, *LISP* 8-3
 - manipulating, *LISP* 8-5
 - pluralization of, *LISP* 8-8

- strings (Continued)
 - reading, *IO* 4-22, 4-24
 - searching, *LISP* 8-9; *ZMACS* 3-159
 - streams, *IO* 1-14
 - type predicates, *LISP* 8-10
 - writing, *IO* 5-9
 - structured component of a pathname, *CONC* 6-3
 - structures, *LISP* 10-1—10-20
 - sharp-sign macro and, *IO* 4-13
 - subdirectory, *ZMACS* 3-87
 - subnetwork, logical, *NET* 4-36
 - subsequence of sequence, *LISP* 9-3
 - substitutes for selection, *WIN* 6-8—6-10
 - substituting sequences, *LISP* 9-9
 - substitution in a list, *LISP* 6-19
 - subtraction, *LISP* 3-7
 - Suggestions, *TOOLS* 8-1—8-20, 9-1—9-15
 - Suggestions menus, *INTRO* 1-8—1-9, 6-6—6-7
 - for Zmacs, *ZMACS* 2-11
 - superiors of windows, *WIN* 5-3
 - swap space, *LISP* 25-4
 - symbol namespace, *LISP* 5-1—5-3
 - SYMBOL-HELP, display produced by, *TOOLS* 12-11
 - Symbolics namestrung, *IO* 2-32—2-33
 - symbols, *LISP* 2-1—2-24
 - creating, *LISP* 2-7, 5-12
 - exporting, *CONC* 9-3; *LISP* 5-5, 5-15
 - external, *LISP* 5-2
 - finding, *LISP* 5-14, 5-17
 - help, *ZMACS* 3-115
 - importing, *LISP* 5-5, 5-14
 - inherited, *LISP* 5-6
 - internal, *LISP* 5-2
 - internal versus external, *LISP* 5-5
 - interning, *LISP* 5-12; *ZMACS* 3-122
 - interning
 - naming, *LISP* 2-2
 - predicates, *LISP* 2-24
 - printed representation of, *IO* 5-4
 - scanning, *LISP* 5-16—5-17
 - shadowed, *LISP* 5-7
 - type specifiers, *LISP* 12-8
 - unbound, *LISP* 2-1—2-2
 - synchronously intercepted characters, *WIN* 8-18—8-20
 - synonym streams, *IO* 1-3
 - making, *IO* 1-3—1-5
 - syntactic character types, *IO* 4-2
 - SYS-host
 - manipulating, *CONC* 6-26
 - problems, *CONC* 6-25—6-26
 - System Application, UCL help option, *TOOLS* 6-4
 - system enclosure, *INTRO* G-1—G-4
 - system facility to handle large programs, *LISP* 23-1—23-29
 - system file, as a reference source, *CONC* 9-11
 - SYSTEM files, *CONC* 5-13—5-14
 - system initialization, *INTRO* 1-4—1-7
 - SYSTEM key, *INTRO* 3-7; *WIN* 8-22
 - adding and removing keystroke sequences, *WIN* 8-23—8-26
 - system log, *IO* 6-45
 - System menu, *INTRO* 1-7—1-8; *WIN* 18-18—18-19; *ZMACS* 2-10
 - mouse calling the, *WIN* 11-16
 - Select command, implementing, *WIN* 6-5—6-6
 - UCL help Option, *TOOLS* 6-4
 - SYSTEM package, *LISP* 5-7
 - system reset, *INTRO* 4-1
 - system software, *INTRO* 2-1
 - Backup utility, *INTRO* 2-1
 - Chaosnet, *INTRO* 2-1
 - Color Map editor, *INTRO* 2-3
 - compiler, *INTRO* 2-1
 - Converse, *INTRO* 2-1
 - debug tools, *INTRO* 2-1
 - Directory editor, *INTRO* 2-3
 - Font editor, *INTRO* 2-1
 - Glossary utility, *INTRO* 2-2
 - Graphics editor, *INTRO* 2-2
 - Inspector, *INTRO* 2-2
 - LISP Listener, *INTRO* 2-2
 - Mail utility, *INTRO* 2-2
 - metering system, *INTRO* 2-2
 - New User utility, *INTRO* 2-2
 - Peek utility, *INTRO* 2-2
 - print server, *INTRO* 2-2
 - Profile utility, *INTRO* 2-2
 - Suggestions menus, *INTRO* 2-2
 - Telnet, *INTRO* 2-3
 - Universal Command Loop, *INTRO* 2-3
 - Visidoc, *INTRO* 2-3
 - VT100 emulator, *INTRO* 2-3
 - Zmacs editor, *INTRO* 2-3
 - system tape, *INTRO* 11-13
 - system version numbers, *LISP* 23-21, 23-22
- ## T
- T format directive, *IO* 5-18
 - Tab and Indentation commands, *ZMACS* 3-188—3-195
 - TAB key, *ZMACS* 3-188
 - tab size of windows, *WIN* 7-26
 - tab width buffer attribute, *ZMACS* 3-150
 - tab-stop buffer, *ZMACS* 3-194
 - saving tab stops in a login initialization file, *ZMACS* 4-4
 - tabulate, printing with a format directive, *IO* 5-18
 - Tag Table commands, *ZMACS* 3-172—3-179
 - tags, *LISP* 14-13

- tail recursion elimination, *LISP* 13-7
- tape contents
 - carry, *IO* 8-9
 - TAR, *IO* 8-9
- tape drive, half-inch, *INTRO* C-1
 - preventive maintenance, *INTRO* C-6—C-7
- tape drive maintenance
 - cartridge tape, *INTRO* B-4—B-5
 - MT3201, *INTRO* C-6—C-7
- tape drive operations
 - cartridge tape, *INTRO* B-1—B-3
 - MT3201, *INTRO* C-1—C-4
- tape operations, *INTRO* 11-1—11-13
 - adjusting tape tension, *INTRO* 11-4
 - erasing a tape, *INTRO* 11-4
 - listing the tape contents, *INTRO* 11-5—11-6
 - marking a logical backup, *INTRO* 11-5
 - positioning a tape, *INTRO* 11-4—11-5
 - preparing the tape drive, *INTRO* 11-3
 - unloading and loading tape, *INTRO* 11-4
- TAR tape format, *IO* 8-9
- target instance, *IO* 2-27
- target pattern, *IO* 2-27
- target wildcarding, *IO* 2-27—2-29
- TCP/IP, *NET* 2-1
- teams of windows, *WIN* 6-4—6-8
- Telnet, *NET* 3-5—3-8
 - commands, *NET* 3-7; *TOOLS* 28-3
 - connect name, *NET* 3-6
 - server, *NET* 3-7; *TOOLS* 28-4
 - windows, *WIN* 18-14—18-15
- temp locking of windows under temporary windows, *WIN* 5-18
- temporal garbage collection (TGC), *INTRO* 7-12; *LISP* 25-14
- temporary areas, *LISP* 25-12
- temporary lists, *LISP* 6-14
- temporary windows, *INTRO* 5-4; *WIN* 5-16—5-18
- TENEX namestrings, *IO* 2-38
- TERM 0 S, *TOOLS* 14-4
- TERM key, *WIN* 8-22
 - adding and removing keystroke sequences, *WIN* 8-22—8-23
 - Help, UCL help option, *TOOLS* 6-4
- terminating macro characters, *IO* 4-2
- terminology, *INTRO* 1-3
- testing the system at boot time, *INTRO* 4-4
- text
 - adjusting text, *ZMACS* 3-182
 - cursor movement, *ZMACS* 3-40
 - deleting, *WIN* 7-19—7-20; *ZMACS* 3-59—3-61
 - definition of, *ZMACS* 2-34
 - editing text overview, *ZMACS* 1-2
 - filling text, *ZMACS* 3-182—3-184
 - inserting, *WIN* 7-19—7-20
 - justifying text, *ZMACS* 3-182
 - kill history, *ZMACS* 3-59—3-74
 - definition of, *ZMACS* 2-34
 - killing text, *ZMACS* 3-61—3-65
 - definition of, *ZMACS* 2-34
 - marking text, *ZMACS* 3-65—3-67
 - overview on, *ZMACS* 2-36
 - region, definition of, *ZMACS* 2-36
 - storing text in registers, *ZMACS* 3-68
 - text storage facilities overview, *ZMACS* 1-4
 - unmarking text, *ZMACS* 3-65
 - yanking (retrieving) text, *ZMACS* 3-72—3-74
- Text Format commands, *ZMACS* 3-179—3-196
- Text mode, *ZMACS* 3-143
- text scroll windows, *WIN* 16-1—16-12
 - function text scroll windows, *WIN* 16-5—16-6
 - item generators, *WIN* 16-6—16-8
 - item list, *WIN* 16-2—16-4
 - keywords for the item generator function, *WIN* 16-7
 - mouse-sensitive windows, *WIN* 16-9—16-12
- TGC. *See* temporal garbage collection
- thereis Boolean test, *LISP* 15-12
- thickness of an edge of a graphics object, *TOOLS* 10-9
- TICL package, *CONC* 9-2; *LISP* 5-7
- time, *LISP* 24-1—24-9
 - converting among formats, *LISP* 24-7
 - day of the week (function to obtain), *LISP* 24-8
 - daylight savings, *LISP* 24-7
 - getting, *LISP* 24-2
 - incrementing by an interval, *LISP* 24-3
 - leap year predicate, *LISP* 24-8
 - month (function to obtain), *LISP* 24-8
 - printing, *LISP* 24-3
 - printing an interval of time, *LISP* 24-6
 - reading, *LISP* 24-5
 - setting, *LISP* 24-2
- time delay, *LISP* 27-12
- time macro, *TOOLS* 27-39
- TIME package, *LISP* 24-1
- Time protocol, *NET* 3-16
- timebase, *LISP* 24-1
- timeout, *LISP* 27-12
- timezone, *LISP* 24-7
- timing macros, *TOOLS* 27-1—27-40
- token, *IO* 4-1, 4-8—4-9
- toolkits and optional utilities, *INTRO* 2-4
 - DECnet, *INTRO* 2-4
 - Grasper, *INTRO* 2-4
 - Natural Language Menu System, *INTRO* 2-4
 - NETwork File System (NFS), *INTRO* 2-4
 - Prolog, *INTRO* 2-4
 - TCP/IP, *INTRO* 2-4

- Top-Level Editor menu, *ZMACS* 2-11
 - trace utility, *TOOLS* 18-1—18-6
 - tracing remote procedure calls (RPC),
NET C-10
 - tracking the mouse, *WIN* 11-1
 - transformations, *LISP* 23-1, 23-5, 23-9
 - translating strings to symbols, *LISP* 5-5
 - translations, directory, *NET* 4-5
 - TRANSLATIONS file, *CONC* 9-7
 - transmitting bands across the network,
INTRO 12-6
 - transport-layer protocols, *NET* 1-13
 - Transpose (Exchange) commands,
ZMACS 3-179—3-182
 - transposition of matrix, *LISP* 7-19
 - trapping keystrokes, *WIN* 8-25
 - tree editor, *TOOLS* 11-1—11-15
 - tree editor accessors, *TOOLS* 11-5—11-10
 - tree list, *LISP* 6-2
 - trigonometric functions, *LISP* 3-11
 - cosine, *LISP* 3-12
 - sine, *LISP* 3-12
 - tangent, *LISP* 3-12
 - troubleshooting Zmacs, *ZMACS* 2-14
 - true list, *LISP* 6-1
 - truname, *IO* 2-21
 - truncation, *LISP* 3-15
 - of characters at the end of a line,
WIN 7-14
 - tutorial, Zmacs, *ZMACS* 3-115
 - TV package, *WIN* 2-1
 - type checking, *LISP* 20-5
 - type component of a pathname, *INTRO* 10-2;
IO 2-4—2-6
 - type conversion, *LISP* 12-11
 - type declarations, *LISP* 13-4, 13-9
 - type predicates
 - arrays, *LISP* 7-18—7-19
 - characters, *LISP* 4-14
 - closure, *LISP* 17-6
 - functions, *LISP* 16-37
 - instance, *LISP* 19-8
 - lists, *LISP* 6-26
 - numbers, *LISP* 3-26
 - strings, *LISP* 8-10
 - symbols, *LISP* 2-24
 - type specifier symbols, *LISP* 12-8
 - type specifiers, *LISP* 12-1—12-12
 - and, *LISP* 12-7
 - arrays, *LISP* 12-2
 - bit-vector, *LISP* 12-3
 - combinations, *LISP* 12-7
 - complex, *LISP* 12-3
 - cons, *LISP* 6-1
 - defining, *LISP* 12-8
 - double-float, *LISP* 12-7
 - float, *LISP* 12-7
 - functions, *LISP* 12-4
 - integer, *LISP* 12-6
 - list, *LISP* 6-1
 - long-float, *LISP* 12-7
 - member, *LISP* 12-7
 - mod, *LISP* 12-6
 - multiple values, *LISP* 12-4
 - not, *LISP* 12-7
 - null, *LISP* 6-1
 - numbers, *LISP* 12-6
 - or, *LISP* 12-7
 - rational, *LISP* 12-7
 - satisfies, *LISP* 12-6
 - short-float, *LISP* 12-7
 - signed-byte, *LISP* 12-6
 - simple-array, *LISP* 12-3
 - simple-bit-vector, *LISP* 12-3
 - simple-string, *LISP* 12-3
 - simple-vector, *LISP* 12-3
 - single-float, *LISP* 12-7
 - string, *LISP* 12-3
 - unsigned-byte, *LISP* 12-7
 - values, *LISP* 12-4
 - vector, *LISP* 12-3
 - type testing, *LISP* 12-9—12-10
 - type-ahead, *WIN* 8-16, 8-23
 - buffer, *INTRO* 3-5
 - I/O buffers and, *WIN* 8-16
 - typefaces
 - See also* fonts
 - 855 printer, *INTRO* D-8
 - timeout, delaying redisplay after, *WIN* 13-4
 - timeout window, *INTRO* 5-4—5-5;
WIN 13-1—13-5; *ZMACS* 2-6
 - deactivated, *WIN* 13-2—13-3
 - removing, *ZMACS* 2-6
 - selection substitutes and, *WIN* 6-9—6-10
 - windows with inferior, *WIN* 13-3—13-4
 - types of keys, *INTRO* 3-6—3-9
 - information and status keys,
INTRO 3-7—3-9
 - line positioning keys, *INTRO* 3-6—3-9
 - mode keys, *INTRO* 3-8—3-9
 - modifier keys, *INTRO* 3-7—3-9
 - number pad keys, *INTRO* 3-9
 - program control keys, *INTRO* 3-6—3-9
 - user interaction keys, *INTRO* 3-8—3-9
 - TZON partition, *IO* 6-3
- ## U
- UDP protocol, *NET* 2-1
 - unbound symbols, *LISP* 2-1—2-2
 - unbuffered streams, *IO* 1-22—1-23
 - undeclared variables, *INTRO* 6-15
 - undeleting files, *IO* 2-25
 - Undo commands, *ZMACS* 3-115
 - undoing deletion, *INTRO* 10-13
 - uninterned symbol, *LISP* 2-1—2-2

sharp-sign macro and, *IO* 4-12
 unit-number, *IO* 6-5
 Universal Command Loop (UCL),
 INTRO 6-7-6-13; *TOOLS* 6-1-6-26,
 7-1-7-38
 universal time, *LISP* 24-1
 UNIX namestring, *IO* 2-33-2-35
 unload tape, *IO* 8-8
 unreading characters, *IO* 1-7
 :unspecific, *IO* 2-6
 until, *LISP* 15-11
 up-horseshoe (U), *IO* 2-32
 updating the attribute list, *ZMACS* 3-147
 Uppercase and Lowercase commands,
 ZMACS 3-184
 Uppercase Global Functions mode,
 ZMACS 3-146
 user interaction keys
 CLEAR INPUT, *INTRO* 3-8-3-9
 CLEAR SCREEN, *INTRO* 3-8-3-9
 END, *INTRO* 3-8-3-9
 ESCAPE, *INTRO* 3-8-3-9
 UNDO, *INTRO* 3-8-3-9
 USER package, *CONC* 9-2; *LISP* 5-8
 user variable
 apropos, *ZMACS* 3-112
 commands, *ZMACS* 3-52-3-54
 examples of changing a, *ZMACS* 4-1-4-3
 global, *ZMACS* 3-52
 help on finding a, *ZMACS* 3-109-3-112
 local, *ZMACS* 3-52
 using LISP modes, *LISP* 1-5
 usurping the mouse, *WIN* 11-7, 11-11-11-12

V

value cell, *LISP* 2-1-2-2, 2-8
 variable apropos, *TOOLS* 25-9
 Variable commands, *ZMACS* 3-52-3-54
 variable-block mode, *IO* B-1-B-2
 variable-width fonts, *TOOLS* 12-2; *WIN* 9-8
 variables
 Also see the Variables index for a specific
 variable
 auxiliary, *LISP* 16-5
 binding, *LISP* 2-12
 binding versus setting global special,
 CONC 7-7
 compiler, *INTRO* 9-1
 display, *INTRO* 9-1
 documentation, *INTRO* 6-15
 editing, *INTRO* 9-1
 extent, *LISP* 2-3
 generalized, *LISP* 2-15
 global, *LISP* 13-9
 global versus private, *CONC* 7-5-7-6
 input, *INTRO* 9-1
 instance, *LISP* 19-1
 lexical, *LISP* 2-3

local, *CONC* 7-6; *LISP* 2-6
 name conflicts, *CONC* 8-1-8-3
 scope, *LISP* 2-3
 setting, *LISP* 2-12
 shadowing, *CONC* 7-5
 special, *CONC* 7-5; *LISP* 2-3, 13-9
 streams versus, *CONC* 1-10
 vectors, *LISP* 7-2
 accessing elements, *LISP* 7-9
 copying, *LISP* 9-4
 creating, *LISP* 7-7
 extending, *LISP* 7-15
 filling, *LISP* 9-6
 printed representation of, *IO* 5-4
 sharp-sign macro and, *IO* 4-11, 4-19
 verification, incremental, *NET* 4-17
 verifying
 copies, *IO* 8-5-8-6
 directory backups, *INTRO* 11-9; *IO* 8-5
 file backups, *INTRO* 11-7-11-8; *IO* 8-5
 partition backups, *INTRO* 11-11; *IO* 8-6
 version limit for files, *ZMACS* 3-95
 version number of files, *INTRO* 10-2; *IO* 2-6
 vertical spacing (vsp), *TOOLS* 12-3;
 WIN 9-6; *ZMACS* 3-150
 viewing files, *ZMACS* 3-96
 virtual memory, *LISP* 25-1
 visible window, *INTRO* 5-1-5-9; *WIN* 1-4
 Visidoc, *INTRO* 2-3; *TOOLS* 35-1-35-10
 visiting files, *ZMACS* 3-96
 Visual Interactive Documentation (Visidoc)
 Online Manual Viewer. *See* Visidoc
 VMS namestring, *IO* 2-36-2-37
 vsp, *See* vertical spacing
 VT100
 commands, *NET* 3-10; *TOOLS* 29-3
 emulator, *NET* 3-8-3-10

W

W package, *WIN* 2-1
 waiting, *LISP* 27-12
 Waiting Forever processing state, *CONC* 7-15
 warnings database, *LISP* 21-10
 warnings recording, *LISP* 21-17
 warping the mouse, *WIN* 11-1
 whacks, *LISP* 21-17
 while, *LISP* 15-11
 white-on-black mode, *WIN* 5-7-5-9
 whitespace, *ZMACS* 3-196
 whitespace character, *IO* 4-22
 whitespace syntactic character type,
 IO 4-2-4-3
 who-line
 See also mouse documentation window;
 status line
 screen, *WIN* 1-3
 who-line screen, *WIN* 1-3
 whoppers, *LISP* 19-29

- width of a window, inside versus outside (figure), *WIN* 4-1
- wild-inferiors, *IO* 2-33
- wildcard characters, *IO* 2-27—2-29
- wildcarding
 - source, *IO* 2-27
 - target, *IO* 2-27—2-29
- Window commands, *ZMACS* 3-197—3-201
- window coordinates, *WIN* 12-5
 - direction of increase, *WIN* 7-1
- window lock, *INTRO* 8-2
 - status, *CONC* 1-5
- window notification, *INTRO* 5-4
- window stack, *WIN* 1-5
- window status, *INTRO* 7-7
- window system, *WIN* 1-1—1-4
 - as a user interface, *WIN* 1-4
- window-based debugger, *TOOLS* 14-1—14-5
 - commands, *TOOLS* 14-3
 - deexposed windows and background processes, *TOOLS* 14-4
 - panes, *TOOLS* 14-1
 - using the, *TOOLS* 14-1
- windows
 - active, *INTRO* 5-1—5-9; *WIN* 1-5
 - aliases for inferiors, *WIN* 6-7
 - as input streams, *WIN* 8-1
 - as instances of flavors, *WIN* 1-5—1-6
 - as output streams, *WIN* 7-1
 - associating processes with, not invoked by a *SYSTEM* key, *WIN* 6-13—6-14
 - attributes, *INTRO* 9-4—9-6
 - basic flavors for, *WIN* 2-3
 - burying, *INTRO* 5-3; *WIN* 1-5
 - changing the layout of, *INTRO* 9-8
 - characteristics, *INTRO* 5-1—5-9
 - color, *INTRO* 9-4—9-6
 - contents of, *WIN* 5-9
 - creating, *INTRO* 9-7; *WIN* 2-2
 - creating a screen layout, *INTRO* 9-8
 - deactivated, *WIN* 1-5
 - dedicated processes and, *WIN* 6-11
 - deexposed, *WIN* 1-4
 - deselecting, *WIN* 6-3
 - designing, *WIN* 1-12
 - erasing contents of, *WIN* 7-17—7-18
 - escaping from, *INTRO* 5-8
 - exposed, *WIN* 1-4, 5-1
 - size constraints compared to their superiors, *WIN* 4-2
 - exposing, *WIN* 5-12—5-13
 - automatically, *WIN* 5-19
 - priority of windows for, *WIN* 5-21—5-22
 - finding, *WIN* 18-21—18-22
 - general choices among, *WIN* 1-13—1-24
 - greedy, *WIN* 11-7
 - hierarchy of, *WIN* 5-2, 5-3—5-5
 - home position in, *WIN* 7-16
 - inactive, *INTRO* 5-1—5-9
 - inferior, *WIN* 1-1
 - inferior lists, sorting, *WIN* 5-21—5-22
 - killing, *INTRO* 5-3; *WIN* 1-5
 - layouts, *INTRO* 9-4—9-6
 - looking at, *INTRO* 9-6
 - manipulating lists of, *WIN* 5-5—5-7
 - modifying layouts of, *INTRO* 9-8
 - mouse handling and, *WIN* 11-12—11-16
 - naming a layout, *INTRO* 9-8
 - notification, *INTRO* 5-4
 - overlapping
 - figure, *WIN* 5-1
 - predicates to determine, *WIN* 4-7
 - position of an offset window, *WIN* 5-12
 - previously selected, *WIN* 6-6—6-9
 - printing, *INTRO* 5-8—5-9
 - priority of, *INTRO* 5-3
 - for exposure, *WIN* 5-21—5-22
 - negative, *WIN* 5-22
 - resources of, *WIN* 18-20—18-21
 - scrolling, *INTRO* 5-6—5-8
 - selected, *WIN* 1-4, 6-1—6-2
 - selecting, *INTRO* 5-5—5-6; *WIN* 6-2—6-4
 - automatically, *WIN* 5-19—5-20
 - size of, using the mouse to specify the corners of a window, *WIN* 11-10—11-11
 - specifying the size and position of, *INTRO* 9-7
 - split screen, *INTRO* 9-6—9-9
 - status of (table), *WIN* 6-10
 - switching, *INTRO* 5-7
 - tab size of, *WIN* 7-26
 - teams of, *WIN* 6-4—6-8
 - controlling selection, *WIN* 6-8
 - treated as a unit for selection, *WIN* 6-6
 - temporary, *INTRO* 5-4—5-5; *WIN* 5-16—5-18
 - text scroll, *WIN* 16-1—16-12
 - timeout, *INTRO* 5-4
 - visible, *INTRO* 5-1—5-9; *WIN* 1-4, 5-1
 - WINIFRED, *WIN* 15-4—15-13
 - wired pages, *LISP* 25-2
 - word, *ZMACS* 3-54
 - Word Abbreviation commands, *ZMACS* 3-54—3-58
 - Word Abbreviation mode, *ZMACS* 3-146
 - working device, *IO* 2-15
 - working directory, *IO* 2-15
 - world coordinates, *WIN* 12-6—12-8
 - for graphics, *TOOLS* 10-2
 - wraparound of characters on a line, *WIN* 7-14
 - wrappers, *LISP* 19-29
 - Write and Save File commands, *ZMACS* 3-99

X

-X format directive, *IO* 5-12
 Xld files, updating, *ZMACS* 3-28
 xld files, *LISP* 21-3, 21-15
 xoff, *IO* 1-19
 xoff character, *IO* 1-17
 xon, *IO* 1-19
 xon character, *IO* 1-17
 xon/xoff protocol, *IO* 7-3

Y

yanking text, commands, *ZMACS* 3-72—3-74

Z

ZetaLISP compatibility, *LISP* A-1
 ZetaLISP mode, *LISP* 1-5; *ZMACS* 3-143
 versus Common LISP mode, *LISP* A-22
 ZL package, *LISP* 5-8
 ZLC package, *LISP* 5-7, A-1
 Zmacs
 See also Zmacs commands
 accessing, *ZMACS* 2-2
 command tables, *ZMACS* 4-3
 customization, *ZMACS* 4-1—4-6
 entering, *ZMACS* 2-2
 exiting, *ZMACS* 2-3
 menus, *ZMACS* 2-9—2-11
 overview, *ZMACS* 1-1—1-8
 screen, *ZMACS* 2-3—2-6
 standalone editor, *ZMACS* 4-6

Suggestions menus, *ZMACS* 2-11
 Top-Level Editor menu, *ZMACS* 2-11
 troubleshooting, *ZMACS* 2-14
 tutorial, *ZMACS* 3-115
 Zmacs buffer, clearing a, *INTRO* 10-7
 Zmacs commands
 See the Explorer Zmacs Reference manual
 for specific commands
 apropos, *ZMACS* 3-106
 command groups, *ZMACS* 3-1—3-116
 extended commands, *ZMACS* 3-2
 help on finding, *ZMACS* 3-106—3-108
 how to execute, *ZMACS* 3-2—3-6
 numeric arguments, *ZMACS* 3-5
 writing your own, *ZMACS* 4-5
 Zmacs customizations, login-init file,
 TOOLS 3-4
 Zmacs editor, *INTRO* 2-3, 10-7
 Zmacs screen
 editor buffer window, *ZMACS* 2-3
 minibuffer, *ZMACS* 2-5
 mode line, *ZMACS* 2-4
 mode line window, *ZMACS* 2-4
 mouse documentation window, *ZMACS* 2-5
 scroll bar, *ZMACS* 2-5
 splitting the screen, *ZMACS* 3-197—3-201
 system status line, *ZMACS* 2-5
 typeout window, *ZMACS* 2-6
 removing, *ZMACS* 2-6
 Ztop mode, *ZMACS* 3-144

Conditions
A

sys: abort, *LISP* 20-25
 fs: access-error, *IO* 3-26
 rpc: auth-error, *NET* B-15

B

net: bad-connection-state, *NET* 6-29

C

rpc: call-timeout, *NET* B-14
 sys: cell-contents-error, *LISP* 20-26
 rpc: conflicting-ports, *NET* B-13
 net: connection-closed, *NET* 6-29
 net: connection-error, *NET* 6-29
 net: connection-lost, *NET* 6-30
 net: connection-no-more-data,
 NET 6-30
 net: connection-refused, *NET* 6-29
 sys: cons-in-fixed-area, *LISP* 25-13
 fs: creation-failure, *IO* 3-26

D

fs: data-error, *NET* 3-4
 fs: delete-failure, *IO* 3-27
 fs: device-not-found, *IO* 3-26
 fs: directory-not-empty, *IO* 3-27
 fs: directory-not-found, *IO* 3-26
 sys: divide-by-zero, *LISP* 20-2
 fs: dont-delete-flag-set, *IO* 3-27

E

rpc: end-of-memory-buffer, *NET* A-13
 error, *NET* 3-4

F

fs: file-already-exists, *IO* 3-27
 fs: file-error, *NET* 3-4
 fs: file-locked, *IO* 3-25
 fs: file-lookup-error, *IO* 3-26
 fs: file-not-found, *IO* 3-26
 fs: file-open-for-output, *IO* 3-25
 fs: file-operation-failure, *IO* 3-25
 fs: file-request-failure, *NET* 3-4
 fs: filepos-out-of-range, *IO* 3-25

G

rpc: garbage-args, *NET* B-14
 net: gni-medium-error, *NET* 6-28
 net: gni-service-error, *NET* 6-28

H

fs: host-not-available, *NET* 3-4
 net: host-not-responding-during-
 connection, *NET* 6-29
 net: host-stopped-responding,
 NET 6-29

I

fs: incorrect-access-to-directory, *IO*
 3-26
 fs: incorrect-access-to-file, *IO* 3-26
 fs: invalid-byte-size, *IO* 3-25
 fs: invalid-file-attribute, *IO* 3-16
 sys: invalid-form, *LISP* 20-26
 sys: invalid-function, *LISP* 20-26
 sys: invalid-lambda-list, *LISP* 20-26
 fs: invalid-property-name, *IO* 3-27
 fs: invalid-property-value, *IO* 3-27
 fs: invalid-wildcard, *IO* 3-26

L

net: local-network-error, *NET* 6-28

M

sys: mar-break, *TOOLS* 23-3
 fs: multiple-file-not-found, *IO* 3-26

N

fs: network-lossage, *NET* 3-4
 net: network-resources-exhausted,
 NET 6-28
 fs: no-more-room, *IO* 3-25
 net: no-server-up, *NET* 6-29
 rpc: non-call-msg-received, *NET* B-13
 rpc: non-reply-msg-received-warning,
 NET B-15
 fs: not-available, *IO* 3-25
 fs: not-enough-resources, *NET* 3-4

P

fs: pathname-parse-error, *IO* 2-19
 sys: pdl-overflow, *LISP* 26-7
 rpc: proc-unavail, *NET* B-14
 rpc: prog-mismatch, *NET* B-14
 rpc: prog-unavail, *NET* B-14
 rpc: prog-unregistered, *NET* B-14

R

sys: region-table-overflow, *LISP* 25-12

fs: rename-across-directories, *IO 3-27*
fs: rename-failure, *IO 3-27*
fs: rename-to-existing-file, *IO 3-27*
rpc: rpc-mismatch, *NET B-15*

S

fs: superior-not-directory, *IO 3-27*
rpc: system-err, *NET B-15*

T

sys: throw-tag-not-found, *LISP 20-28*
sys: too-few-arguments, *LISP 20-26*
sys: too-many-arguments, *LISP 20-26*

U

rpc: unable-to-set-port-map, *NET B-13*
rpc: unable-to-unset-port-map-warning,
NET B-13
sys: unbound-closure-variable,
LISP 20-27
sys: unbound-instance-variable,
LISP 20-27
sys: unbound-symbol, *LISP 20-27*
sys: unbound-variable, *LISP 20-27*
sys: undefined-function, *LISP 20-27*

sys: undefined-keyword-argument,
LISP 20-26
rpc: unknown-accept-stat, *NET B-15*
net: unknown-address, *NET 6-28*
fs: unknown-operation, *NET 3-4*
rpc: unknown-port, *NET B-12*
fs: unknown-property, *IO 3-27*
rpc: unknown-protocol, *NET B-12*
rpc: unknown-reject-stat, *NET B-15*
rpc: unknown-reply-stat, *NET B-14*
rpc: unknown-union-discriminator,
NET A-13
rpc: unsupported-protocol, *NET B-13*

V

sys: virtual-memory-overflow,
LISP 25-13

W

fs: wildcard-not-allowed, *IO 3-26*
fs: wrong-kind-of-file, *IO 3-26*
rpc: wrong-reply-xid-warning,
NET B-15
sys: wrong-stack-group-state, *LISP 26-6*
sys: wrong-type-argument, *LISP 20-27*

Flavors
A

- tv: abstract-dynamic-item-list-mixin, *WIN* A-18
- w: alias-for-inferiors-mixin, *WIN* 6-7
- gwin: arc, *WIN* 12-57
- w: autoexposing-more-mixin, *WIN* 7-14

B

- gwin: backgroundpic, *WIN* 12-78
- gwin: basic-character-mixin, *WIN* 12-70
 - w: basic-choose-variable-values, *WIN* 14-53
- ucl: basic-command-loop, *TOOLS* 7-20
- gwin: basic-cursor-mixin, *WIN* 12-50
 - w: basic-frame, *WIN* 15-13
- gwin: basic-graphics-mixin, *WIN* 12-55
- tv: basic-menu, *WIN* A-14
- tv: basic-momentary-menu, *WIN* A-15
 - w: basic-mouse-sensitive-items, *WIN* 14-61
- w: basic-multiple-choice, *WIN* 14-36
- printer: basic-printer, *IO* 7-19
- printer: basic-printer-int, *IO* C-8
- printer: basic-printer-int-mixin, *IO* C-8
 - tv: basic-scroll-bar, *WIN* A-1
 - w: basic-scroll-window, *WIN* 17-5
 - w: basic-timeout-window, *WIN* 13-1
- sys: bidirectional-stream, *IO* 1-23
- gwin: bitblt-blinker, *WIN* 12-51
 - w: bitblt-blinker, *WIN* 10-10
 - w: blinker, *WIN* 10-1
- gwin: block-cursor, *WIN* 12-52
 - w: bordered-constraint-frame, *WIN* 15-14
 - w: bordered-constraint-frame-with-shared-io-buffer, *WIN* 15-14
 - w: borders-mixin, *WIN* 3-3
 - w: bottom-box-label-mixin, *WIN* 3-8
 - w: box-blinker, *WIN* 10-8
 - w: box-label-mixin, *WIN* 3-7
- break, *LISP* 20-25
- sys: buffered-character-stream, *IO* 1-25
- sys: buffered-input-character-stream, *IO* 1-25
- sys: buffered-input-stream, *IO* 1-23
- sys: buffered-output-character-stream, *IO* 1-25
- sys: buffered-output-stream, *IO* 1-24
- sys: buffered-stream, *IO* 1-24

C

- w: cache-window, *WIN* 12-46
- rpc: call-error, *NET* B-13
- rpc: call-warning, *NET* B-13
 - w: centered-label-mixin, *WIN* 3-7
 - w: character-blinker, *WIN* 10-8
 - w: choose-variable-values-pane, *WIN* 14-53
 - w: choose-variable-values-window, *WIN* 14-53
- gwin: circle, *WIN* 12-59
- ucl: command-and-lisp-typein-window, *TOOLS* 7-28

ucl: command-loop-mixin, *TOOLS* 7-27
 tv: command-menu, *WIN* A-18
 tv: command-menu-abort-on-deexpose-mixin, *WIN* A-18
 tv: command-menu-mixin, *WIN* A-18
 condition, *LISP* 20-24
 w: constraint-frame, *WIN* 15-14
 w: constraint-frame-with-shared-io-buffer, *WIN* 15-14
 w: current-item-mixin, *WIN* 16-12
 gwin: cursor, *WIN* 12-51

D

w: delay-notification-mixin, *WIN* 18-2
 w: delayed-redisplay-label-mixin, *WIN* 3-9
 w: displayed-items-text-scroll-window, *WIN* 16-12
 gwin: draw-mixin, *WIN* A-9
 tv: dynamic-item-list-mixin, *WIN* A-19
 tv: dynamic-momentary-menu, *WIN* A-19
 tv: dynamic-momentary-window-hacking-menu, *WIN* A-19
 tv: dynamic-multicolumn-mixin, *WIN* A-19
 tv: dynamic-multicolumn-momentary-menu, *WIN* A-20
 tv: dynamic-multicolumn-momentary-window-hacking-menu, *WIN* A-20
 tv: dynamic-temporary-abort-on-deexpose-command-menu, *WIN* A-19
 tv: dynamic-temporary-command-menu, *WIN* A-19
 tv: dynamic-temporary-menu, *WIN* A-19

E

eq-hash-table-mixin, *LISP* 19-27
 equal-hash-table-mixin, *LISP* 19-27
 error, *LISP* 20-25
 w: essential-scroll-mouse-mixin, *WIN* 17-12
 w: essential-window-with-typeout-mixin, *WIN* 13-3

F

ferror, *LISP* 20-25
 fs: file-error, *IO* 3-25
 sys: file-stream-mixin, *IO* 1-26
 tv: flashy-margin-scrolling-mixin, *WIN* A-3
 tv: flashy-scrolling-mixin, *WIN* A-2
 gwin: font, *WIN* 12-67
 w: frame-forwarding-mixin, *WIN* 15-35
 w: full-screen-hack-mixin, *WIN* 3-4
 w: function-text-scroll-window, *WIN* 16-5

G

tv: graphics-mixin, *WIN* A-5
 w: graphics-mixin, *WIN* 12-9
 gwin: graphics-window, *WIN* 12-44
 gwin: graphics-window-mixin, *WIN* 12-45
 gwin: graphics-window-pane, *WIN* 12-44
 w: gray-deexposed-right-mixin, *WIN* 5-20
 w: gray-deexposed-wrong-mixin, *WIN* 5-20

H

hash-table-mixin, *LISP* 19-27
 w: hollow-rectangular-blinker, *WIN* 10-8
 w: hysteretic-window-mixin, *WIN* 11-8

I

- w: ibeam-blinker, *WIN* 10-8
- w: inferiors-not-in-select-menu-mixin, *WIN* 6-5
- w: initially-invisible-mixin, *WIN* 5-20
- sys: input-file-stream-mixin, *IO* 1-26
- sys: input-pointer-remembering-mixin, *IO* 1-25
- sys: input-stream, *IO* 1-22
- w: inspect-frame, *WIN* 16-12
- w: interaction-pane, *WIN* 15-36
- w: intrinsic-no-more-mixin, *WIN* 13-4

K

- w: kbd-mouse-buttons-mixin, *WIN* 11-6

L

- w: label-mixin, *WIN* 3-5
- gwin: line, *WIN* 12-60
- w: line-area-mouse-sensitive-text-scroll-mixin, *WIN* 16-11
- w: line-area-text-scroll-mixin, *WIN* 16-11
- sys: line-output-stream-mixin, *IO* 1-25
- w: line-truncating-mixin, *WIN* 7-14
- w: lisp-interactor, *WIN* 18-10
- w: lisp-listener, *WIN* 18-10
- w: list-mouse-buttons-mixin, *WIN* 11-6
- w: listener-mixin, *WIN* 18-10
- w: listener-mixin-internal, *WIN* 18-10
- net: local-network-error, *NET* 6-28

M

- w: magnifying-blinker, *WIN* 10-10
- tv: margin-choice-menu, *WIN* A-4
- w: margin-choice-mixin, *WIN* 14-65
- tv: margin-multiple-menu-mixin, *WIN* A-21
- w: margin-region-mixin, *WIN* 3-9
- tv: margin-scroll-mixin, *WIN* A-2
- tv: menu, *WIN* A-15
- w: menu, *WIN* 14-19
- tv: menu-execute-mixin, *WIN* A-12
- tv: menu-highlighting-mixin, *WIN* A-22
- tv: menu-margin-choice-mixin, *WIN* A-4
- mail: message, *TOOLS* 31-47
- w: minimum-window, *WIN* 2-3
- tv: momentary-margin-choice-menu, *WIN* A-4
- tv: momentary-menu, *WIN* A-15
- tv: momentary-multiple-menu, *WIN* A-22
- tv: momentary-window-hacking-menu, *WIN* A-16
- w: mouse-blinker-mixin, *WIN* 11-17
- w: mouse-box-blinker, *WIN* 11-18
- w: mouse-box-stay-inside-blinker, *WIN* 11-18
- w: mouse-character-blinker, *WIN* 11-18
- gwin: mouse-handler-mixin, *WIN* 12-48
- w: mouse-hollow-rectangular-blinker, *WIN* 11-18
- w: mouse-rectangular-blinker, *WIN* 11-18
- w: mouse-sensitive-text-scroll-window, *WIN* 16-9
- w: mouse-sensitive-text-scroll-window-without-click, *WIN* 16-10
- w: multiple-choice, *WIN* 14-38
- tv: multiple-menu, *WIN* A-22

N

- net: network-error, *NET* 6-28
- sys: no-action-mixin, *LISP* 20-25
- w: no-screen-managing-mixin, *WIN* 5-19
- w: not-externally-selectable-mixin, *WIN* 6-6
- w: notification-mixin, *WIN* 18-2

O

- sys: output-file-stream-mixin, *IO* 1-27
- sys: output-pointer-remembering-mixin, *IO* 1-26
- sys: output-stream, *IO* 1-23

P

- tv: peek-frame, *WIN* 17-12
- gwin: polyline, *WIN* 12-61
- zwei: pop-up-standalone-editor-frame, *WIN* 18-12
- w: pop-up-text-window, *WIN* 18-14
- w: preemptable-read-any-tyi-mixin, *WIN* 8-12
- sys: print-readably-mixin, *LISP* 19-27
- sys: proceed-with-value-mixin, *LISP* 20-25
- sys: process, *LISP* 27-4
- w: process-mixin, *WIN* 6-12
- sys: property-list-mixin, *IO* 1-23; *LISP* 19-25

R

- gwin: raster-character, *WIN* 12-71
- gwin: raster-object, *WIN* 12-74
- gwin: rectangle, *WIN* 12-62
- w: rectangular-blinker, *WIN* 10-7
- net: remote-network-error, *NET* 6-29
- w: reset-on-output-hold-flag-mixin, *WIN* 6-13
- w: reverse-character-blinker, *WIN* 10-9
- gwin: ruler, *WIN* 12-72

S

- w: screen, *WIN* 5-2
- w: scroll-bar-mixin, *WIN* 11-26
- w: scroll-mouse-mixin, *WIN* 17-12
- tv: scroll-stuff-on-off-mixin, *WIN* A-3
- w: scroll-window, *WIN* 17-5
- w: scroll-window-with-typeout, *WIN* 17-7
- w: scroll-window-with-typeout-mixin, *WIN* 17-7
- w: select-mixin, *WIN* 6-2
- ucl: selective-features-mixin, *TOOLS* 7-31
- net: service-implementation-mixin, *NET* 6-15
- w: shadow-borders-mixin, *WIN* 5-17
- w: sheet, *WIN* 2-3
- w: show-partially-visible-mixin, *WIN* 5-20
- sys: simple-process, *LISP* 27-5
- gwin: spline, *WIN* 12-64
- gwin: sprite-cursor, *WIN* 12-52
- w: sprite-window, *WIN* 12-46
- zwei: standalone-editor-frame, *WIN* 18-11
- zwei: standalone-editor-window, *WIN* 18-11

w: stay-inside-blinker-mixin, *WIN* 10-8
 sys: stream, *IO* 1-22
 w: stream-mixin, *WIN* 8-3
 gwin: subpicture, *WIN* 12-76

T

supdup: telnet, *WIN* 18-14
 w: temporary-choose-variable-values-window, *WIN* 14-54
 ucl: temporary-command-table, *TOOLS* 7-37
 tv: temporary-menu, *WIN* A-15
 zwei: temporary-mode-line-window-with-borders, *WIN* 18-13
 w: temporary-multiple-choice-window, *WIN* 14-38
 w: temporary-shadow-borders-window-mixin, *WIN* 5-17
 w: temporary-window-mixin, *WIN* 5-17
 gwin: text, *WIN* 12-68
 w: text-scroll-window, *WIN* 16-2
 w: text-scroll-window-empty-gray-hack, *WIN* 16-6
 w: text-scroll-window-typeout-mixin, *WIN* 16-6
 w: top-box-label-mixin, *WIN* 3-8
 w: top-label-mixin, *WIN* 3-7
 w: transform-mixin, *WIN* 12-47
 gwin: triangle, *WIN* 12-65
 w: truncating-pop-up-text-window, *WIN* 18-14
 w: truncating-pop-up-text-window-with-reset, *WIN* 18-14
 w: truncating-window, *WIN* 7-15
 ucl: typein-mode, *TOOLS* 7-29
 w: typeout-window, *WIN* 13-2
 w: typeout-window-with-mouse-sensitive-items, *WIN* 13-2

U

sys: unbuffered-line-input-stream, *IO* 1-25

V

sys: vanilla-flavor, *LISP* 19-24
 gwin: vector-character, *WIN* 12-70

W

sys: warning, *LISP* 20-25
 w: who-line-file-sheet, *WIN* 18-17
 w: window, *WIN* 2-3
 tv: window-hacking-menu-mixin, *WIN* A-12
 w: window-with-typeout-mixin, *WIN* 13-3
 gwin: world, *WIN* 12-40

X

rpc: xdr-memory-stream, *NET* A-12
 rpc: xdr-stream, *NET* A-2

Z

zwei: zmacs-frame, *WIN* 18-11

Functions

Special Characters

\leq , *LISP* A-18
 \geq , *LISP* A-18
 \neq , *LISP* A-18
 +, *LISP* 3-7
 -, *LISP* 3-7
 *, *LISP* 3-8
 /, *LISP* 3-8, A-18
 /=, *LISP* 3-7
 ^, *LISP* A-18
 ^\$, *LISP* A-18
 =, *LISP* 3-6
 <, *LISP* 3-7
 <=, *LISP* 3-7
 >, *LISP* 3-7
 >=, *LISP* 3-7
 \, *LISP* A-18
 \\, *LISP* A-18

Numbers

1+, *LISP* 3-8
 1-, *LISP* 3-8
 w: 12-hour-clock-setup, *WIN* 18-16
 w: 24-hour-clock-setup, *WIN* 18-16

A

chaos: abs, *LISP* 3-10
 accept, *NET* 5-19
 acons, *LISP* 6-23
 acos, *LISP* 3-12
 acosh, *LISP* 3-13
 name: add-alias, *TOOLS* 32-62
 name: add-attribute, *TOOLS* 32-60
 name: add-group-member, *TOOLS* 32-61
 add-initialization, *LISP* 28-4;
 NET 5-18
 fs: add-logical-pathname-host, *IO* 2-42
 mail: add-mail-inbox-probe,
 TOOLS 31-52
 name: add-namespace, *TOOLS* 32-55
 name: add-object, *TOOLS* 32-58
 compiler: add-optimizer, *LISP* 21-14
 add-printer-device, *IO* 7-4
 syslog: add-record, *IO* 6-46
 net: add-server-for-medium, *NET* 6-11
 w: add-system-key, *WIN* 8-23
 w: add-terminal-key, *WIN* 8-22
 w: add-to-system-menu-column,
 WIN 18-18
 w: add-timeout-item-type, *WIN* 14-62
 w: add-window-type, *WIN* 18-19
 add1, *LISP* A-1
 adjoin, *LISP* 6-22
 adjust-array, *LISP* 7-16

adjust-array-size, *LISP* A-1
 w: adjust-by-interval, *WIN* 14-17
 adjustable-array-p, *LISP* 7-18
 advise, *TOOLS* 21-1
 sugg: advise-function-to-push-all-menus,
 TOOLS 9-14
 sugg: advise-function-to-push-one-menu,
 TOOLS 9-14
 advise-within, *TOOLS* 21-5
 all-directories, *IO* 3-23
 all-open-files, *IO* 3-5
 allocate-resource, *LISP* 25-25
 alloc, *LISP* 29-2
 alpha-char-p, *LISP* 4-14
 alphanumericp, *LISP* 4-15
 meter: analyze, *TOOLS* 27-28
 and, *LISP* 14-20
 chaos: answer, *NET* 5-19
 chaos: answer-string, *NET* 5-19
 ap-leader, *LISP* 29-2
 append, *LISP* 6-12
 apply, *LISP* 16-20
 applyhook, *TOOLS* 20-1
 apropos, *TOOLS* 25-7
 apropos-flavor, *TOOLS* 25-9
 apropos-list, *TOOLS* 25-8
 apropos-method, *TOOLS* 25-9
 apropos-resource, *TOOLS* 25-10
 aproposb, *TOOLS* 25-9
 aproposf, *TOOLS* 25-8
 ar-1-force, *LISP* 7-9
 ar-2-reverse, *LISP* A-3
 area-name, *LISP* 25-8
 aref, *LISP* 7-9, A-18
 eh: arg-name, *LISP* 16-32
 arglist, *LISP* 16-31
 sys: args-desc, *LISP* 16-32
 %args-info, *LISP* A-2
 args-info, *LISP* A-2
 array-active-length, *LISP* 7-8
 array-dimension, *LISP* 7-8
 array-dimensions, *LISP* 7-8
 array-displaced-p, *LISP* 7-19
 array-element-size, *LISP* 7-8
 array-element-type, *LISP* 7-7
 array-grow, *LISP* A-3
 array-has-fill-pointer-p, *LISP* 7-18
 array-has-leader-p, *LISP* 7-19
 array-in-bounds-p, *LISP* 7-18
 array-index-offset, *LISP* 7-9
 array-indexed-p, *LISP* 7-19
 array-indirect-p, *LISP* 7-19
 array-initialize, *LISP* 7-10
 array-leader, *LISP* 7-15
 array-leader-length, *LISP* 7-16

- array-length, *LISP* 7-8, A-3
 - array-pop, *LISP* A-3
 - array-push, *LISP* A-3
 - array-push-extend, *LISP* A-3
 - array-rank, *LISP* 7-7
 - array-row-major-index, *LISP* 7-8
 - array-total-size, *LISP* 7-8
 - array-type, *LISP* 7-7
 - arrayp, *LISP* 7-18
 - sys: arrest-gc, *LISP* 25-20
 - as-1, *LISP* A-4
 - as-2-reverse, *LISP* A-4
 - as-3, *LISP* A-4
 - aset, *LISP* A-3
 - ash, *LISP* 3-22
 - asin, *LISP* 3-12
 - asinh, *LISP* 3-13
 - ass, *LISP* A-4
 - assert, *LISP* 20-4
 - assoc, *LISP* 6-23, A-18
 - assoc-if, *LISP* 6-23
 - assoc-if-not, *LISP* 6-23
 - assq, *LISP* A-4
 - chaos: assure-enabled, *NET* 5-27
 - atan, *LISP* 3-12, A-19
 - atan2, *LISP* A-4
 - atanh, *LISP* 3-13
 - atom, *LISP* 6-26
 - w: await-window-exposure, *WIN* 7-11
- B**
- mt: backup-directory, *IO* 8-10
 - mt: backup-file, *IO* 8-10
 - mt: backup-partition, *IO* 8-10
 - mt: backup-partition-half-inch-tape, *IO* 8-11
 - fs: balance-directories, *IO* 3-23
 - beep, *WIN* 18-5
 - bigp, *LISP* 3-26
 - bit, *LISP* 7-13
 - bit-and, *LISP* 7-13
 - bit-andc1, *LISP* 7-13
 - bit-andc2, *LISP* 7-13
 - bit-eqv, *LISP* 7-13
 - bit-ior, *LISP* 7-13
 - bit-nand, *LISP* 7-13
 - bit-nor, *LISP* 7-13
 - bit-not, *LISP* 7-14
 - bit-orc1, *LISP* 7-13
 - bit-orc2, *LISP* 7-13
 - bit-test, *LISP* A-4
 - bit-vector-p, *LISP* 7-18
 - bit-xor, *LISP* 7-13
 - bitblt, *LISP* 7-11
 - bitmap-of-picture-file, *IO* 7-10
 - w: black-on-white, *WIN* 5-8
 - block, *LISP* 14-7
 - boole, *LISP* 3-20
 - fs: boot-file-system, *IO* 6-7
 - syslog: boot-unit, *IO* 6-46
 - dox: boot-visidoc-server, *TOOLS* 35-8
 - both-case-p, *LISP* 4-14
 - boundp, *LISP* 2-24
 - boundp-globally, *LISP* 2-24
 - boundp-in-closure, *LISP* 17-4
 - break, *TOOLS* 26-1
 - breakon, *TOOLS* 22-1
 - bug, *TOOLS* 4-1
 - build-command-table, *TOOLS* 7-13
 - build-menu, *TOOLS* 7-15
 - ucl: build-temporary-command-table, *TOOLS* 7-37
 - butlast, *LISP* 6-13
 - byte, *LISP* 3-23
 - byte-position, *LISP* 3-23
 - byte-size, *LISP* 3-23
- C**
- caaaar, *LISP* 6-7
 - caaaadr, *LISP* 6-7
 - caaar, *LISP* 6-7
 - caadar, *LISP* 6-7
 - caaddr, *LISP* 6-7
 - caadr, *LISP* 6-7
 - caar, *LISP* 6-7
 - caar-safe, *LISP* 6-8
 - cadaar, *LISP* 6-7
 - cadadr, *LISP* 6-7
 - cadar, *LISP* 6-7
 - caddar, *LISP* 6-7
 - caddr, *LISP* 6-7
 - cadr, *LISP* 6-7
 - cadr-safe, *LISP* 6-8
 - gwin: calculate-string-motion, *WIN* 12-39
 - call, *LISP* 16-22
 - callrpc, *NET* B-1
 - callrpc-spec, *NET* B-3
 - cancel-print-request, *IO* 7-13
 - printer: cancel-print-request-on-remote-host, *IO* 7-13
 - car, *LISP* 6-6
 - car-location, *LISP* 29-2
 - car-safe, *LISP* 6-8
 - w: careful-notify, *WIN* 18-1
 - case, *LISP* 14-2
 - *catch, *LISP* A-4
 - catch, *LISP* 14-13, A-4
 - catch-all, *LISP* 14-16
 - catch-continuation, *LISP* 14-16
 - catch-continuation-if, *LISP* 14-16
 - catch-error, *LISP* 20-10
 - catch-error-restart, *LISP* 20-24
 - catch-error-restart-explicit-if, *LISP* 20-24
 - catch-error-restart-if, *LISP* 20-24

- ccase, *LISP* 20-7
- cdaaar, *LISP* 6-7
- cdaddr, *LISP* 6-7
- cdaar, *LISP* 6-7
- cdadar, *LISP* 6-7
- cdaddr, *LISP* 6-7
- cdadr, *LISP* 6-7
- cdar, *LISP* 6-7
- cdar-safe, *LISP* 6-8
- cdbaar, *LISP* 6-7
- cddadr, *LISP* 6-7
- cddar, *LISP* 6-7
- cdddar, *LISP* 6-7
- cddddr, *LISP* 6-7
- cdddr, *LISP* 6-7
- cddr, *LISP* 6-7
- cddr-safe, *LISP* 6-8
- cdr, *LISP* 6-6
- cdr-safe, *LISP* 6-8
- ceiling, *LISP* 3-15
- cerror, *LISP* 20-3
- fs: change-file-properties, *IO* 3-18
- sys: change-indirect-array, *LISP* 7-18
- sys: change-nvram, *INTRO* A-5; *IO* 6-5
- sys: change-swap-space-allocation, *LISP* 25-5
- char, *LISP* 8-2
- char_≤, *LISP* A-5
- char_≥, *LISP* A-5
- char/=, *LISP* 4-15
- char=, *LISP* 4-15
- char<, *LISP* 4-15
- char<=, *isp* 4-15
- char>, *LISP* 4-15
- char>=, *LISP* 4-15
- char-bit, *LISP* 4-13
- char-bits, *LISP* 4-10
- char-code, *LISP* 4-10
- char-downcase, *LISP* 4-12
- char-equal, *LISP* 4-16
- char-font, *LISP* 4-10
- char-greaterp, *LISP* 4-16
- char-int, *LISP* 4-12
- char-lessp, *LISP* 4-16
- char-mouse-button, *LISP* 4-10
- char-mouse-clicks, *LISP* 4-10
- char-name, *LISP* 4-11
- char-not-equal, *LISP* 4-16
- char-not-greaterp, *LISP* 4-16
- char-not-lessp, *LISP* 4-16
- char-upcase, *LISP* 4-12
- character, *LISP* 4-15, A-19
- characterp, *LISP* 4-14
- check-arg, *LISP* 20-5
- check-arg-type, *LISP* A-5
- printer: check-printer-options, *IO* 7-4
- check-type, *LISP* 20-5
- w: choose-process-in-error, *WIN* 18-3
- w: choose-variable-values, *WIN* 14-47
- w: choose-variable-values-process-message, *WIN* 14-57
- circular-list, *LISP* 6-11
- cis, *LISP* 3-12
- clear-input, *IO* 4-24
- clear-mar, *TOOLS* 23-2
- clear-output, *IO* 5-9
- clear-resource, *LISP* 25-26
- close, *IO* 1-5, 3-4
- close-all-files, *IO* 3-5
- w: close-all-servers, *WIN* 18-18
- chaos: close-conn, *NET* 5-17
- closure, *LISP* 17-4
- closure-alist, *LISP* 17-5
- closure-bindings, *LISP* 17-5
- closure-function, *LISP* 17-5
- closure-variables, *LISP* 17-5
- closurep, *LISP* 17-6
- clrhash, *LISP* 11-3
- color: cme, *TOOLS* 34-2
- code-char, *LISP* 4-11
- coerce, *LISP* 12-11
- color-map-xxx, *WIN* 19-4
- w: color-system-p, *WIN* 19-1
- comment, *LISP* 14-8
- commonp, *LISP* 12-11
- sys: compare-band, *IO* 6-19; *NET* 3-23
- sys: compare-disk-partition, *IO* 6-17
- compiler: compilation-define, *LISP* 21-13
- compile, *LISP* 21-2
- compile-encapsulations, *LISP* 21-2
- compile-file, *LISP* 21-3
- compile-flavor-methods, *CONC* 2-16; *LISP* 19-11
- compiler: compile-form, *LISP* 21-4
- sys: compile-if, *LISP* 23-28
- compile-lambda, *LISP* 21-2
- sys: compile-load-if, *LISP* 23-28
- compiled-function-p, *LISP* 16-37
- compiledp, *LISP* 16-37
- compiler-let, *LISP* 2-14
- tree: complain, *TOOLS* 11-13
- w: complement-bow-mode, *WIN* 5-8
- fs: complete-pathname, *IO* 3-18
- complex, *LISP* 3-15
- complexp, *LISP* 3-26
- concatenate, *LISP* 9-4
- cond, *LISP* 14-1
- cond-every, *LISP* 14-2
- condition-bind, *LISP* 20-13
- example of a handler, *CONC* 3-3—3-5
- handlers default, *CONC* 3-8
- condition-bind-default, *LISP* 20-14
- condition-bind-default-if, *LISP* 20-14

- condition-bind-if, *LISP* 20-14
 - condition-call, *LISP* 20-11
 - example of a handler, *CONC* 3-6
 - condition-call-if, *LISP* 20-12
 - condition-case, *LISP* 20-10
 - example of a handler, *CONC* 3-5—3-6
 - :no-error clause, *CONC* 3-6
 - condition-case-if, *LISP* 20-12
 - condition-resume, *LISP* 20-21
 - condition-resume-if, *LISP* 20-22
 - condition-typep, *CONC* 3-4; *LISP* 20-9
 - name: configure-namespace, *TOOLS* 32-55
 - conjugate, *LISP* 3-9
 - chaos: conn-foreign-address, *NET* 5-16
 - chaos: conn-plist, *NET* 5-16
 - chaos: conn-read-pkts, *NET* 5-16
 - chaos: conn-state, *NET* 5-16
 - chaos: conn-window-available, *NET* 5-16
 - chaos: connect, *NET* 5-17
 - net: connection-possible-p, *NET* 6-14
 - cons, *LISP* 6-8
 - cons-in-area, *LISP* 6-8, 25-6
 - consp, *LISP* 6-26
 - constantp, *LISP* 13-11
 - chaos: contact-name, *NET* 5-16
 - contents, *LISP* 29-2
 - continue-whopper, *LISP* 19-30
 - tree: contract-node-with-redraw, *TOOLS* 11-13
 - copy, *LISP* 9-3
 - copy-alist, *LISP* 6-23
 - copy-array-contents, *LISP* 7-11
 - copy-array-contents-and-leader, *LISP* 7-11
 - copy-array-portion, *LISP* 7-11
 - copy-bitmap-to-file, *IO* 7-10
 - copy-cfg-module, *IO* 6-38
 - copy-closure, *LISP* 17-5
 - w: copy-color-map, *WIN* 19-11
 - copy-directory, *IO* 3-8
 - sys: copy-disk-label, *IO* 6-20
 - sys: copy-disk-partition, *IO* 6-16
 - copy-file, *IO* 3-5
 - testing file types with, *CONC* 9-17
 - copy-list, *LISP* 6-11
 - name: copy-namespace, *TOOLS* 32-54
 - fs: copy-pathname-defaults, *IO* 2-17
 - copy-readtable, *IO* 4-19
 - copy-seq, *LISP* 9-4
 - w: copy-speech, *WIN* 18-9
 - copy-symbol, *LISP* 2-7
 - copy-system, *LISP* 23-19
 - copy-tree, *LISP* 6-11
 - copyalist, *LISP* A-5
 - copylist, *LISP* A-5
 - copylist*, *LISP* 6-11
 - copysymbol, *LISP* A-5
 - copytree, *LISP* A-5
 - cos, *LISP* 3-12
 - cosd, *LISP* 3-12
 - cosh, *LISP* 3-13
 - count, *LISP* 9-12
 - count-if, *LISP* 9-12
 - count-if-not, *LISP* 9-12
 - w: create-color-map, *WIN* 19-10
 - fs: create-directory, *IO* 3-23
 - gwin: create-gwin-fonts, *WIN* A-11
 - w: create-w-fonts, *WIN* 12-39
 - ctypcase, *LISP* 12-10, 20-7
 - w: current-color-lut-buffer, *WIN* 19-12
 - sys: current-microload, *IO* 6-11
 - rpc: cv-credentials, *NET* B-11
 - rpc: cv-verifier, *NET* B-11
- ## D
- chaos: data-available, *NET* 5-24
 - time: day-of-the-week-string, *LISP* 24-8
 - time: daylight-savings-p, *LISP* 24-7
 - time: daylight-savings-time-p, *LISP* 24-7
 - deallocate-resource, *LISP* 25-25
 - ucl: deallocate-temporary-command-table, *TOOLS* 7-38
 - deallocate-whole-resource, *LISP* 25-26
 - sys: debug-warm-booted-process, *TOOLS* 13-11
 - debugging-info, *LISP* A-5
 - decf, *LISP* 3-9
 - declare, *LISP* 13-2
 - declare-flavor-instance-variables, *LISP* 19-10, A-5
 - sugg: declare-suggestions-for, *TOOLS* 9-12
 - decode-float, *LISP* 3-17
 - sys: decode-unit-argument, *NET* 3-20
 - decode-universal-time, *LISP* 24-7
 - math: decompose, *LISP* 7-20
 - def, *LISP* 16-15
 - w: def-beep-function, *WIN* 18-5
 - w: def-beep-type, *WIN* 18-5
 - default-and-resolve, *NET* A-6
 - w: default-beep, *WIN* 18-6
 - fs: default-host, *IO* 2-17
 - fs: default-pathname, *IO* 2-17
 - default-vector-and-resolve, *NET* A-6
 - zwei: defcom, *ZMACS* 4-5
 - defcommand, *TOOLS* 7-5
 - defconst, *LISP* A-5
 - defconstant, *LISP* 13-10
 - deff, *LISP* 16-15
 - deff-macro, *LISP* 16-15

- defflavor, *CONC* 2-8; *LISP* 19-4
- fs: define-canonical-type, *IO* 2-12
- sys: define-defsystem-special-variable, *LISP* 23-13
- define-glossary, *TOOLS* 5-12
- define-glossary-file-format, *TOOLS* 5-11
- net: define-logical-contact-name, *NET* 6-14
- define-loop-macro, *LISP* 15-16
- define-loop-path, *LISP* 15-22
- define-loop-sequence-path, *LISP* 15-20
- mail: define-mail-filter, *TOOLS* 31-48
- mail: define-mail-template, *TOOLS* 31-49
- sys: define-make-system-special-variable, *LISP* 23-19
- net: define-medium, *NET* 6-12
- time: define-meter, *TOOLS* 27-38
- define-modify-macro, *LISP* 2-21
- w: define-mouse-char-mapping, *WIN* 11-19
- nse: define-nse-expert-editor, *TOOLS* 32-40
- nse: define-personal-filter, *TOOLS* 32-38
- nse: define-personal-horizontal-format, *TOOLS* 32-38
- profile: define-profile-variable, *TOOLS* 2-4
- net: define-service, *NET* 6-14
- net: define-service-implementation, *NET* 6-15
- define-setf-method, *LISP* 2-21
- sys: define-simple-transformation, *LISP* 23-13
- net: define-stream-type, *NET* 6-15
- defmacro, *LISP* 18-3
- defmethod, *CONC* 2-8; *LISP* 19-5
- defpackage, *LISP* 5-8
- defparameter, *LISP* 13-10
 - compared to defvar, *CONC* 5-14—5-15
- defprop, *LISP* 2-11
- defresource, *LISP* 25-22
- defselect, *LISP* A-6
- defsetf, *LISP* 2-19
- defsignal, *LISP* 20-31
- defsignal-explicit, *LISP* 20-32
- w: defsound, *WIN* 18-6
- defstruct, *LISP* 10-1, A-19
- defsubst, *LISP* 16-13
- defsystem, *LISP* 23-1
 - :compile-load transform, example of, *CONC* 4-10
 - :compile-load-init transform, example of, *CONC* 4-11
 - fully constrained declarations, *CONC* 4-12
- deftype, *LISP* 12-8
- defun, *LISP* 16-12
- defun-method, *LISP* 19-9
- defunp, *LISP* A-6
- defvar, *LISP* 13-9
 - compared to defparameter, *CONC* 5-14—5-15
- defwhopper, *LISP* 19-30
- w: defwindow-resource, *WIN* 18-20
- defwrapper, *LISP* 19-29
- del, *LISP* A-6
- del-if, *LISP* A-7
- del-if-not, *LISP* A-7
- w: delaying-screen-management, *WIN* 5-23
- delete, *LISP* 9-7, A-19
- delete alias. See name: add-alias
- name: delete-attribute, *TOOLS* 32-60
- delete-directory, *IO* 3-9
- delete-duplicates, *LISP* 9-8
- delete-file, *IO* 3-9
- w: delete-from-system-menu-column, *WIN* 18-19
- name: delete-group-member, *TOOLS* 32-61
- delete-if, *LISP* 9-8
- delete-if-not, *LISP* 9-8
- delete-initialization, *LISP* 28-5
- name: delete-namespace, *TOOLS* 32-58
- name: delete-object, *TOOLS* 32-59
- delete-package, *LISP* 5-11
- net: delete-server-for-medium, *NET* 6-12
- delete-setf-method, *LISP* 2-22
- deletf, *LISP* A-7
- delq, *LISP* A-7
- denominator, *LISP* 3-16
- sys: dep-compile-if, *LISP* 23-29
- sys: dep-compile-load-if, *LISP* 23-29
- deposit-byte, *LISP* A-7
- deposit-field, *LISP* 3-24
- describe, *TOOLS* 25-2
- describe-area, *LISP* 25-8
- describe-defstruct, *LISP* 10-18
- describe-flavor, *LISP* 19-12
- describe-package, *LISP* 5-19
- sys: describe-partition, *IO* 6-11
- fs: describe-pathname, *IO* 2-22
- describe-region, *LISP* 25-8
- w: describe-servers, *WIN* 18-18
- w: deselect-and-maybe-bury-window, *WIN* 6-3
- math: determinant, *LISP* 7-20
- w: determinant, *WIN* 12-39
- difference, *LISP* A-7
- digit-char, *LISP* 4-12

- digit-char-p, *LISP* 4-15
 - directory, *IO* 3-21
 - fs: directory-list, *IO* 3-21
 - fs: directory-list-stream, *IO* 3-22
 - directory-namestring, *IO* 2-21
 - dired, *ZMACS* 2-3
 - chaos: disable, *NET* 5-27
 - meter: disable, *TOOLS* 27-25
 - fs: disable-capabilities, *NET* 3-4
 - disassemble, *LISP* 22-1
 - sys: disk-restore, *IO* 6-20
 - disk-save, *IO* 6-24; *LISP* 23-26
 - dispatch, *LISP* 14-5
 - displace, *LISP* 18-13
 - displaced-array-p, *LISP* 7-8
 - tree: display, *TOOLS* 11-4
 - w: display-font, *WIN* 9-8
 - ucl: display-some-commands, *TOOLS* 7-36
 - w: dist, *WIN* 12-36
 - gwin: dist-from-rectangle, *WIN* 12-36
 - gwin: dist-from-segment, *WIN* 12-36
 - name: distribute-namespace, *NET* 4-18, 4-42; *TOOLS* 32-70
 - do, *LISP* 14-8
 - do*, *LISP* 14-8
 - do*-named, *LISP* A-8
 - do-all-packages, *LISP* 5-18
 - do-all-symbols, *LISP* 5-17
 - do-external-symbols, *LISP* 5-17
 - do-forever, *LISP* A-7
 - do-local-external-symbols, *LISP* A-7
 - do-local-symbols, *LISP* 5-16
 - do-named, *LISP* A-8
 - w: do-sound, *WIN* 18-7
 - do-symbols, *LISP* 5-16
 - documentation, *TOOLS* 25-18
 - dolist, *LISP* 14-10
 - dont-optimize, *LISP* 21-8
 - dotimes, *LISP* 14-10
 - double-float, *LISP* 3-14
 - w: download-color-lut-buffer, *WIN* 19-12
 - dpb, *LISP* 3-24
 - sys: %draw-char, *WIN* A-11
 - tv: draw-char, *WIN* A-11
 - w: draw-char, *WIN* 7-7
 - w: draw-char-down, *WIN* 7-7
 - w: draw-char-up, *WIN* 7-7
 - sys: %draw-character, *WIN* 12-33
 - sys: %draw-filled-raster-line, *WIN* A-12
 - sys: %draw-filled-triangle, *WIN* A-12
 - w: draw-icon, *WIN* 14-8
 - sys: %draw-line, *WIN* 12-33, A-12
 - sys: %draw-rectangle, *WIN* 12-33, A-11
 - tv: %draw-rectangle-clipped, *WIN* A-11
 - tv: %draw-rectangle-inside-clipped, *WIN* A-11
 - w: draw-rectangular-border, *WIN* 3-4
 - sys: %draw-shaded-raster-line, *WIN* 12-33
 - sys: %draw-shaded-triangle, *WIN* 12-34
 - sys: %draw-triangle, *WIN* A-12
 - dribble, *TOOLS* 25-17
 - dribble-all, *TOOLS* 25-17
 - dribble-end, *TOOLS* 25-17
 - dribble-start, *TOOLS* 25-17
 - dump-forms-to-file, *LISP* 21-16
 - syslog: dump-log, *IO* 6-46
 - sys: dump-warnings, *LISP* 21-11
- ## E
- ecase, *LISP* 20-7
 - ed, *ZMACS* 2-2
 - sys: edit-disk-label, *IO* D-1
 - zwei: edstring, *ZMACS* 4-6
 - eh, *TOOLS* 13-2
 - eh-arg, *TOOLS* 13-8
 - eh-fun, *TOOLS* 13-9
 - eh-loc, *TOOLS* 13-9
 - eh-val, *TOOLS* 13-9
 - eighth, *LISP* 6-9
 - elt, *LISP* 9-3
 - chaos: enable, *NET* 5-27, 7-2
 - dna: enable, *NET* 7-3
 - ip: enable, *NET* 7-3
 - meter: enable, *TOOLS* 27-24
 - fs: enable-capabilities, *NET* 3-3
 - sys: encapsulate, *LISP* 16-33
 - sys: encapsulation-body, *LISP* 16-35
 - encode-universal-time, *LISP* 24-7
 - sys: end-training-session, *LISP* 25-19
 - endp, *LISP* 6-26
 - enough-namestring, *IO* 2-22
 - eq, *LISP* 14-18
 - eql, *LISP* 14-18
 - equal, *LISP* 14-19
 - equalp, *LISP* 14-19
 - mt: erase, *IO* 8-11
 - error, *LISP* 20-3
 - error-restart, *LISP* 20-23
 - error-restart-if, *LISP* 20-24
 - error-restart-loop, *LISP* 20-24
 - errorp, *LISP* 20-9
 - errset, *LISP* 20-10
 - sys: estimate-dump-size, *IO* 6-25
 - etypecase, *LISP* 12-10, 20-6
 - eval, *LISP* 16-19, A-19
 - sys: *eval, *LISP* 16-20
 - sys: eval-abort-trivial-errors, *LISP* 20-10
 - chaos: eval-server-on, *NET* 3-16
 - eval-when, *LISP* 14-5
 - sys: eval1, *LISP* A-8

- evalhook, *TOOLS* 20-1
 - evenp, *LISP* 3-27
 - every, *LISP* 9-17, *A*-19
 - exp, *LISP* 3-10
 - tree: expand-contract-with-redraw, *TOOLS* 11-13
 - fs: expand-file-system, *IO* 6-8
 - tree: expand-node-with-redraw, *TOOLS* 11-12
 - export, *LISP* 5-15
 - w: expose-window-near, *WIN* 5-14
 - expt, *LISP* 3-10
 - fs: expunge-directory, *IO* 3-23
 - fs: extract-attribute-bindings, *IO* 3-16
 - fs: extract-attribute-list, *IO* 3-14
- F**
- false, *LISP* 16-23
 - compiler: fasd-file-symbols-properties, *LISP* 21-16
 - compiler: fasd-font, *LISP* 21-16
 - compiler: fasd-symbol-value, *LISP* 21-16
 - fasload, *IO* 3-12
 - chaos: fast-answer-string, *NET* 5-19
 - fboundp, *LISP* 16-37
 - fceiling, *LISP* 3-16
 - fdefine, *LISP* 16-24
 - fdefinedp, *LISP* 16-26
 - fdefinition, *LISP* 16-26
 - fed, *TOOLS* 12-12
 - ferror, *LISP* 20-3
 - ffloor, *LISP* 3-16
 - fifth, *LISP* 6-9
 - fs: file-attribute-bindings, *IO* 3-15
 - fs: file-attribute-list, *IO* 3-14
 - file-author, *IO* 3-11
 - file-length, *IO* 3-11
 - file-namestring, *IO* 2-21
 - sys: file-operation-with-warnings, *LISP* 21-18
 - file-position, *IO* 3-11
 - fs: file-properties, *IO* 3-18
 - file-write-date, *IO* 3-10
 - fill, *LISP* 9-6
 - math: fill-2d-array, *LISP* 7-20
 - fill-pointer, *LISP* 7-15
 - tree: fill-window, *TOOLS* 11-13
 - fillarray, *LISP* 7-10
 - find, *LISP* 9-11
 - find-all-symbols, *LISP* 5-17
 - gwin: find-corresponding-y, *WIN* 12-39
 - sys: find-disk-partition, *IO* 6-12
 - sys: find-disk-partition-for-read, *IO* 6-13
 - sys: find-disk-partition-for-write, *IO* 6-14
 - chaos: find-hosts-or-lispms-logged-in-as-user, *NET* 3-18
 - find-if, *LISP* 9-11
 - find-if-not, *LISP* 9-11
 - net: find-logical-contact-name, *NET* 6-13
 - net: find-medium, *NET* 6-12
 - find-package, *LISP* 5-18
 - find-position-in-list, *LISP* A-8
 - find-position-in-list-equal, *LISP* A-8
 - find-process, *TOOLS* 27-24
 - w: find-process-in-error, *WIN* 18-3
 - net: find-service-implementation, *NET* 6-15
 - net: find-stream-type, *NET* 6-15
 - find-symbol, *LISP* 5-14
 - w: find-window-of-flavor, *WIN* 8-25
 - finger, *NET* 3-17
 - chaos: finish-conn, *NET* 5-23
 - finish-output, *IO* 5-9
 - first, *LISP* 6-9
 - firstn, *LISP* 6-14
 - fix, *LISP* A-8
 - time: fixnum-microsecond-time, *TOOLS* 27-40
 - fixnump, *LISP* 3-26
 - fixp, *LISP* A-9
 - fixr, *LISP* A-9
 - sys: flavor-allowed-init-keywords, *LISP* 19-12
 - flavor-allows-init-keyword-p, *LISP* 19-12
 - flet, *LISP* 16-27
 - float, *LISP* 3-14, *A*-19
 - float-digits, *LISP* 3-17
 - float-precision, *LISP* 3-17
 - float-radix, *LISP* 3-17
 - float-sign, *LISP* 3-17
 - floatp, *LISP* 3-26
 - floor, *LISP* 3-15
 - w: flush-full-screen-borders, *WIN* 3-4
 - name: flush-namespace, *TOOLS* 32-70
 - fmakunbound, *LISP* 2-9
 - w: font-baseline, *WIN* 9-11
 - w: font-blinker-height, *WIN* 9-11
 - w: font-blinker-width, *WIN* 9-11
 - w: font-char-height, *WIN* 9-11
 - w: font-char-width, *WIN* 9-11
 - w: font-char-width-table, *WIN* 9-12
 - w: font-chars-exist-table, *WIN* 9-13
 - w: font-evaluate, *WIN* 9-5
 - w: font-indexing-table, *WIN* 9-14
 - w: font-left-kern-table, *WIN* 9-12
 - w: font-name, *WIN* 9-11
 - w: font-raster-height, *WIN* 9-14
 - w: font-raster-width, *WIN* 9-14
 - w: font-rasters-per-word, *WIN* 9-14
 - w: font-words-per-char, *WIN* 9-14
 - name: force-local-server-boot, *TOOLS* 32-71
 - force-output, *IO* 5-9

- name: foreign-namespace, *TOOLS* 32-70
 format, *IO* 5-10; *LISP* A-20
- name: format-objects, *TOOLS* 32-68
- chaos: forward-all, *NET* 5-19
 fourth, *LISP* 6-9
 fquery, *IO* 5-27
 fresh-line, *IO* 5-9
 fround, *LISP* 3-16
 fset, *LISP* A-9
 fset-carefully, *LISP* A-9
 fsignal, *LISP* 20-8
 fsymeval, *LISP* A-9
 ftruncate, *LISP* 3-16
 full-gc, *LISP* 25-15
 funcall, *LISP* 16-21
 funcall-self, *LISP* A-9
 funcall-with-mapping-table,
LISP 19-9
 function, *LISP* 16-23
 function-cell-location, *LISP* 29-2
 function-name, *LISP* 16-31
 sys: function-parent, *LISP* 16-27
- compiler: function-referenced, *LISP* 21-12
 sys: function-spec-get, *LISP* 16-26
 sys: function-spec-lessp, *LISP* 16-27
 sys: function-spec-putprop, *LISP* 16-26
 functionp, *LISP* 16-37
 fundefine, *LISP* 16-26
- ## G
- g-l-p, *LISP* 7-10
 gc-and-disk-save, *LISP* 25-17
 gc-immediately, *LISP* 25-15
 gc-off, *LISP* 25-18
 gc-on, *LISP* 25-18
 gc-status, *LISP* 25-14
 gcd, *LISP* 3-9
- ged: ged, *TOOLS* 10-4
 gensym, *LISP* 2-7
 gentemp, *LISP* 2-8
 get, *LISP* 2-10
 sys: get-all-source-file-names,
LISP 16-25
- name: get-attribute-list, *TOOLS* 32-68
 name: get-attribute-value, *TOOLS* 32-68
 w: get-color-lut-buffer, *WIN* 19-12
 ucl: get-command, *TOOLS* 7-36
 sys: get-debug-info-field, *LISP* 16-30
 sys: get-debug-info-struct, *LISP* 16-29
 get-decoded-time, *LISP* 24-2
 get-default-image-printer, *IO* 7-1
 get-default-printer, *IO* 7-1
 get-dispatch-macro-character, *IO*
 4-21
 w: get-display-type, *WIN* 19-2
- printer: get-gray-scale-value, *WIN* 19-22
 get-handler-for, *LISP* 19-12
- name: get-hidden-property, *TOOLS* 32-69
 net: get-host-attribute, *NET* 4-44
 get-internal-real-time, *LISP* 24-2
 get-internal-run-time, *LISP* 24-2
 get-macro-character, *IO* 4-20
- chaos: get-next-pkt, *NET* 5-24
 get-output-stream-string, *IO* 1-4
 sys: get-pack-host-name, *IO* 6-14
 sys: get-pack-name, *IO* 6-14
- chaos: get-pkt, *NET* 5-22
 get-pname, *LISP* A-9
 get-printer-device, *IO* 7-4
 get-properties, *LISP* 6-25
 sys: get-resource-structure, *LISP* 25-27
 get-setf-method, *LISP* 2-22
 get-setf-method-multiple-value,
LISP 2-23
- net: get-site-option, *NET* 4-44
 sys: get-source-file-name, *LISP* 16-25
 w: get-standard-font, *WIN* 9-6
 sys: get-system-version, *LISP* 23-22
 sys: get-ucode-version-from-comment,
IO 6-14
 sys: get-ucode-version-of-band, *IO* 6-15
 get-universal-time, *LISP* 24-2
- net: get-user-attribute, *NET* 4-44
 w: get-visibility-of-all-sheets-blinkers,
WIN 10-5
- getf, *LISP* 6-25
 gethash, *LISP* 11-2
 getl, *LISP* 2-11
- gloss: glossary, *TOOLS* 5-2
 go, *LISP* 14-13
 graphic-char-p, *LISP* 4-14
 greaterp, *LISP* A-9
- tree: grind-item, *TOOLS* 11-12
 grindef, *LISP* A-10
- ## H
- haipart, *LISP* 3-23
- net: halt, *NET* 5-27
 hash-table-count, *LISP* 11-4
 hash-table-p, *LISP* 11-2
 hash-table-rehash-size, *LISP* 11-2
 hash-table-rehash-threshold,
LISP 11-2
 hash-table-size, *LISP* 11-2
 hash-table-test, *LISP* 11-2
 haulong, *LISP* 3-23
- ucl: help-menu, *TOOLS* 7-38
 host-namestring, *IO* 2-22
- net: host-status, *NET* 7-1
- ## I
- identity, *LISP* 16-22;
TOOLS 25-20
- w: idle-lisp-listener, *WIN* 18-10
 if, *LISP* 14-1
 ignore, *LISP* 16-22
 ignore-errors, *LISP* 20-9

imagpart, *LISP* 3-16
 import, *LISP* 5-14
 in-package, *LISP* 5-10
 incf, *LISP* 3-9
 increment, *LISP* 18-9
 sys: inhibit-gc-flips, *LISP* 25-20
 inhibit-style-warnings, *LISP* 21-11
 fs: init-file-pathname, *IO* 2-22
 initializations, *LISP* 28-5
 initialize-cfg-partition, *IO* 6-38
 fs: initialize-file-system, *IO* 6-7
 name: initialize-name-service, *NET* 4-42;
 TOOLS 32-71
 sugg: initialize-suggestions-for-application,
 TOOLS 9-9
 time: initialize-timebase, *LISP* 24-7
 dox: initialize-visidoc-server,
 TOOLS 35-8
 input-stream-p, *IO* 1-6
 mail: insert-address-list, *TOOLS* 31-51
 mail: insert-default-header-fields,
 TOOLS 31-50
 mail: insert-header-field, *TOOLS* 31-50
 inspect, *TOOLS* 15-1
 inspect*, *TOOLS* 15-1
 inspect-flavor, *TOOLS* 16-1
 install-new-program, *IO* 8-12
 instancep, *LISP* 19-8
 instantiate-flavor, *LISP* 19-7
 int-char, *LISP* 4-13
 integer-decode-float, *LISP* 3-17
 integer-length, *LISP* 3-23
 integerp, *LISP* 3-26
 intern, *LISP* 5-12
 intern-local, *LISP* 5-13
 intern-soft, *LISP* A-10
 chaos: interrupt-function, *NET* 5-26
 intersection, *LISP* 6-21, A-20
 zwei: interval-stream, *IO* 1-14
 math: invert-matrix, *LISP* 7-19
 eh: invoke-resume-handler,
 LISP 20-22
 w: io-buffer-clear, *WIN* 8-15
 w: io-buffer-empty-p, *WIN* 8-14
 w: io-buffer-full-p, *WIN* 8-14
 w: io-buffer-get, *WIN* 8-15
 w: io-buffer-input-function, *WIN* 8-13
 w: io-buffer-input-pointer, *WIN* 8-13
 w: io-buffer-last-input-process,
 WIN 8-14
 w: io-buffer-last-output-process,
 WIN 8-14
 w: io-buffer-output-function,
 WIN 8-13
 w: io-buffer-output-pointer, *WIN* 8-13
 w: io-buffer-plist, *WIN* 8-14
 w: io-buffer-push, *WIN* 8-15
 w: io-buffer-put, *WIN* 8-15
 w: io-buffer-record, *WIN* 8-14

w: io-buffer-record-pointer, *WIN* 8-14
 w: io-buffer-size, *WIN* 8-13
 w: io-buffer-state, *WIN* 8-14
 w: io-buffer-unget, *WIN* 8-15
 isqrt, *LISP* 3-11

K

w: kbd-asynchronous-intercept-charac-
 ter, *WIN* 8-21
 w: kbd-char-typed-p, *WIN* 8-17
 w: kbd-default-output-function,
 WIN 8-16
 w: kbd-intercept-abort, *WIN* 8-18
 w: kbd-intercept-abort-all, *WIN* 8-18
 w: kbd-intercept-break, *WIN* 8-18
 w: kbd-intercept-error-break,
 WIN 8-18
 w: kbd-io-buffer-get, *WIN* 8-16
 w: kbd-snarf-input, *WIN* 8-17
 w: kbd-wait-for-input-or-deexposure,
 WIN 8-17
 w: kbd-wait-for-input-with-timeout,
 WIN 8-17
 w: key-state, *WIN* 8-25
 keywordp, *LISP* 2-24
 kill-package, *LISP* 5-11
 rpc: kill-server-process, *NET* B-10

L

labels, *LISP* 16-28
 lambda, *LISP* 16-10
 last, *LISP* 6-10
 lcm, *LISP* 3-10
 ldb, *LISP* 3-24
 ldb-test, *LISP* 3-24
 ldiff, *LISP* 6-14
 time: leap-year-p, *LISP* 24-8
 length, *LISP* 9-4
 lessp, *LISP* A-10
 let, *LISP* 2-12
 let*, *LISP* 2-13
 let-closed, *LISP* 17-5
 let-globally, *LISP* 2-13
 let-globally-if, *LISP* 2-13
 let-if, *LISP* 2-13
 lexpr-continue-whopper,
 LISP 19-31
 lexpr-funcall, *LISP* A-10
 lexpr-funcall-self, *LISP* A-9
 lexpr-funcall-with-mapping-table,
 LISP 19-9
 lexpr-send, *LISP* 16-21
 gwin: lines-intersect-p, *WIN* 12-37
 lisp-implementation-type,
 TOOLS 25-19
 lisp-implementation-version,
 TOOLS 25-19
 lisp-mode, *LISP* 1-5

- sys: lisp-reinitialize, *TOOLS* 26-1
 - sys: lisp-top-level, *TOOLS* 26-1
 - sys: lisp-top-level1, *TOOLS* 26-1
 - list, *LISP* 6-10
 - list*, *LISP* 6-10
 - list*-in-area, *LISP* 6-11, 25-6
 - math: list-2d-array, *LISP* 7-19
 - list-all-packages, *LISP* 5-18
 - list-array-leader, *LISP* 7-11
 - mt: list-contents, *IO* 8-11
 - list-in-area, *LISP* 6-11, 25-6
 - name: list-known-namespaces, *TOOLS* 32-53
 - list-length, *LISP* 6-9
 - name: list-namespace-search-rules, *TOOLS* 32-53
 - name: list-object, *TOOLS* 32-63
 - name: list-object-and-aliases, *TOOLS* 32-67
 - name: list-objects-from-properties, *TOOLS* 32-66
 - list-printers, *IO* 7-2
 - listarray, *LISP* 7-10
 - chaos: listen, *NET* 5-18
 - listen, *IO* 4-23
 - net: listen-for-connection-on-medium, *NET* 6-11
 - listf, *IO* 3-23
 - listp, *LISP* 6-26, A-20
 - fs: lm-salvage, *IO* 6-9
 - load, *IO* 3-11
 - load-and-save-patches, *LISP* 23-25
 - load-byte, *LISP* A-10
 - mt: load-distribution-tape, *IO* 8-11
 - sys: load-if, *LISP* 23-28
 - load-patches, *LISP* 23-23
 - name: load-personal-namespace, *TOOLS* 32-54
 - gwin: load-picture, *WIN* 12-39
 - zwei: load-tab-stop-buffer, *ZMACS* 4-4
 - local-declare, *LISP* A-10
 - eh: local-name, *LISP* 16-32
 - locally, *LISP* 13-3
 - locate-in-closure, *LISP* 17-4
 - locate-in-instance, *LISP* 19-12
 - location-boundp, *LISP* 29-2
 - location-makunbound, *LISP* 29-3
 - locativep, *LISP* 29-2
 - locf, *LISP* 29-1
 - w: lock-sheet, *WIN* 5-18
 - log, *LISP* 3-10
 - logand, *LISP* 3-18
 - logandc1, *LISP* 3-19
 - logandc2, *LISP* 3-19
 - logbitp, *LISP* 3-21
 - logcount, *LISP* 3-22
 - logeqv, *LISP* 3-18
 - login, *INTRO* 4-10
 - details on login-init file, *TOOLS* 3-1
 - login-eval, *TOOLS* 3-3
 - login-define, *TOOLS* 3-3
 - login-forms, *TOOLS* 3-2
 - login-setq, *TOOLS* 3-2
 - logior, *LISP* 3-18
 - lognand, *LISP* 3-19
 - lognor, *LISP* 3-19
 - lognot, *LISP* 3-18
 - logorc1, *LISP* 3-19
 - logorc2, *LISP* 3-19
 - logout, *INTRO* 4-11
 - logtest, *LISP* 3-21
 - logxor, *LISP* 3-18
 - long-site-name, *TOOLS* 25-20
 - name: lookup-attribute-value, *TOOLS* 32-64
 - name: lookup-object, *TOOLS* 32-62
 - name: lookup-object-and-aliases, *TOOLS* 32-66
 - name: lookup-objects-from-properties, *TOOLS* 32-64
 - loop, *LISP* 14-8
 - loop-finish, *LISP* 15-12
 - sys: loop-named-variable, *LISP* 15-23
 - sys: loop-tassoc, *LISP* 15-23
 - sys: loop-tequal, *LISP* 15-23
 - sys: loop-tmember, *LISP* 15-23
 - ucl: looping-through-command-tables, *TOOLS* 7-38
 - lower-case-p, *LISP* 4-14
 - lsh, *LISP* 3-22
- ## M
- machine-instance, *TOOLS* 25-19
 - machine-type, *TOOLS* 25-19
 - machine-version, *TOOLS* 25-19
 - macro, *LISP* 18-3
 - macro-function, *LISP* 18-7
 - macroexpand, *LISP* 18-13
 - macroexpand-1, *LISP* 18-13
 - macroexpand-all, *LISP* 18-14
 - macrolet, *LISP* 18-11
 - make-area, *LISP* 25-7
 - make-array, *LISP* 7-4
 - make-array-into-named-structure, *LISP* 10-18
 - w: make-blinker, *WIN* 10-2
 - make-broadcast-stream, *IO* 1-3
 - make-char, *LISP* 4-11
 - w: make-color-map, *WIN* 19-10
 - make-command, *TOOLS* 7-12
 - make-concatenated-stream, *IO* 1-3
 - make-condition, *CONC* 3-2; *LISP* 20-33
 - rpc: make-cred-verifier, *NET* B-11

- w: make-default-io-buffer, WIN 8-16
- make-dispatch-macro-character, IO 4-21
- make-echo-stream, IO 1-3
- make-equal-hash-table, LISP A-10
- w: make-font-purpose, WIN 9-6
- w: make-gray, WIN 12-26
- make-hash-table, LISP 11-1, A-20
- make-instance, LISP 19-6
- w: make-io-buffer, WIN 8-15
- make-list, LISP 6-10
- fs: make-logical-pathname-host, IO 2-42
- compiler: make-obsolete, LISP 21-13
- make-package, LISP 5-10
- sys: make-parallel-stream, IO 1-20
- make-pathname, IO 2-20
- fs: make-pathname-defaults, IO 2-17
- make-pixel-array, LISP A-10
- make-plane, LISP 7-21
- make-process, LISP 27-2
- make-random-state, LISP 3-25
- mt: make-reel-mt-stream, IO B-1
- make-sequence, LISP 9-4
- sys: make-serial-stream, IO 1-16
- rpc: make-server-process, NET B-7
- w: make-sheet-bit-array, WIN 12-25
- w: make-simple-icon, WIN 14-7
- rpc: make-spec, NET B-3
- gwin: make-sprite-from-objects, WIN 12-40
- make-stack-group, LISP 26-5
- chaos: make-stream, NET 5-20
- make-string, LISP 8-5
- make-string-input-stream, IO 1-3
- make-string-output-stream, IO 1-4
- make-symbol, LISP 2-7
- make-syn-stream, LISP A-10
- make-synonym-stream, IO 1-3
- make-system, LISP 23-15
- :compile option, CONC 4-11—4-12
- :reload option, CONC 4-12
- compiler: make-variable-obsolete, LISP 21-13
- makunbound, LISP 2-8
- makunbound-globally, LISP 2-9
- makunbound-in-closure, LISP 17-4
- map, LISP 9-5, A-21
- w: map-over-exposed-sheet, WIN 5-5, 5-6
- w: map-over-sheet, WIN 5-6
- w: map-over-sheets, WIN 5-6
- map-resource, LISP 25-26
- mapatoms, LISP 5-17
- mapatoms-all, LISP 5-17
- mapc, LISP 14-10
- mapcan, LISP 14-10
- mapcar, LISP 14-10
- mapcon, LISP 14-10
- maphash, LISP 11-3
- maphash-return, LISP 11-3
- mapl, LISP 14-10
- maplist, LISP 14-10
- printer: mapping-table-builder, IO C-3
- mar-mode, TOOLS 23-2
- w: margin-region-area, WIN 3-10
- w: margin-region-bottom, WIN 3-10
- w: margin-region-function, WIN 3-10, 3-11—3-12
- w: margin-region-left, WIN 3-10
- w: margin-region-margin, WIN 3-10
- w: margin-region-right, WIN 3-10
- w: margin-region-size, WIN 3-10
- w: margin-region-top, WIN 3-10
- mask-field, LISP 3-24
- max, LISP 3-7
- chaos: may-transmit, NET 5-23
- sys: measured-size-of-partition, IO 6-15
- mem, LISP A-11
- memass, LISP A-11
- member, LISP 6-20, A-21
- member-if, LISP 6-20
- member-if-not, LISP 6-20
- memq, LISP A-11
- tv: menu-choose, WIN A-13
- w: menu-choose, WIN 14-11
- w: menu-compute-geometry, WIN 14-30
- merge, LISP 9-16
- fs: merge-and-set-pathname-defaults, IO 2-20
- fs: merge-pathname-defaults, IO 2-19
- merge-pathnames, IO 2-19
- w: merge-shift-keys, WIN 11-5
- meter, TOOLS 27-7
- meter-analyze, TOOLS 27-8—27-23
- mexp, LISP 18-15
- time: microsecond-time, LISP 24-2; TOOLS 27-40
- time: microsecond-time-difference, TOOLS 27-40
- min, LISP 3-7
- minus, LISP A-11
- minusp, LISP 3-27
- mismatch, LISP 9-13
- mod, LISP 3-9
- modify-hash, LISP 11-4
- meter: modify-histogram, TOOLS 27-44
- time: month-length, LISP 24-7
- time: month-string, LISP 24-8
- w: mouse-buttons, WIN 11-5
- w: mouse-call-system-menu, WIN 11-16
- w: mouse-character-button-encode, WIN 11-5
- w: mouse-confirm, WIN 14-16
- w: mouse-default-handler, WIN 11-13

- w: mouse-define-blinker-type, WIN 11-18
 - w: mouse-discard-clickahead, WIN 11-3
 - w: mouse-get-blinker, WIN 11-19
 - w: mouse-input, WIN 11-12
 - w: mouse-save-image, WIN 12-27
 - w: mouse-select, WIN 11-16
 - w: mouse-set-blinker, WIN 11-17
 - w: mouse-set-blinker-cursorpos, WIN 11-13
 - w: mouse-set-blinker-definition, WIN 11-19
 - w: mouse-set-sheet, WIN 11-2
 - w: mouse-set-sheet-then-call, WIN 11-2
 - w: mouse-set-window-position, WIN 11-11
 - w: mouse-set-window-size, WIN 11-11
 - w: mouse-specify-rectangle, WIN 11-10
 - w: mouse-standard-blinker, WIN 11-17
 - w: mouse-wait, WIN 11-9
 - w: mouse-wakeup, WIN 11-8
 - w: mouse-warp, WIN 11-2
 - w: mouse-y-or-n-p, WIN 14-16
 - tree: move-to-front, TOOLS 11-13
 - tv: multicolumn-menu-choose, WIN A-20
 - w: multicolumn-menu-choose, WIN 14-14
 - w: multiple-choose, WIN 14-34
 - tv: multiple-menu-choose, WIN A-21
 - w: multiple-menu-choose, WIN 14-15
 - multiple-value, LISP A-11
 - multiple-value-bind, LISP 16-16
 - multiple-value-call, LISP 16-17
 - multiple-value-list, LISP 16-17
 - multiple-value-prog1, LISP 16-17
 - multiple-value-setq, LISP 16-17
 - math: multiply-matrices, LISP 7-19
- N**
- name-char, LISP 4-11
 - named-lambda, LISP 16-10
 - named-structure-invoke, LISP A-21
 - sys: named-structure-invoke, LISP 10-19
 - named-structure-p, LISP 10-18
 - named-subst, LISP 16-11
 - name: namespace-classes, TOOLS 32-68
 - name: namespace-has-cache, TOOLS 32-69
 - name: namespace-summary, TOOLS 32-67
- namestring, IO 2-21
 - nbutlast, LISP 6-16
 - nconc, LISP 6-16
 - ncons, LISP A-11
 - ncons-in-area, LISP A-11
 - gwin: nearest-circle-pt, WIN 12-36
 - gwin: nearest-pt-on-arc, WIN 12-36
 - gwin: nearest-rectangle-pt, WIN 12-36
 - gwin: nearest-triangle-pt, WIN 12-36
 - neq, LISP 14-18
 - new-user, TOOLS 1-1
 - nintersection, LISP 6-21, A-20
 - ninth, LISP 6-9
 - nleft, LISP 6-14
 - nlistp, LISP A-21
 - w: noise, WIN 18-7
 - not, LISP 14-20
 - notany, LISP 9-17
 - notevery, LISP 9-17
 - chaos: notify, NET 3-24
 - w: notify, WIN 18-1
 - chaos: notify-all-lms, NET 3-24
 - nreconc, LISP 6-17
 - nreverse, LISP 9-6
 - nset-difference, LISP 6-22
 - nset-exclusive-or, LISP 6-22
 - nstring-capitalize, LISP 8-7
 - nstring-downcase, LISP 8-7
 - nstring-upcase, LISP 8-7
 - nsublis, LISP 6-20
 - nsubst, LISP 6-20
 - nsubst-if, LISP 6-20
 - nsubst-if-not, LISP 6-20
 - nsubstitute, LISP 9-9
 - nsubstitute-if, LISP 9-10
 - nsubstitute-if-not, LISP 9-10
 - nsubstring, LISP 8-7
 - nsymbolp, LISP 2-24
 - nth, LISP 6-9
 - nth-safe, LISP 6-8
 - nth-value, LISP 16-17
 - nthcdr, LISP 6-7
 - nthcdr-safe, LISP 6-8
 - null, LISP 6-26
 - numberp, LISP 3-26
 - numerator, LISP 3-16
 - nunion, LISP 6-21, A-22
 - sys: nvram-default-unit, IO 6-5
- O**
- sys: object-operation-with-warnings, LISP 21-18
 - oddp, LISP 3-27
 - gwin: off-window, WIN 12-37
 - mt: offset-test, IO 8-16
 - once-only, LISP 18-11
 - open, IO 3-2

w: open-all-sheets-blinkers, *WIN* 10-5
w: open-blinker, *WIN* 10-4
net: open-connection-on-medium,
NET 6-10
chaos: open-foreign-connection,
NET 5-17
chaos: open-stream, *NET* 5-20
compiler: optimize-pattern, *LISP* 21-14
or, *LISP* 14-21
output-stream-p, *IO* 1-6

P

package-auto-export-p, *LISP* 5-15
package-external-symbols,
LISP 5-15
package-name, *LISP* 5-17
package-nicknames, *LISP* 5-17
package-prefix-print-name,
LISP 5-17
package-shadowing-symbols,
LISP 5-16
package-use-list, *LISP* 5-15
package-used-by-list, *LISP* 5-15
packagep, *LISP* 5-19
sys: page-in-area, *LISP* 25-3
sys: page-in-array, *LISP* 25-2
sys: page-in-region, *LISP* 25-3
sys: page-in-structure, *LISP* 25-2
sys: page-in-words, *LISP* 25-3
sys: page-out-area, *LISP* 25-12
sys: page-out-array array, *LISP* 25-12
sys: page-out-pixel-array array,
LISP 25-12
sys: page-out-region, *LISP* 25-12
sys: page-out-structure, *LISP* 25-12
sys: page-out-words, *LISP* 25-12
pairlis, *LISP* 6-23
tree: pan-window, *TOOLS* 11-13
time: parse, *LISP* 24-5
parse-body, *LISP* 18-14
parse-integer, *IO* 4-24
time: parse-interval-or-never, *LISP* 24-6
parse-namestring, *IO* 2-18
fs: parse-pathname, *IO* 2-18
time: parse-universal-time, *LISP* 24-6
sys: partition-comment, *IO* 6-15
sys: partition-list, *IO* 6-15
pathname, *IO* 2-18
pathname-device, *IO* 2-9
pathname-directory, *IO* 2-9
pathname-host, *IO* 2-9
pathname-name, *IO* 2-9
fs: pathname-plist, *IO* 2-22
fs: pathname-raw-device, *IO* 2-10
fs: pathname-raw-directory, *IO* 2-10
fs: pathname-raw-host, *IO* 2-10
fs: pathname-raw-name, *IO* 2-10
fs: pathname-raw-type, *IO* 2-10

fs: pathname-raw-version, *IO* 2-10
pathname-type, *IO* 2-9
pathname-version, *IO* 2-9
pathnamep, *IO* 2-9
peek, *TOOLS* 17-1
peek-char, *IO* 4-23
phase, *LISP* 3-11
mt: pick-drive, *IO* 8-12
pixel-array-height, *LISP* A-12
pixel-array-width, *LISP* A-12
pkg-bind, *LISP* 5-12
pkg-find-package, *LISP* 5-18
pkg-goto, *LISP* 5-12
pkg-goto-globally, *LISP* 5-12
chaos: pkt-link, *NET* 5-26
chaos: pkt-nbytes, *NET* 5-22
chaos: pkt-opcode, *NET* 5-22
chaos: pkt-string, *NET* 5-22
plane-aref, *LISP* 7-21
plane-aset, *LISP* 7-21
plane-default, *LISP* 7-21
plane-extension, *LISP* 7-21
plane-origin, *LISP* 7-21
plane-ref, *LISP* 7-21
plane-store, *LISP* 7-21
w: play, *WIN* 18-9
plist, *LISP* A-12
plus, *LISP* A-12
plusp, *LISP* 3-27
gwin: point-in-extents-p, *WIN* 12-37
gwin: point-in-polygon-p, *WIN* 12-37
pop, *LISP* 6-13
ucl: pop-up-command-menu,
TOOLS 7-36
zwei: pop-up-edstring, *WIN* 18-12
position, *LISP* 9-11
position-if, *LISP* 9-12
position-if-not, *LISP* 9-12
w: position-window-next-to-rectangle,
WIN 5-14
sys: pprin1, *IO* 5-8
sys: pprinc, *IO* 5-8
pprint, *IO* 5-8
pprint-def, *IO* 5-8
mail: preload-mail-file, *TOOLS* 31-51
w: prepare-sheet, *WIN* 12-32
mt: prepare-tape, *IO* 8-12
w: preserve-substitute-status, *WIN* 6-9
prin1, *IO* 5-8
prin1-to-string, *IO* 5-8
princ, *IO* 5-8
princ-to-string, *IO* 5-8
print, *IO* 5-8
chaos: print-all-pkts, *NET* 5-27
sys: print-available-bands, *IO* 6-16
print-bitmap, *IO* 7-9
print-bitmap-and-wait, *IO* 7-9

- time: print-brief-universal-time,
LISP 24-4
- print-cfg-partition, IO 6-39
- chaos: print-conn, NET 5-27
- time: print-current-date, LISP 24-4
- time: print-current-time, LISP 24-3
- time: print-date, LISP 24-4
- print-disk-label, IO 6-10
- sys: print-disk-type-table, IO 6-16
- print-file, IO 7-6
- print-file-and-wait, IO 7-7
- print-graphics, IO 7-10
- print-herald, IO 6-9
- time: print-interval-or-never, LISP 24-6
- print-login-history, LISP 23-27
- mail: print-mail-queue, TOOLS 31-46
- print-notifications, NET 3-24
- w: print-notifications, WIN 18-2
- sys: print-partition-user-types, IO 6-1,
6-11
- chaos: print-pkt, NET 5-27
- print-stream, IO 7-7
- print-system-modifications,
LISP 23-21
- time: print-time, LISP 24-4
- time: print-universal-date, LISP 24-4
- time: print-universal-time, LISP 24-4
- probe-file, IO 3-10
- probef, LISP A-12
- process-allow-schedule, LISP 27-13
- process-disable, LISP 27-9
- process-enable, LISP 27-9
- process-initial-form, LISP 27-9
- process-initial-stack-group,
LISP 27-9
- process-lock, LISP 27-14
- process-name, LISP 27-9
- process-preset, LISP 27-9
- process-reset, LISP 27-9
- process-reset-and-enable,
LISP 27-9
- process-run-function, LISP 27-4
- process-run-restartable-function,
LISP 27-4
- process-sleep, LISP 27-12
- process-stack-group, LISP 27-10
- w: process-typeahead, WIN 8-15
- process-unlock, LISP 27-14
- process-wait, LISP 27-12
- process-wait-argument-list,
LISP 27-10
- process-wait-function, LISP 27-10
- process-wait-with-timeout,
LISP 27-12
- w: process-who-line-documentation-list,
WIN 18-15
- process-whostate, LISP 27-10
- proclaim, LISP 13-3
- profile, TOOLS 2-1
- profile: profile-setq, TOOLS 2-5
- prog, LISP 14-12
- prog*, LISP 14-12
- prog1, LISP 14-6
- prog2, LISP 14-7
- progn, LISP 14-6
- progv, LISP 2-14
- progw, LISP 2-14
- prompt-and-read, IO 5-29
- property-cell-location, LISP 29-2
- rpc: protocol-keyword, NET B-11
- rpc: protocol-no, NET B-11
- provide, LISP 23-28
- psetf, LISP 2-19
- psetq, LISP 2-12
- syslog: purge, IO 6-46
- push, LISP 6-12
- pushnew, LISP 6-12
- name: put-hidden-property, TOOLS 32-69
- puthash, LISP 11-3
- putprop, LISP 2-11
- ## Q
- qc-file, LISP A-12
- qc-file-load, LISP A-13
- qsend, NET 3-13
- qsends-off, NET 3-12
- qsends-on, NET 3-13
- quote, LISP 16-23
- quotient, LISP 3-8
- ## R
- random, LISP 3-25
- random-state-p, LISP 3-25
- rass, LISP A-13
- rassoc, LISP 6-24, A-21
- rassoc-if, LISP 6-24
- rassoc-if-not, LISP 6-24
- rassq, LISP A-13
- gwin: rasterize-objects, WIN 12-40
- rational, LISP 3-14
- rationalize, LISP 3-14
- rationalp, LISP 3-26
- read, IO 4-22; LISP A-21
- w: read-any, WIN 8-9
- w: read-any-no-hang, WIN 8-9
- fs: read-attribute-list, IO 3-14
- w: read-bit-array-file, WIN 12-27
- read-byte, IO 4-25
- read-char, IO 4-23
- read-char-no-hang, IO 4-24
- w: read-color-lut-buffer, WIN 19-12
- w: read-color-map, WIN 19-11
- zwei: read-defaulted-pathname-near-
window, WIN 18-13
- read-delimited-list, IO 4-22
- read-for-top-level, TOOLS 6-19
- ucl: read-for-ucl, TOOLS 6-19

- read-from-string, *IO* 4-24;
 LISP A-21
- time: read-interval-or-never, *LISP* 24-6
- read-line, *IO* 4-23
- w: read-list, *WIN* 8-9
- w: read-mouse-or-kbd, *WIN* 8-9
- w: read-mouse-or-kbd-no-hang,
 WIN 8-9
- read-preserving-whitespace, *IO*
 4-22
- syslog: read-record, *IO* 6-46
- w: read-speech, *WIN* 18-9
- readfile, *IO* 3-12
- fs: reading-from-file, *IO* 3-16
- fs: reading-from-file-case, *IO* 3-16
- readtablep, *IO* 4-20
- realp, *LISP* 3-26
- realpart, *LISP* 3-16
- w: rec, *WIN* 18-9
- sys: receive-band, *IO* 6-18; *NET* 3-22
- recompile-flavor, *LISP* 19-10
- sys: record-and-print-warning,
 LISP 21-19
- sys: record-source-file-name,
 LISP 16-25
- sys: record-warning, *LISP* 21-19
- reduce, *LISP* 9-5
- name: refresh-cache, *TOOLS* 32-69
- name: refresh-cached-object,
 TOOLS 32-70
- registerrpc, *NET* B-6
- reinitialize-resource, *LISP* 25-25
- chaos: reject, *NET* 5-19
- rem, *LISP* 3-9, A-21
- rem-if, *LISP* A-13
- rem-if-not, *LISP* A-13
- remainder, *LISP* A-13
- w: remap-mouse, *WIN* 11-20
- remf, *LISP* 6-25
- remhash, *LISP* 11-3
- remob, *LISP* A-13
- fs: remote-connect, *IO* 3-23
- chaos: remote-eval, *NET* 3-16
- remove, *LISP* 9-7, A-22
- w: remove-beep-function, *WIN* 18-5
- w: remove-beep-type, *WIN* 18-6
- chaos: remove-conn, *NET* 5-17
- remove-duplicates, *LISP* 9-8
- remove-if, *LISP* 9-8
- remove-if-not, *LISP* 9-8
- mail: remove-mail-inbox-probe,
 TOOLS 31-52
- remove-printer-device, *IO* 7-4
- w: remove-system-key, *WIN* 8-23
- w: remove-terminal-key, *WIN* 8-22
- remprop, *LISP* 2-11
- remq, *LISP* A-14
- rename-file, *IO* 3-8
- rename-package, *LISP* 5-18
- w: rename-speech, *WIN* 18-9
- sys: rename-within-new-definition-
 maybe, *LISP* 16-36
- renamef, *LISP* A-14
- replace, *LISP* 9-7
- zwei: reply, *NET* 3-13
- report-all-shutdowns, *TOOLS* 24-3
- meter: report-histogram, *TOOLS* 27-44
- report-last-shutdown, *TOOLS* 24-2
- require, *LISP* 23-28
- chaos: reset, *NET* 5-27, 7-2
- dna: reset, *NET* 7-3
- ip: reset, *NET* 7-2
- meter: reset, *TOOLS* 27-24
- net: reset, *NET* 7-2
- reset-initializations, *LISP* 28-5
- mail: reset-mail-daemon, *TOOLS* 31-46
- w: reset-sound, *WIN* 18-6
- sys: reset-temporary-area, *LISP* 25-12
- resolve-locative, *NET* A-6
- sys: resource-in-use-p, *LISP* 25-27
- sys: resource-n-objects, *LISP* 25-27
- sys: resource-object, *LISP* 25-27
- sys: resource-parameters, *LISP* 25-27
- rest, *LISP* 6-10
- eh: rest-arg-name, *LISP* 16-32
- rest1, *LISP* A-14
- rest2, *LISP* A-14
- rest3, *LISP* A-14
- rest4, *LISP* A-14
- mt: restore-directory, *IO* 8-12
- mt: restore-file, *IO* 8-12
- meter: restore-histogram, *TOOLS* 27-45
- mt: restore-partition, *IO* 8-13
- mt: restore-partition-half-inch-tape, *IO*
 8-13
- meter: resume-gc-process, *TOOLS* 27-23
- return, *LISP* 14-7
- return-array, *LISP* 25-12
- return-from, *LISP* 14-7
- return-list, *LISP* A-14
- chaos: return-pkt, *NET* 5-22
- return-storage, *LISP* 25-12
- tree: return-to-default-window,
 TOOLS 11-13
- revappend, *LISP* 6-12
- reverse, *LISP* 9-6
- mt: rewind, *IO* 8-13
- room, *LISP* 25-10
- rot, *LISP* 3-22
- w: rotate-90, *WIN* 12-28
- w: rotate-180, *WIN* 12-28
- w: rotate-270, *WIN* 12-28
- rotatef, *LISP* 2-19
- rotl, *TOOLS* 6-23
- round, *LISP* 3-15
- round-to-quad, *NET* A-7
- row-major-aref, *LISP* 7-9
- sys: rp-function-word, *LISP* 26-9

rpcinfo, *NET* B-10
 rplaca, *LISP* 6-17
 rplacd, *LISP* 6-17
 meter: run, *TOOLS* 27-24
 name: run-standalone, *NET* 4-42

S

fs: sample-pathname, *IO* 2-28
 meter: save-histogram, *TOOLS* 27-45
 w: save-speech, *WIN* 18-9
 sys: sb-on, *LISP* 27-13
 sbit, *LISP* 7-13
 scale-float, *LISP* 3-17
 schar, *LISP* 8-2
 w: scroll-maintain-list, *WIN* 17-8
 w: scroll-maintain-list-unordered,
WIN 17-8
 w: scroll-maintain-list-update-states,
WIN 17-10
 w: scroll-parse-item, *WIN* 17-4
 w: scroll-string-item-with-embedded-
 newlines, *WIN* 17-5
 search, *LISP* 9-13
 second, *LISP* 6-9
 w: sector-code, *WIN* 12-37
 select, *LISP* 14-3
 w: select-color-with-mouse,
WIN 19-11
 select-match, *LISP* 14-4
 w: select-or-create-window-of-flavor,
WIN 8-25
 w: select-texture-with-mouse,
WIN 19-19
 selector, *LISP* 14-4
 selectq, *LISP* A-14
 selectq-every, *LISP* 14-5
 send, *LISP* 16-21
 chaos: send-pkt, *NET* 5-23
 chaos: send-string, *NET* 5-23
 chaos: send-unc-pkt, *NET* 5-23
 set, *LISP* 2-9
 ucl: set-active-command-tables,
TOOLS 9-15
 set-char-bit, *LISP* 4-13
 set-comtab, *ZMACS* 4-4
 set-current-band, *IO* 6-20
 set-current-microload, *IO* 6-21
 set-default-image-printer, *IO* 7-2
 fs: set-default-pathname, *IO* 2-17
 set-default-printer, *IO* 7-2
 set-difference, *LISP* 6-22
 sys: set-disk-switches, *LISP* 25-3
 set-dispatch-macro-character, *IO*
 4-21
 set-exclusive-or, *LISP* 6-22
 set-globally, *LISP* 2-9
 net: set-host-attribute, *NET* 4-44
 fs: set-host-working-directory, *IO* 2-15
 set-in-closure, *LISP* 17-4
 set-in-instance, *LISP* 19-12
 set-lisp-mode, *LISP* 1-5
 time: set-local-time, *LISP* 24-2
 net: set-logical-host, *IO* 2-43;
NET 4-44
 fs: set-logical-pathname-host, *IO* 2-42
 set-macro-character, *IO* 4-20
 set-mar, *TOOLS* 23-2
 w: set-number-of-who-line-documenta-
 tion-lines, *WIN* 18-15
 sys: set-pack-host-name, *IO* 6-22
 sys: set-pack-name, *IO* 6-21
 sys: set-partition-attribute, *IO* 6-22
 sys: set-partition-property, *IO* 6-22
 chaos: set-pkt-string, *NET* 5-22
 sys: set-process-wait, *LISP* 27-9
 w: set-screen-standard-font, *WIN* 9-5
 w: set-standard-font, *WIN* 9-5
 set-syntax-from-char, *IO* 4-20
 net: set-sys-host, *NET* 4-45
 sys: set-system-source-file, *LISP* 23-5
 sys: set-system-status, *LISP* 23-27
 w: set-visibility-of-all-sheets-blinkers,
WIN 10-5
 setf, *LISP* 2-16
 setplist, *LISP* A-15
 setq, *LISP* 2-12
 setq-globally, *LISP* 2-12
 w: setup-keyboard-keyclick, *WIN* 8-26
 w: setup-mouse-left-handed,
WIN 11-4
 w: setup-mouse-right-handed,
WIN 11-4
 sys: setup-nvram, *INTRO* A-5
 seventh, *LISP* 6-9
 eh: sg-frame-arg-value, *LISP* 26-9
 eh: sg-frame-local-value, *LISP* 26-10
 eh: sg-frame-special-pdl-range,
LISP 26-11
 eh: sg-frame-value-list, *LISP* 26-10
 eh: sg-frame-value-value, *LISP* 26-10
 eh: sg-innermost-frame, *LISP* 26-8
 eh: sg-next-frame, *LISP* 26-8
 eh: sg-next-interesting-frame,
LISP 26-9
 eh: sg-number-of-locals, *LISP* 26-10
 eh: sg-number-of-spread-args,
LISP 26-9
 eh: sg-out-to-interesting-frame,
LISP 26-9
 eh: sg-previous-frame, *LISP* 26-8
 eh: sg-previous-interesting-frame,
LISP 26-9
 eh: sg-previous-nth-frame, *LISP* 26-8
 eh: sg-previous-nth-interesting-frame,
LISP 26-9
 sys: sg-regular-pdl, *LISP* 26-8

- sys: sg-regular-pdl-pointer, *LISP* 26-8
- eh: sg-rest-arg-value, *LISP* 26-10
- sys: sg-resumable-p, *LISP* 26-6
- sys: sg-special-pdl, *LISP* 26-8
- sys: sg-special-pdl-pointer, *LISP* 26-8
- shadow, *LISP* 5-15
- shadowing-import, *LISP* 5-16
- w: sheet-backspace-not-overprinting-flag, *WIN* 7-26
- w: sheet-baseline, *WIN* 9-7
- w: sheet-bit-array, *WIN* 5-10
- w: sheet-blinker-list, *WIN* 10-6
- w: sheet-bottom-margin-size, *WIN* 3-2
- w: sheet-bounds-within-sheet-p, *WIN* 4-7
- w: sheet-calculate-offsets, *WIN* 4-7
- w: sheet-char-aluf, *WIN* 12-3
- w: sheet-char-width, *WIN* 7-3
- w: sheet-clear, *WIN* 7-18
- w: sheet-clear-char, *WIN* 7-17
- w: sheet-clear-eof, *WIN* 7-18
- w: sheet-clear-eol, *WIN* 7-18
- w: sheet-color-map, *WIN* 19-10
- w: sheet-compute-motion, *WIN* 7-21
- w: sheet-contains-sheet-point-p, *WIN* 4-7
- w: sheet-cr-not-newline-flag, *WIN* 7-26
- w: sheet-current-font, *WIN* 9-4
- w: sheet-cursor-x, *WIN* 7-17
- w: sheet-cursor-y, *WIN* 7-17
- w: sheet-deexposed-typeout-action, *WIN* 7-10
- w: sheet-end-of-page-flag, *WIN* 7-12
- w: sheet-erase-aluf, *WIN* 12-3
- w: sheet-exposed-inferiors, *WIN* 5-15
- w: sheet-exposed-p, *WIN* 5-15
- w: sheet-following-blinker, *WIN* 10-4
- w: sheet-font-map, *WIN* 9-3
- w: sheet-force-access, *WIN* 5-13, 7-11
- w: sheet-get-screen, *WIN* 5-2
- w: sheet-height, *WIN* 4-4
- w: sheet-inferiors, *WIN* 5-4
- w: sheet-inside-bottom, *WIN* 4-5
- w: sheet-inside-height, *WIN* 4-5
- w: sheet-inside-left, *WIN* 4-5
- w: sheet-inside-right, *WIN* 4-5
- w: sheet-inside-top, *WIN* 4-5
- w: sheet-inside-width, *WIN* 4-5
- w: sheet-label-needs-updating, *WIN* 3-9
- w: sheet-left-margin-size, *WIN* 3-2
- w: sheet-line-height, *WIN* 7-3
- w: sheet-line-out, *WIN* 7-8
- w: sheet-me-or-my-kid-p, *WIN* 5-5
- w: sheet-more-flag, *WIN* 7-13
- w: sheet-more-handler, *WIN* 7-13
- w: sheet-more-vpos, *WIN* 7-13
- w: sheet-number-of-inside-lines, *WIN* 4-7
- w: sheet-output-hold-flag, *WIN* 7-12
- w: sheet-overlaps-edges-p, *WIN* 4-7
- w: sheet-overlaps-p, *WIN* 4-7
- w: sheet-overlaps-sheet-p, *WIN* 4-7
- w: sheet-right-margin-character-flag, *WIN* 7-25
- w: sheet-right-margin-size, *WIN* 3-2
- w: sheet-screen-array, *WIN* 5-15
- w: sheet-set-cursorpos, *WIN* 7-16
- w: sheet-superior, *WIN* 5-4
- w: sheet-tab-nchars, *WIN* 7-26
- w: sheet-tab-width, *WIN* 7-26
- w: sheet-top-margin-size, *WIN* 3-2
- w: sheet-truncate-line-out-flag, *WIN* 7-14
- w: sheet-tyo, *WIN* 7-5
- w: sheet-width, *WIN* 4-4
- w: sheet-within-p, *WIN* 4-7
- w: sheet-within-sheet-p, *WIN* 4-7
- w: sheet-x-offset, *WIN* 4-7
- w: sheet-y-offset, *WIN* 4-7
- shiftf, *LISP* 2-19
- short-float, *LISP* 3-14
- short-site-name, *TOOLS* 25-20
- chaos: shout, *NET* 3-24
- w: show-bit-array, *WIN* 12-27
- show-cfg-summary, *IO* 6-38
- name: show-namespace-configuration, *TOOLS* 32-53
- show-print-queue, *IO* 7-13
- printer: show-print-queue-on-remote-host, *IO* 7-13
- signal, *LISP* 20-8
- signal-condition, *LISP* 20-33
- signal-proceed-case, *LISP* 20-20
- signed-ldb, *LISP* 3-24
- signum, *LISP* 3-11
- chaos: simple, *NET* 5-17
- simple-bit-vector-p, *LISP* 7-18
- simple-string-p, *LISP* 8-10
- simple-vector-p, *LISP* 7-18
- sin, *LISP* 3-12
- sind, *LISP* 3-12
- sinh, *LISP* 3-13
- sixth, *LISP* 6-9
- sleep, *LISP* 27-12
- software-type, *TOOLS* 25-20
- software-version, *TOOLS* 25-20
- math: solve, *LISP* 7-20
- some, *LISP* 9-17, A-22
- sort, *LISP* 9-14
- sort-grouped-array, *LISP* 9-16
- sort-grouped-array-group-key, *LISP* 9-16
- sortcar, *LISP* 9-15

- mt: space-blocks, *IO* 8-13
- mt: space-to-append, *IO* 8-13
- mt: space-to-eof, *IO* 8-14
 - special, *LISP* 13-3
 - special-form-p, *LISP* 16-37
 - sqrt, *LISP* 3-11
 - stable-sort, *LISP* 9-16
 - stable-sortcar, *LISP* 9-16
 - stack-group-preset, *LISP* 26-6
 - stack-group-resume, *LISP* 26-6
 - stack-group-return, *LISP* 26-6
 - standard-char-p, *LISP* 4-14
- meter: start-histogram, *TOOLS* 27-44
- rpc: start-port-map-server, *NET* B-5
- sys: start-training-session, *LISP* 25-19
- step, *TOOLS* 19-1
- sys: step-auto-off, *TOOLS* 19-2
- sys: step-auto-on, *TOOLS* 19-2
- meter: stop-histogram, *TOOLS* 27-44
- store-array-leader, *LISP* 7-15
- store-conditional, *LISP* 27-15
- stream-default-handler, *IO* 1-27
- stream-element-type, *IO* 1-6
- string, *LISP* 8-10, A-22
- string \leq , *LISP* A-17
- string \geq , *LISP* A-17
- string \neq , *LISP* A-17
- string/=, *LISP* 8-3
- string=, *LISP* 8-3
- string<, *LISP* 8-3
- string<=, *LISP* 8-3
- string>, *LISP* 8-3
- string>=, *LISP* 8-3
- string-append, *LISP* 8-7
- string-append-a-or-an, *LISP* 8-8
- string-capitalize, *LISP* 8-6
- string-capitalize-words, *LISP* 8-6
- string-char-p, *LISP* 4-14
- string-compare, *LISP* 8-4
- string-downcase, *LISP* 8-6
- string-equal, *LISP* 8-4
- string-greaterp, *LISP* 8-5
- tree: string-item, *TOOLS* 11-12
- string-left-trim, *LISP* 8-5
- string-length, *LISP* A-15
- string-lessp, *LISP* 8-5
- string-nconc, *LISP* 8-8
- string-not-equal, *LISP* 8-4
- string-not-greaterp, *LISP* 8-5
- string-not-lessp, *LISP* 8-5
- string-nreverse, *LISP* A-15
- string-pluralize, *LISP* 8-8
- string-remove-fonts, *LISP* 8-8
- string-reverse, *LISP* A-15
- string-reverse-search, *LISP* A-15
- string-reverse-search-char, *LISP* A-16
- string-reverse-search-not-char, *LISP* A-16
- string-reverse-search-not-set, *LISP* 8-10
- string-reverse-search-set, *LISP* 8-9
- string-right-trim, *LISP* 8-5
- string-search, *LISP* A-16
- string-search-char, *LISP* A-16
- string-search-not-char, *LISP* A-16
- string-search-not-set, *LISP* 8-9
- string-search-set, *LISP* 8-9
- string-select-a-or-an, *LISP* 8-8
- string-subst-char, *LISP* 8-10
- string-trim, *LISP* 8-5
- string-upcase, *LISP* 8-6
- stringp, *LISP* 8-10
- sub-apropos, *TOOLS* 25-10
- sub1, *LISP* A-17
- sublis, *LISP* 6-20
- mail: submit-mail, *TOOLS* 31-51
- subrp, *LISP* A-17
- subseq, *LISP* 9-3
- subset, *LISP* A-13
- subset-not, *LISP* A-13
- subsetp, *LISP* 6-23
- subst, *LISP* 6-19, 16-10, A-22
- subst-if, *LISP* 6-19
- subst-if-not, *LISP* 6-19
- substitute, *LISP* 9-9
- substitute-if, *LISP* 9-10
- substitute-if-not, *LISP* 9-10
- substring, *LISP* A-17
- substring-after-char, *LISP* 8-7
- subtypep, *LISP* 12-10
- sugg: suggestions-build-menu, *TOOLS* 9-8
- net: superior-medium-p, *NET* 6-14
- rpc: svq-req-credentials, *NET* B-10
- rpc: svq-req-procedure, *NET* B-10
- rpc: svq-req-program, *NET* B-10
- rpc: svq-req-version, *NET* B-10
- svref, *LISP* 7-9
- sys: swap-status, *LISP* 25-4
- swapf, *LISP* A-17
- swaphash, *LISP* 11-4
- sxhash, *LISP* 11-4
- symbol-function, *LISP* 2-9
- symbol-name, *LISP* 2-10
- symbol-package, *LISP* 2-10
- symbol-plist, *LISP* 2-10
- symbol-value, *LISP* 2-8
- symbolp, *LISP* 2-24
- symeval, *LISP* A-17
- symeval-globally, *LISP* 2-8
- symeval-in-closure, *LISP* 17-4
- symeval-in-instance, *LISP* 19-12
- symeval-in-stack-group, *LISP* 26-7
- sys: system-version-info, *LISP* 23-22

T

tagbody, *LISP* 14-13
 tailp, *LISP* 6-26
 tan, *LISP* 3-12
 tand, *LISP* 3-12
 tanh, *LISP* 3-13
 telnet, *NET* 3-5
 telnet: telnet-server-on, *NET* 3-8
 mt: tension, *IO* 8-14
 tenth, *LISP* 6-9
 terpri, *IO* 5-9
 meter: test, *TOOLS* 27-24
 the, *LISP* 13-9
 third, *LISP* 6-9
 *throw, *LISP* A-17
 throw, *LISP* 14-16, A-17
 time, *LISP* 24-2; *TOOLS* 27-39
 time-difference, *LISP* 24-3
 time-increment, *LISP* 24-3
 time-lessp, *LISP* 24-3
 timeit, *TOOLS* 27-31
 time: timeit-report, *TOOLS* 27-36
 times, *LISP* A-17
 time: timezone-string, *LISP* 24-9
 w: tone, *WIN* 18-7
 w: tone-frequency, *WIN* 18-7
 trace, *TOOLS* 18-2
 w: transfer-color-lut-buffer,
 WIN 19-12
 w: transform-point, *WIN* 12-38
 printer: translate-color-array, *WIN* 19-22
 net: translate-logical-contact-name,
 NET 6-13
 net: translated-host, *IO* 2-43;
 NET 4-45
 fs: translated-pathname, *IO* 2-43
 sys: transmit-band, *IO* 6-18;
 NET 3-22
 math: transpose-matrix, *LISP* 7-19
 tree: tree-draw-after-small-changes,
 TOOLS 11-12
 tree-equal, *LISP* 6-26
 tree: tree-redraw, *TOOLS* 11-12
 true, *LISP* 16-22
 truname, *IO* 2-21
 truncate, *LISP* 3-15
 turn-common-lisp-on, *LISP* 1-5
 w: turn-off-all-sheets-blinkers,
 WIN 10-5
 syslog: turn-off-log, *IO* 6-46
 w: turn-off-sheet-blinkers, *WIN* 10-5
 syslog: turn-on-log, *IO* 6-46
 w: turn-on-sheet-blinkers, *WIN* 10-5
 turn-zetalisp-on, *LISP* 1-5
 tyo, *LISP* A-17
 type-of, *LISP* 12-9
 type-specifier-p, *LISP* 12-9
 typecase, *LISP* 12-9
 typep, *LISP* 12-10

U

unadvise, *TOOLS* 21-2
 unadvise-within, *TOOLS* 21-5
 sys: unarrest-gc, *LISP* 25-20
 unbreakon, *TOOLS* 22-1
 uncompile, *LISP* 21-2
 sugg: undeclare-suggestions-for,
 TOOLS 9-12
 undefflavor, *LISP* 19-8
 undefmethod, *LISP* 19-8
 undefun, *LISP* 16-26
 undelete-file, *IO* 3-10
 sys: unencapsulate-function-spec,
 LISP 16-36
 unexport, *LISP* 5-15
 sys: unfasl, *LISP* 21-17
 sys: unfasl-print, *LISP* 21-17
 unintern, *LISP* 5-13
 union, *LISP* 6-21, A-22
 name: universal-list-objects-from-prop-
 erties, *TOOLS* 32-66
 name: universal-lookup-objects-from-prop-
 erties, *TOOLS* 32-66
 rpc: universal-rpc-dispatcher, *NET* B-9
 rpc: universal-rpc-initial-form,
 NET B-10
 unless, *LISP* 14-1
 mt: unload, *IO* 8-14
 w: unread-any, *WIN* 8-9
 unread-char, *IO* 4-23
 unspecial, *LISP* 13-3
 untrace, *TOOLS* 18-6
 w: untransform-deltas, *WIN* 12-38
 w: untransform-point, *WIN* 12-39
 unuse-package, *LISP* 5-14
 unwind-protect, *LISP* 14-15
 *unwind-stack, *LISP* 14-17
 sys: unwire, *LISP* 25-2
 sys: unwire-array, *LISP* 25-2
 sys: unwire-page, *LISP* 25-3
 tree: update-node, *TOOLS* 11-14
 sys: update-partition-comment, *IO* 6-23
 upper-case-p, *LISP* 4-14
 use-package, *LISP* 5-14
 user-homedir-pathname, *IO* 2-22
 user-name, *TOOLS* 25-19
 using-resource, *LISP* 25-26

V

sys: validate-function-spec, *LISP* 16-26
 value-cell-location, *LISP* 29-1
 value-of, *NET* A-6
 values, *LISP* 16-16
 values-list, *LISP* 16-16
 variable-boundp, *LISP* 2-24
 variable-location, *LISP* 29-1
 variable-makunbound, *LISP* 2-8
 vector, *LISP* 7-7

- vector-pop, *LISP* 7-15
 - vector-push, *LISP* 7-15
 - vector-push-extend, *LISP* 7-15
 - vectorp, *LISP* 7-18
 - time: verify-date, *LISP* 24-8
 - mt: verify-directory, *IO* 8-14
 - nse: verify-err, *TOOLS* 32-49
 - mt: verify-file, *IO* 8-14
 - mt: verify-partition, *IO* 8-15
 - mt: verify-partition-half-inch-tape, *IO* 8-15
 - nse: verify-wrn, *TOOLS* 32-49
 - view-documentation, *TOOLS* 7-37
 - view-file, *IO* 3-1
 - viewf, *LISP* A-17
 - w: volume, *WIN* 18-7
- W**
- chaos: wait, *NET* 5-16
 - w: wait, *WIN* 18-8
 - warn, *LISP* 20-8
 - what-files-call, *TOOLS* 25-12
 - when, *LISP* 14-1
 - where-is, *TOOLS* 25-12
 - w: white-on-black, *WIN* 5-8
 - who-calls, *TOOLS* 25-11
 - w: who-line-clobbered, *WIN* 18-16
 - w: window-call, *WIN* 6-4
 - w: window-mouse-call, *WIN* 6-4
 - w: window-owning-mouse, *WIN* 11-8
 - w: window-under-mouse, *WIN* 11-10
 - sys: wire, *LISP* 25-2
 - sys: wire-array, *LISP* 25-2
 - sys: wire-page, *LISP* 25-3
 - w: with-blinker-ready, *WIN* 10-2
 - w: with-clipping-rectangle, *WIN* 12-32
 - sys: with-help-stream, *IO* 1-15
 - with-input-editing, *WIN* 8-6
 - with-input-from-string, *IO* 1-4
 - with-lock, *LISP* 27-15
 - w: with-mouse-grabbed, *WIN* 11-9
 - w: with-mouse-usurped, *WIN* 11-11
 - with-open-file, *IO* 3-1
 - with-open-file-case, *IO* 3-2
 - with-open-stream, *IO* 1-4
 - with-open-stream-case, *IO* 1-4
 - with-output-to-string, *IO* 1-5
 - w: with-selection-substitute, *WIN* 6-9
 - with-self-variables-bound, *LISP* 19-10
 - w: with-sheet-deexposed, *WIN* 5-16
 - w: with-sound-enabled, *WIN* 18-6
 - with-stack-list, *LISP* 6-15, 25-11
 - with-stack-list*, *LISP* 6-15, 25-11
 - sugg: with-suggestions-menus-for, *TOOLS* 9-13
 - with-timeout, *LISP* 27-12
 - without-interrupts, *LISP* 27-11
 - w: without-screen-management, *WIN* 5-23
 - write, *IO* 5-7
 - w: write-bit-array-file, *WIN* 12-27
 - write-byte, *IO* 5-9
 - write-char, *IO* 5-8
 - w: write-color-lut-buffer, *WIN* 19-12
 - w: write-color-map, *WIN* 19-11
 - w: write-color-map-file, *WIN* 19-11
 - mt: write-eof, *IO* 8-16
 - write-line, *IO* 5-9
 - write-string, *IO* 5-9
 - write-to-string, *IO* 5-8
- X**
- xcons, *LISP* A-18
 - xcons-in-area, *LISP* A-18
 - xdr-io, *NET* A-7
 - xor, *LISP* 14-21
- Y**
- y-or-n-p, *IO* 5-27
 - yes-or-no-p, *IO* 5-27
- Z**
- zerop, *LISP* 3-26
 - tree: zoom-window, *TOOLS* 11-13

Instance Variables

A

- ucl: active-command-tables instance variable of ucl:basic-command-loop, *TOOLS 7-21*
- ucl: all-command-tables instance variable of ucl:basic-command-loop, *TOOLS 7-21*
- ucl: auto-complete-p instance variable of ucl:typein-mode, *TOOLS 7-30*

B

- ucl: basic-help instance variable of ucl:basic-command-loop, *TOOLS 7-21*
- w: bit-array instance variable of windows, *WIN 5-10*
- w: bits-per-pixel instance variable of w:screen, *WIN 5-8*
- ucl: blip-alist instance variable of ucl:basic-command-loop, *TOOLS 7-22*
- w: buffer instance variable of w:screen, *WIN 5-9*
- w: buffer-halfword-array instance variable of w:screen, *WIN 5-9*

C

- w: char-aluf instance variable of windows, *WIN 12-3*
- w: char-width instance variable of windows, *WIN 7-3*
- w: choice-value instance variable of w:basic-multiple-choice, *WIN 14-38*
- tv: chosen-item instance variable of tv:basic-menu, *WIN A-15*
- tv: column-spec-list instance variable of tv:dynamic-multicolumn-mixin, *WIN A-20*
- ucl: command-entry instance variable of ucl:basic-command-loop, *TOOLS 7-22*
- ucl: command-execution-queue instance variable of ucl:basic-command-loop, *TOOLS 7-23*
- ucl: command-history instance variable of ucl:basic-command-loop, *TOOLS 7-23*
- printer: crpad instance variable of printer:basic-printer, *IO 7-24*
- tv: current-item instance variable of tv:basic-menu, *WIN A-15*
- w: cursor-x instance variable of windows, *WIN 7-17*
- w: cursor-y instance variable of windows, *WIN 7-17*

D

- ucl: description instance variable of ucl:typein-mode, *TOOLS 7-30*
- w: displayed-items instance variable of w:displayed-items-text-scroll-window, *WIN 16-12*
- ucl: documentation instance variable of ucl:typein-mode, *TOOLS 7-30*

E

- w: erase-aluf instance variable of windows, *WIN 12-3*

F

- printer: ffpad instance variable of printer:basic-printer, *IO 7-23*

G

- tv: geometry instance variable of tv:basic-menu, *WIN A-15*

H

- tv: highlighted-items instance variable of tv:menu-highlighting-mixin, *WIN A-22*

I

- ucl: inhibit-results-print? instance variable of ucl:basic-command-loop, *TOOLS 7-25*
- ucl: input-mechanism instance variable of ucl:basic-command-loop, *TOOLS 7-22*
- tv: io-buffer instance variable of tv:command-menu, *WIN A-18*
- tv: item-list instance variable of tv:basic-menu, *WIN A-14*
- tv: item-list-pointer instance variable of tv:dynamic-item-list-mixin, *WIN A-19*

K

ucl: kbd-input instance variable of ucl:basic-command-loop, *TOOLS 7-22*

L

w: label instance variable of w:label-mixin, *WIN 3-5*
 tv: last-item instance variable of tv:basic-menu, *WIN A-15*
 w: line-height instance variable of windows, *WIN 7-3*

M

w: margin-choices instance variable of w:basic-multiple-choice, *WIN 14-38*
 ucl: max-command-history instance variable of ucl:basic-command-loop, *TOOLS 7-23*
 ucl: max-output-history instance variable of ucl:basic-command-loop, *TOOLS 7-25*
 ucl: menu-panes instance variable of ucl:basic-command-loop, *TOOLS 7-21*
 gwin: min-dot-delta instance variable of gwin:draw-mixin, *WIN A-10*
 gwin: min-nil-delta instance variable of gwin:draw-mixin, *WIN A-10*
 w: mouse-blinkers instance variable of w:screen, *WIN 11-19*

N

ucl: numeric-argument instance variable of ucl:basic-command-loop, *TOOLS 7-23*

O

ucl: output-history instance variable of ucl:basic-command-loop, *TOOLS 7-25*
 sys: output-pointer-base instance variable of streams, *IO 1-26*

P

printer: page-heading instance variable of printer:basic-printer, *IO 7-21*
 ucl: print-function instance variable of ucl:basic-command-loop, *TOOLS 7-24*
 ucl: print-results? instance variable of ucl:basic-command-loop, *TOOLS 7-24*
 ucl: prompt instance variable of ucl:basic-command-loop, *TOOLS 7-24*

R

ucl: read-function instance variable of ucl:basic-command-loop, *TOOLS 7-24*
 ucl: read-type instance variable of ucl:basic-command-loop, *TOOLS 7-24*
 w: recursion instance variable of w:basic-frame, *WIN 15-14*
 w: restored-bits-p instance variable of windows, *WIN 5-11*

S

tv: scroll-bar instance variable of tv:basic-scroll-bar, *WIN A-1*
 tv: scroll-bar-always-displayed instance variable of tv:basic-scroll-bar, *WIN A-1*
 tv: scroll-bar-in instance variable of tv:basic-scroll-bar, *WIN A-2*
 sys: stream-output-limit instance variable of streams, *IO 1-26*
 sys: stream-output-lower-limit instance variable of streams, *IO 1-26*

T

gwin: tick-x-points instance variable of gwin:ruler, *WIN 12-72*
 gwin: tick-y-points instance variable of gwin:ruler, *WIN 12-72*
 w: time-until-blink instance variable of w:blinker, *WIN 10-3*
 ucl: tutorial instance variable of ucl:basic-command-loop, *TOOLS 7-21*
 ucl: typein-handler instance variable of ucl:basic-command-loop, *TOOLS 7-23*
 ucl: typein-modes instance variable of ucl:basic-command-loop, *TOOLS 7-23*

X

w: x-offset instance variable of windows, *WIN 4-6*

Y

w: y-offset instance variable of windows, *WIN 4-6*

Operations

A

:abort-on-deexpose initialization option of w:menu, *WIN 14-23*
 :activate method of windows, *WIN 5-5*
 :activate-p initialization option of windows and screens, *WIN 5-5*
 :active-p method of sys:process, *LISP 27-7*
 :active-p method of w:basic-typeout-window, *WIN 13-3*
 :active-p method of windows and screens, *WIN 5-5*
 :add-asynchronous-character method of w:stream-mixin, *WIN 8-21*
 :add-brother-node method of user-defined tree editor flavor, *TOOLS 11-11*
 :add-cursor method of gwin:graphics-window-mixin, *WIN 12-45*
 :add-highlighted-item method of tv:menu-highlighting-mixin, *WIN A-22*
 :add-highlighted-item method of w:menu, *WIN 14-20*
 :add-highlighted-value method of tv:menu-highlighting-mixin, *WIN A-22*
 :add-highlighted-value method of w:menu, *WIN 14-21*
 :add-item method of tv:margint-multiple-menu-mixin, *WIN A-22*
 :add-item method of w:menu, *WIN 14-22*
 :add-node-after method of user-defined tree editor flavor, *TOOLS 11-11*
 :add-node-before method of user-defined tree editor flavor, *TOOLS 11-10*
 :add-server method of w:who-line-file-sheet, *WIN 18-17*
 :add-stream method of w:who-line-file-sheet, *WIN 18-17*
 :adjustable-size-p method of tv:scroll-stuff-on-off-mixin, *WIN A-4*
 :adjustable-size-p method of w:basic-choose-variable-values, *WIN 14-56*
 :advance-input-buffer method of streams, *IO 1-13*
 :alias-for-inferiors method of windows, *WIN 6-7*
 :alias-for-selected-windows method of windows, *WIN 6-7*
 :allow-interrupts? initialization option of gwin:draw-mixin, *WIN A-9*
 :allow-interrupts? initialization option of w:graphics-mixin, *WIN 12-10*
 :allow-interrupts? method of gwin:draw-mixin, *WIN A-9*
 :allow-interrupts? method of w:graphics-mixin, *WIN 12-10*
 :alu initialization option of gwin:basic-graphics-mixin, *WIN 12-56*
 :alu initialization option of gwin:bitblt-blinker, *WIN 12-51*
 :alu initialization option of gwin:sprite-cursor, *WIN 12-52*
 :alu method of gwin:basic-graphics-mixin, *WIN 12-56*
 :alu method of gwin:bitblt-blinker, *WIN 12-51*
 :angle initialization option of gwin:arc, *WIN 12-58*
 :angle method of gwin:arc, *WIN 12-58*
 :any-tyi method of w:stream-mixin, *WIN A-23*
 :any-tyi-no-hang method of w:stream-mixin, *WIN A-23*
 :append method of gwin:text, *WIN 12-69*
 :append-item method of w:text-scroll-window, *WIN 16-3*
 :appropriate-width method of w:basic-choose-variable-values, *WIN 14-56*
 :arglist method of ucl:typein-mode flavor, *TOOLS 7-30*
 :array initialization option of gwin:bitblt-blinker, *WIN 12-51*
 :array initialization option of gwin:sprite-cursor, *WIN 12-52*
 :array initialization option of w:bitblt-blinker, *WIN 10-10*
 :array method of w:bitblt-blinker, *WIN 10-10*
 :arrest method of w:select-mixin, *WIN 6-13*
 :arrest-reason method of sys:process, *LISP 27-7*
 :arrest-reasons method of sys:process, *LISP 27-7*
 :asynchronous-character-p method of w:stream-mixin, *WIN 8-21*
 :asynchronous-characters initialization option of w:stream-mixin, *WIN 8-21*
 :attributes method of mail:message, *TOOLS 31-47*
 :await-exposure method of windows, *WIN 7-11*

B

:back-translated-pathname method of fs:logical-pathname, *IO* 2-43
 :background-color initialization option of windows, *WIN* 19-7
 :background-color method of windows, *WIN* 19-7
 :backspace-not-overprinting-flag initialization option of windows, *WIN* 7-26
 :backward-char method of windows, *WIN* 7-16
 :baseline method of windows, *WIN* 9-7
 :beep method of streams, *IO* 1-11
 :beep method of windows, *WIN* 18-4
 :bit-array initialization option of w:cache-window, *WIN* 12-46
 :bit-array initialization option of w:sprite-window, *WIN* 12-46
 :bitarray initialization option of gwin:raster-object, *WIN* 12-75
 :bitblt method of w:stream-mixin, *WIN* 12-26
 :bitblt-from-sheet method of w:stream-mixin, *WIN* 12-26
 :bitblt-within-sheet method of w:stream-mixin, *WIN* 12-26
 :blink method of gwin:bitblt-blinker, *WIN* 12-51
 :blink method of w:blinker, *WIN* 10-6
 :blinker-deselected-visibility initialization option of windows, *WIN* 10-3
 :blinker-flavor initialization option of windows, *WIN* 10-5
 :blinker-height initialization option of gwin:font, *WIN* 12-67
 :blinker-height method of gwin:font, *WIN* 12-67
 :blinker-list method of windows and screens, *WIN* 10-6
 :blinker-offset initialization option of blinkers, *WIN* 19-8
 :blinker-offset method of blinkers, *WIN* 19-8
 :blinker-p initialization option of gwin:graphics-window, *WIN* 12-45
 :blinker-p initialization option of gwin:graphics-window-pane, *WIN* 12-45
 :blinker-p initialization option of windows, *WIN* 10-5
 :blinker-width initialization option of gwin:font, *WIN* 12-67
 :blinker-width method of gwin:font, *WIN* 12-67
 :border-color initialization option of gwin:text, *WIN* 12-68
 :border-color initialization option of w:borders-mixin, *WIN* 19-8
 :border-color method of gwin:text, *WIN* 12-68
 :border-color method of w:borders-mixin, *WIN* 19-8
 :border-margin-width initialization option of w:borders-mixin, *WIN* 3-3
 :border-margin-width method of w:borders-mixin, *WIN* 3-3
 :borders initialization option of gwin:graphics-window, *WIN* 12-45
 :borders initialization option of gwin:graphics-window-pane, *WIN* 12-45
 :borders initialization option of w:borders-mixin, *WIN* 3-3
 :borders method of w:borders-mixin, *WIN* 3-3
 :bottom initialization option of windows, *WIN* 4-2
 :bottom-flag initialization option of gwin:sprite-cursor, *WIN* 12-53
 :bottom-flag method of gwin:sprite-cursor, *WIN* 12-53
 :bottom-limit initialization option of gwin:sprite-cursor, *WIN* 12-53
 :bottom-limit initialization option of gwin:world, *WIN* 12-44
 :bottom-limit method of gwin:sprite-cursor, *WIN* 12-53
 :bottom-limit method of gwin:world, *WIN* 12-44
 :bottom-margin-size method of windows, *WIN* 3-2
 :bottom-reached method of w:basic-typeout-window, *WIN* 13-2
 :bottom-shadow-width initialization option of w:shadow-borders-mixin, *WIN* 5-17
 :break method of sys:vanilla-flavor, *LISP* 19-25
 :bug-report-description method of condition, *LISP* 20-30
 :bug-report-recipient-system method of condition, *LISP* 20-29
 :bury method of windows, *WIN* 5-22

C

:calculate-extents method of gwin:world, *WIN* 12-44
 :call method of w:select-mixin, *WIN* 6-13
 :call-mini-buffer-near-window method of zwei:temporary-mode-line-window-with-borders, *WIN* 18-14

:canonical-type method of fs:pathname, *IO* 2-12
 :center-around method of tv:menu, *WIN* A-16
 :center-around method of w:menu, *WIN* 14-33
 :center-around method of windows, *WIN* 4-6
 :change-of-default-font method of windows, *WIN* 9-5
 :change-of-size-or-margins method of windows, *WIN* 4-6
 :change-properties method of fs:pathname, *IO* 2-26
 :character initialization option of gwin:cursor, *WIN* 12-51
 :character initialization option of w:character-blinker, *WIN* 10-9
 :character method of gwin:cursor, *WIN* 12-51
 :character method of w:character-blinker, *WIN* 10-9
 :character-height initialization option of windows, *WIN* 4-3
 :character-size method of gwin:font, *WIN* 12-67
 :character-width initialization option of windows, *WIN* 4-3
 :character-width method of windows, *WIN* 7-20
 :character-x-offset initialization option of w:reverse-character-blinker, *WIN* 10-9
 :character-x-offset method of w:reverse-character-blinker, *WIN* 10-9
 :character-y-offset initialization option of w:reverse-character-blinker, *WIN* 10-9
 :character-y-offset method of w:reverse-character-blinker, *WIN* 10-9
 :characters initialization option of gwin:font, *WIN* 12-67
 :characters method of gwin:font, *WIN* 12-67
 :characters method of streams, *IO* 1-10
 :children-from-data method of user-defined tree editor flavor, *TOOLS* 11-7
 :choice-types initialization option of w:basic-multiple-choice, *WIN* 14-37
 :choice-types method of w:basic-multiple-choice, *WIN* 14-37
 :choose method of tv:menu, *WIN* A-16
 :choose method of w:basic-multiple-choice, *WIN* 14-38
 :choose method of w:menu, *WIN* 14-31
 :chop method of gwin:text, *WIN* 12-69
 :chosen-item method of tv:menu, *WIN* A-17
 :chosen-item method of w:menu, *WIN* 14-25
 :clear-between-cursorposes method of windows, *WIN* 7-18
 :clear-char method of windows, *WIN* 7-17
 :clear-eof method of chaos input streams, *NET* 5-21
 :clear-eof method of windows, *WIN* 7-18
 :clear-eol method of windows, *WIN* 7-18
 :clear-hash operation on hash-table, *LISP* 19-28
 :clear-input method of streams, *IO* 1-13
 :clear-input method of sys:serial-stream-mixin, *IO* 1-19
 :clear-input method of w:stream-mixin, *WIN* 8-11
 :clear-output method of streams, *IO* 1-13
 :clear-output method of sys:serial-stream-mixin, *IO* 1-19
 :clear-screen method of streams, *IO* 1-12
 :clear-screen method of windows, *WIN* 7-18
 :clear-string method of windows, *WIN* 7-17
 :close method of chaos streams, *NET* 5-21
 :close method of parallel-stream-mixin, *IO* 1-22
 :close method of streams, *IO* 1-8, 1-9
 :close method of sys:serial-stream-mixin, *IO* 1-19
 :close-all-servers method of w:who-line-file-sheet, *WIN* 18-18
 :closedp initialization option of gwin:polyline, *WIN* 12-61
 :closedp initialization option of gwin:spline, *WIN* 12-64
 :closedp method of gwin:polyline, *WIN* 12-61
 :color-blanking method of w:control-register, *WIN* 19-24
 :color-map method of windows, *WIN* 19-10
 :column-row-size method of tv:menu, *WIN* A-17
 :column-row-size method of w:menu, *WIN* 14-29
 :column-spec-list initialization option of tv:dynamic-multicolumn-mixin, *WIN* A-20

:column-spec-list initialization option of w:menu, *WIN* 14-24
 :column-spec-list method of tv:dynamic-multicolumn-mixin, *WIN* A-20
 :column-spec-list method of w:menu, *WIN* 14-24
 :columns initialization option of tv:menu, *WIN* A-14
 :columns initialization option of w:menu, *WIN* 14-29
 :command-characters initialization option of w:menu, *WIN* 14-26
 :command-loop method of ucl:basic-command-loop, *TOOLS* 7-25
 :command-menu initialization option of w:menu, *WIN* 14-20
 :command-menu method of w:menu, *WIN* 14-20
 :complement-bow-mode method of windows, *WIN* 5-8, 19-7
 :complete method of ucl:typein-mode flavor, *TOOLS* 7-30
 :complete-p method of ucl:typein-mode flavor, *TOOLS* 7-29
 :complete-string method of fs:pathname, *IO* 2-26
 :compute-margins method of windows, *WIN* 3-13
 :compute-motion method of windows, *WIN* 7-21
 :comtab initialization option of standalone editor windows, *WIN* 18-11
 :condition-names method of condition, *LISP* 20-28
 :configuration initialization option of w:basic-constraint-frame, *WIN* 15-34
 :configuration method of w:basic-constraint-frame, *WIN* 15-34
 :constraints initialization option of all constraint frame flavors, *WIN* 15-22
 :copy method of gwin:basic-graphics-mixin, *WIN* 12-56
 :copy method of gwin:polyline, *WIN* 12-62
 :copy method of gwin:raster-object, *WIN* 12-76
 :copy method of gwin:ruler, *WIN* 12-74
 :copy method of gwin:spline, *WIN* 12-65
 :copy method of gwin:subpicture, *WIN* 12-78
 :copy method of gwin:text, *WIN* 12-69
 :cr method of printer:basic-printer, *IO* 7-23
 :cr-not-newline-flag initialization option of windows, *WIN* 7-26
 :create-and-add-entity method of gwin:world, *WIN* 12-42
 :create-and-add-entity-to-front method of gwin:world, *WIN* 12-42
 :create-directory method of fs:pathname, *IO* 2-26
 :create-pane method of w:basic-constraint-frame, *WIN* 15-34
 :crosshair-mode initialization option of gwin:mouse-handler-mixin, *WIN* 12-48
 :crosshair-mode method of gwin:mouse-handler-mixin, *WIN* 12-48
 :cur-height initialization option of gwin:raster-object, *WIN* 12-75
 :cur-width initialization option of gwin:raster-object, *WIN* 12-75
 :current-alu initialization option of gwin:world, *WIN* 12-41
 :current-alu method of gwin:world, *WIN* 12-41
 :current-edge-color initialization option of gwin:world, *WIN* 12-41
 :current-edge-color method of gwin:world, *WIN* 12-41
 :current-fill-color initialization option of gwin:world, *WIN* 12-41
 :current-fill-color method of gwin:world, *WIN* 12-41
 :current-font initialization option of gwin:world, *WIN* 12-41
 :current-font method of gwin:world, *WIN* 12-41
 :current-font method of windows, *WIN* 9-4
 :current-geometry method of tv:menu, *WIN* A-13
 :current-geometry method of w:menu, *WIN* 14-28
 :current-item method of tv:menu, *WIN* A-16
 :current-item method of w:current-item-mixin, *WIN* 16-12
 :current-item method of w:menu, *WIN* 14-32
 :current-margin-width initialization option of gwin:world, *WIN* 12-41
 :current-margin-width method of gwin:world, *WIN* 12-41
 :current-pick-tolerance initialization option of gwin:world, *WIN* 12-41
 :current-pick-tolerance method of gwin:world, *WIN* 12-41
 :current-tab-width initialization option of gwin:world, *WIN* 12-41
 :current-tab-width method of gwin:world, *WIN* 12-41
 :current-thickness initialization option of gwin:world, *WIN* 12-41

:current-thickness method of gwin:world, *WIN* 12-41
 :cursor-list initialization option of gwin:graphics-window-mixin, *WIN* 12-45
 :cursor-list method of gwin:graphics-window-mixin, *WIN* 12-45
 :curve-x-points method of gwin:spline, *WIN* 12-65
 :curve-y-points method of gwin:spline, *WIN* 12-65

D

:dangerous-condition-p method of condition, *LISP* 20-28
 :deactivate method of windows, *WIN* 5-5
 :debugger-command-loop method of condition, *LISP* 20-30
 :debugging-condition-p method of condition, *LISP* 20-29
 :decide-if-scrolling-necessary method of tv:scroll-stuff-on-off-mixin, *WIN* A-3
 :decide-if-scrolling-necessary method of w:scroll-bar-mixin, *WIN* 11-28
 :decode-variable-type method of w:basic-choose-variable-values, *WIN* 14-52
 :deexpose method of windows and screens, *WIN* 5-16
 :deexposed-typeout-action initialization option of w:cache-window, *WIN* 12-46
 :deexposed-typeout-action initialization option of w:sprite-window, *WIN* 12-46
 :deexposed-typeout-action initialization option of windows, *WIN* 7-10
 :deexposed-typeout-action method of windows, *WIN* 7-10
 :default-font initialization option of tv:menu, *WIN* A-14
 :default-font initialization option of w:menu, *WIN* 14-30
 :default-window method of w:transform-mixin, *WIN* 12-47
 :defer-reappearance method of w:blinker, *WIN* 10-4
 :delayed-set-label method of w:delayed-redisplay-label-mixin, *WIN* 3-9
 :delete method of fs:pathname, *IO* 2-25
 :delete method of gwin:basic-cursor-mixin, *WIN* 12-50
 :delete-all-servers method of w:who-line-file-sheet, *WIN* 18-18
 :delete-all-streams method of w:who-line-file-sheet, *WIN* 18-17
 :delete-char method of windows, *WIN* 7-20
 :delete-cursor method of gwin:graphics-window-mixin, *WIN* 12-45
 :delete-entity method of gwin:world, *WIN* 12-42
 :delete-item method of w:basic-scroll-window, *WIN* 17-7
 :delete-item method of w:text-scroll-window, *WIN* 16-3
 :delete-line method of windows, *WIN* 7-20
 :delete-server method of w:who-line-file-sheet, *WIN* 18-17
 :delete-stream method of w:who-line-file-sheet, *WIN* 18-17
 :delete-string method of windows, *WIN* 7-20
 :delete-subtree method of user-defined tree editor flavor, *TOOLS* 11-11
 :delete-yourself method of user-defined tree editor flavor, *TOOLS* 11-11
 :describe method of sys:vanilla-flavor, *LISP* 19-24
 :describe operation on hash-table, *LISP* 19-28
 :deselect method of windows, *WIN* 6-3
 :deselected-visibility initialization option of w:blinker, *WIN* 10-3
 :deselected-visibility method of w:blinker, *WIN* 10-3
 :designate-io-streams method of ucl:basic-command-loop, *TOOLS* 7-25
 :device method of fs:pathname, *IO* 2-10
 :device-wild-p method of fs:pathname, *IO* 2-29
 :direction method of streams, *IO* 1-10
 :directory method of fs:pathname, *IO* 2-10
 :directory-list method of fs:pathname, *IO* 2-26
 :directory-pathname-as-file method of fs:pathname, *IO* 2-24
 :directory-wild-p method of fs:pathname, *IO* 2-29
 :discard-input-buffer method of sys:buffered-input-stream, *IO* 1-23
 :discard-output-buffer method of sys:buffered-output-stream, *IO* 1-24
 :display-item initialization option of w:basic-scroll-window, *WIN* 17-6
 :display-item method of w:basic-scroll-window, *WIN* 17-6
 :display-list initialization option of gwin:world, *WIN* 12-42
 :display-list method of gwin:world, *WIN* 12-42

:display-lozenged-string method of windows, *WIN* 7-8
 :distance method of graphic object, *WIN* 12-54
 :distance method of gwin:arc, *WIN* 12-59
 :distance method of gwin:backgroundpic, *WIN* 12-78
 :distance method of gwin:circle, *WIN* 12-60
 :distance method of gwin:line, *WIN* 12-61
 :distance method of gwin:polyline, *WIN* 12-62
 :distance method of gwin:raster-object, *WIN* 12-76
 :distance method of gwin:rectangle, *WIN* 12-63
 :distance method of gwin:ruler, *WIN* 12-74
 :distance method of gwin:spline, *WIN* 12-65
 :distance method of gwin:subpicture, *WIN* 12-77
 :distance method of gwin:text, *WIN* 12-69
 :distance method of gwin:triangle, *WIN* 12-66
 :document-proceed-type method of condition, *LISP* 20-16
 :draw method of graphic object, *WIN* 12-54
 :draw method of gwin:arc, *WIN* 12-59
 :draw method of gwin:circle, *WIN* 12-60
 :draw method of gwin:line, *WIN* 12-61
 :draw method of gwin:polyline, *WIN* 12-62
 :draw method of gwin:raster-character, *WIN* 12-71
 :draw method of gwin:raster-object, *WIN* 12-76
 :draw method of gwin:rectangle, *WIN* 12-63
 :draw method of gwin:ruler, *WIN* 12-74
 :draw method of gwin:spline, *WIN* 12-65
 :draw method of gwin:subpicture, *WIN* 12-77
 :draw method of gwin:text, *WIN* 12-69
 :draw method of gwin:triangle, *WIN* 12-66
 :draw method of gwin:vector-character, *WIN* 12-70
 :draw-arc method of gwin:draw-mixin, *WIN* A-9
 :draw-arc method of w:graphics-mixin, *WIN* 12-16
 :draw-char method of tv:stream-mixin, *WIN* A-9
 :draw-char method of w:stream-mixin, *WIN* 7-7
 :draw-character method of gwin:font, *WIN* 12-67
 :draw-circle method of gwin:draw-mixin, *WIN* A-9
 :draw-circle method of tv:graphics-mixin, *WIN* A-7
 :draw-circle method of w:graphics-mixin, *WIN* 12-16
 :draw-circular-arc method of tv:graphics-mixin, *WIN* A-7
 :draw-crosshair method of gwin:mouse-handler-mixin, *WIN* 12-48
 :draw-cubic-spline method of tv:graphics-mixin, *WIN* A-7
 :draw-cubic-spline method of w:graphics-mixin, *WIN* 12-22
 :draw-curve method of tv:graphics-mixin, *WIN* A-6
 :draw-dashed-line method of tv:graphics-mixin, *WIN* A-5
 :draw-dashed-line method of w:graphics-mixin, *WIN* 12-14
 :draw-filled-arc method of gwin:draw-mixin, *WIN* A-9
 :draw-filled-arc method of w:graphics-mixin, *WIN* 12-16
 :draw-filled-circle method of gwin:draw-mixin, *WIN* A-9
 :draw-filled-circle method of w:graphics-mixin, *WIN* 12-16
 :draw-filled-in-circle method of tv:graphics-mixin, *WIN* A-7
 :draw-filled-in-sector method of tv:graphics-mixin, *WIN* A-7
 :draw-filled-polygon method of w:graphics-mixin, *WIN* 12-20
 :draw-filled-rectangle method of gwin:draw-mixin, *WIN* A-9
 :draw-filled-rectangle method of w:graphics-mixin, *WIN* 12-18
 :draw-filled-triangle method of gwin:draw-mixin, *WIN* A-9
 :draw-filled-triangle method of w:graphics-mixin, *WIN* 12-17
 :draw-filled-triangle-list method of gwin:draw-mixin, *WIN* A-10
 :draw-grid method of gwin:mouse-handler-mixin, *WIN* 12-49
 :draw-line method of gwin:draw-mixin, *WIN* A-10

- :draw-line method of tv:graphics-mixin, WIN A-5
- :draw-line method of w:graphics-mixin, WIN 12-13
- :draw-lines method of tv:graphics-mixin, WIN A-5
- :draw-picture-list method of gwin:draw-mixin, WIN A-10
- :draw-picture-list method of w:graphics-mixin, WIN 12-10
- :draw-point method of tv:graphics-mixin, WIN A-5
- :draw-point method of w:graphics-mixin, WIN 12-13
- :draw-polyline method of gwin:draw-mixin, WIN A-10
- :draw-polyline method of w:graphics-mixin, WIN 12-15
- :draw-raster method of gwin:draw-mixin, WIN A-10
- :draw-raster method of w:graphics-mixin, WIN 12-21
- :draw-rect method of gwin:draw-mixin, WIN A-10
- :draw-rectangle method of tv:stream-mixin, WIN A-9
- :draw-rectangle method of w:graphics-mixin, WIN 12-18
- :draw-regular-polygon method of tv:graphics-mixin, WIN A-7
- :draw-regular-polygon method of w:graphics-mixin, WIN 12-19
- :draw-solid-polygon method of gwin:draw-mixin, WIN A-10
- :draw-string method of gwin:draw-mixin, WIN A-10
- :draw-string method of gwin:font, WIN 12-67
- :draw-string method of w:graphics-mixin, WIN 12-21
- :draw-triangle method of gwin:draw-mixin, WIN A-10
- :draw-triangle method of tv:graphics-mixin, WIN A-6
- :draw-triangle method of w:graphics-mixin, WIN 12-17
- :draw-wide-curve method of tv:graphics-mixin, WIN A-6
- :dynamic initialization option of w:menu, WIN 14-22

E

- :edge-color initialization option of gwin:basic-graphics-mixin, WIN 12-56
- :edge-color initialization option of gwin:subpicture, WIN 12-77
- :edge-color method of gwin:basic-graphics-mixin, WIN 12-56
- :edge-point method of graphic object, WIN 12-54
- :edge-point method of gwin:arc, WIN 12-59
- :edge-point method of gwin:circle, WIN 12-60
- :edge-point method of gwin:line, WIN 12-61
- :edge-point method of gwin:polyline, WIN 12-62
- :edge-point method of gwin:raster-object, WIN 12-76
- :edge-point method of gwin:rectangle, WIN 12-63
- :edge-point method of gwin:ruler, WIN 12-74
- :edge-point method of gwin:spline, WIN 12-65
- :edge-point method of gwin:subpicture, WIN 12-77
- :edge-point method of gwin:text, WIN 12-69
- :edge-point method of gwin:triangle, WIN 12-66
- :edges initialization option of windows, WIN 4-2
- :edges method of windows, WIN 4-5
- :edges-from initialization option of windows, WIN 4-3
- :edit method of standalone editor windows, WIN 18-11
- :edit-parameters method of graphic object, WIN 12-55
- :edit-parameters method of gwin:arc, WIN 12-59
- :edit-parameters method of gwin:backgroundpic, WIN 12-78
- :edit-parameters method of gwin:circle, WIN 12-60
- :edit-parameters method of gwin:line, WIN 12-61
- :edit-parameters method of gwin:polyline, WIN 12-62
- :edit-parameters method of gwin:raster-object, WIN 12-76
- :edit-parameters method of gwin:rectangle, WIN 12-63
- :edit-parameters method of gwin:ruler, WIN 12-74
- :edit-parameters method of gwin:spline, WIN 12-65
- :edit-parameters method of gwin:subpicture, WIN 12-77
- :edit-parameters method of gwin:text, WIN 12-69

- :edit-parameters method of gwin:triangle, *WIN* 12-66
- :enable-scrolling-p method of tv:basic-scroll-bar, *WIN* A-1
- :enable-scrolling-p method of w:scroll-bar-mixin, *WIN* 11-30
- :end-document method of printer handlers, *IO* 7-22
- :end-document method of printer:basic-printer, *IO* 7-23
- :end-of-line-exception method of windows, *WIN* 7-14
- :end-of-page-exception method of windows, *WIN* 7-12
- :entities initialization option of gwin:subpicture, *WIN* 12-77
- :entities method of gwin:subpicture, *WIN* 12-77
- :eof method of chaos output streams, *NET* 5-21
- :eof method of streams, *IO* 1-9
- :eof-status method of mt:real-mt-mixin, *IO* B-2
- :eval-inside-yourself method of sys:vanilla-flavor, *LISP* 19-25
- :execute method of tv:menu, *WIN* A-16
- :execute method of tv:menu-execute-mixin, *WIN* A-12
- :execute method of ucl:typein-mode flavor, *TOOLS* 7-29
- :execute method of w:menu, *WIN* 14-32
- :execute-command method of ucl:basic-command-loop, *TOOLS* 7-26
- :execute-no-side-effects method of tv:menu-execute-mixin, *WIN* A-12
- :execute-no-side-effects method of w:menu, *WIN* 14-32
- :execute-window-op method of w:menu, *WIN* 14-32
- :exposable-p method of windows and screens, *WIN* 5-15
- :expose method of windows and screens, *WIN* 5-13
- :expose-for-typeout method of w:basic-typeout-window, *WIN* 13-3
- :expose-near method of windows, *WIN* 5-14
- :expose-p initialization option of windows and screens, *WIN* 5-15
- :expose-p method of windows and screens, *WIN* 5-15
- :exposed-inferiors method of windows and screens, *WIN* 5-15
- :expunge method of fs:pathname, *IO* 2-25
- :extents method of gwin:basic-graphics-mixin, *WIN* 12-56

F

- :fasd-form method of graphic object, *WIN* 12-55
- :fasd-form method of gwin:arc, *WIN* 12-59
- :fasd-form method of gwin:backgroundpic, *WIN* 12-78
- :fasd-form method of gwin:circle, *WIN* 12-60
- :fasd-form method of gwin:font, *WIN* 12-67
- :fasd-form method of gwin:line, *WIN* 12-61
- :fasd-form method of gwin:polyline, *WIN* 12-62
- :fasd-form method of gwin:raster-character, *WIN* 12-71
- :fasd-form method of gwin:raster-object, *WIN* 12-76
- :fasd-form method of gwin:rectangle, *WIN* 12-63
- :fasd-form method of gwin:ruler, *WIN* 12-74
- :fasd-form method of gwin:spline, *WIN* 12-65
- :fasd-form method of gwin:subpicture, *WIN* 12-77
- :fasd-form method of gwin:text, *WIN* 12-69
- :fasd-form method of gwin:triangle, *WIN* 12-66
- :fasd-form method of gwin:vector-character, *WIN* 12-71
- :fasd-form operation on hash-table, *LISP* 19-28
- :fasd-form operation on instances, *LISP* 21-15
- :fat-string-out method of windows, *WIN* 7-5
- :fetch-and-execute method of ucl:basic-command-loop, *TOOLS* 7-26
- :fetch-input method of ucl:basic-command-loop, *TOOLS* 7-26
- :fill-color initialization option of gwin:basic-graphics-mixin, *WIN* 12-56
- :fill-color method of gwin:basic-graphics-mixin, *WIN* 12-56
- :fill-p initialization option of tv:menu, *WIN* A-14
- :fill-p initialization option of w:menu, *WIN* 14-29
- :fill-p method of tv:menu, *WIN* A-14

:fill-p method of w:menu, *WIN* 14-29
 :filled-entries operation on hash-table, *LISP* 19-28
 :find-current-frame method of condition, *LISP* 20-30
 :find-type method of user-defined tree editor flavor, *TOOLS* 11-8
 :finish method of chaos output streams, *NET* 5-21
 :finish method of streams, *IO* 1-13
 :finish method of sys:serial-stream-mixin, *IO* 1-19
 :first-bp method of mail:message, *TOOLS* 31-47
 :first-node method of user-defined tree editor flavor, *TOOLS* 11-7
 :flashy-scrolling-region initialization option of tv:flashy-scrolling-mixin, *WIN* A-2
 :flush method of sys:process, *LISP* 27-8
 :flush-typeout method of w:text-scroll-window-typeout-mixin, *WIN* 16-6
 :fn1 operation on its-pathname, *IO* 2-39
 :fn2 operation on its-pathname, *IO* 2-39
 :follow-p initialization option of w:blinker, *WIN* 10-6
 :follow-p method of w:blinker, *WIN* 10-6
 :font initialization option of gwin:cursor, *WIN* 12-51
 :font initialization option of gwin:ruler, *WIN* 12-72
 :font initialization option of w:character-blinker, *WIN* 10-9
 :font-map initialization option of windows, *WIN* 9-3
 :font-map method of windows, *WIN* 9-3
 :font-name initialization option of gwin:text, *WIN* 12-68
 :font-name method of gwin:text, *WIN* 12-68
 :font-type method of user-defined tree editor flavor, *TOOLS* 11-8
 :force-kbd-input method of w:stream-mixin, *WIN* 8-10
 :force-output method of chaos output streams, *NET* 5-21
 :force-output method of parallel-stream-mixin, *IO* 1-21
 :force-output method of streams, *IO* 1-13
 :foreground-color initialization option of windows, *WIN* 19-7
 :foreground-color method of windows, *WIN* 19-7
 :foreign-host method of chaos streams, *NET* 5-21
 :form method of printer:basic-printer, *IO* 7-23
 :forward-char method of windows, *WIN* 7-16
 :fresh-line method of streams, *IO* 1-8
 :fresh-line method of windows, *WIN* 7-8
 :frozen? initialization option of gwin:sprite-cursor, *WIN* 12-53
 :frozen? method of gwin:sprite-cursor, *WIN* 12-53
 :funcall-inside-yourself method of sys:vanilla-flavor, *LISP* 19-25
 :function initialization option of w:basic-choose-variable-values, *WIN* 14-54
 :function method of w:basic-choose-variable-values, *WIN* 14-54

G

:generic-pathname method of fs:pathname, *IO* 2-23
 :geometry initialization option of tv:menu, *WIN* A-13
 :geometry initialization option of w:menu, *WIN* 14-28
 :geometry method of tv:menu, *WIN* A-13
 :geometry method of w:menu, *WIN* 14-28
 :get method of parallel-stream-mixin, *IO* 1-21
 :get method of sys:property-list-mixin, *IO* 2-24; *LISP* 19-26
 :get method of sys:serial-stream-mixin, *IO* 1-19
 :get-configuration method of w:basic-constraint-frame, *WIN* 15-35
 :get-extended-status method of mt:reel-mt-mixin, *IO* B-2
 :get-handler-for method of sys:vanilla-flavor, *LISP* 19-25
 :get-hash operation on hash-table, *LISP* 19-28
 :get-input-buffer method of streams, *LISP* A-9
 :get-item method of w:basic-scroll-window, *WIN* 17-7
 :get-location method of sys:property-list-mixin, *LISP* 19-26
 :get-mouse-position method of gwin:mouse-handler-mixin, *WIN* 12-49

:get-new-tree method of user-defined tree editor flavor, *TOOLS* 11-10
 :get-old-data method of lower-output-limit, *IO* 1-26
 :get-pane method of w:basic-constraint-frame, *WIN* 15-34
 :get-user-data method of user-defined tree editor flavor, *TOOLS* 11-11
 :getl method of sys:property-list-mixin, *IO* 2-24; *LISP* 19-26
 :gray-array initialization option of w:gray-deexposed-right-mixin, *WIN* 5-20
 :gray-array initialization option of w:gray-deexposed-wrong-mixin, *WIN* 5-20
 :gray-array method of w:gray-deexposed-right-mixin, *WIN* 5-20
 :gray-array method of w:gray-deexposed-wrong-mixin, *WIN* 5-20
 :grid-on initialization option of gwin:mouse-handler-mixin, *WIN* 12-48
 :grid-on method of gwin:mouse-handler-mixin, *WIN* 12-48
 :grid-x initialization option of gwin:mouse-handler-mixin, *WIN* 12-48
 :grid-x method of gwin:mouse-handler-mixin, *WIN* 12-48
 :grid-y initialization option of gwin:mouse-handler-mixin, *WIN* 12-48
 :grid-y method of gwin:mouse-handler-mixin, *WIN* 12-48
 :gridify-point method of gwin:mouse-handler-mixin, *WIN* 12-49

H

:half-period initialization option of w:blinker, *WIN* 10-3
 :half-period method of w:blinker, *WIN* 10-3
 :handle-asynchronous-character method of w:stream-mixin, *WIN* 8-21
 :handle-exceptions method of windows, *WIN* 7-12
 :handle-key-input method of ucl:basic-command-loop, *TOOLS* 7-26
 :handle-menu-input method of ucl:basic-command-loop, *TOOLS* 7-26
 :handle-mouse method of windows, *WIN* 11-12
 :handle-mouse-input method of ucl:basic-command-loop, *TOOLS* 7-26
 :handle-mouse-scroll method of w:scroll-bar-mixin, *WIN* 11-27
 :handle-node method of user-defined tree editor flavor, *TOOLS* 11-9
 :handle-pop-up-typein-and-typeout method of ucl:basic-command-loop, *TOOLS* 7-26
 :handle-pop-up-typein-input method of ucl:basic-command-loop, *TOOLS* 7-26
 :handle-typein-input method of ucl:basic-command-loop, *TOOLS* 7-26
 :handle-typein-p method of ucl:typein-mode flavor, *TOOLS* 7-29
 :handle-unknown-input method of ucl:basic-command-loop, *TOOLS* 7-27
 :headers-end-bp method of mail:message, *TOOLS* 31-47
 :height initialization option of gwin:bitblt-blinker, *WIN* 12-51
 :height initialization option of gwin:block-cursor, *WIN* 12-52
 :height initialization option of gwin:raster-object, *WIN* 12-75
 :height initialization option of gwin:rectangle, *WIN* 12-63
 :height initialization option of gwin:sprite-cursor, *WIN* 12-53
 :height initialization option of w:bitblt-blinker, *WIN* 10-10
 :height initialization option of w:cache-window, *WIN* 12-46
 :height initialization option of w:ibeam-blinker, *WIN* 10-8
 :height initialization option of w:rectangular-blinker, *WIN* 10-7
 :height initialization option of w:sprite-window, *WIN* 12-46
 :height initialization option of windows, *WIN* 4-2
 :height method of gwin:bitblt-blinker, *WIN* 12-51
 :height method of gwin:block-cursor, *WIN* 12-52
 :height method of gwin:rectangle, *WIN* 12-63
 :height method of windows, *WIN* 4-4
 :help-doc method of ucl:typein-mode flavor, *TOOLS* 7-30
 :highlight method of gwin:backgroundpic, *WIN* 12-78
 :highlight method of gwin:basic-graphics-mixin, *WIN* 12-56
 :highlight-2 method of gwin:basic-graphics-mixin, *WIN* 12-56
 :highlight-function method of user-defined tree editor flavor, *TOOLS* 11-8
 :highlighted-items initialization option of tv:menu-highlighting-mixin, *WIN* A-22
 :highlighted-items initialization option of w:menu, *WIN* 14-20
 :highlighted-items method of tv:menu-highlighting-mixin, *WIN* A-22
 :highlighted-items method of w:menu, *WIN* 14-20

:highlighted-values method of tv:menu-highlighting-mixin, *WIN A-22*
 :highlighted-values method of w:menu, *WIN 14-21*
 :highlighting initialization option of w:menu, *WIN 14-20*
 :highlighting method of w:menu, *WIN 14-20*
 :home-cursor method of windows, *WIN 7-16*
 :home-down method of windows, *WIN 7-16*
 :horizontal-spacing initialization option of gwin:basic-character-mixin, *WIN 12-70*
 :horizontal-spacing method of gwin:basic-character-mixin, *WIN 12-70*
 :horz-spacing initialization option of gwin:font, *WIN 12-67*
 :horz-spacing method of gwin:font, *WIN 12-67*
 :host method of fs:pathname, *IO 2-10*
 :hysteresis initialization option of w:hysteretic-window-mixin, *WIN 11-8*
 :hysteresis method of w:hysteretic-window-mixin, *WIN 11-8*

I

:identity? initialization option of w:transform-mixin, *WIN 12-47*
 :identity? method of w:transform-mixin, *WIN 12-47*
 :identity-cache initialization option of gwin:raster-character, *WIN 12-71*
 :identity-cache method of gwin:raster-character, *WIN 12-71*
 :identity-height initialization option of gwin:raster-character, *WIN 12-71*
 :identity-height method of gwin:raster-character, *WIN 12-71*
 :identity-width initialization option of gwin:raster-character, *WIN 12-71*
 :identity-width method of gwin:raster-character, *WIN 12-71*
 :incomplete-p method of w:basic-typeout-window, *WIN 13-5*
 :increment-cursorpos method of streams, *IO 1-11*
 :increment-cursorpos method of windows, *WIN 7-15*
 :inferior-set-edges method of windows, *WIN 4-6*
 :inferiors method of windows and screens, *WIN 5-4*
 :init method of all flavors, *LISP 19-8*
 :init method of printer:basic-printer, *IO 7-23*
 :initial-form method of sys:process, *LISP 27-6*
 :initial-stack-group method of sys:process, *LISP 27-5*
 :initialize method of ucl:basic-command-loop, *TOOLS 7-25*
 :input-chars-available-p method of sys:serial-stream-mixin, *IO 1-19*
 :insert-arc method of gwin:world, *WIN 12-43*
 :insert-backgroundpic method of gwin:world, *WIN 12-43*
 :insert-char method of windows, *WIN 7-19*
 :insert-circle method of gwin:world, *WIN 12-43*
 :insert-item method of w:basic-scroll-window, *WIN 17-7*
 :insert-item method of w:text-scroll-window, *WIN 16-3*
 :insert-line method of gwin:world, *WIN 12-43*
 :insert-line method of windows, *WIN 7-20*
 :insert-polyline method of gwin:world, *WIN 12-43*
 :insert-raster method of gwin:world, *WIN 12-43*
 :insert-rectangle method of gwin:world, *WIN 12-43*
 :insert-ruler method of gwin:world, *WIN 12-43*
 :insert-spline method of gwin:world, *WIN 12-43*
 :insert-string method of windows, *WIN 7-19*
 :insert-subpicture method of gwin:world, *WIN 12-43*
 :insert-text method of gwin:world, *WIN 12-44*
 :insert-triangle method of gwin:world, *WIN 12-44*
 :inside-edges method of windows, *WIN 4-5*
 :inside-height initialization option of windows, *WIN 4-3*
 :inside-height method of windows, *WIN 4-5*
 :inside-p method of gwin:basic-graphics-mixin, *WIN 12-56*
 :inside-size initialization option of windows, *WIN 4-3*
 :inside-size method of windows, *WIN 4-5*
 :inside-width initialization option of windows, *WIN 4-3*

- :inside-width method of windows, *WIN* 4-5
- :integral-p initialization option of windows, *WIN* 4-3
- :interrupt method of sys:process, *LISP* 27-9
- :interval method of editor windows, *WIN* 18-12
- :interval-string method of editor windows, *WIN* 18-11
- :io-buffer initialization option of nil, *WIN* 14-57
- :io-buffer initialization option of tv:command-menu, *WIN* A-18
- :io-buffer initialization option of w:bordered-constraint-frame-with-shared-iobuffer, *WIN* 15-15
- :io-buffer initialization option of w:constraint-frame-with-shared-iobuffer, *WIN* 15-15
- :io-buffer initialization option of w:stream-mixin, *WIN* 8-3
- :io-buffer method of tv:command-menu, *WIN* A-18
- :io-buffer method of w:stream-mixin, *WIN* 8-3
- :item method of w:basic-mouse-sensitive-items, *WIN* 14-63
- :item method of w:mouse-sensitive-text-scroll-window, *WIN* 16-9
- :item-alignment initialization option of w:menu, *WIN* 14-30
- :item-cursorpos method of tv:menu, *WIN* A-17
- :item-cursorpos method of w:menu, *WIN* 14-32
- :item-generator method of w:text-scroll-window, *WIN* 16-6
- :item-list initialization option of tv:menu, *WIN* A-16
- :item-list initialization option of w:basic-multiple-choice, *WIN* 14-37
- :item-list initialization option of w:menu, *WIN* 14-24
- :item-list method of tv:menu, *WIN* A-16
- :item-list method of w:basic-mouse-sensitive-items, *WIN* 14-64
- :item-list method of w:basic-multiple-choice, *WIN* 14-37
- :item-list method of w:menu, *WIN* 14-24
- :item-list-pointer initialization option of tv:dynamic-item-list-mixin, *WIN* A-19
- :item-list-pointer initialization option of w:menu, *WIN* 14-23
- :item-list-pointer method of tv:dynamic-item-list-mixin, *WIN* A-19
- :item-list-pointer method of w:menu, *WIN* 14-23
- :item-name initialization option of w:basic-multiple-choice, *WIN* 14-37
- :item-name method of w:basic-multiple-choice, *WIN* 14-37
- :item-of-number method of w:text-scroll-window, *WIN* 16-3
- :item-rectangle method of tv:menu, *WIN* A-17
- :item-rectangle method of w:menu, *WIN* 14-32
- :item-type-alist initialization option of w:basic-mouse-sensitive-items, *WIN* 14-62
- :item-type-alist method of w:basic-mouse-sensitive-items, *WIN* 14-62
- :item1 method of w:mouse-sensitive-text-scroll-window, *WIN* 16-9
- :items method of w:text-scroll-window, *WIN* 16-2

K

- :keypad-enable initialization option of windows, *WIN* 8-26
- :keywords method of mail:message, *TOOLS* 31-47
- :kill method of sys:process, *LISP* 27-8
- :kill method of windows, *WIN* 5-5

L

- :label initialization option of w:label-mixin, *WIN* 3-5
- :label method of w:label-mixin, *WIN* 3-5
- :label-background initialization option of w:label-mixin, *WIN* 19-8
- :label-background method of w:label-mixin, *WIN* 19-8
- :label-box-p initialization option of w:box-label-mixin, *WIN* 3-8
- :label-color initialization option of w:label-mixin, *WIN* 19-8
- :label-color method of w:label-mixin, *WIN* 19-8
- :label-size method of w:label-mixin, *WIN* 3-5
- :labels initialization option of gwin:ruler, *WIN* 12-72
- :labels method of gwin:ruler, *WIN* 12-72
- :last-bp method of mail:message, *TOOLS* 31-47
- :last-item method of tv:menu, *WIN* A-17

:last-item method of w:menu, *WIN* 14-25
 :last-item method of w:text-scroll-window, *WIN* 16-3
 :left initialization option of gwin:rectangle, *WIN* 12-63
 :left initialization option of windows, *WIN* 4-2
 :left method of gwin:rectangle, *WIN* 12-63
 :left-flag initialization option of gwin:sprite-cursor, *WIN* 12-53
 :left-flag method of gwin:sprite-cursor, *WIN* 12-53
 :left-kern initialization option of gwin:raster-character, *WIN* 12-72
 :left-kern method of gwin:raster-character, *WIN* 12-72
 :left-limit initialization option of gwin:sprite-cursor, *WIN* 12-53
 :left-limit initialization option of gwin:world, *WIN* 12-44
 :left-limit method of gwin:sprite-cursor, *WIN* 12-53
 :left-limit method of gwin:world, *WIN* 12-44
 :left-margin-size method of windows, *WIN* 3-2
 :line-area-mouse-documentation method of w:line-area-text-scroll-mixin, *WIN* 16-11
 :line-area-width initialization option of w:line-area-text-scroll-mixin, *WIN* 16-11
 :line-in method of streams, *IO* 1-7
 :line-out method of streams, *IO* 1-9
 :line-out method of windows, *WIN* 7-5
 :list-tyl method of w:stream-mixin, *WIN* A-23
 :listen method of streams, *IO* 1-10
 :listen method of sys:serial-stream-mixin, *IO* 1-20
 :listen method of w:stream-mixin, *WIN* 8-10
 :loop method of ucl:basic-command-loop, *TOOLS* 7-25

M

:magnification initialization option of w:magnifying-blinker, *WIN* 10-11
 :magnification method of w:magnifying-blinker, *WIN* 10-11
 :make-complete method of w:basic-typeout-window, *WIN* 13-5
 :make-incomplete method of w:basic-typeout-window, *WIN* 13-5
 :map-hash operation on hash-table, *LISP* 19-28
 :map-hash-return operation on hash-table, *LISP* 19-28
 :margin initialization option of gwin:subpicture, *WIN* 12-77
 :margin initialization option of gwin:text, *WIN* 12-68
 :margin method of gwin:subpicture, *WIN* 12-77
 :margin method of gwin:text, *WIN* 12-68
 :margin-choice-default-font initialization option of w:margin-choice-mixin, *WIN* 14-66
 :margin-choices initialization option of w:choose-variable-values-window, *WIN* 14-55
 :margin-choices initialization option of w:margin-choice-mixin, *WIN* 14-66
 :margin-scroll-regions initialization option of tv:margin-scroll-mixin, *WIN* A-3
 :margins method of windows, *WIN* 3-2
 :markers method of gwin:basic-graphics-mixin, *WIN* 12-56
 :maybe-clear-input method of condition, *LISP* 20-29
 :memory-buffer initialization option of rpc:xdr-memory-stream, *NET* A-12
 :memory-buffer method of rpc:xdr-memory-stream, *NET* A-12
 :memory-buffer-end method of rpc:xdr-memory-stream, *NET* A-12
 :memory-buffer-pointer method of rpc:xdr-memory-stream, *NET* A-12
 :menu-draw method of tv:menu, *WIN* A-17
 :menu-draw method of w:menu, *WIN* 14-32
 :menu-margin-choices initialization option of tv:menu-margin-choice-mixin, *WIN* A-4
 :menu-margin-choices initialization option of w:menu, *WIN* 14-21
 :min-dot-delta initialization option of gwin:draw-mixin, *WIN* A-10
 :min-dot-delta initialization option of w:cache-window, *WIN* 12-47
 :min-dot-delta initialization option of w:graphics-mixin, *WIN* 12-9
 :min-dot-delta initialization option of w:sprite-window, *WIN* 12-47
 :min-dot-delta method of gwin:draw-mixin, *WIN* A-10
 :min-dot-delta method of w:graphics-mixin, *WIN* 12-9
 :min-nil-delta initialization option of gwin:draw-mixin, *WIN* A-10

:min-nil-delta initialization option of w:cache-window, *WIN* 12-47
 :min-nil-delta initialization option of w:graphics-mixin, *WIN* 12-9
 :min-nil-delta initialization option of w:sprite-window, *WIN* 12-47
 :min-nil-delta method of gwin:draw-mixin, *WIN* A-10
 :min-nil-delta method of w:graphics-mixin, *WIN* 12-9
 :minimum-height initialization option of windows, *WIN* 4-3
 :minimum-width initialization option of windows, *WIN* 4-3
 :modify-hash operation on hash-table, *LISP* 19-28
 :monochrome-blanking method of w:control-register, *WIN* 19-24
 :monochrome-polarity method of w:control-register, *WIN* 19-24
 :more-exception method of windows, *WIN* 7-13
 :more-p initialization option of windows, *WIN* 7-25
 :more-p method of w:basic-typeout-window, *WIN* 13-4
 :more-p method of windows, *WIN* 7-25
 :more-vpos method of windows, *WIN* 7-13
 :mouse-buttons method of windows, *WIN* 11-14
 :mouse-buttons-on-item method of tv:menu, *WIN* A-17
 :mouse-buttons-on-item method of w:menu, *WIN* 14-32
 :mouse-buttons-scroll method of tv:basic-scroll-bar, *WIN* A-2
 :mouse-click method of gwin:mouse-handler-mixin, *WIN* 12-49
 :mouse-click method of w:margin-region-mixin, processing mouse clicks other than R2, *WIN* 3-10
 :mouse-click method of w:mouse-sensitive-text-scroll-window, *WIN* 16-9
 :mouse-click method of windows, *WIN* 11-14
 :mouse-moves method of windows, *WIN* 11-13
 :mouse-or-kbd-tyi method of w:stream-mixin, *WIN* A-23
 :mouse-or-kbd-tyi-no-hang method of w:stream-mixin, *WIN* A-23
 :mouse-select method of windows, *WIN* 6-3
 :mouse-sensitive-item method of w:basic-mouse-sensitive-items, *WIN* 14-64
 :mouse-sensitive-item method of w:mouse-sensitive-text-scroll-window-without-click, *WIN* 16-10
 :mouse-standard-blinker method of gwin:mouse-handler-mixin, *WIN* 12-49
 :mouse-standard-blinker method of w:menu, *WIN* 14-31
 :mouse-standard-blinker method of windows, *WIN* 11-17
 :move method of graphic object, *WIN* 12-55
 :move method of gwin:arc, *WIN* 12-59
 :move method of gwin:circle, *WIN* 12-60
 :move method of gwin:line, *WIN* 12-61
 :move method of gwin:polyline, *WIN* 12-62
 :move method of gwin:raster-object, *WIN* 12-76
 :move method of gwin:rectangle, *WIN* 12-63
 :move method of gwin:ruler, *WIN* 12-74
 :move method of gwin:spline, *WIN* 12-65
 :move method of gwin:sprite-cursor, *WIN* 12-54
 :move method of gwin:subpicture, *WIN* 12-77
 :move method of gwin:text, *WIN* 12-69
 :move method of gwin:triangle, *WIN* 12-66
 :move-near-window method of tv:menu, *WIN* A-16
 :move-near-window method of w:menu, *WIN* 14-32
 :multicolumn initialization option of w:menu, *WIN* 14-23

N

:name initialization option of gwin:subpicture, *WIN* 12-77
 :name initialization option of w:minimum-window, *WIN* 3-5
 :name method of fs:pathname, *IO* 2-10
 :name method of gwin:subpicture, *WIN* 12-77
 :name method of mail:message, *TOOLS* 31-47
 :name method of sys:process, *LISP* 27-5
 :name method of w:minimum-window, *WIN* 3-5
 :name-font initialization option of w:basic-choose-variable-values, *WIN* 14-54

- :name-for-selection method of windows, *WIN 6-6*
- :name-wild-p method of fs:pathname, *IO 2-29*
- :nearest-x method of gwin:basic-graphics-mixin, *WIN 12-56*
- :nearest-y method of gwin:basic-graphics-mixin, *WIN 12-56*
- :new-canonical-type method of fs:pathname, *IO 2-13*
- :new-device method of fs:pathname, *IO 2-10*
- :new-directory method of fs:pathname, *IO 2-10*
- :new-name method of fs:pathname, *IO 2-10*
- :new-output-buffer method of sys:buffered-output-stream, *IO 1-24*
- :new-pathname method of fs:pathname, *IO 2-11*
- :new-raw-device method of fs:pathname, *IO 2-11*
- :new-raw-directory method of fs:pathname, *IO 2-11*
- :new-raw-name method of fs:pathname, *IO 2-11*
- :new-raw-type method of fs:pathname, *IO 2-11*
- :new-scroll-position method of scrolling windows, *WIN 16-4*
- :new-suggested-directory method of fs:pathname, *IO 2-11*
- :new-suggested-name method of fs:pathname, *IO 2-11*
- :new-type method of fs:pathname, *IO 2-10*
- :new-type-and-version operation on its pathname, *IO 2-39*
- :new-version method of fs:pathname, *IO 2-10*
- :new-window method of w:transform-mixin, *WIN 12-47*
- :next-input-buffer method of sys:buffered-input-stream, *IO 1-23*
- :non-sensitive-mouse-click user-defined method of w:basic-mouse-sensitive-items, *WIN 14-64*
- :notice method of windows, *WIN 18-4*
- :number-of-item method of w:text-scroll-window, *WIN 16-3*
- :number-of-items method of w:text-scroll-window, *WIN 16-2*

O

- :objects-in-window initialization option of gwin:world, *WIN 12-42*
- :objects-in-window method of gwin:world, *WIN 12-42*
- :offset method of gwin:basic-cursor-mixin, *WIN 12-50*
- :offsets method of w:mouse-blinker-mixin, *WIN 11-17*
- :open method of fs:pathname, *IO 2-25*
- :open-canonical-default-type method of fs:pathname, *IO 2-13*
- :open-streams method of w:who-line-file-sheet, *WIN 18-17*
- :operation-handled-p method of streams, *IO 1-9*
- :operation-handled-p method of sys:vanilla-flavor, *LISP 19-24*
- :order-inferiors method of windows, *WIN 5-21*
- :origin method of gwin:basic-graphics-mixin, *WIN 12-56*
- :output-hold-exception method of windows, *WIN 7-12*
- :outside-p method of gwin:basic-graphics-mixin, *WIN 12-56*
- :overlap-p method of gwin:basic-graphics-mixin, *WIN 12-57*
- :overstrike method of printer:basic-printer, *IO 7-23*

P

- :package method of w:listener-mixin-internal, *WIN 18-10*
- :pan method of w:transform-mixin, *WIN 12-47*
- :pane-name method of w:basic-constraint-frame, *WIN 15-34*
- :pane-size method of windows, *WIN 15-34*
- :pane-types-alist method of frames, *WIN 15-36*
- :panes initialization option of all constraint frame flavors, *WIN 15-22*
- :parse-font-name method of w:screen, *WIN 9-5*
- :parse-font-specifier method of w:-screen, *WIN 9-5*
- :pathname-as-directory method of fs:pathname, *IO 2-24*
- :pathname-match method of fs:pathname, *IO 2-28*
- :permanent initialization option of w:menu, *WIN 14-22*
- :phase method of w:blinker, *WIN 10-6*
- :pick method of gwin:world, *WIN 12-43*

:plane-mask method of windows, *WIN* 19-23
 :playback method of w:stream-mixin, *WIN* 8-11
 :plist method of sys:property-list-mixin, *IO* 2-24; *LISP* 19-26
 :point method of tv:graphics-mixin, *WIN* A-5
 :point method of w:graphics-mixin, *WIN* 12-13
 :pop-up initialization option of w:menu, *WIN* 14-22
 :position initialization option of windows, *WIN* 4-2
 :position method of gwin:basic-cursor-mixin, *WIN* 12-50
 :position method of windows, *WIN* 4-5
 :preemptable-read method of w:preemptable-read-any-tyi-mixin, *WIN* 8-12
 :preset method of sys:process, *LISP* 27-8
 :primary-device method of fs:pathname, *IO* 2-23
 :primitive-item method of w:basic-mouse-sensitive-items, *WIN* 14-63
 :primitive-item-outside method of w:basic-mouse-sensitive-items, *WIN* 14-63
 :print-bitmap method of printer handlers, *IO* 7-23
 :print-error-message method of condition, *LISP* 20-29
 :print-error-message-prefix method of condition, *LISP* 20-29
 :print-function initialization option of w:function-text-scroll-window, *WIN* 16-5
 :print-function method of w:function-text-scroll-window, *WIN* 16-5
 :print-function-arg initialization option of w:function-text-scroll-window, *WIN* 16-5
 :print-function-arg method of w:function-text-scroll-window, *WIN* 16-5
 :print-header-page method of printer:basic-printer, *IO* 7-23
 :print-item method of w:text-scroll-window, *WIN* 16-2
 :print-name method of user-defined tree editor flavor, *TOOLS* 11-8
 :print-notification method of windows, *WIN* 18-2
 :print-notification-on-self method of w:notification-mixin, *WIN* 18-2
 :print-page-heading method of printer:basic-printer, *IO* 7-23
 :print-raw-file method of printer handlers, *IO* 7-22
 :print-raw-file method of printer:basic-printer, *IO* 7-23
 :print-self method of sys:vanilla-flavor, *LISP* 19-24
 :print-self stream method of sys:print-readably-mixin, *LISP* 19-27
 :print-text-file method of printer handlers, *IO* 7-22
 :print-text-file method of printer:basic-printer, *IO* 7-23
 :prints-multiple-copies-p method of printer handlers, *IO* 7-22
 :prints-multiple-copies-p method of printer:basic-printer, *IO* 7-24
 :priority initialization option of windows, *WIN* 5-22
 :priority method of sys:process, *LISP* 27-6
 :proceed-asking-user method of condition, *LISP* 20-17
 :proceed-type-p method of condition, *LISP* 20-15
 :proceed-types method of condition, *LISP* 20-15
 :process initialization option of w:process-mixin, *WIN* 6-12
 :process method of w:process-mixin, *WIN* 6-12
 :process method of w:select-mixin, *WIN* 6-12
 :process-character method of w:basic-choose-variable-values, *WIN* 14-58
 :process-character method of w:menu, *WIN* 14-25
 :process-options initialization option of ucl:command-loop-mixin, *TOOLS* 7-27
 :processes method of windows, *WIN* 6-13
 :prompt-text initialization option of gwin:graphics-window-mixin, *WIN* 12-45
 :prompt-text method of gwin:graphics-window-mixin, *WIN* 12-45
 :property-list-location method of sys:property-list-mixin, *LISP* 19-26
 :push-property method of sys:property-list-mixin, *LISP* 19-26
 :put method of parallel-stream-mixin, *IO* 1-21
 :put method of sys:serial-stream-mixin, *IO* 1-19
 :put-hash operation on hash-table, *LISP* 19-28
 :put-item-in-window method of w:text-scroll-window, *WIN* 16-3
 :put-last-item-in-window method of w:text-scroll-window, *WIN* 16-3
 :putprop method of sys:property-list-mixin, *IO* 2-24; *LISP* 19-26

Q

:quantum method of sys:process, *LISP* 27-6
 :quantum-remaining method of sys:process, *LISP* 27-6
 :quit method of ucl:basic-command-loop, *TOOLS* 7-27
 :quit method of ucl:command-loop-mixin, *TOOLS* 7-27

R

:radius initialization option of gwin:circle, *WIN* 12-59
 :radius method of gwin:circle, *WIN* 12-59
 :raw-device method of fs:pathname, *IO* 2-10
 :raw-directory method of fs:pathname, *IO* 2-10
 :raw-name method of fs:pathname, *IO* 2-10
 :raw-type method of fs:pathname, *IO* 2-10
 :read-any method of w:stream-mixin, *WIN* 8-9
 :read-any-no-hang method of w:stream-mixin, *WIN* 8-9
 :read-cursorpos method of streams, *IO* 1-11
 :read-cursorpos method of w:blinker, *WIN* 10-6
 :read-cursorpos method of windows, *WIN* 7-15
 :read-display-list method of gwin:world, *WIN* 12-42
 :read-input-buffer method of streams, *IO* 1-13
 :read-instance flavor stream method of sys:print-readably-mixin, *LISP* 19-27
 :read-list method of w:stream-mixin, *WIN* 8-9
 :read-mouse-or-kbd method of w:stream-mixin, *WIN* 8-9
 :read-mouse-or-kbd-no-hang method of w:stream-mixin, *WIN* 8-9
 :read-pointer method of rpc:xdr-memory-stream, *NET* A-12
 :read-pointer method of streams, *IO* 1-12
 :read-until-eof method of streams, *IO* 1-8
 :reconstruction-init-plist default method of sys:print-readably-mixin, *LISP* 19-27
 :redefine-configuration method of w:basic-constraint-frame, *WIN* 15-35
 :redefine-margins method of windows, *WIN* 3-14
 :redisplay method of w:basic-scroll-window, *WIN* 17-6
 :redisplay method of w:text-scroll-window, *WIN* 16-3
 :redisplay-selected-items method of w:basic-scroll-window, *WIN* 17-7
 :redraw method of gwin:basic-cursor-mixin, *WIN* 12-51
 :redraw method of gwin:sprite-cursor, *WIN* 12-54
 :redraw-crosshair method of gwin:mouse-handler-mixin, *WIN* 12-49
 :refresh method of windows, *WIN* 5-10
 :refresh-area method of gwin:graphics-window-mixin, *WIN* 12-46
 :refresh-margins method of windows, *WIN* 3-13
 :refresh-rubout-handler method of w:stream-mixin, *WIN* 8-12
 :region-list initialization option of w:margin-region-mixin, *WIN* 3-9
 :register method of rpc:server, *NET* B-9
 :rem-hash operation on hash-table, *LISP* 19-28
 :remote-connect method of fs:pathname, *IO* 2-26
 :remove-asynchronous-character method of w:stream-mixin, *WIN* 8-21
 :remove-features initialization option of ucl:selective-features-mixin, *TOOLS* 7-31
 :remove-highlighted-item method of tv:menu-highlighting-mixin, *WIN* A-22
 :remove-highlighted-item method of w:menu, *WIN* 14-20
 :remove-highlighted-value method of tv:menu-highlighting-mixin, *WIN* A-22
 :remove-highlighted-value method of w:menu, *WIN* 14-21
 :remove-selection-substitute method of windows, *WIN* 6-9
 :remprop method of sys:property-list-mixin, *IO* 2-24; *LISP* 19-26
 :rename method of fs:pathname, *IO* 2-25
 :replace-entity method of gwin:world, *WIN* 12-42
 :report method of condition, *LISP* 20-28
 :report-string method of condition, *LISP* 20-28
 :reset method of sys:process, *LISP* 27-8
 :reset method of sys:serial-stream-mixin, *IO* 1-19

:reset-hardware method of sys:serial-stream-mixin, *IO* 1-19
 :restore-rubout-handler-buffer method of w:stream-mixin, *WIN* 8-12
 :resume-crosshair method of gwin:mouse-handler-mixin, *WIN* 12-49
 :reverse-video-p initialization option of windows, *WIN* 5-9
 :reverse-video-p method of windows, *WIN* 5-9
 :revoke-arrest-reason method of sys:process, *LISP* 27-7
 :revoke-run-reason method of sys:process, *LISP* 27-7
 :rewind method of streams, *LISP* A-14
 :right initialization option of windows, *WIN* 4-2
 :right-flag initialization option of gwin:sprite-cursor, *WIN* 12-53
 :right-flag method of gwin:sprite-cursor, *WIN* 12-53
 :right-limit initialization option of gwin:sprite-cursor, *WIN* 12-53
 :right-limit initialization option of gwin:world, *WIN* 12-44
 :right-limit method of gwin:sprite-cursor, *WIN* 12-53
 :right-limit method of gwin:world, *WIN* 12-44
 :right-margin-character-flag initialization option of windows, *WIN* 7-25
 :right-margin-size method of windows, *WIN* 3-2
 :right-shadow-width initialization option of w:shadow-borders-mixin, *WIN* 5-17
 :rows initialization option of tv:menu, *WIN* A-14
 :rows initialization option of w:menu, *WIN* 14-29
 :rubout-handler method of streams, *IO* 1-10
 :rubout-handler method of w:stream-mixin, *WIN* 8-11
 :run-reason method of sys:process, *LISP* 27-7
 :run-reasons method of sys:process, *LISP* 27-7
 :runnable-p method of sys:process, *LISP* 27-7

S

:save-bits initialization option of windows, *WIN* 5-10
 :save-bits method of windows, *WIN* 5-10
 :save-rubout-handler-buffer method of w:stream-mixin, *WIN* 8-12
 :scale method of graphic object, *WIN* 12-55
 :scale method of gwin:arc, *WIN* 12-59
 :scale method of gwin:circle, *WIN* 12-60
 :scale method of gwin:line, *WIN* 12-61
 :scale method of gwin:polyline, *WIN* 12-62
 :scale method of gwin:raster-object, *WIN* 12-76
 :scale method of gwin:rectangle, *WIN* 12-63
 :scale method of gwin:ruler, *WIN* 12-74
 :scale method of gwin:spline, *WIN* 12-65
 :scale method of gwin:subpicture, *WIN* 12-77
 :scale method of gwin:text, *WIN* 12-69
 :scale method of gwin:triangle, *WIN* 12-66
 :screen-array method of windows and screens, *WIN* 5-15
 :screen-image-file-p method of printer handlers, *IO* 7-22
 :screen-image-file-p method of printer:basic-printer, *IO* 7-24
 :screen-manage method of windows and screens, *WIN* 5-19
 :screen-manage-autoexpose-inferiors method of windows and screens, *WIN* 5-19
 :screen-manage-deexposed-visibility method of windows, *WIN* 5-20
 :scroll-bar initialization option of tv:basic-scroll-bar, *WIN* A-1
 :scroll-bar method of tv:basic-scroll-bar, *WIN* A-1
 :scroll-bar method of w:scroll-bar-mixin, *WIN* 11-27
 :scroll-bar-always-displayed initialization option of tv:basic-scroll-bar, *WIN* A-1
 :scroll-bar-always-displayed method of tv:basic-scroll-bar, *WIN* A-1
 :scroll-bar-delay-time method of w:scroll-bar-mixin, *WIN* 11-30
 :scroll-bar-draw-edge-p method of w:scroll-bar-mixin, *WIN* 11-28
 :scroll-bar-icon-height method of w:scroll-bar-mixin, *WIN* 11-27
 :scroll-bar-icon-width method of w:scroll-bar-mixin, *WIN* 11-27
 :scroll-bar-lines method of w:scroll-bar-mixin, *WIN* 11-30

:scroll-bar-mode method of w:scroll-bar-mixin, *WIN* 11-28
 :scroll-bar-on-off method of w:scroll-bar-mixin, *WIN* 11-28
 :scroll-bar-on-right method of w:scroll-bar-mixin, *WIN* 11-27
 :scroll-bar-side initialization option of w:scroll-bar-mixin, *WIN* 11-26
 :scroll-more-above method of w:scroll-bar-mixin, *WIN* 11-29
 :scroll-more-below method of w:scroll-bar-mixin, *WIN* 11-29
 :scroll-position method of scrolling windows, *WIN* 16-4
 :scroll-redisplay method of w:text-scroll-window, *WIN* 16-3
 :scroll-relative method of w:scroll-bar-mixin, *WIN* 11-29
 :scroll-to method of scrolling windows, *WIN* 16-4
 :scrolling-p initialization option of w:menu, *WIN* 14-23
 :select method of windows, *WIN* 6-2
 :selectable-windows method of windows, *WIN* 6-5
 :selected-choice-font initialization option of w:basic-choose-variable-values, *WIN* 14-55
 :selected-pane initialization option of w:basic-constraint-frame, *WIN* 15-36
 :selection-substitute method of windows, *WIN* 6-9
 :self-or-substitute-selected-p method of windows, *WIN* 6-9
 :send-all-exposed-panes method of w:basic-constraint-frame, *WIN* 15-34
 :send-all-panes method of w:basic-constraint-frame, *WIN* 15-34
 :send-if-handles method of streams, *IO* 1-10
 :send-if-handles method of sys:vanilla-flavor, *LISP* 19-25
 :send-output-buffer method of sys:buffered-output-stream, *IO* 1-24
 :send-pane method of w:basic-constraint-frame, *WIN* 15-34
 :sensitive-item-types initialization option of w:mouse-sensitive-text-scroll-window, *WIN* 16-10
 :sensitive-item-types method of w:mouse-sensitive-text-scroll-window, *WIN* 16-10
 :servers method of w:who-line-file-sheet, *WIN* 18-17
 :set method of sys:vanilla-flavor, *LISP* 19-24
 :set-allow-interrupts? method of gwin:draw-mixin, *WIN* A-9
 :set-allow-interrupts? method of w:graphics-mixin, *WIN* 12-10
 :set-alu method of gwin:basic-graphics-mixin, *WIN* 12-56
 :set-angle method of gwin:arc, *WIN* 12-58
 :set-array method of w:bitblt-blinker, *WIN* 10-10
 :set-background-color method of windows, *WIN* 19-7
 :set-blinker-height method of gwin;font, *WIN* 12-67
 :set-blinker-offset method of blinkers, *WIN* 19-8
 :set-blinker-width method of gwin;font, *WIN* 12-67
 :set-border-color method of gwin:text, *WIN* 12-68
 :set-border-color method of w:borders-mixin, *WIN* 19-8
 :set-border-margin-width method of w:borders-mixin, *WIN* 3-3
 :set-borders method of w:borders-mixin, *WIN* 3-3
 :set-bottom-flag method of gwin:sprite-cursor, *WIN* 12-53
 :set-bottom-limit method of gwin:sprite-cursor, *WIN* 12-53
 :set-bottom-shadow-width method of w:shadow-borders-mixin, *WIN* 5-17
 :set-buffer-pointer method of sys:input-pointer-remembering-mixin, *IO* 1-25
 :set-buffer-pointer method of sys:output-pointer-remembering-mixin, *IO* 1-26
 :set-character method of gwin:cursor, *WIN* 12-51
 :set-character method of gwin;font, *WIN* 12-67
 :set-character method of w:character-blinker, *WIN* 10-9
 :set-characters method of gwin;font, *WIN* 12-67
 :set-choice-types method of w:basic-multiple-choice, *WIN* 14-37
 :set-chosen-item method of w:menu, *WIN* 14-25
 :set-color-blanking method of w:control-register, *WIN* 19-24
 :set-color-map method of w:sheet, *WIN* 19-10
 :set-column-spec-list method of tv:dynamic-multicolumn-mixin, *WIN* A-20
 :set-column-spec-list method of w:menu, *WIN* 14-24
 :set-command-characters method of w:menu, *WIN* 14-26
 :set-configuration method of w:basic-constraint-frame, *WIN* 15-34
 :set-crosshair-mode method of gwin:mouse-handler-mixin, *WIN* 12-48

:set-current-alu method of gwin:world, *WIN 12-41*
 :set-current-edge-color method of gwin:world, *WIN 12-41*
 :set-current-fill-color method of gwin:world, *WIN 12-41*
 :set-current-font method of gwin:world, *WIN 12-41*
 :set-current-font method of windows, *WIN 9-4*
 :set-current-item method of w:current-item-mixin, *WIN 16-12*
 :set-current-margin-width method of gwin:world, *WIN 12-41*
 :set-current-pick-tolerance method of gwin:world, *WIN 12-41*
 :set-current-tab-width method of gwin:world, *WIN 12-41*
 :set-current-thickness method of gwin:world, *WIN 12-41*
 :set-cursor-list method of gwin:graphics-window-mixin, *WIN 12-45*
 :set-cursorpos method of gwin:bitblt-blinker, *WIN 12-52*
 :set-cursorpos method of streams, *IO 1-12*
 :set-cursorpos method of w:blinker, *WIN 10-6*
 :set-cursorpos method of windows, *WIN 7-16*
 :set-deexposed-typeout-action method of windows, *WIN 7-10*
 :set-default-font method of tv:menu, *WIN A-14*
 :set-default-font method of w:menu, *WIN 14-30*
 :set-deselected-visibility method of w:blinker, *WIN 10-3*
 :set-display-item method of w:basic-scroll-window, *WIN 17-6*
 :set-display-list method of gwin:world, *WIN 12-42*
 :set-edge-color method of gwin:basic-graphics-mixin, *WIN 12-56*
 :set-edges method of tv:menu, *WIN A-14*
 :set-edges method of windows, *WIN 4-6*
 :set-entities method of gwin:subpicture, *WIN 12-77*
 :set-fill-color method of gwin:basic-graphics-mixin, *WIN 12-56*
 :set-fill-p method of tv:menu, *WIN A-14*
 :set-fill-p method of w:menu, *WIN 14-29*
 :set-follow-p method of w:blinker, *WIN 10-6*
 :set-font-map method of windows, *WIN 9-3*
 :set-font-name method of gwin:text, *WIN 12-68*
 :set-foreground-color method of windows, *WIN 19-7*
 :set-frozen? method of gwin:sprite-cursor, *WIN 12-53*
 :set-function method of w:basic-choose-variable-values, *WIN 14-54*
 :set-geometry method of tv:menu, *WIN A-13*
 :set-geometry method of w:menu, *WIN 14-28*
 :set-gray-array method of w:gray-deexposed-right-mixin, *WIN 5-20*
 :set-gray-array method of w:gray-deexposed-wrong-mixin, *WIN 5-20*
 :set-grid-on method of gwin:mouse-handler-mixin, *WIN 12-48*
 :set-grid-x method of gwin:mouse-handler-mixin, *WIN 12-48*
 :set-grid-y method of gwin:mouse-handler-mixin, *WIN 12-48*
 :set-half-period method of w:blinker, *WIN 10-3*
 :set-height method of gwin:rectangle, *WIN 12-63*
 :set-highlighted-items method of tv:menu-highlighting-mixin, *WIN A-22*
 :set-highlighted-items method of w:menu, *WIN 14-20*
 :set-highlighted-values method of tv:menu-highlighting-mixin, *WIN A-22*
 :set-highlighted-values method of w:menu, *WIN 14-21*
 :set-horizontal-spacing method of gwin:basic-character-mixin, *WIN 12-70*
 :set-horz-spacing method of gwin:font, *WIN 12-67*
 :set-hysteresis method of w:hysteretic-window-mixin, *WIN 11-8*
 :set-identity? method of w:transform-mixin, *WIN 12-47*
 :set-inside-size method of windows, *WIN 4-5*
 :set-interval method of editor windows, *WIN 18-12*
 :set-interval-string method of editor windows, *WIN 18-11*
 :set-io-buffer method of tv:command-menu, *WIN A-18*
 :set-io-buffer method of w:stream-mixin, *WIN 8-3*
 :set-item method of w:basic-scroll-window, *WIN 17-7*
 :set-item-generator method of w:text-scroll-window, *WIN 16-6*

:set-item-list method of tv:margin-multiple-menu-mixin, *WIN A-22*
 :set-item-list method of tv:menu, *WIN A-16*
 :set-item-list method of w:basic-multiple-choice, *WIN 14-37*
 :set-item-list method of w:menu, *WIN 14-24*
 :set-item-list-pointer method of tv:dynamic-item-list-mixin, *WIN A-19*
 :set-item-list-pointer method of w:menu, *WIN 14-23*
 :set-item-name method of w:basic-multiple-choice, *WIN 14-37*
 :set-item-type-alist method of w:basic-mouse-sensitive-items, *WIN 14-62*
 :set-items method of w:text-scroll-window, *WIN 16-2*
 :set-label method of w:label-mixin, *WIN 3-5*
 :set-label-background method of w:label-mixin, *WIN 19-8*
 :set-label-color method of w:label-mixin, *WIN 19-8*
 :set-last-item method of tv:menu, *WIN A-17*
 :set-last-item method of w:menu, *WIN 14-25*
 :set-left method of gwin:rectangle, *WIN 12-63*
 :set-left-flag method of gwin:sprite-cursor, *WIN 12-53*
 :set-left-limit method of gwin:sprite-cursor, *WIN 12-53*
 :set-magnification method of w:magnifying-blinker, *WIN 10-11*
 :set-margin method of gwin:subpicture, *WIN 12-77*
 :set-margin method of gwin:text, *WIN 12-68*
 :set-margin-choices method of w:margin-choice-mixin, *WIN 14-66*
 :set-memory-buffer method of rpc:xdr-memory-stream, *NET A-12*
 :set-memory-buffer-end method of rpc:xdr-memory-stream, *NET A-12*
 :set-memory-buffer-pointer method of rpc:xdr-memory-stream, *NET A-12*
 :set-menu-margin-choices method of tv:menu-margin-choice-mixin, *WIN A-4*
 :set-menu-margin-choices method of w:menu, *WIN 14-21*
 :set-min-dot-delta method of gwin:draw-mixin, *WIN A-10*
 :set-min-dot-delta method of w:graphics-mixin, *WIN 12-9*
 :set-min-nil-delta method of gwin:draw-mixin, *WIN A-10*
 :set-min-nil-delta method of w:graphics-mixin, *WIN 12-9*
 :set-monochrome-blanking method of w:control-register, *WIN 19-24*
 :set-monochrome-polarity method of w:control-register, *WIN 19-24*
 :set-more-p method of w:basic-typeout-window, *WIN 13-4*
 :set-more-p method of windows, *WIN 7-25*
 :set-mouse-cursorpos method of windows, *WIN 11-13*
 :set-mouse-position method of windows, *WIN 11-13*
 :set-name method of gwin:subpicture, *WIN 12-77*
 :set-nearest-x method of gwin:basic-graphics-mixin, *WIN 12-56*
 :set-nearest-y method of gwin:basic-graphics-mixin, *WIN 12-56*
 :set-objects-in-window method of gwen:world, *WIN 12-42*
 :set-offset method of gwin:basic-cursor-mixin, *WIN 12-50*
 :set-offsets method of w:mouse-blinker-mixin, *WIN 11-17*
 :set-origin method of gwin:basic-graphics-mixin, *WIN 12-57*
 :set-package method of w:listener-mixin-internal, *WIN 18-10*
 :set-plane-mask method of windows, *WIN 19-23*
 :set-plist method of sys:property-list-mixin, *LISP 19-26*
 :set-point method of zwei:interval-stream, *TOOLS 31-48*
 :set-pointer method of rpc:xdr-memory-stream, *NET A-12*
 :set-pointer method of streams, *IO 1-12*
 :set-position method of gwin:basic-cursor-mixin, *WIN 12-50*
 :set-position method of gwin:sprite-cursor, *WIN 12-54*
 :set-position method of w:menu, *WIN 14-29*
 :set-position method of windows, *WIN 4-5*
 :set-print-function method of w:function-text-scroll-window, *WIN 16-5*
 :set-print-function-arg method of w:function-text-scroll-window, *WIN 16-5*
 :set-priority method of sys:process, *LISP 27-6*
 :set-process method of w:process-mixin, *WIN 6-12*
 :set-process method of w:select-mixin, *WIN 6-12*

:set-prompt-text method of gwin:graphics-window-mixin, WIN 12-45
 :set-quantum method of sys:process, LISP 27-6
 :set-radius method of gwin:circle, WIN 12-59
 :set-region-list method of w:margin-region-mixin, WIN 3-9
 :set-reverse-video-p method of windows, WIN 5-9
 :set-right-limit method of gwin:sprite-cursor, WIN 12-53
 :set-right-shadow-width method of w:shadow-borders-mixin, WIN 5-17
 :set-save-bits method of windows, WIN 5-10
 :set-scales method of w:cache-window, WIN 12-46
 :set-scales method of w:sprite-window, WIN 12-46
 :set-scroll-bar method of tv:basic-scroll-bar, WIN A-1
 :set-scroll-bar-always-displayed method of tv:basic-scroll-bar, WIN A-1
 :set-scroll-bar-delay-time method of w:scroll-bar-mixin, WIN 11-30
 :set-scroll-bar-draw-edge-p method of w:scroll-bar-mixin, WIN 11-28
 :set-scroll-bar-icon-height method of w:scroll-bar-mixin, WIN 11-27
 :set-scroll-bar-icon-width method of w:scroll-bar-mixin, WIN 11-27
 :set-scroll-bar-lines method of w:scroll-bar-mixin, WIN 11-30
 :set-scroll-bar-mode method of w:scroll-bar-mixin, WIN 11-28
 :set-scroll-bar-on-off method of w:scroll-bar-mixin, WIN 11-28
 :set-sensitive-item-types method of w:mouse-sensitive-text-scroll-window, WIN 16-10
 :set-shadow-draw-function method of w:shadow-borders-mixin, WIN 5-17
 :set-sheet method of w:blinker, WIN 10-5
 :set-size method of gwin:block-cursor, WIN 12-52
 :set-size method of w:bitblt-blinker, WIN 10-10
 :set-size method of w:blinker, WIN 10-7
 :set-size method of w:rectangular-blinker, WIN 10-8
 :set-size method of windows, WIN 4-5
 :set-size-and-cursorpos method of w:blinker, WIN 10-7
 :set-size-and-cursorpos method of w:rectangular-blinker, WIN 10-8
 :set-size-in-characters method of windows, WIN 7-16
 :set-sort method of w:menu, WIN 14-31
 :set-stack-group method of w:basic-choose-variable-values, WIN 14-54
 :set-superior method of windows and screens, WIN 5-4
 :set-tab-width method of gwin:text, WIN 12-68
 :set-text-string method of gwin:text, WIN 12-68
 :set-thickness method of gwin:basic-character-mixin, WIN 12-70
 :set-tick method of gwin:world, WIN 12-42
 :set-time-between-moves method of gwin:sprite-cursor, WIN 12-54
 :set-top method of gwin:rectangle, WIN 12-63
 :set-top-flag method of gwin:sprite-cursor, WIN 12-53
 :set-top-item method of w:text-scroll-window, WIN 16-2
 :set-top-limit method of gwin:sprite-cursor, WIN 12-53
 :set-tracker-cursor method of gwin:mouse-handler-mixin, WIN 12-48
 :set-transfer-direction method of rpc:xdr-stream, NET A-2
 :set-transform method of gwin:ruler, WIN 12-74
 :set-transform method of gwin:subpicture, WIN 12-77
 :set-transform method of w:transform-mixin, WIN 12-47
 :set-truncation method of w:basic-scroll-window, WIN 17-6
 :set-value-array method of w:basic-scroll-window, WIN 17-6
 :set-variables method of w:basic-choose-variable-values, WIN 14-54, 14-56
 :set-vert-spacing method of gwin:font, WIN 12-67
 :set-vertical-spacing method of gwin:basic-character-mixin, WIN 12-70
 :set-visibility method of gwin:basic-cursor-mixin, WIN 12-50
 :set-visibility method of w:blinker, WIN 10-3
 :set-vsp method of windows, WIN 7-25
 :set-warm-boot-action method of sys:process, LISP 27-7
 :set-weight method of gwin:arc, WIN 12-58
 :set-weight method of gwin:circle, WIN 12-59

:set-weight method of gwin:line, WIN 12-60
:set-weight method of gwin:polyline, WIN 12-61
:set-weight method of gwin:rectangle, WIN 12-63
:set-weight method of gwin:ruler, WIN 12-73
:set-weight method of gwin:spline, WIN 12-64
:set-weight method of gwin:subpicture, WIN 12-77
:set-weight method of gwin:text, WIN 12-69
:set-weight method of gwin:triangle, WIN 12-65
:set-width method of gwin:rectangle, WIN 12-63
:set-world method of gwin:graphics-window-mixin, WIN 12-45
:set-x-center method of gwin:arc, WIN 12-58
:set-x-center method of gwin:circle, WIN 12-59
:set-x-end method of gwin:line, WIN 12-60
:set-x-end method of gwin:text, WIN 12-69
:set-x-max method of gwin:basic-graphics-mixin, WIN 12-57
:set-x-min method of gwin:basic-graphics-mixin, WIN 12-57
:set-x-points method of gwin:polyline, WIN 12-62
:set-x-points method of gwin:spline, WIN 12-64
:set-x-start method of gwin:arc, WIN 12-58
:set-x-start method of gwin:line, WIN 12-60
:set-x-start method of gwin:text, WIN 12-69
:set-x-step method of gwin:sprite-cursor, WIN 12-53
:set-x1 method of gwin:triangle, WIN 12-66
:set-x2 method of gwin:triangle, WIN 12-66
:set-x3 method of gwin:triangle, WIN 12-66
:set-y-center method of gwin:arc, WIN 12-58
:set-y-center method of gwin:circle, WIN 12-59
:set-y-end method of gwin:line, WIN 12-60
:set-y-end method of gwin:text, WIN 12-69
:set-y-max method of gwin:basic-graphics-mixin, WIN 12-57
:set-y-min method of gwin:basic-graphics-mixin, WIN 12-57
:set-y-points method of gwin:polyline, WIN 12-62
:set-y-points method of gwin:spline, WIN 12-64
:set-y-start method of gwin:arc, WIN 12-58
:set-y-start method of gwin:line, WIN 12-60
:set-y-step method of gwin:sprite-cursor, WIN 12-53
:set-y1 method of gwin:triangle, WIN 12-66
:set-y2 method of gwin:triangle, WIN 12-66
:set-y3 method of gwin:triangle, WIN 12-66
:setup method of w:basic-choose-variable-values, WIN 14-55
:setup method of w:basic-multiple-choice, WIN 14-37
:setup method of w:function-text-scroll-window, WIN 16-5
:setup-normal-mode method of printer:basic-printer, IO 7-24
:shadow-draw-function initialization option of w:shadow-borders-mixin, WIN 5-17
:sheet initialization option of w:blinker, WIN 10-5
:sheet method of w:blinker, WIN 10-5
:short-string-for-printing method of fs:pathname, IO 2-23
:simple-p method of sys:process, LISP 27-7
:simulate-lispm-char method of printer:basic-printer, IO 7-24
:size initialization option of windows, WIN 4-2
:size method of gwin:bitblt-blinker, WIN 12-52
:size method of gwin:sprite-cursor, WIN 12-54
:size method of w:bitblt-blinker, WIN 10-10
:size method of w:blinker, WIN 10-7
:size method of windows, WIN 4-5
:size operation on hash-table, LISP 19-28
:size-in-characters method of windows, WIN 7-16
:sort initialization option of w:menu, WIN 14-31

:source-pathname method of fs:pathname, *IO* 2-23
 :spacing initialization option of gwin:ruler, *WIN* 12-72
 :special-choices initialization option of tv:margin-multiple-menu-mixin, *WIN* A-22
 :square-pane-inside-size method of windows, *WIN* 15-34
 :square-pane-size method of windows, *WIN* 15-34
 :stack-group initialization option of w:basic-choose-variable-values, *WIN* 14-54
 :stack-group method of sys:process, *LISP* 27-5
 :stack-group method of w:basic-choose-variable-values, *WIN* 14-54
 :start-document method of printer handlers, *IO* 7-22
 :start-document method of printer:basic-printer, *IO* 7-24
 :start-new-line method of printer:basic-printer, *IO* 7-24
 :start-new-page method of printer:basic-printer, *IO* 7-24
 :start-value initialization option of gwin:ruler, *WIN* 12-72
 :status method of parallel-stream-mixin, *IO* 1-21
 :status method of windows, *WIN* 6-10
 :string-font initialization option of w:basic-choose-variable-values, *WIN* 14-54
 :string-for-directory method of fs:pathname, *IO* 2-24
 :string-for-dired method of fs:pathname, *IO* 2-24
 :string-for-editor method of fs:pathname, *IO* 2-23
 :string-for-host method of fs:pathname, *IO* 2-24
 :string-for-printing method of fs:pathname, *IO* 2-23
 :string-for-wholine method of fs:pathname, *IO* 2-23
 :string-in method of streams, *IO* 1-7
 :string-in method of w:stream-mixin, *WIN* 8-10
 :string-length method of windows, *WIN* 7-22
 :string-line-in method of w:stream-mixin, *WIN* 8-10
 :string-out method of streams, *IO* 1-8
 :string-out method of windows, *WIN* 7-5
 :string-out-centered method of windows, *WIN* 7-7
 :string-out-centered-explicit method of windows, *WIN* 7-24
 :string-out-chars method of printer:basic-printer, *IO* 7-24
 :string-out-down method of windows, *WIN* 7-6
 :string-out-explicit method of windows, *WIN* 7-23
 :string-out-raw method of printer:basic-printer, *IO* 7-24
 :string-out-up method of windows, *WIN* 7-6
 :string-out-x-y-centered-explicit method of windows, *WIN* 7-24
 :superior initialization option of windows and screens, *WIN* 5-4
 :superior method of windows and screens, *WIN* 5-4
 :suspend-crosshair method of gwin:mouse-handler-mixin, *WIN* 12-49
 :swap-hash operation on hash-table, *LISP* 19-28

T

:tab method of printer:basic-printer, *IO* 7-24
 :tab-nchars initialization option of windows, *WIN* 7-26
 :tab-width initialization option of gwin:text, *WIN* 12-68
 :tab-width method of gwin:text, *WIN* 12-68
 :target-translate-wild-pathname method of fs:pathname, *IO* 2-28
 :temporary-bit-array method of windows, *WIN* 5-17
 :terminate-output-stream method of mt:reel-mt-mixin, *IO* B-2
 :text-string initialization option of gwin:text, *WIN* 12-68
 :text-string method of gwin:text, *WIN* 12-68
 :thickness initialization option of gwin:basic-character-mixin, *WIN* 12-70
 :thickness method of gwin:basic-character-mixin, *WIN* 12-70
 :tick initialization option of gwin:world, *WIN* 12-42
 :tick method of gwin:world, *WIN* 12-42
 :time-between-moves initialization option of gwin:sprite-cursor, *WIN* 12-54
 :time-between-moves method of gwin:sprite-cursor, *WIN* 12-54
 :top initialization option of gwin:rectangle, *WIN* 12-63

:top initialization option of windows, *WIN* 4-2
 :top method of gwin:rectangle, *WIN* 12-63
 :top-flag initialization option of gwin:sprite-cursor, *WIN* 12-53
 :top-flag method of gwin:sprite-cursor, *WIN* 12-53
 :top-item method of w:text-scroll-window, *WIN* 16-2
 :top-limit initialization option of gwin:sprite-cursor, *WIN* 12-53
 :top-limit initialization option of gwin:world, *WIN* 12-44
 :top-limit method of gwin:sprite-cursor, *WIN* 12-53
 :top-limit method of gwin:world, *WIN* 12-44
 :top-margin-size method of windows, *WIN* 3-2
 :tracker-cursor initialization option of gwin:mouse-handler-mixin, *WIN* 12-48
 :tracker-cursor method of gwin:mouse-handler-mixin, *WIN* 12-48
 :transfer-direction method of rpc:xdr-stream, *NET* A-2
 :transform initialization option of gwin:ruler, *WIN* 12-74
 :transform initialization option of gwin:subpicture, *WIN* 12-77
 :transform initialization option of w:transform-mixin, *WIN* 12-47
 :transform method of gwin:ruler, *WIN* 12-74
 :transform method of gwin:subpicture, *WIN* 12-77
 :transform method of w:transform-mixin, *WIN* 12-47
 :transform-delta method of w:transform-mixin, *WIN* 12-47
 :transform-point method of w:transform-mixin, *WIN* 12-48
 :translated-pathname method of fs:logical-pathname, *IO* 2-43
 :truname method of fs:pathname, *IO* 2-25
 :truncate-line-out-flag initialization option of w:line-truncating-mixin, *WIN* 7-14
 :truncation initialization option of w:basic-scroll-window, *WIN* 17-6
 :truncation method of w:basic-scroll-window, *WIN* 17-6
 :turn-off-blinkers-for-typeout method of w:essential-window-with-typeout-mixin, *WIN* 13-3
 :turn-off-crosshair method of gwin:mouse-handler-mixin, *WIN* 12-49
 :turn-on-blinkers-for-typeout method of w:essential-window-with-typeout-mixin, *WIN* 13-3
 :turn-on-crosshair method of gwin:mouse-handler-mixin, *WIN* 12-49
 :tyi method of streams, *IO* 1-6
 :tyi method of sys:serial-stream-mixin, *IO* 1-20
 :tyi method of w:stream-mixin, *WIN* A-23
 :tyi-no-hang method of streams, *IO* 1-10
 :tyi-no-hang method of sys:serial-stream-mixin, *IO* 1-20
 :tyi-no-hang method of w:stream-mixin, *WIN* A-23
 :tyipeek method of streams, *IO* 1-6
 :tyo method of parallel-stream-mixin, *IO* 1-21
 :tyo method of streams, *IO* 1-8
 :tyo method of windows, *WIN* 7-5
 :tyo-char method of printer:basic-printer, *IO* 7-24
 :tyo-raw method of printer:basic-printer, *IO* 7-24
 :tyo-right-margin-character method of windows, *WIN* 7-14
 :type method of fs:pathname, *IO* 2-10
 :type-and-version operation on its-pathname, *IO* 2-39
 :type-wild-p method of fs:pathname, *IO* 2-29
 :timeout-window initialization option of w:essential-window-with-typeout-mixin, *WIN* 13-3
 :timeout-window method of w:essential-window-with-typeout-mixin, *WIN* 13-3

U

:ultimate-selection-substitute method of windows, *WIN* 6-9
 :un-arrest method of w:select-mixin, *WIN* 6-13
 :undeletable-p method of fs:pathname, *IO* 2-25
 :undelele method of fs:pathname, *IO* 2-25
 :undraw method of graphic object, *WIN* 12-55
 :undraw method of gwin:arc, *WIN* 12-59
 :undraw method of gwin:circle, *WIN* 12-60
 :undraw method of gwin:line, *WIN* 12-61

:undraw method of gwin:polyline, *WIN* 12-62
 :undraw method of gwin:raster-object, *WIN* 12-76
 :undraw method of gwin:rectangle, *WIN* 12-63
 :undraw method of gwin:ruler, *WIN* 12-74
 :undraw method of gwin:spline, *WIN* 12-65
 :undraw method of gwin:subpicture, *WIN* 12-77
 :undraw method of gwin:text, *WIN* 12-69
 :undraw method of gwin:triangle, *WIN* 12-66
 :undraw-crosshair method of gwin:mouse-handler-mixin, *WIN* 12-49
 :undraw-picture-list method of gwin:draw-mixin, *WIN* A-11
 :undraw-picture-list method of w:graphics-mixin, *WIN* 12-10
 :unhighlight method of gwin:backgroundpic, *WIN* 12-78
 :unhighlight method of gwin:basic-graphics-mixin, *WIN* 12-57
 :unread-any method of w:stream-mixin, *WIN* 8-9
 :unregister method of rpc:server, *NET* B-9
 :unselected-choice-font initialization option of w:basic-choose-variable-values, *WIN* 14-54
 :untransform-deltas method of w:transform-mixin, *WIN* 12-47
 :untransform-point method of w:transform-mixin, *WIN* 12-48
 :untyi method of streams, *IO* 1-7
 :untyi method of sys:serial-stream-mixin, *IO* 1-20
 :untyi method of w:stream-mixin, *WIN* A-23
 :untyo method of streams, *IO* 1-12
 :untyo-mark method of streams, *IO* 1-12
 :update method of gwin:sprite-cursor, *WIN* 12-54
 :update-crosshair method of gwin:mouse-handler-mixin, *WIN* 12-49
 :update-item-list method of tv:abstract-dynamic-item-list-mixin, *WIN* A-18
 :update-label method of w:delayed-redisplay-label-mixin, *WIN* 3-9
 :user-proceed-types method of condition, *LISP* 20-18

V

:value-array initialization option of w:basic-scroll-window, *WIN* 17-6
 :value-array method of w:basic-scroll-window, *WIN* 17-6
 :value-font initialization option of w:basic-choose-variable-values, *WIN* 14-54
 :variables initialization option of w:basic-choose-variable-values, *WIN* 14-54
 :version method of fs:pathname, *IO* 2-10
 :version-wild-p method of fs:pathname, *IO* 2-29
 :vert-spacing initialization option of gwin:font, *WIN* 12-67
 :vert-spacing method of gwin:font, *WIN* 12-67
 :vertical-spacing initialization option of gwin:basic-character-mixin, *WIN* 12-70
 :vertical-spacing method of gwin:basic-character-mixin, *WIN* 12-70
 :visibility initialization option of gwin:basic-cursor-mixin, *WIN* 12-50
 :visibility initialization option of w:blinker, *WIN* 10-3
 :visibility method of gwin:basic-cursor-mixin, *WIN* 12-50
 :visibility method of w:blinker, *WIN* 10-3
 :vsp initialization option of windows, *WIN* 7-25
 :vsp method of windows, *WIN* 7-25

W

:wait-argument-list method of sys:process, *LISP* 27-6
 :wait-for-input-with-timeout method of w:stream-mixin, *WIN* 8-11
 :wait-function method of sys:process, *LISP* 27-6
 :warm-boot-action method of sys:process, *LISP* 27-7
 :weight initialization option of gwin:arc, *WIN* 12-58
 :weight initialization option of gwin:circle, *WIN* 12-59
 :weight initialization option of gwin:line, *WIN* 12-60
 :weight initialization option of gwin:polyline, *WIN* 12-61
 :weight initialization option of gwin:rectangle, *WIN* 12-63
 :weight initialization option of gwin:ruler, *WIN* 12-73

- :weight initialization option of gwin:spline, *WIN* 12-64
- :weight initialization option of gwin:subpicture, *WIN* 12-77
- :weight initialization option of gwin:text, *WIN* 12-69
- :weight initialization option of gwin:triangle, *WIN* 12-65
- :weight method of gwin:arc, *WIN* 12-58
- :weight method of gwin:circle, *WIN* 12-59
- :weight method of gwin:line, *WIN* 12-60
- :weight method of gwin:polyline, *WIN* 12-61
- :weight method of gwin:rectangle, *WIN* 12-63
- :weight method of gwin:ruler, *WIN* 12-73
- :weight method of gwin:subpicture, *WIN* 12-77
- :weight method of gwin:text, *WIN* 12-69
- :weight method of gwin:triangle, *WIN* 12-65
- :which-operations method of streams, *IO* 1-9
- :which-operations method of sys:vanilla-flavor, *LISP* 19-24
- :who-line-documentation-string method of gwin:graphics-window-mixin, *WIN* 12-46
- :who-line-documentation-string method of windows, *WIN* 11-14
- :whostate method of sys:process, *LISP* 27-6
- :width initialization option of gwin:bitblt-blinker, *WIN* 12-51
- :width initialization option of gwin:block-cursor, *WIN* 12-52
- :width initialization option of gwin:raster-object, *WIN* 12-75
- :width initialization option of gwin:rectangle, *WIN* 12-63
- :width initialization option of gwin:sprite-cursor, *WIN* 12-53
- :width initialization option of w:bitblt-blinker, *WIN* 10-10
- :width initialization option of w:cache-window, *WIN* 12-47
- :width initialization option of w:rectangular-blinker, *WIN* 10-7
- :width initialization option of w:sprite-window, *WIN* 12-47
- :width initialization option of windows, *WIN* 4-2
- :width method of gwin:bitblt-blinker, *WIN* 12-51
- :width method of gwin:block-cursor, *WIN* 12-52
- :width method of gwin:rectangle, *WIN* 12-63
- :width method of windows, *WIN* 4-4
- :wild-p method of fs:pathname, *IO* 2-29
- :wildcard-map method of fs:pathname, *IO* 2-28
- :window initialization option of gwin:basic-cursor-mixin, *WIN* 12-50
- :window method of gwin:basic-cursor-mixin, *WIN* 12-50
- :world initialization option of gwin:graphics-window-mixin, *WIN* 12-45
- :world method of gwin:graphics-window-mixin, *WIN* 12-45
- :world-edges method of w:transform-mixin, *WIN* 12-48
- :world-extents-window method of w:transform-mixin, *WIN* 12-45
- :write-display-list method of gwin:world, *WIN* 12-42

X

- :x initialization option of windows, *WIN* 4-2
- :x-center initialization option of gwin:arc, *WIN* 12-58
- :x-center initialization option of gwin:circle, *WIN* 12-59
- :x-center method of gwin:arc, *WIN* 12-58
- :x-center method of gwin:circle, *WIN* 12-59
- :x-end initialization option of gwin:arc, *WIN* 12-58
- :x-end initialization option of gwin:line, *WIN* 12-60
- :x-end initialization option of gwin:ruler, *WIN* 12-73
- :x-end initialization option of gwin:text, *WIN* 12-69
- :x-end method of gwin:line, *WIN* 12-60
- :x-end method of gwin:text, *WIN* 12-69
- :x-max method of gwin:basic-graphics-mixin, *WIN* 12-57
- :x-min method of gwin:basic-graphics-mixin, *WIN* 12-57
- :x-offset initialization option of gwin:basic-cursor-mixin, *WIN* 12-50
- :x-offset method of gwin:basic-cursor-mixin, *WIN* 12-50

- :x-origin initialization option of gwin:subpicture, *WIN 12-77*
- :x-points initialization option of gwin:polyline, *WIN 12-62*
- :x-points initialization option of gwin:spline, *WIN 12-64*
- :x-points initialization option of gwin:vector-character, *WIN 12-71*
- :x-points method of gwin:polyline, *WIN 12-62*
- :x-points method of gwin:vector-character, *WIN 12-71*
- :x-pos initialization option of w:blinker, *WIN 10-5*
- :x-pos method of w:blinker, *WIN 10-5*
- :x-position initialization option of gwin:basic-cursor-mixin, *WIN 12-50*
- :x-position method of gwin:basic-cursor-mixin, *WIN 12-50*
- :x-scale initialization option of gwin:subpicture, *WIN 12-77*
- :x-start initialization option of gwin:arc, *WIN 12-58*
- :x-start initialization option of gwin:line, *WIN 12-60*
- :x-start initialization option of gwin:ruler, *WIN 12-73*
- :x-start initialization option of gwin:text, *WIN 12-69*
- :x-start method of gwin:arc, *WIN 12-58*
- :x-start method of gwin:line, *WIN 12-60*
- :x-start method of gwin:text, *WIN 12-69*
- :x-step initialization option of gwin:sprite-cursor, *WIN 12-53*
- :x-step method of gwin:sprite-cursor, *WIN 12-53*
- :x1 initialization option of gwin:triangle, *WIN 12-66*
- :x1 method of gwin:triangle, *WIN 12-66*
- :x2 initialization option of gwin:triangle, *WIN 12-66*
- :x2 method of gwin:triangle, *WIN 12-66*
- :x3 initialization option of gwin:triangle, *WIN 12-66*
- :x3 method of gwin:triangle, *WIN 12-66*
- :xdr-array method of rpc:xdr-stream, *NET A-4*
- :xdr-ascii-string method of rpc:xdr-stream, *NET A-4*
- :xdr-bool method of rpc:xdr-stream, *NET A-3*
- :xdr-double method of rpc:xdr-stream, *NET A-3*
- :xdr-enum method of rpc:xdr-stream, *NET A-3*
- :xdr-float method of rpc:xdr-stream, *NET A-3*
- :xdr-hyper method of rpc:xdr-stream, *NET A-3*
- :xdr-integer method of rpc:xdr-stream, *NET A-3*
- :xdr-opaque method of rpc:xdr-stream, *NET A-5*
- :xdr-string method of rpc:xdr-stream, *NET A-3*
- :xdr-union method of rpc:xdr-stream, *NET A-5*
- :xdr-unsigned method of rpc:xdr-stream, *NET A-3*
- :xdr-unsigned-hyper method of rpc:xdr-stream, *NET A-3*
- :xdr-unsigned-vector method of rpc:xdr-stream, *NET A-5*
- :xdr-void method of rpc:xdr-stream, *NET A-3*
- :xscale initialization option of gwin:raster-object, *WIN 12-75*
- :xstart initialization option of gwin:raster-object, *WIN 12-76*

Y

- :y initialization option of windows, *WIN 4-2*
- :y-center initialization option of gwin:arc, *WIN 12-58*
- :y-center initialization option of gwin:circle, *WIN 12-59*
- :y-center method of gwin:arc, *WIN 12-58*
- :y-center method of gwin:circle, *WIN 12-59*
- :y-end initialization option of gwin:arc, *WIN 12-58*
- :y-end initialization option of gwin:line, *WIN 12-60*
- :y-end initialization option of gwin:ruler, *WIN 12-73*
- :y-end initialization option of gwin:text, *WIN 12-69*
- :y-end method of gwin:line, *WIN 12-60*
- :y-end method of gwin:text, *WIN 12-69*
- :y-max method of gwin:basic-graphics-mixin, *WIN 12-57*
- :y-min method of gwin:basic-graphics-mixin, *WIN 12-57*

:y-offset initialization option of gwin:basic-cursor-mixin, *WIN 12-50*
:y-offset method of gwin:basic-cursor-mixin, *WIN 12-50*
:y-origin initialization option of gwin:subpicture, *WIN 12-77*
:y-points initialization option of gwin:polyline, *WIN 12-62*
:y-points initialization option of gwin:spline, *WIN 12-64*
:y-points initialization option of gwin:vector-character, *WIN 12-71*
:y-points method of gwin:polyline, *WIN 12-62*
:y-points method of gwin:vector-character, *WIN 12-71*
:y-pos initialization option of w:blinker, *WIN 10-5*
:y-pos method of w:blinker, *WIN 10-5*
:y-position initialization option of gwin:basic-cursor-mixin, *WIN 12-50*
:y-position method of gwin:basic-cursor-mixin, *WIN 12-50*
:y-scale initialization option of gwin:subpicture, *WIN 12-77*
:y-start initialization option of gwin:arc, *WIN 12-58*
:y-start initialization option of gwin:line, *WIN 12-60*
:y-start initialization option of gwin:ruler, *WIN 12-73*
:y-start initialization option of gwin:text, *WIN 12-69*
:y-start method of gwin:arc, *WIN 12-58*
:y-start method of gwin:line, *WIN 12-60*
:y-step initialization option of gwin:sprite-cursor, *WIN 12-53*
:y-step method of gwin:sprite-cursor, *WIN 12-53*
:y1 initialization option of gwin:triangle, *WIN 12-66*
:y1 method of gwin:triangle, *WIN 12-66*
:y2 initialization option of gwin:triangle, *WIN 12-66*
:y2 method of gwin:triangle, *WIN 12-66*
:y3 initialization option of gwin:triangle, *WIN 12-66*
:y3 method of gwin:triangle, *WIN 12-66*
:yscale initialization option of gwin:raster-object, *WIN 12-75*
:ystart initialization option of gwin:raster-object, *WIN 12-76*

Z

:zoom method of w:transform-mixin, *WIN 12-48*

Variables
Special Characters

+, *TOOLS* 26-2
 ++, *TOOLS* 26-2
 +++, *TOOLS* 26-2
 -, *TOOLS* 26-2
 *, *TOOLS* 26-2
 **, *TOOLS* 26-2
 ***, *TOOLS* 26-2
 /, *TOOLS* 26-2
 //, *TOOLS* 26-2
 ///, *TOOLS* 26-2

A

compiler: aborted, *LISP* 21-1
 sys: active-processes, *LISP* 27-13
 sys: %address-space-quantum-size, *LISP* 25-7
 sys: advised-functions, *TOOLS* 21-3
 all-flavor-names, *LISP* 19-6
 sys: all-processes, *LISP* 27-13
 all-special-switch, *LISP* A-2
 w: all-the-screens, *WIN* 5-3
 allow-variables-in-function-position-switch, *LISP* A-2
 alphabetic-case-affects-string-comparison, *LISP* 8-8
 w: alu-add, *WIN* 19-14, 19-16
 w: alu-adds, *WIN* 19-14, 19-16
 w: alu-and, *WIN* 12-4
 w: alu-andca, *WIN* 12-5
 w: alu-avg, *WIN* 19-14, 19-16
 w: alu-back, *WIN* 19-15, 19-16
 w: alu-ior, *WIN* 12-4
 w: alu-max, *WIN* 19-14, 19-16
 w: alu-min, *WIN* 19-14, 19-16
 w: alu-seta, *WIN* 12-4
 w: alu-setz, *WIN* 12-5
 w: alu-sub, *WIN* 19-14, 19-16
 w: alu-subc, *WIN* 19-14, 19-16
 w: alu-transp, *WIN* 19-15, 19-16
 w: alu-xor, *WIN* 12-4
 mail: *always-check-inboxes*, *TOOLS* 31-52
 fs: *always-merge-type-and-version*, *IO* 2-16
 chaos: ans-op, *NET* 5-25
 chaos: answered-state, *NET* 5-15
 applyhook, *TOOLS* 20-1
 area-list, *LISP* 25-8
 array-dimension-limit, *LISP* 7-7
 array-index-order, *LISP* A-3
 array-rank-limit, *LISP* 7-7
 array-total-size-limit, *LISP* 7-7
 art-1b, *LISP* 7-3
 art-2b, *LISP* 7-3
 art-4b, *LISP* 7-3
 art-8b, *LISP* 7-3
 art-16b, *LISP* 7-3

art-32b, *LISP* 7-3
 art-complex, *LISP* 7-3
 art-complex-double-float, *LISP* 7-3
 art-complex-single-float, *LISP* 7-3
 art-double-float, *LISP* 7-3
 art-fat-string, *LISP* 7-3
 art-fix, *LISP* 7-3
 art-half-fix, *LISP* 7-3
 art-q, *LISP* 7-3
 art-q-list, *LISP* 7-3
 art-single-float, *LISP* 7-3
 art-string, *LISP* 7-3
 sys: associated-machine, *TOOLS* 25-20
 nse: *attribute*, *TOOLS* 32-48

B

sys: background-cons-area, *LISP* 25-6
 base, *LISP* A-4
 printer: *basic-printer-default-mapping-p*, *IO* C-9
 printer: *basic-printer-default-mapping-table*, *IO* C-9
 sys: *batch-mode-p*, *LISP* 23-18
 w: beep, *WIN* 18-5
 w: *beep-types*, *WIN* 18-5
 w: *beeping-functions*, *WIN* 18-5
 w: *bidirectional-more-standard-message*, *WIN* 7-13
 w: bitmap-mouse-pathname, *WIN* 11-3
 boole-1, *LISP* 3-20
 boole-2, *LISP* 3-20
 boole-and, *LISP* 3-20
 boole-andc1, *LISP* 3-20
 boole-andc2, *LISP* 3-20
 boole-c1, *LISP* 3-20
 boole-c2, *LISP* 3-20
 boole-clr, *LISP* 3-20
 boole-eqv, *LISP* 3-20
 boole-ior, *LISP* 3-20
 boole-nand, *LISP* 3-20
 boole-nor, *LISP* 3-20
 boole-orc1, *LISP* 3-20
 boole-orc2, *LISP* 3-20
 boole-set, *LISP* 3-20
 boole-xor, *LISP* 3-20
 mail: *box-summary-lines*, *TOOLS* 31-55
 sys: *break-bindings*, *TOOLS* 26-2
 break-on-warnings, *LISP* 20-8
 eh: *breakon-functions*, *TOOLS* 22-2
 nse: *buffer*, *TOOLS* 32-48

C

call-arguments-limit, *LISP* 16-22
 rpc: *call-who-state*, *NET* B-11
 rpc: *callrpc-retrys*, *NET* B-12
 rpc: *callrpc-timeout*, *NET* B-12
 cdr-next, *LISP* 6-5
 cdr-nil, *LISP* 6-5
 cdr-normal, *LISP* 6-5
 char-bits-limit, *LISP* 4-10
 char-code-limit, *LISP* 4-10

char-control-bit, *LISP* 4-13
 char-font-limit, *LISP* 4-10
 char-hyper-bit, *LISP* 4-13
 char-keypad-bit, *LISP* 4-13
 char-meta-bit, *LISP* 4-13
 char-mouse-bit, *LISP* 4-13
 char-super-bit, *LISP* 4-13
 mail: *choose-from-all-mail-keywords-p*, *TOOLS* 31-57
 sys: clipping-rectangle-bottom-edge, *WIN* 12-32
 sys: clipping-rectangle-left-edge, *WIN* 12-32
 sys: clipping-rectangle-right-edge, *WIN* 12-32
 sys: clipping-rectangle-top-edge, *WIN* 12-32
 sys: clock-function-list, *LISP* 27-13
 chaos: cls-op, *NET* 5-25
 chaos: cls-received-state, *NET* 5-15
 sys: cold-load-stream, *CONC* 1-8—1-9; *IO* 1-14
 w: color-alist, *WIN* 19-5
 w: *color-maps*, *TOOLS* 34-7
 printer: color-to-gray-scale-table, *WIN* 19-22
 fed: *columns*, *TOOLS* 12-16
 sys: compile-encapsulations-flag, *LISP* 21-3
 sys: *compiler-symbol-area*, *LISP* 25-11
 compiler: compiler-verbose, *LISP* 21-5
 eh: *condition-default-handlers*, *LISP* 20-12
 eh: *condition-handlers*, *LISP* 20-12
 eh: *condition-resume-handlers*, *LISP* 20-22
 w: *control-register*, *WIN* 19-24
 zwei: *converse-append-p*, *NET* 3-14
 zwei: *converse-append-p*, *TOOLS* 30-4
 zwei: *converse-beep-count*, *NET* 3-14
 zwei: *converse-beep-count*, *TOOLS* 30-4
 zwei: *converse-end-exits*, *NET* 3-14
 zwei: *converse-end-exits*, *TOOLS* 30-5
 zwei: *converse-extra-hosts-to-check*, *NET* 3-14
 zwei: *converse-extra-hosts-to-check*, *NET* 3-11
 zwei: *converse-extra-hosts-to-check*, *TOOLS* 30-5
 zwei: *converse-gagged*, *NET* 3-15
 zwei: *converse-gagged*, *NET* 3-12
 zwei: *converse-gagged*, *TOOLS* 30-5
 zwei: *converse-receive-mode*, *NET* 3-14
 zwei: *converse-receive-mode*, *TOOLS* 30-4
 zwei: *converse-wait-p*, *NET* 3-15
 zwei: *converse-wait-p*, *TOOLS* 30-5
 fs: *copy-file-known-binary-types*, *IO* 3-8
 fs: *copy-file-known-short-binary-types*, *IO* 3-8
 fs: *copy-file-known-text-types*, *IO* 3-8
 sys: *country-code*, *IO* C-1
 gwin: *current-cache-for-raster-objects*, *TOOLS* 10-16; *WIN* 12-75
 current-process, *LISP* 27-11
 current-stack-group, *LISP* 26-7
 current-stack-group-resumer, *LISP* 26-7
 mt: *current-unit*, *IO* 8-9

D

chaos: dat-op, *NET* 5-25
 debug-io, *IO* 1-2
 debug-io, *TOOLS* 13-5
 tree: *default-adjust-to-sup-size*, *TOOLS* 11-15

tree: *default-application-type*, *TOOLS* 11-15
 w: *default-background*, *WIN* 19-7, 19-18
 mail: *default-bcc-string*, *TOOLS* 31-56
 w: default-beep, *WIN* 18-6
 w: *default-blinker-offset*, *WIN* 19-18
 printer: *default-blinkerp*, *IO* 7-8
 w: *default-border-color*, *WIN* 19-18
 rpc: *default-client-who-state*, *NET* B-11
 w: *default-color-map*, *WIN* 19-4
 default-cons-area, *LISP* 25-6
 printer: *default-cpi*, *IO* 7-5
 time: *default-date-print-mode*, *LISP* 24-3
 tv: *default-directory-pathname*, *WIN* 14-43
 sys: *default-disk-unit*, *IO* 6-6
 sys: *default-disk-unit*, *NET* 3-23
 w: *default-documentation-background*, *WIN* 19-18
 w: *default-documentation-foreground*, *WIN* 19-18
 mail: *default-fcc-string*, *TOOLS* 31-56
 w: *default-foreground*, *WIN* 12-11, 19-7, 19-18
 gwin: *default-gwin-fonts*, *WIN* 12-67
 printer: *default-header*, *IO* 7-5
 tree: *default-init-label*, *TOOLS* 11-15
 w: *default-initial-colors*, *WIN* 19-4
 printer: *default-lines*, *IO* 7-5
 printer: *default-lpi*, *IO* 7-5
 ucl: *default-max-command-history*, *TOOLS* 7-35
 ucl: *default-max-output-history*, *TOOLS* 7-35
 w: *default-menu-background*, *WIN* 19-18
 w: *default-menu-foreground*, *WIN* 19-18
 w: *default-menu-item-who-line-documentation-function*, *WIN* 14-31
 w: *default-menu-label-background*, *WIN* 19-18
 w: *default-menu-label-foreground*, *WIN* 19-18
 printer: *default-orientation*, *IO* 7-8
 mail: *default-other-mail-file*, *TOOLS* 31-53
 printer: *default-page-heading*, *IO* 7-5
 default-pathname-defaults, *IO* 2-16
 ucl: *default-print-function*, *TOOLS* 7-35
 printer: *default-print-wide*, *IO* 7-6
 ucl: *default-prompt*, *TOOLS* 7-34
 printer: *default-ps-font-map*, *IO* 7-17
 ucl: *default-read-function*, *TOOLS* 7-35
 w: *default-read-who-state*, *WIN* 8-16
 mail: *default-reply-to-string*, *TOOLS* 31-56
 w: default-screen, *WIN* 5-3
 printer: *default-screen-to-print*, *IO* 7-8
 w: *default-scroll-bar-color*, *WIN* 19-18
 rpc: *default-server-who-state*, *NET* B-11
 w: *default-status-background*, *WIN* 19-18
 w: *default-status-foreground*, *WIN* 19-18
 w: *default-texture*, *WIN* 12-11
 ucl: *default-typein-modes*, *TOOLS* 7-34
 rpc: *default-unix-gid*, *NET* B-11
 rpc: *default-unix-uid*, *NET* B-11
 tree: *default-vertical*, *TOOLS* 11-15
 w: *default-w-fonts*, *WIN* 12-66
 name: *default-who-am-i-domain*, *NET* 4-43
 name: *default-who-am-i-domain*, *NET* 4-13
 w: default-window-types-item-list, *WIN* 18-19

fs: *defaults-are-per-host*, *IO* 2-16
w: deferred-notifications, *WIN* 18-3
mail: *delete-message-after-copy*, *TOOLS* 31-53
w: *deselected-process-priority*, *WIN* 6-8
sys: *dont-recompile-flavors*, *LISP* 19-11
mail: *dont-reply-to*, *TOOLS* 31-55
double-float-epsilon, *LISP* 3-6
double-float-negative-epsilon, *LISP* 3-6

E

w: *enable-typeout-window-borders*, *WIN* 13-2
sys: encapsulation-standard-order, *LISP* 16-35
eh: *enter-window-debugger*, *TOOLS* 14-1
chaos: eof-op, *NET* 5-25
eh: *error-backtrace-length*, *TOOLS* 13-2
error-output, *IO* 1-2; *LISP* 20-8
compiler: errors, *LISP* 21-1
errset, *LISP* 20-10
evalhook, *TOOLS* 20-1
name: *expensive-foreign-lookup-by-properties*, *TOOLS* 32-7
printer: *explorer-postscript-font-map*, *IO* 7-17

F

compiler: fatal, *LISP* 21-1
sys: fdefine-file-pathname, *LISP* 16-25
features, *IO* 4-18
features, *TOOLS* 25-19
sys: *file-transformation-function*, *LISP* 23-19
sys: *file-transformation-list*, *LISP* 23-18
chaos: first-data-word-in-pkt, *NET* 5-22
w: flash-duration, *WIN* 18-5
sys: *flavor-compilations*, *LISP* 19-13
tv: *flavor-inspector-configuration*, *TOOLS* 16-4
w: *font-list*, *WIN* 12-66
tree: *force-recalculate*, *TOOLS* 11-14
chaos: foreign-state, *NET* 5-16
mail: *forward-template*, *TOOLS* 31-50
meter: *function-histogram-depth*, *TOOLS* 27-43
meter: *function-histogram-interval*, *TOOLS* 27-43
meter: *function-histogram-number*, *TOOLS* 27-43

G

sys: *gc-console-delay-interval*, *LISP* 25-18
sys: *gc-daemon-notifications*, *LISP* 25-17
sys: gc-daemon-report-stream, *LISP* 25-17
sys: gc-fraction-of-ram-for-generation-zero, *LISP* 25-20
sys: %gc-generation-number, *LISP* 25-20
sys: gc-idle-scavenge-quantum, *LISP* 25-20
sys: *gc-max-incremental-generation*, *LISP* 25-18
sys: *gc-notifications*, *LISP* 25-17
sys: gc-report-stream, *LISP* 25-17
fs: *generic-base-type-alist*, *IO* 2-30
nse: *group-member-value*, *TOOLS* 32-48
nse: *group-members-to-delete*, *TOOLS* 32-48

H

- w: *hollow-m-choice-box-p*, WIN 14-66
- chaos: host-down-state, NET 5-15
- fs: host-unit-lifetime, NET 3-3

I

- ibase, LISP A-10
- mail: *in-reply-to-template*, TOOLS 31-55
- chaos: inactive-state, NET 5-15
- eh: *inhibit-debugger-proceed-prompt*, TOOLS 13-2
- sys: inhibit-displacing-flag, LISP 18-13
- inhibit-fdefine-warnings, LISP 16-26
- sys: inhibit-idle-scavenging-flag, LISP 25-20
- mail: *inhibit-mail-file-format-warnings*, TOOLS 31-53
- sys: inhibit-scavenging-flag, LISP 25-20
- inhibit-scheduling-flag, LISP 27-11
- inhibit-style-warnings-switch, LISP 21-9
- w: initial-lisp-listener, WIN 18-10
- sys: initial-process, LISP 27-13
- sys: initialization-keywords, LISP 28-5
- tv: *inspector-configuration*, TOOLS 15-3
- internal-time-units-per-second, LISP 24-3
- it, LISP 15-14
- fs: *its-uninteresting-types*, IO 2-39

K

- w: kbd-global-asynchronous-characters, WIN 8-22
- w: kbd-intercepted-characters, WIN 8-19
- w: kbd-last-activity-time, WIN 8-3
- w: kbd-standard-asynchronous-characters, WIN 8-21
- w: kbd-standard-intercepted-characters, WIN 8-20
- w: kbd-tyi-hook, WIN 8-20
- *keyword-package*, LISP 5-18
- mail: *kill-mail-buffers-at-logout-p*, TOOLS 31-53
- tree: *known-application-types*, TOOLS 11-15

L

- fed: *label-base*, TOOLS 12-16
- lambda-list-keywords, LISP 16-2
- lambda-parameters-limit, LISP 16-2
- fs: last-file-opened, IO 2-16
- w: last-who-line-process, WIN 18-16
- least-negative-double-float, LISP 3-6
- least-negative-long-float, LISP 3-6
- least-negative-short-float, LISP 3-6
- least-negative-single-float, LISP 3-6
- least-positive-double-float, LISP 3-6
- least-positive-long-float, LISP 3-6
- least-positive-short-float, LISP 3-6
- least-positive-single-float, LISP 3-6
- *lisp-package*, LISP 5-18
- imagen: *lisp-to-imagen-font-mapping*, IO 7-16
- chaos: listening-state, NET 5-15
- fs: load-pathname-defaults, IO 2-16
- *load-verbose*, IO 3-12
- nse: *local*, TOOLS 32-49
- sys: local-finger-location, TOOLS 25-20

sys: local-host, *TOOLS* 25-20
 sys: local-host-name, *TOOLS* 25-20
 sys: local-pretty-host-name, *TOOLS* 25-20
 mail: *log-enabled*, *TOOLS* 31-46
 syslog: *log-name*, *IO* 6-45
 syslog: *log-unit*, *IO* 6-45
 sys: login-history, *LISP* 23-27
 logout-list, *TOOLS* 3-3
 long-float-epsilon, *LISP* 3-6
 long-float-negative-epsilon, *LISP* 3-6
 chaos: los-op, *NET* 5-25
 chaos: los-received-state, *NET* 5-15
 chaos: lsn-op, *NET* 5-24

M

macro-compiled-program, *LISP* 25-11
 macroexpand-hook, *LISP* 18-14
 mail: *sticky-mail-window-configuration-p*, *TOOLS* 31-54
 mail: *mail-file-versions-kept*, *TOOLS* 31-53
 mail: *mail-mode-hook*, *TOOLS* 31-56
 mail: *mail-summary-attribute-char-alist*, *TOOLS* 31-55
 mail: *mail-summary-mode*, *TOOLS* 31-54
 mail: *mail-summary-template*, *TOOLS* 31-54
 mail: *mail-summary-window-fraction*, *TOOLS* 31-54
 mail: *mail-template*, *TOOLS* 31-50
 w: main-screen, *WIN* 5-3
 sys: *make-system-forms-to-be-evald-after*, *LISP* 23-18
 sys: *make-system-forms-to-be-evald-before*, *LISP* 23-18
 sys: *make-system-forms-to-be-evald-finally*, *LISP* 23-18
 w: margin-choice-abort-string, *WIN* 14-22
 w: margin-choice-completion-string, *WIN* 14-22
 tree: *max-level*, *TOOLS* 11-14
 w: menu-default-command-characters, *WIN* 14-18
 w: menu-fill-breakage, *WIN* 14-30
 w: menu-golden-ratio, *WIN* 14-30
 w: menu-intercolumn-spacing, *WIN* 14-31
 w: menu-interword-spacing, *WIN* 14-31
 sys: %meter-micro-enables, *TOOLS* 27-6
 meter: metered-objects, *TOOLS* 27-25
 tree: *minimum-breadth-spacing*, *TOOLS* 11-15
 tree: *minimum-depth-spacing*, *TOOLS* 11-15
 modules, *LISP* 23-28
 w: more-processing-global-enable, *WIN* 7-13
 most-negative-double-float, *LISP* 3-6
 most-negative-fixnum, *LISP* 3-6
 most-negative-long-float, *LISP* 3-6
 most-negative-short-float, *LISP* 3-6
 most-negative-single-float, *LISP* 3-6
 most-positive-double-float, *LISP* 3-6
 most-positive-fixnum, *LISP* 3-6
 most-positive-long-float, *LISP* 3-6
 most-positive-short-float, *LISP* 3-6
 most-positive-single-float, *LISP* 3-6
 w: mouse-blinker, *WIN* 11-17
 w: mouse-bounce-time, *WIN* 11-3
 w: mouse-double-click-time, *WIN* 11-3
 w: mouse-fast-motion-bitmap-time, *WIN* 11-3
 w: mouse-fast-motion-cross-size, *WIN* 11-3

w: mouse-fast-motion-cross-time, *WIN* 11-3
 w: mouse-fast-motion-speed, *WIN* 11-3
 w: mouse-fast-track-bitmap-mouse-p, *WIN* 11-3
 w: mouse-handedness, *WIN* 11-4
 w: *mouse-incrementing-keystates*, *WIN* 11-4
 w: mouse-last-buttons, *WIN* 11-5
 w: mouse-sheet, *WIN* 11-2
 w: mouse-speed, *WIN* 11-2
 w: mouse-window, *WIN* 11-8
 sys: mouse-x, *WIN* 11-2
 sys: mouse-y, *WIN* 11-2
 multiple-values-limit, *LISP* 16-16

N

fs: *name-specified-default-type*, *IO* 2-16
 nil, *LISP* 2-24
 name: *non-standard-boot-alternative*, *NET* 4-41, 4-43
 nopoint, *LISP* A-12
 sys: nr-sym, *LISP* 25-11
 nse: *nse-fonts*, *TOOLS* 32-36
 sys: *null-stream*, *IO* 1-14
 sys: *null-stream*, *CONC* 1-10
 w: number-of-who-line-documentation-lines, *WIN* 18-15

O

nse: *object*, *TOOLS* 32-48
 obsolete-function-warning-switch, *LISP* 21-9
 compiler: ok, *LISP* 21-1
 nse: *old-group-member-value*, *TOOLS* 32-48
 nse: *old-value*, *TOOLS* 32-48
 w: on-volume, *WIN* 18-8
 open-code-map-switch, *LISP* 21-9
 chaos: open-state, *NET* 5-15
 nse: *operation*, *TOOLS* 32-49
 chaos: opn-op, *NET* 5-24
 compiler: *output-version-behavior*, *LISP* 21-4

P

sys: p-n-string, *LISP* 25-11
 package, *LISP* 5-11
 fs: *pathname-hash-table*, *IO* 2-23
 eh: pdl-grow-ratio, *LISP* 26-7
 compiler: peep-enable, *LISP* 21-5
 w: pending-notifications, *WIN* 18-3
 permanent-storage-area, *LISP* 25-11
 nse: *personal-filter-list*, *TOOLS* 32-37
 nse: *personal-horizontal-format-list*, *TOOLS* 32-37
 pi, *LISP* 3-13
 sys: pkg-area, *LISP* 25-11
 pkg-keyword-package, *LISP* 5-18
 pkg-lisp-package, *LISP* 5-18
 pkg-system-package, *LISP* 5-18
 rpc: pmap-dump-spec, *NET* B-6
 rpc: *pmap-getport-cache-p*, *NET* B-4
 rpc: *pmap-getport-retrys*, *NET* B-12
 rpc: pmap-getport-spec, *NET* B-6
 rpc: *pmap-getport-timeout*, *NET* B-12

rpc: pmap-null-spec, *NET* B-6
 rpc: pmap-set-spec, *NET* B-6
 rpc: pmap-unset-spec, *NET* B-6
 rpc: pmapproc-callit, *NET* B-6
 rpc: pmapproc-dump, *NET* B-6
 rpc: pmapproc-getport, *NET* B-6
 rpc: pmapproc-limit, *NET* B-6
 rpc: pmapproc-null, *NET* B-6
 rpc: pmapproc-set, *NET* B-6
 rpc: pmapproc-unset, *NET* B-6
 rpc: pmapprog, *NET* B-5
 rpc: pmapvers, *NET* B-5
 net: *poll-each-status-p*, *NET* 7-2
 net: *poll-each-status-p* , *TOOLS* 33-2
 ucl: preempting?, *TOOLS* 7-35
 mail: *preload-mail-file-p*, *TOOLS* 31-52
 w: previously-selected-windows, *WIN* 6-7
 print-array, *IO* 5-7
 print-base, *IO* 5-6
 print-base, *TOOLS* 25-14
 print-case, *IO* 5-6
 print-circle, *IO* 5-5
 print-escape, *IO* 5-5
 print-escape, *TOOLS* 25-14
 print-gensym, *IO* 5-6
 print-length, *IO* 5-7
 print-level, *IO* 5-6
 print-pretty, *IO* 5-5
 print-pretty, *TOOLS* 25-14
 printer: *print-queue*, *IO* 7-13
 print-radix, *IO* 5-6
 print-radix, *TOOLS* 25-14
 print-structure, *IO* 5-7; *LISP* 10-4
 printer: *default-baud-bits*, *IO* 7-3
 printer: *default-data-bits*, *IO* 7-3
 printer: *default-parity*, *IO* 7-3
 printer: *default-stop-bits*, *IO* 7-3
 printer: *default-stream*, *IO* 7-3
 printer: *default-xon-xoff*, *IO* 7-3
 mail: *probe-for-new-mail-p*, *TOOLS* 31-53
 nse: *prompt-in-mini-buffer-p*, *TOOLS* 32-36
 sys: property-list-area, *LISP* 25-11

Q

compiler: qc-file-check-indentation, *LISP* 21-9
 query-io, *IO* 1-2
 sys: *query-type*, *LISP* 23-18

R

 random-state, *LISP* 3-25
 read-base, *IO* 4-4
 read-default-float-format, *IO* 4-22, 5-7
 read-suppress, *IO* 4-18
 readtable, *IO* 4-19
 fs: record-passwords-flag, *NET* 3-3
 sys: *redo-all*, *LISP* 23-18
 sys: *redo-load-type*, *LISP* 23-18
 mail: *reformat-headers-automatically*, *TOOLS* 31-56

mail: *reformat-headers-body-goal-column*, *TOOLS* 31-57
 mail: *reformat-headers-case*, *TOOLS* 31-57
 mail: *reformat-headers-exclude-list*, *TOOLS* 31-56
 mail: *reformat-headers-include-list*, *TOOLS* 31-56
 mail: *reply-template*, *TOOLS* 31-50
 mail: *reply-template-1*, *TOOLS* 31-50
 mail: *reply-to-all-header-type*, *TOOLS* 31-56
 mail: *reply-to-all-template*, *TOOLS* 31-50
 mail: *reply-to-sender-template*, *TOOLS* 31-50
 mail: *resend-template*, *TOOLS* 31-50
 chaos: rfc-op, *NET* 5-24
 chaos: rfc-received-state, *NET* 5-15
 chaos: rfc-sent-state, *NET* 5-15
 room, *LISP* 25-10
 : root, *IO* 2-24
 tree: *root-node*, *TOOLS* 11-14
 rpc: *rpc-default-area*, *NET* B-11
 rpc: *rpcinfo-name-number-alist*, *NET* B-12
 w: rubout-handler, *WIN* 8-6
 run-in-maclisp-switch, *LISP* A-14

S

fed: *sample-font*, *TOOLS* 12-16
 ged: *save-bits-for-buffers*, *TOOLS* 10-3
 mail: *save-mail-file-in-background*, *TOOLS* 31-52
 sys: scheduler-stack-group, *LISP* 27-13
 w: screen-manage-update-permitted-windows, *WIN* 5-21
 w: *scroll-bar-char-index*, *WIN* 11-27
 w: *scroll-bar-char-x-offset*, *WIN* 11-27
 w: *scroll-bar-char-y-offset*, *WIN* 11-27
 w: *scroll-bar-default-clicks*, *WIN* 11-28
 w: scroll-bar-max-exit-speed, *WIN* 11-29
 w: scroll-bar-max-speed, *WIN* 11-29
 w: scroll-bar-reluctance, *WIN* 11-29
 w: *scroll-bar-shade*, *WIN* 11-27
 w: *scroll-bar-who-line-documentation*, *WIN* 11-29
 w: scroll-item-leader-offset, *WIN* 17-11
 tree: *scroll-window-height*, *TOOLS* 11-15
 tree: *scroll-window-width*, *TOOLS* 11-15
 w: *selected-process-priority*, *WIN* 6-7
 w: selected-window, *WIN* 6-2
 self, *LISP* 19-9
 sys: self-mapping-table, *LISP* 19-32
 chaos: server-alist, *NET* 5-18
 sys: sg-state-active, *LISP* 26-5
 sys: sg-state-awaiting-error-recovery, *LISP* 26-5
 sys: sg-state-awaiting-initial-call, *LISP* 26-5
 sys: sg-state-awaiting-return, *LISP* 26-5
 sys: sg-state-exhausted, *LISP* 26-5
 sys: sg-state-invoke-call-on-return, *LISP* 26-5
 sys: sg-state-resumable, *LISP* 26-5
 w: sheet-area, *WIN* 5-2
 short-float-epsilon, *LISP* 3-6
 short-float-negative-epsilon, *LISP* 3-6
 sys: *silent-p*, *LISP* 23-18
 single-float-epsilon, *LISP* 3-6
 single-float-negative-epsilon, *LISP* 3-6
 standard-input, *IO* 1-2

standard-output, *IO* 1-2
 tree: *starting-point-offset*, *TOOLS* 11-15
 sys: *step-auto*, *TOOLS* 19-2
 mail: *sticky-mail-buffer-selection-p*, *TOOLS* 31-54
 nse: *stream*, *TOOLS* 32-48
 sys: *kernel-symbol-area*, *LISP* 25-11
 sys: *user-symbol-area*, *LISP* 25-11
 sys: *system-being-defined*, *LISP* 23-13
 sys: *system-being-made*, *LISP* 23-17
 w: *system-keys*, *WIN* 8-23
 w: *system-menu-debug-tools-column*, *WIN* 18-19
 w: *system-menu-edit-windows-column*, *WIN* 18-19
 w: *system-menu-programs-column*, *WIN* 18-19
 w: *system-menu-user-aids-column*, *WIN* 18-19
 system-package, *LISP* 5-18

T

t, *LISP* 2-24
 telnet: telnet-default-path, *NET* 3-5
 terminal-io, *IO* 1-2
 w: *terminal-keys*, *WIN* 8-22
 w: *textures*, *WIN* 12-11, 19-19
 ucl: this-application, *TOOLS* 7-35
 printer: *ti2015-default-mapping-p*, *IO* C-8
 printer: *ti2015-default-mapping-table*, *IO* C-8
 printer: *ti855-default-8859-ecs-1*, *IO* C-6
 printer: *ti855-default-8859-ecs-2*, *IO* C-6
 printer: *ti855-default-mapping-p*, *IO* C-5
 printer: *ti855-default-mapping-tables*, *IO* C-4
 printer: *ti880-default-mapping-p*, *IO* C-7
 printer: *ti880-p8859e-rom-id*, *IO* C-7
 printer: *ti880-preldp-rom-id*, *IO* C-6
 tiel-package, *LISP* 5-18
 time: *timeit-defaults*, *TOOLS* 27-34
 time: *timezone*, *LISP* 24-7
 sys: *top-level-transformations*, *LISP* 23-18
 trace-compile-flag, *TOOLS* 18-6
 eh: *trace-conditions*, *LISP* 20-35
 trace-output, *IO* 1-2; *TOOLS* 18-5
 sys: *transformation-type-alist*, *LISP* 23-19
 tree: *tree*, *TOOLS* 11-14
 tree: *tree-window*, *TOOLS* 11-14
 nse: *truncate-attribute-lines-nicely*, *TOOLS* 32-37
 tree: *truncation-for-scroll-window*, *TOOLS* 11-15
 mail: *try-mail-now-p*, *TOOLS* 31-53
 mail: *two-window-reply*, *TOOLS* 31-55

U

 w: *unidirectional-more-standard-message*, *WIN* 7-13
 mail: *unix-inbox-pathname*, *TOOLS* 31-53
 mail: *unsent-message-query-p*, *TOOLS* 31-57
 mail: *upcase-message-keywords-p*, *TOOLS* 31-57
 printer: *use-cached-printers*, *IO* 7-2
 w: use-kbd-buttons, *WIN* 11-3
 mail: *user-default-mail-file*, *TOOLS* 31-52
 w: *user-defined-terminal-keys*, *WIN* 8-22
 fs: user-host-password-alist, *NET* 3-3
 user-id, *TOOLS* 25-20

mail: *user-mail-address*, *TOOLS* 31-56
mail: *user-mail-reading-mode*, *TOOLS* 31-53
 user-package, *LISP* 5-18
fs: user-unames, *NET* 3-3

V

nse: *value*, *TOOLS* 32-48
nse: *verification-level*, *NET* 4-43; *TOOLS* 32-49
nse: *verification-level* , *NET* 4-17
tree: *vertical?, *TOOLS* 11-14

W

compiler: *warn-of-superseded-functions-p*, *LISP* 21-5
compiler: warn-on-errors, *LISP* 21-5
compiler: warnings, *LISP* 21-1
w: who-line-file-state-sheet, *WIN* 18-17
w: who-line-mouse-grabbed-documentation, *WIN* 11-9
w: who-line-process, *WIN* 18-16
w: who-line-screen, *WIN* 5-3
w: window-owning-mouse, *WIN* 11-8
w: window-resource-names, *WIN* 18-21
working-storage-area, *LISP* 25-10
syslog: *wrap-warning-time-delta*, *IO* 6-45

Y

mail: *yank-message-headers-include-list*, *TOOLS* 31-57
mail: *yank-message-prefix*, *TOOLS* 31-57

Z

zlc-package, *LISP* 5-18

Data Systems Group – Austin Documentation Questionnaire

Explorer Master Index To Software Manuals

Do you use other TI manuals? If so, which one(s)?

| | |
|--|--|
| | |
| | |
| | |

How would you rate the quality of our manuals?

| | Excellent | Good | Fair | Poor |
|----------------|-----------|-------|-------|-------|
| Accuracy | _____ | _____ | _____ | _____ |
| Organization | _____ | _____ | _____ | _____ |
| Clarity | _____ | _____ | _____ | _____ |
| Completeness | _____ | _____ | _____ | _____ |
| Overall design | _____ | _____ | _____ | _____ |
| Size | _____ | _____ | _____ | _____ |
| Illustrations | _____ | _____ | _____ | _____ |
| Examples | _____ | _____ | _____ | _____ |
| Index | _____ | _____ | _____ | _____ |
| Binding method | _____ | _____ | _____ | _____ |

Was the quality of documentation a criterion in your selection of hardware or software?

- Yes
 No

How do you find the technical level of our manuals?

- Written for a more experienced user than yourself
 Written for a user with the same experience
 Written for a less experienced user than yourself

What is your experience using computers?


- Less than 1 year
 1-5 years
 5-10 years
 Over 10 years

We appreciate your taking the time to complete this questionnaire. If you have additional comments about the quality of our manuals, please write them in the space below. Please be specific.


Name _____ Title/Occupation _____
 Company Name _____
 Address _____ City/State/Zip _____
 Telephone _____ Date _____

TAPE EDGE TO SEAL

FOLD



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST-CLASS PERMIT NO. 7284 DALLAS, TX

POSTAGE WILL BE PAID BY ADDRESSEE

TEXAS INSTRUMENTS INCORPORATED
DATA SYSTEMS GROUP

ATTN: PUBLISHING CENTER
P.O. Box 2909 M/S 2146
Austin, Texas 78769-9990



FOLD